







11AX20MIMO_Ant0_5220_1000~40000




11AX20MIMO_Ant1_5220_30~1000




11AX20MIMO_Ant1_5220_1000~40000




11AX20MIMO_Ant0_5240_30~1000




11AX20MIMO_Ant0_5240_1000~40000




11AX20MIMO_Ant1_5240_30~1000




11AX20MIMO_Ant1_5240_1000~40000




11AX20MIMO_Ant0_5745_30~1000




11AX20MIMO_Ant0_5745_1000~40000




11AX20MIMO_Ant1_5745_30~1000




11AX20MIMO_Ant1_5745_1000~40000




11AX20MIMO_Ant0_5785_30~1000




11AX20MIMO_Ant0_5785_1000~40000




11AX20MIMO_Ant1_5785_30~1000




11AX20MIMO_Ant1_5785_1000~40000




11AX20MIMO_Ant0_5825_30~1000




11AX20MIMO_Ant0_5825_1000~40000




11AX20MIMO_Ant1_5825_30~1000




11AX20MIMO_Ant1_5825_1000~40000




11AX40MIMO_Ant0_5190_30~1000




11AX40MIMO_Ant0_5190_1000~40000




11AX40MIMO_Ant1_5190_30~1000




11AX40MIMO_Ant1_5190_1000~40000




11AX40MIMO_Ant0_5230_30~1000




11AX40MIMO_Ant0_5230_1000~40000




11AX40MIMO_Ant1_5230_30~1000




11AX40MIMO_Ant1_5230_1000~40000




11AX40MIMO_Ant0_5755_30~1000




11AX40MIMO_Ant0_5755_1000~40000




11AX40MIMO_Ant1_5755_30~1000




11AX40MIMO_Ant1_5755_1000~40000




11AX40MIMO_Ant0_5795_30~1000




11AX40MIMO_Ant0_5795_1000~40000




11AX40MIMO_Ant1_5795_30~1000




11AX40MIMO_Ant1_5795_1000~40000




11AX80MIMO_Ant0_5210_30~1000




11AX80MIMO_Ant0_5210_1000~40000




11AX80MIMO_Ant1_5210_30~1000




11AX80MIMO_Ant1_5210_1000~40000




11AX80MIMO_Ant0_5775_30~1000



11AX80MIMO_Ant0_5775_1000~40000



11AX80MIMO_Ant1_5775_30~1000



7. Frequency Stability

7.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20MI MO	Ant0	5180	NV	NT	-80000.00	-15.444015	20	PASS
			LV	NT	-100000.00	-19.305019	20	PASS
			HV	NT	-80000.00	-15.444015	20	PASS
	Ant1	5180	NV	NT	-80000.00	-15.444015	20	PASS
			LV	NT	-100000.00	-19.305019	20	PASS
			HV	NT	-100000.00	-19.305019	20	PASS
	Ant0	5220	NV	NT	-100000.00	-19.157088	20	PASS
			LV	NT	-80000.00	-15.325670	20	PASS
			HV	NT	-80000.00	-15.325670	20	PASS
	Ant1	5220	NV	NT	-80000.00	-15.325670	20	PASS
			LV	NT	-100000.00	-19.157088	20	PASS
			HV	NT	-80000.00	-15.325670	20	PASS
	Ant0	5240	NV	NT	-80000.00	-15.267176	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-60000.00	-11.450382	20	PASS
	Ant1	5240	NV	NT	-60000.00	-11.450382	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-80000.00	-15.267176	20	PASS
	Ant0	5745	NV	NT	-100000.00	-17.406440	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-100000.00	-17.406440	20	PASS
	Ant1	5745	NV	NT	-100000.00	-17.406440	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-100000.00	-17.406440	20	PASS
	Ant0	5785	NV	NT	-100000.00	-17.286085	20	PASS
			LV	NT	-100000.00	-17.286085	20	PASS
			HV	NT	-80000.00	-15.267176	20	PASS
	Ant1	5785	NV	NT	-100000.00	-17.286085	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-80000.00	-15.267176	20	PASS
	Ant0	5825	NV	NT	-60000.00	-11.450382	20	PASS
			LV	NT	-80000.00	-15.267176	20	PASS
			HV	NT	-80000.00	-15.267176	20	PASS
	Ant1	5825	NV	NT	-100000.00	-17.167382	20	PASS
			LV	NT	-80000.00	-13.733906	20	PASS
			HV	NT	-80000.00	-13.733906	20	PASS
11AC40MI MO	Ant0	5190	NV	NT	-80000.00	-15.414258	20	PASS
			LV	NT	-80000.00	-15.414258	20	PASS
			HV	NT	-80000.00	-15.414258	20	PASS
	Ant1	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	-80000.00	-15.414258	20	PASS
	Ant0	5230	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	-80000.00	-15.414258	20	PASS
	Ant1	5230	NV	NT	-80000.00	-15.296367	20	PASS
			LV	NT	-80000.00	-15.296367	20	PASS
			HV	NT	-80000.00	-15.296367	20	PASS
	Ant0	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS

	Ant1	5755	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
	Ant0	5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-80000.00	-13.805004	20	PASS
			HV	NT	-80000.00	-13.805004	20	PASS
	Ant1	5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-80000.00	-13.805004	20	PASS
			HV	NT	-80000.00	-13.805004	20	PASS
11AC80MI MO	Ant0	5210	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-80000.00	-15.355086	20	PASS
			HV	NT	-80000.00	-15.355086	20	PASS
	Ant1	5210	NV	NT	40000.00	6.950478	20	PASS
			LV	NT	40000.00	6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
	Ant0	5775	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-80000.00	-13.805004	20	PASS
			HV	NT	-80000.00	-13.805004	20	PASS
	Ant1	5775	NV	NT	-80000.00	-13.852814	20	PASS
			LV	NT	-80000.00	-13.852814	20	PASS
			HV	NT	-80000.00	-13.852814	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20MI MO	Ant0	5180	NV	-30	-100000.00	-19.305019	20	PASS
			NV	-20	-100000.00	-19.305019	20	PASS
			NV	-10	-80000.00	-15.444015	20	PASS
			NV	0	-100000.00	-19.305019	20	PASS
			NV	10	-80000.00	-15.444015	20	PASS
			NV	20	-100000.00	-19.305019	20	PASS
			NV	30	-80000.00	-15.444015	20	PASS
			NV	40	-80000.00	-15.444015	20	PASS
			NV	50	-100000.00	-19.305019	20	PASS
	Ant1	5180	NV	-30	-100000.00	-19.305019	20	PASS
			NV	-20	-80000.00	-15.444015	20	PASS
			NV	-10	-100000.00	-19.305019	20	PASS
			NV	0	-100000.00	-19.305019	20	PASS
			NV	10	-100000.00	-19.305019	20	PASS
			NV	20	-80000.00	-15.444015	20	PASS
			NV	30	-100000.00	-19.305019	20	PASS
			NV	40	-80000.00	-15.444015	20	PASS
			NV	50	-80000.00	-15.444015	20	PASS
	Ant0	5220	NV	-30	-80000.00	-15.325670	20	PASS
			NV	-20	-100000.00	-19.157088	20	PASS
			NV	-10	-80000.00	-15.325670	20	PASS
			NV	0	-100000.00	-19.157088	20	PASS
			NV	10	-100000.00	-19.157088	20	PASS
			NV	20	-80000.00	-15.325670	20	PASS

	Ant1	5220	NV	30	-100000.00	-19.157088	20	PASS
			NV	40	-80000.00	-15.325670	20	PASS
			NV	50	-100000.00	-19.157088	20	PASS
			NV	-30	-80000.00	-15.325670	20	PASS
			NV	-20	-60000.00	-11.494253	20	PASS
			NV	-10	-80000.00	-15.325670	20	PASS
			NV	0	-100000.00	-19.157088	20	PASS
			NV	10	-80000.00	-15.325670	20	PASS
			NV	20	-80000.00	-15.325670	20	PASS
			NV	30	-80000.00	-15.325670	20	PASS
			NV	40	-80000.00	-15.325670	20	PASS
			NV	50	-100000.00	-19.157088	20	PASS
	Ant0	5240	NV	-30	-100000.00	-19.083969	20	PASS
			NV	-20	-80000.00	-15.267176	20	PASS
			NV	-10	-100000.00	-19.083969	20	PASS
			NV	0	-80000.00	-15.267176	20	PASS
			NV	10	-80000.00	-15.267176	20	PASS
			NV	20	-80000.00	-15.267176	20	PASS
			NV	30	-80000.00	-15.267176	20	PASS
			NV	40	-100000.00	-19.083969	20	PASS
	Ant1	5240	NV	-30	-80000.00	-15.267176	20	PASS
			NV	-20	-60000.00	-11.450382	20	PASS
			NV	-10	-80000.00	-15.267176	20	PASS
			NV	0	-80000.00	-15.267176	20	PASS
			NV	10	-60000.00	-11.450382	20	PASS
			NV	20	-60000.00	-11.450382	20	PASS
			NV	30	-80000.00	-15.267176	20	PASS
			NV	40	-80000.00	-15.267176	20	PASS
	Ant0	5745	NV	50	-80000.00	-15.267176	20	PASS
			NV	-30	-80000.00	-15.267176	20	PASS
			NV	-20	-100000.00	-19.157088	20	PASS
			NV	-10	-100000.00	-17.406440	20	PASS
			NV	0	-100000.00	-17.406440	20	PASS
			NV	10	-100000.00	-17.406440	20	PASS
			NV	20	-100000.00	-19.157088	20	PASS
			NV	30	-80000.00	-15.267176	20	PASS
	Ant1	5745	NV	40	-100000.00	-17.406440	20	PASS
			NV	50	-80000.00	-15.267176	20	PASS
			NV	-30	-100000.00	-17.406440	20	PASS
			NV	-20	-100000.00	-17.406440	20	PASS
			NV	-10	-100000.00	-17.406440	20	PASS
			NV	0	-100000.00	-17.406440	20	PASS
			NV	10	-80000.00	-15.267176	20	PASS
			NV	20	-100000.00	-17.406440	20	PASS
			NV	30	-100000.00	-17.406440	20	PASS

			NV	40	-100000.00	-17.406440	20	PASS
			NV	50	-100000.00	-17.406440	20	PASS
	Ant0	5785	NV	-30	-100000.00	-17.286085	20	PASS
			NV	-20	-100000.00	-17.286085	20	PASS
			NV	-10	-100000.00	-17.286085	20	PASS
			NV	0	-100000.00	-17.286085	20	PASS
			NV	10	-80000.00	-15.267176	20	PASS
			NV	20	-80000.00	-15.267176	20	PASS
			NV	30	-100000.00	-17.286085	20	PASS
			NV	40	-80000.00	-15.267176	20	PASS
			NV	50	-100000.00	-17.286085	20	PASS
	Ant1	5785	NV	-30	-80000.00	-15.267176	20	PASS
			NV	-20	-80000.00	-15.267176	20	PASS
			NV	-10	-100000.00	-17.286085	20	PASS
			NV	0	-100000.00	-17.286085	20	PASS
			NV	10	-100000.00	-17.286085	20	PASS
			NV	20	-100000.00	-17.286085	20	PASS
			NV	30	-80000.00	-15.267176	20	PASS
			NV	40	-80000.00	-15.267176	20	PASS
			NV	50	-80000.00	-15.267176	20	PASS
	Ant0	5825	NV	-30	-100000.00	-17.167382	20	PASS
			NV	-20	-100000.00	-17.167382	20	PASS
			NV	-10	-100000.00	-17.167382	20	PASS
			NV	0	-100000.00	-17.167382	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	-100000.00	-17.167382	20	PASS
			NV	30	-100000.00	-17.167382	20	PASS
			NV	40	-100000.00	-17.167382	20	PASS
			NV	50	-100000.00	-17.167382	20	PASS
	Ant1	5825	NV	-30	-100000.00	-17.167382	20	PASS
			NV	-20	-100000.00	-17.167382	20	PASS
			NV	-10	-80000.00	-13.733906	20	PASS
			NV	0	-100000.00	-17.167382	20	PASS
			NV	10	-80000.00	-13.733906	20	PASS
			NV	20	-80000.00	-13.733906	20	PASS
			NV	30	-100000.00	-17.167382	20	PASS
			NV	40	-100000.00	-17.167382	20	PASS
			NV	50	-100000.00	-17.167382	20	PASS
11AC40MI MO	Ant0	5190	NV	-30	-100000.00	-17.167382	20	PASS
			NV	-20	-80000.00	-15.414258	20	PASS
			NV	-10	-80000.00	-15.414258	20	PASS
			NV	0	-80000.00	-15.414258	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	-100000.00	-17.167382	20	PASS
			NV	30	-80000.00	-15.414258	20	PASS
			NV	40	-80000.00	-15.414258	20	PASS

	Ant1	5190	NV	50	-80000.00	-15.414258	20	PASS
			NV	-30	80000.00	15.414258	20	PASS
			NV	-20	-80000.00	-15.414258	20	PASS
			NV	-10	-80000.00	-15.414258	20	PASS
			NV	0	80000.00	15.414258	20	PASS
			NV	10	-80000.00	-15.414258	20	PASS
			NV	20	-80000.00	-15.414258	20	PASS
			NV	30	40000.00	7.707129	20	PASS
			NV	40	-80000.00	-15.414258	20	PASS
			NV	50	40000.00	7.707129	20	PASS
	Ant0	5230	NV	-30	-80000.00	-15.296367	20	PASS
			NV	-20	-80000.00	-15.296367	20	PASS
			NV	-10	-80000.00	-15.296367	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	-80000.00	-15.414258	20	PASS
			NV	20	-80000.00	-15.414258	20	PASS
			NV	30	-100000.00	-17.167382	20	PASS
			NV	40	-80000.00	-15.296367	20	PASS
			NV	50	-80000.00	-15.296367	20	PASS
	Ant1	5230	NV	-30	-80000.00	-15.296367	20	PASS
			NV	-20	-100000.00	-17.167382	20	PASS
			NV	-10	-100000.00	-17.167382	20	PASS
			NV	0	-80000.00	-15.296367	20	PASS
			NV	10	-80000.00	-15.296367	20	PASS
			NV	20	-80000.00	-15.296367	20	PASS
			NV	30	-80000.00	-15.296367	20	PASS
			NV	40	-80000.00	-15.296367	20	PASS
			NV	50	-80000.00	-15.296367	20	PASS
	Ant0	5755	NV	-30	-80000.00	-15.296367	20	PASS
			NV	-20	-100000.00	-17.167382	20	PASS
			NV	-10	-100000.00	-17.167382	20	PASS
			NV	0	-80000.00	-15.296367	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	-80000.00	-15.296367	20	PASS
			NV	30	-100000.00	-17.167382	20	PASS
			NV	40	-80000.00	-15.296367	20	PASS
			NV	50	-80000.00	-13.900956	20	PASS
	Ant1	5755	NV	-30	40000.00	6.950478	20	PASS
			NV	-20	40000.00	6.950478	20	PASS
			NV	-10	-100000.00	-17.167382	20	PASS
			NV	0	-80000.00	-15.296367	20	PASS
			NV	10	-80000.00	-13.900956	20	PASS
			NV	20	-100000.00	-17.167382	20	PASS
			NV	30	-80000.00	-15.296367	20	PASS
			NV	40	40000.00	6.950478	20	PASS
			NV	50	-80000.00	-13.900956	20	PASS

	Ant0	5795	NV	-30	-100000.00	-17.167382	20	PASS
			NV	-20	-80000.00	-15.296367	20	PASS
			NV	-10	-80000.00	-13.805004	20	PASS
			NV	0	-100000.00	-17.167382	20	PASS
			NV	10	-80000.00	-15.296367	20	PASS
			NV	20	-100000.00	-17.167382	20	PASS
			NV	30	-80000.00	-13.805004	20	PASS
			NV	40	-100000.00	-17.167382	20	PASS
			NV	50	-80000.00	-13.805004	20	PASS
	Ant1	5795	NV	-30	-80000.00	-13.805004	20	PASS
			NV	-20	-80000.00	-13.805004	20	PASS
			NV	-10	-100000.00	-17.167382	20	PASS
			NV	0	-80000.00	-13.805004	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	-40000.00	-6.902502	20	PASS
			NV	30	-100000.00	-17.167382	20	PASS
			NV	40	-80000.00	-13.805004	20	PASS
			NV	50	40000.00	6.902502	20	PASS
11AC80MI MO	Ant0	5210	NV	-30	-80000.00	-15.355086	20	PASS
			NV	-20	-100000.00	-17.167382	20	PASS
			NV	-10	-80000.00	-15.355086	20	PASS
			NV	0	-80000.00	-15.355086	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	80000.00	15.355086	20	PASS
			NV	30	-80000.00	-15.355086	20	PASS
			NV	40	-80000.00	-15.355086	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5210	NV	-30	-80000.00	-15.355086	20	PASS
			NV	-20	-80000.00	-15.355086	20	PASS
			NV	-10	-80000.00	-15.355086	20	PASS
			NV	0	-80000.00	-15.355086	20	PASS
			NV	10	-80000.00	-15.355086	20	PASS
			NV	20	-100000.00	-17.167382	20	PASS
			NV	30	-80000.00	-15.355086	20	PASS
			NV	40	80000.00	15.355086	20	PASS
			NV	50	-100000.00	-17.167382	20	PASS
	Ant0	5775	NV	-30	-80000.00	-15.296367	20	PASS
			NV	-20	-80000.00	-13.900956	20	PASS
			NV	-10	40000.00	6.950478	20	PASS
			NV	0	-80000.00	-13.852814	20	PASS
			NV	10	-80000.00	-13.852814	20	PASS
			NV	20	-100000.00	-17.167382	20	PASS
			NV	30	-80000.00	-15.296367	20	PASS
			NV	40	-80000.00	-13.852814	20	PASS
			NV	50	-100000.00	-17.167382	20	PASS
	Ant1	5775	NV	-30	-80000.00	-15.296367	20	PASS

			NV	-20	-80000.00	-13.900956	20	PASS
			NV	-10	40000.00	6.950478	20	PASS
			NV	0	80000.00	13.852814	20	PASS
			NV	10	-100000.00	-17.167382	20	PASS
			NV	20	-80000.00	-15.296367	20	PASS
			NV	30	-80000.00	-13.900956	20	PASS
			NV	40	-80000.00	-13.852814	20	PASS
			NV	50	-80000.00	-13.852814	20	PASS


8. Duty Cycle

8.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
11A-CDD	Ant0	5180	1.40	1.77	79.10	0.714	---	---
	Ant1	5180	1.39	1.77	78.53	0.719	---	---
	Ant0	5220	1.39	1.77	78.53	0.719	---	---
	Ant1	5220	1.39	1.78	78.09	0.719	---	---
	Ant0	5240	1.39	1.77	78.53	0.719	---	---
	Ant1	5240	1.39	1.77	78.53	0.719	---	---
	Ant0	5745	1.40	1.77	79.10	0.714	---	---
	Ant1	5745	1.39	1.77	78.53	0.719	---	---
	Ant0	5785	1.39	1.78	78.09	0.719	---	---
	Ant1	5785	1.39	1.78	78.09	0.719	---	---
	Ant0	5825	1.39	1.77	78.53	0.719	---	---
	Ant1	5825	1.40	1.78	78.65	0.714	---	---
11N20MIMO	Ant0	5180	1.30	1.69	76.92	0.769	---	---
	Ant1	5180	1.30	1.68	77.38	0.769	---	---
	Ant0	5220	1.30	1.68	77.38	0.769	---	---
	Ant1	5220	1.30	1.69	76.92	0.769	---	---
	Ant0	5240	1.30	1.69	76.92	0.769	---	---
	Ant1	5240	1.30	1.68	77.38	0.769	---	---
	Ant0	5745	1.30	1.69	76.92	0.769	---	---
	Ant1	5745	1.30	1.68	77.38	0.769	---	---
	Ant0	5785	1.30	1.69	76.92	0.769	---	---
	Ant1	5785	1.30	1.69	76.92	0.769	---	---
	Ant0	5825	1.30	1.69	76.92	0.769	---	---
	Ant1	5825	1.30	1.69	76.92	0.769	---	---
11N40MIMO	Ant0	5190	0.65	1.05	61.90	1.538	---	---
	Ant1	5190	0.64	1.04	61.54	1.563	---	---
	Ant0	5230	0.65	1.04	62.50	1.538	---	---
	Ant1	5230	0.65	1.04	62.50	1.538	---	---
	Ant0	5755	0.65	1.04	62.50	1.538	---	---
	Ant1	5755	0.65	1.04	62.50	1.538	---	---
	Ant0	5795	0.65	1.04	62.50	1.538	---	---
	Ant1	5795	0.65	1.04	62.50	1.538	---	---
11AC20MIMO	Ant0	5180	0.68	1.07	63.55	1.471	---	---
	Ant1	5180	0.68	1.07	63.55	1.471	---	---
	Ant0	5220	0.68	1.08	62.96	1.471	---	---
	Ant1	5220	0.68	1.08	62.96	1.471	---	---
	Ant0	5240	0.68	1.07	63.55	1.471	---	---
	Ant1	5240	0.68	1.07	63.55	1.471	---	---
	Ant0	5745	0.68	1.08	62.96	1.471	---	---
	Ant1	5745	0.68	1.08	62.96	1.471	---	---

	Ant0	5785	0.68	1.08	62.96	1.471	---	---
	Ant1	5785	0.68	1.07	63.55	1.471	---	---
	Ant0	5825	0.68	1.07	63.55	1.471	---	---
	Ant1	5825	0.68	1.08	62.96	1.471	---	---
11AC40MIMO	Ant0	5190	0.35	0.74	47.30	2.857	---	---
	Ant1	5190	0.35	0.74	47.30	2.857	---	---
	Ant0	5230	0.35	0.74	47.30	2.857	---	---
	Ant1	5230	0.35	0.73	47.95	2.857	---	---
	Ant0	5755	0.35	0.73	47.95	2.857	---	---
	Ant1	5755	0.35	0.74	47.30	2.857	---	---
	Ant0	5795	0.36	0.74	48.65	2.778	---	---
	Ant1	5795	0.36	0.74	48.65	2.778	---	---
11AC80MIMO	Ant0	5210	0.19	0.58	32.76	5.263	---	---
	Ant1	5210	0.18	0.58	31.03	5.556	---	---
	Ant0	5775	0.19	0.59	32.20	5.263	---	---
	Ant1	5775	0.19	0.59	32.20	5.263	---	---
11AX20MIMO	Ant0	5180	0.56	0.95	58.95	1.786	---	---
	Ant1	5180	0.55	0.95	57.89	1.818	---	---
	Ant0	5220	0.55	0.95	57.89	1.818	---	---
	Ant1	5220	0.56	0.96	58.33	1.786	---	---
	Ant0	5240	0.55	0.95	57.89	1.818	---	---
	Ant1	5240	0.56	0.95	58.95	1.786	---	---
	Ant0	5745	0.56	0.95	58.95	1.786	---	---
	Ant1	5745	0.56	0.95	58.95	1.786	---	---
	Ant0	5785	0.56	0.95	58.95	1.786	---	---
	Ant1	5785	0.56	0.95	58.95	1.786	---	---
	Ant0	5825	0.56	0.96	58.33	1.786	---	---
	Ant1	5825	0.56	0.96	58.33	1.786	---	---
11AX40MIMO	Ant0	5190	0.21	0.58	36.21	4.762	---	---
	Ant1	5190	0.21	0.58	36.21	4.762	---	---
	Ant0	5230	0.20	0.59	33.90	5.000	---	---
	Ant1	5230	0.21	0.58	36.21	4.762	---	---
	Ant0	5755	0.21	0.58	36.21	4.762	---	---
	Ant1	5755	0.21	0.58	36.21	4.762	---	---
	Ant0	5795	0.20	0.60	33.33	5.000	---	---
	Ant1	5795	0.21	0.58	36.21	4.762	---	---
11AX80MIMO	Ant0	5210	0.20	0.59	33.90	5.000	---	---
	Ant1	5210	0.19	0.59	32.20	5.263	---	---
	Ant0	5775	0.20	0.59	33.90	5.000	---	---
	Ant1	5775	0.19	0.59	32.20	5.263	---	---


8.2. Test Graphs




11A-CDD_Ant0_5180




11A-CDD_Ant1_5180




11A-CDD_Ant0_5220




11A-CDD_Ant1_5220




11A-CDD_Ant0_5240




11A-CDD_Ant1_5240




11A-CDD_Ant0_5745




11A-CDD_Ant1_5745




11A-CDD_Ant0_5785




11A-CDD_Ant1_5785




11A-CDD_Ant0_5825




11A-CDD_Ant1_5825




11N20MIMO_Ant0_5180




11N20MIMO_Ant1_5180




11N20MIMO_Ant0_5220




11N20MIMO_Ant1_5220




11N20MIMO_Ant0_5240




11N20MIMO_Ant1_5240




11N20MIMO_Ant0_5745




11N20MIMO_Ant1_5745




11N20MIMO_Ant0_5785




11N20MIMO_Ant1_5785




11N20MIMO_Ant0_5825




11N20MIMO_Ant1_5825




11N40MIMO_Ant0_5190




11N40MIMO_Ant1_5190




11N40MIMO_Ant0_5230




11N40MIMO_Ant1_5230




11N40MIMO_Ant0_5755




11N40MIMO_Ant1_5755




11N40MIMO_Ant0_5795




11N40MIMO_Ant1_5795




11AC20MIMO_Ant0_5180




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant0_5220




11AC20MIMO_Ant1_5220




11AC20MIMO_Ant0_5240




11AC20MIMO_Ant1_5240




11AC20MIMO_Ant0_5745




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant0_5785




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant0_5825




11AC20MIMO_Ant1_5825




11AC40MIMO_Ant0_5190




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant0_5230




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant0_5755




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant0_5795




11AC40MIMO_Ant1_5795




11AC80MIMO_Ant0_5210




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant0_5775




11AC80MIMO_Ant1_5775




11AX20MIMO_Ant0_5180




11AX20MIMO_Ant1_5180




11AX20MIMO_Ant0_5220




11AX20MIMO_Ant1_5220




11AX20MIMO_Ant0_5240




11AX20MIMO_Ant1_5240




11AX20MIMO_Ant0_5745




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant0_5785




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant0_5825




11AX20MIMO_Ant1_5825




11AX40MIMO_Ant0_5190




11AX40MIMO_Ant1_5190




11AX40MIMO_Ant0_5230




11AX40MIMO_Ant1_5230




11AX40MIMO_Ant0_5755




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant0_5795




11AX40MIMO_Ant1_5795




11AX80MIMO_Ant0_5210



11AX80MIMO_Ant1_5210



11AX80MIMO_Ant0_5775



11AX80MIMO_Ant1_5775

-----End of the report-----