

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.68	-3.15	20.53	<=33.01	Pass
			2	23.77	-3.15	20.62	<=33.01	Pass
			5	23.66	-3.15	20.51	<=33.01	Pass
		3	0	23.79	-3.15	20.64	<=33.01	Pass
			2	23.39	-3.15	20.24	<=33.01	Pass
			3	23.27	-3.15	20.12	<=33.01	Pass
		6	0	22.24	-3.15	19.09	<=33.01	Pass
	1882.5	1	0	23.40	-3.15	20.25	<=33.01	Pass
			2	23.51	-3.15	20.36	<=33.01	Pass
			5	23.40	-3.15	20.25	<=33.01	Pass
		3	0	23.52	-3.15	20.37	<=33.01	Pass
			2	23.56	-3.15	20.41	<=33.01	Pass
			3	23.52	-3.15	20.37	<=33.01	Pass
		6	0	22.45	-3.15	19.30	<=33.01	Pass
	1914.3	1	0	23.53	-3.15	20.38	<=33.01	Pass
			2	23.63	-3.15	20.48	<=33.01	Pass
			5	23.55	-3.15	20.40	<=33.01	Pass
		3	0	23.57	-3.15	20.42	<=33.01	Pass
			2	23.21	-3.15	20.06	<=33.01	Pass
			3	23.11	-3.15	19.96	<=33.01	Pass
		6	0	22.05	-3.15	18.90	<=33.01	Pass
16QAM	1850.7	1	0	22.19	-3.15	19.04	<=33.01	Pass
			2	22.25	-3.15	19.10	<=33.01	Pass
			5	22.19	-3.15	19.04	<=33.01	Pass
		3	0	22.50	-3.15	19.35	<=33.01	Pass
			2	22.54	-3.15	19.39	<=33.01	Pass
			3	22.52	-3.15	19.37	<=33.01	Pass
		6	0	21.25	-3.15	18.10	<=33.01	Pass
	1882.5	1	0	22.61	-3.15	19.46	<=33.01	Pass
			2	22.68	-3.15	19.53	<=33.01	Pass
			5	22.59	-3.15	19.44	<=33.01	Pass
		3	0	22.55	-3.15	19.40	<=33.01	Pass
			2	22.60	-3.15	19.45	<=33.01	Pass
			3	22.57	-3.15	19.42	<=33.01	Pass
		6	0	21.53	-3.15	18.38	<=33.01	Pass
	1914.3	1	0	22.00	-3.15	18.85	<=33.01	Pass
			2	22.13	-3.15	18.98	<=33.01	Pass
			5	22.07	-3.15	18.92	<=33.01	Pass
		3	0	22.18	-3.15	19.03	<=33.01	Pass
			2	22.18	-3.15	19.03	<=33.01	Pass
			3	22.16	-3.15	19.01	<=33.01	Pass
		6	0	20.99	-3.15	17.84	<=33.01	Pass
64QAM	1850.7	1	0	21.56	-3.15	18.41	<=33.01	Pass
			2	21.71	-3.15	18.56	<=33.01	Pass
			5	21.59	-3.15	18.44	<=33.01	Pass
		3	0	21.54	-3.15	18.39	<=33.01	Pass
			2	21.56	-3.15	18.41	<=33.01	Pass

256QAM	1882.5	6	3	21.52	-3.15	18.37	<=33.01	Pass
			0	20.25	-3.15	17.10	<=33.01	Pass
			0	21.55	-3.15	18.40	<=33.01	Pass
		1	2	21.68	-3.15	18.53	<=33.01	Pass
			5	21.53	-3.15	18.38	<=33.01	Pass
			0	21.83	-3.15	18.68	<=33.01	Pass
		3	2	21.81	-3.15	18.66	<=33.01	Pass
			3	21.81	-3.15	18.66	<=33.01	Pass
			0	20.74	-3.15	17.59	<=33.01	Pass
		1914.3	0	20.87	-3.15	17.72	<=33.01	Pass
			2	20.95	-3.15	17.80	<=33.01	Pass
			5	20.91	-3.15	17.76	<=33.01	Pass
			0	21.09	-3.15	17.94	<=33.01	Pass
			2	21.10	-3.15	17.95	<=33.01	Pass
			3	21.10	-3.15	17.95	<=33.01	Pass
			0	20.17	-3.15	17.02	<=33.01	Pass
	1850.7	1	0	21.67	-3.15	18.52	<=33.01	Pass
			2	21.78	-3.15	18.63	<=33.01	Pass
			5	21.70	-3.15	18.55	<=33.01	Pass
		3	0	21.64	-3.15	18.49	<=33.01	Pass
			2	21.68	-3.15	18.53	<=33.01	Pass
			3	21.64	-3.15	18.49	<=33.01	Pass
		6	0	20.37	-3.15	17.22	<=33.01	Pass
			0	21.65	-3.15	18.5	<=33.01	Pass
			2	21.81	-3.15	18.66	<=33.01	Pass
		1882.5	5	21.64	-3.15	18.49	<=33.01	Pass
			0	21.94	-3.15	18.79	<=33.01	Pass
			2	21.89	-3.15	18.74	<=33.01	Pass
			3	21.91	-3.15	18.76	<=33.01	Pass
			0	20.83	-3.15	17.68	<=33.01	Pass
			0	20.95	-3.15	17.8	<=33.01	Pass
	1914.3	1	2	21.03	-3.15	17.88	<=33.01	Pass
			5	20.98	-3.15	17.83	<=33.01	Pass
			0	21.17	-3.15	18.02	<=33.01	Pass
		3	2	21.17	-3.15	18.02	<=33.01	Pass
			3	21.22	-3.15	18.07	<=33.01	Pass
			0	20.25	-3.15	17.1	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.86	-3.15	20.71	<=33.01	Pass
			7	23.96	-3.15	20.81	<=33.01	Pass
			14	23.86	-3.15	20.71	<=33.01	Pass
		8	0	22.71	-3.15	19.56	<=33.01	Pass
			4	22.43	-3.15	19.28	<=33.01	Pass
			7	22.37	-3.15	19.22	<=33.01	Pass
		15	0	22.32	-3.15	19.17	<=33.01	Pass
	1882.5	1	0	23.55	-3.15	20.40	<=33.01	Pass
			7	23.61	-3.15	20.46	<=33.01	Pass
			14	23.49	-3.15	20.34	<=33.01	Pass
		8	0	22.54	-3.15	19.39	<=33.01	Pass
			4	22.57	-3.15	19.42	<=33.01	Pass

		15	7	22.51	-3.15	19.36	<=33.01	Pass
			0	22.57	-3.15	19.42	<=33.01	Pass
			0	23.25	-3.15	20.10	<=33.01	Pass
		1	7	23.23	-3.15	20.08	<=33.01	Pass
			14	23.14	-3.15	19.99	<=33.01	Pass
			0	22.13	-3.15	18.98	<=33.01	Pass
		8	4	22.15	-3.15	19.00	<=33.01	Pass
			7	22.12	-3.15	18.97	<=33.01	Pass
			0	22.16	-3.15	19.01	<=33.01	Pass
		15	0	22.16	-3.15	19.01	<=33.01	Pass
16QAM	1851.5	1	0	22.34	-3.15	19.19	<=33.01	Pass
			7	22.50	-3.15	19.35	<=33.01	Pass
			14	22.38	-3.15	19.23	<=33.01	Pass
		8	0	21.38	-3.15	18.23	<=33.01	Pass
			4	21.43	-3.15	18.28	<=33.01	Pass
			7	21.40	-3.15	18.25	<=33.01	Pass
		15	0	21.43	-3.15	18.28	<=33.01	Pass
	1882.5	1	0	23.15	-3.15	20.00	<=33.01	Pass
			7	23.26	-3.15	20.11	<=33.01	Pass
			14	23.07	-3.15	19.92	<=33.01	Pass
		8	0	21.74	-3.15	18.59	<=33.01	Pass
			4	21.76	-3.15	18.61	<=33.01	Pass
			7	21.74	-3.15	18.59	<=33.01	Pass
		15	0	21.70	-3.15	18.55	<=33.01	Pass
	1913.5	1	0	22.28	-3.15	19.13	<=33.01	Pass
			7	22.43	-3.15	19.28	<=33.01	Pass
			14	22.33	-3.15	19.18	<=33.01	Pass
		8	0	21.14	-3.15	17.99	<=33.01	Pass
			4	21.18	-3.15	18.03	<=33.01	Pass
			7	21.13	-3.15	17.98	<=33.01	Pass
		15	0	21.18	-3.15	18.03	<=33.01	Pass
64QAM	1851.5	1	0	21.18	-3.15	18.03	<=33.01	Pass
			7	21.34	-3.15	18.19	<=33.01	Pass
			14	21.13	-3.15	17.98	<=33.01	Pass
		8	0	20.36	-3.15	17.21	<=33.01	Pass
			4	20.38	-3.15	17.23	<=33.01	Pass
			7	20.37	-3.15	17.22	<=33.01	Pass
		15	0	20.42	-3.15	17.27	<=33.01	Pass
	1882.5	1	0	21.89	-3.15	18.74	<=33.01	Pass
			7	21.97	-3.15	18.82	<=33.01	Pass
			14	21.89	-3.15	18.74	<=33.01	Pass
		8	0	20.98	-3.15	17.83	<=33.01	Pass
			4	21.21	-3.15	18.06	<=33.01	Pass
			7	21.16	-3.15	18.01	<=33.01	Pass
		15	0	21.14	-3.15	17.99	<=33.01	Pass
	1913.5	1	0	21.22	-3.15	18.07	<=33.01	Pass
			7	21.34	-3.15	18.19	<=33.01	Pass
			14	21.51	-3.15	18.36	<=33.01	Pass
		8	0	20.73	-3.15	17.58	<=33.01	Pass
			4	20.77	-3.15	17.62	<=33.01	Pass
			7	20.71	-3.15	17.56	<=33.01	Pass
		15	0	20.76	-3.15	17.61	<=33.01	Pass
256QAM	1851.5	1	0	21.28	-3.15	18.13	<=33.01	Pass
			7	21.44	-3.15	18.29	<=33.01	Pass
			14	21.24	-3.15	18.09	<=33.01	Pass
		8	0	20.44	-3.15	17.29	<=33.01	Pass
			4	20.48	-3.15	17.33	<=33.01	Pass
			7	20.46	-3.15	17.31	<=33.01	Pass

	1882.5	15	0	20.53	-3.15	17.38	<=33.01	Pass
		1	0	22.02	-3.15	18.87	<=33.01	Pass
			7	22.10	-3.15	18.95	<=33.01	Pass
			14	22.01	-3.15	18.86	<=33.01	Pass
		8	0	21.08	-3.15	17.93	<=33.01	Pass
			4	21.34	-3.15	18.19	<=33.01	Pass
			7	21.29	-3.15	18.14	<=33.01	Pass
		15	0	21.24	-3.15	18.09	<=33.01	Pass
	1913.5	1	0	21.32	-3.15	18.17	<=33.01	Pass
			7	21.46	-3.15	18.31	<=33.01	Pass
			14	21.60	-3.15	18.45	<=33.01	Pass
		8	0	20.83	-3.15	17.68	<=33.01	Pass
			4	20.86	-3.15	17.71	<=33.01	Pass
			7	20.83	-3.15	17.68	<=33.01	Pass
		15	0	20.83	-3.15	17.68	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.74	-3.15	20.59	<=33.01	Pass
			13	23.89	-3.15	20.74	<=33.01	Pass
			24	23.75	-3.15	20.60	<=33.01	Pass
		12	0	22.70	-3.15	19.55	<=33.01	Pass
			6	22.84	-3.15	19.69	<=33.01	Pass
			13	22.88	-3.15	19.73	<=33.01	Pass
		25	0	22.80	-3.15	19.65	<=33.01	Pass
	1882.5	1	0	23.96	-3.15	20.81	<=33.01	Pass
			13	24.04	-3.15	20.89	<=33.01	Pass
			24	23.83	-3.15	20.68	<=33.01	Pass
		12	0	22.98	-3.15	19.83	<=33.01	Pass
			6	22.91	-3.15	19.76	<=33.01	Pass
			13	22.73	-3.15	19.58	<=33.01	Pass
		25	0	22.71	-3.15	19.56	<=33.01	Pass
	1912.5	1	0	23.00	-3.15	19.85	<=33.01	Pass
			13	23.13	-3.15	19.98	<=33.01	Pass
			24	23.04	-3.15	19.89	<=33.01	Pass
		12	0	22.07	-3.15	18.92	<=33.01	Pass
			6	22.17	-3.15	19.02	<=33.01	Pass
			13	22.13	-3.15	18.98	<=33.01	Pass
		25	0	22.13	-3.15	18.98	<=33.01	Pass
16QAM	1852.5	1	0	22.58	-3.15	19.43	<=33.01	Pass
			13	22.71	-3.15	19.56	<=33.01	Pass
			24	22.59	-3.15	19.44	<=33.01	Pass
		12	0	21.82	-3.15	18.67	<=33.01	Pass
			6	21.90	-3.15	18.75	<=33.01	Pass
			13	21.93	-3.15	18.78	<=33.01	Pass
		25	0	21.88	-3.15	18.73	<=33.01	Pass
	1882.5	1	0	22.83	-3.15	19.68	<=33.01	Pass
			13	22.91	-3.15	19.76	<=33.01	Pass
			24	22.71	-3.15	19.56	<=33.01	Pass
		12	0	21.64	-3.15	18.49	<=33.01	Pass
			6	21.70	-3.15	18.55	<=33.01	Pass
			13	21.63	-3.15	18.48	<=33.01	Pass

		25	0	21.63	-3.15	18.48	<=33.01	Pass		
	1912.5	1	0	22.18	-3.15	19.03	<=33.01	Pass		
			13	22.29	-3.15	19.14	<=33.01	Pass		
			24	22.16	-3.15	19.01	<=33.01	Pass		
			0	21.13	-3.15	17.98	<=33.01	Pass		
		12	6	21.18	-3.15	18.03	<=33.01	Pass		
			13	21.14	-3.15	17.99	<=33.01	Pass		
			25	0	21.17	-3.15	18.02	<=33.01	Pass	
				0	21.73	-3.15	18.58	<=33.01	Pass	
64QAM		1852.5	1	13	21.84	-3.15	18.69	<=33.01	Pass	
	24			21.73	-3.15	18.58	<=33.01	Pass		
	0			20.77	-3.15	17.62	<=33.01	Pass		
	12		6	20.86	-3.15	17.71	<=33.01	Pass		
			13	20.88	-3.15	17.73	<=33.01	Pass		
			25	0	20.93	-3.15	17.78	<=33.01	Pass	
	1882.5		1	0	21.77	-3.15	18.62	<=33.01	Pass	
				13	21.81	-3.15	18.66	<=33.01	Pass	
				24	21.64	-3.15	18.49	<=33.01	Pass	
		12	0	20.70	-3.15	17.55	<=33.01	Pass		
			6	20.78	-3.15	17.63	<=33.01	Pass		
			13	20.78	-3.15	17.63	<=33.01	Pass		
		25	0	20.87	-3.15	17.72	<=33.01	Pass		
		1912.5	1	0	21.27	-3.15	18.12	<=33.01	Pass	
				13	21.35	-3.15	18.20	<=33.01	Pass	
	24			21.25	-3.15	18.10	<=33.01	Pass		
	12		0	20.23	-3.15	17.08	<=33.01	Pass		
			6	20.32	-3.15	17.17	<=33.01	Pass		
			13	20.31	-3.15	17.16	<=33.01	Pass		
	25		0	20.18	-3.15	17.03	<=33.01	Pass		
				0	21.83	-3.15	18.68	<=33.01	Pass	
	256QAM		1852.5	1	13	21.95	-3.15	18.8	<=33.01	Pass
		24			21.80	-3.15	18.65	<=33.01	Pass	
		0			20.89	-3.15	17.74	<=33.01	Pass	
12		6		20.94	-3.15	17.79	<=33.01	Pass		
		13		21.00	-3.15	17.85	<=33.01	Pass		
		25		0	21.00	-3.15	17.85	<=33.01	Pass	
1882.5		1		0	21.84	-3.15	18.69	<=33.01	Pass	
				13	21.93	-3.15	18.78	<=33.01	Pass	
				24	21.75	-3.15	18.6	<=33.01	Pass	
		12	0	20.79	-3.15	17.64	<=33.01	Pass		
			6	20.91	-3.15	17.76	<=33.01	Pass		
			13	20.85	-3.15	17.7	<=33.01	Pass		
		25	0	20.98	-3.15	17.83	<=33.01	Pass		
		1912.5	1	0	21.38	-3.15	18.23	<=33.01	Pass	
				13	21.48	-3.15	18.33	<=33.01	Pass	
24				21.38	-3.15	18.23	<=33.01	Pass		
12			0	20.35	-3.15	17.2	<=33.01	Pass		
			6	20.40	-3.15	17.25	<=33.01	Pass		
			13	20.44	-3.15	17.29	<=33.01	Pass		
25			0	20.25	-3.15	17.1	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1855	1	0	23.22	-3.15	20.07	<=33.01	Pass
			25	23.46	-3.15	20.31	<=33.01	Pass
			49	23.29	-3.15	20.14	<=33.01	Pass
		25	0	22.20	-3.15	19.05	<=33.01	Pass
			13	22.36	-3.15	19.21	<=33.01	Pass
			25	22.43	-3.15	19.28	<=33.01	Pass
		50	0	22.37	-3.15	19.22	<=33.01	Pass
	1882.5	1	0	23.53	-3.15	20.38	<=33.01	Pass
			25	23.63	-3.15	20.48	<=33.01	Pass
			49	23.39	-3.15	20.24	<=33.01	Pass
		25	0	22.57	-3.15	19.42	<=33.01	Pass
			13	22.60	-3.15	19.45	<=33.01	Pass
			25	22.59	-3.15	19.44	<=33.01	Pass
		50	0	22.61	-3.15	19.46	<=33.01	Pass
	1910	1	0	23.17	-3.15	20.02	<=33.01	Pass
			25	23.30	-3.15	20.15	<=33.01	Pass
			49	23.09	-3.15	19.94	<=33.01	Pass
		25	0	22.18	-3.15	19.03	<=33.01	Pass
			13	22.17	-3.15	19.02	<=33.01	Pass
			25	22.27	-3.15	19.12	<=33.01	Pass
		50	0	22.27	-3.15	19.12	<=33.01	Pass
16QAM	1855	1	0	22.85	-3.15	19.70	<=33.01	Pass
			25	23.02	-3.15	19.87	<=33.01	Pass
			49	22.87	-3.15	19.72	<=33.01	Pass
		25	0	21.32	-3.15	18.17	<=33.01	Pass
			13	21.47	-3.15	18.32	<=33.01	Pass
			25	21.50	-3.15	18.35	<=33.01	Pass
		50	0	21.41	-3.15	18.26	<=33.01	Pass
	1882.5	1	0	22.81	-3.15	19.66	<=33.01	Pass
			25	22.88	-3.15	19.73	<=33.01	Pass
			49	22.61	-3.15	19.46	<=33.01	Pass
		25	0	21.68	-3.15	18.53	<=33.01	Pass
			13	21.68	-3.15	18.53	<=33.01	Pass
			25	21.70	-3.15	18.55	<=33.01	Pass
		50	0	21.73	-3.15	18.58	<=33.01	Pass
	1910	1	0	22.24	-3.15	19.09	<=33.01	Pass
			25	22.31	-3.15	19.16	<=33.01	Pass
			49	22.15	-3.15	19.00	<=33.01	Pass
		25	0	21.34	-3.15	18.19	<=33.01	Pass
			13	21.31	-3.15	18.16	<=33.01	Pass
			25	21.40	-3.15	18.25	<=33.01	Pass
		50	0	21.33	-3.15	18.18	<=33.01	Pass
64QAM	1855	1	0	21.56	-3.15	18.41	<=33.01	Pass
			25	21.72	-3.15	18.57	<=33.01	Pass
			49	21.58	-3.15	18.43	<=33.01	Pass
		25	0	20.31	-3.15	17.16	<=33.01	Pass
			13	20.49	-3.15	17.34	<=33.01	Pass
			25	20.50	-3.15	17.35	<=33.01	Pass
		50	0	20.46	-3.15	17.31	<=33.01	Pass
	1882.5	1	0	21.75	-3.15	18.60	<=33.01	Pass
			25	21.79	-3.15	18.64	<=33.01	Pass
			49	21.53	-3.15	18.38	<=33.01	Pass
		25	0	20.71	-3.15	17.56	<=33.01	Pass
			13	20.76	-3.15	17.61	<=33.01	Pass
			25	20.76	-3.15	17.61	<=33.01	Pass
		50	0	20.70	-3.15	17.55	<=33.01	Pass

256QAM	1910	1	0	21.02	-3.15	17.87	<=33.01	Pass
			25	21.16	-3.15	18.01	<=33.01	Pass
			49	20.96	-3.15	17.81	<=33.01	Pass
		25	0	20.33	-3.15	17.18	<=33.01	Pass
			13	20.31	-3.15	17.16	<=33.01	Pass
			25	20.38	-3.15	17.23	<=33.01	Pass
		50	0	20.37	-3.15	17.22	<=33.01	Pass
	1855	1	0	21.69	-3.15	18.54	<=33.01	Pass
			25	21.82	-3.15	18.67	<=33.01	Pass
			49	21.67	-3.15	18.52	<=33.01	Pass
		25	0	20.43	-3.15	17.28	<=33.01	Pass
			13	20.57	-3.15	17.42	<=33.01	Pass
			25	20.58	-3.15	17.43	<=33.01	Pass
		50	0	20.53	-3.15	17.38	<=33.01	Pass
	1882.5	1	0	21.86	-3.15	18.71	<=33.01	Pass
			25	21.91	-3.15	18.76	<=33.01	Pass
			49	21.63	-3.15	18.48	<=33.01	Pass
		25	0	20.82	-3.15	17.67	<=33.01	Pass
			13	20.83	-3.15	17.68	<=33.01	Pass
			25	20.87	-3.15	17.72	<=33.01	Pass
		50	0	20.78	-3.15	17.63	<=33.01	Pass
	1910	1	0	21.09	-3.15	17.94	<=33.01	Pass
			25	21.28	-3.15	18.13	<=33.01	Pass
			49	21.09	-3.15	17.94	<=33.01	Pass
		25	0	20.45	-3.15	17.3	<=33.01	Pass
			13	20.42	-3.15	17.27	<=33.01	Pass
			25	20.50	-3.15	17.35	<=33.01	Pass
		50	0	20.47	-3.15	17.32	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.14	-3.15	19.99	<=33.01	Pass
			38	23.31	-3.15	20.16	<=33.01	Pass
			74	23.29	-3.15	20.14	<=33.01	Pass
		36	0	22.24	-3.15	19.09	<=33.01	Pass
			18	22.42	-3.15	19.27	<=33.01	Pass
			39	22.42	-3.15	19.27	<=33.01	Pass
		75	0	22.36	-3.15	19.21	<=33.01	Pass
	1882.5	1	0	23.49	-3.15	20.34	<=33.01	Pass
			38	23.51	-3.15	20.36	<=33.01	Pass
			74	23.35	-3.15	20.20	<=33.01	Pass
		36	0	22.55	-3.15	19.40	<=33.01	Pass
			18	22.58	-3.15	19.43	<=33.01	Pass
			39	22.54	-3.15	19.39	<=33.01	Pass
		75	0	22.57	-3.15	19.42	<=33.01	Pass
	1907.5	1	0	23.15	-3.15	20.00	<=33.01	Pass
			38	23.14	-3.15	19.99	<=33.01	Pass
			74	23.06	-3.15	19.91	<=33.01	Pass
		36	0	22.38	-3.15	19.23	<=33.01	Pass
			18	22.23	-3.15	19.08	<=33.01	Pass
			39	22.24	-3.15	19.09	<=33.01	Pass
		75	0	22.31	-3.15	19.16	<=33.01	Pass

16QAM	1857.5	1	0	22.80	-3.15	19.65	<=33.01	Pass
			38	22.90	-3.15	19.75	<=33.01	Pass
			74	22.92	-3.15	19.77	<=33.01	Pass
		36	0	21.23	-3.15	18.08	<=33.01	Pass
			18	21.40	-3.15	18.25	<=33.01	Pass
			39	21.40	-3.15	18.25	<=33.01	Pass
		75	0	21.32	-3.15	18.17	<=33.01	Pass
	1882.5	1	0	22.77	-3.15	19.62	<=33.01	Pass
			38	22.72	-3.15	19.57	<=33.01	Pass
			74	22.56	-3.15	19.41	<=33.01	Pass
		36	0	21.62	-3.15	18.47	<=33.01	Pass
			18	21.59	-3.15	18.44	<=33.01	Pass
			39	21.60	-3.15	18.45	<=33.01	Pass
		75	0	21.60	-3.15	18.45	<=33.01	Pass
	1907.5	1	0	22.61	-3.15	19.46	<=33.01	Pass
			38	22.58	-3.15	19.43	<=33.01	Pass
			74	22.38	-3.15	19.23	<=33.01	Pass
		36	0	21.31	-3.15	18.16	<=33.01	Pass
			18	21.22	-3.15	18.07	<=33.01	Pass
			39	21.24	-3.15	18.09	<=33.01	Pass
		75	0	21.31	-3.15	18.16	<=33.01	Pass
64QAM	1857.5	1	0	21.49	-3.15	18.34	<=33.01	Pass
			38	21.60	-3.15	18.45	<=33.01	Pass
			74	21.56	-3.15	18.41	<=33.01	Pass
		36	0	20.24	-3.15	17.09	<=33.01	Pass
			18	20.39	-3.15	17.24	<=33.01	Pass
			39	20.42	-3.15	17.27	<=33.01	Pass
		75	0	20.31	-3.15	17.16	<=33.01	Pass
	1882.5	1	0	21.73	-3.15	18.58	<=33.01	Pass
			38	21.70	-3.15	18.55	<=33.01	Pass
			74	21.47	-3.15	18.32	<=33.01	Pass
		36	0	20.64	-3.15	17.49	<=33.01	Pass
			18	20.60	-3.15	17.45	<=33.01	Pass
			39	20.57	-3.15	17.42	<=33.01	Pass
		75	0	20.55	-3.15	17.40	<=33.01	Pass
	1907.5	1	0	21.51	-3.15	18.36	<=33.01	Pass
			38	21.49	-3.15	18.34	<=33.01	Pass
			74	21.39	-3.15	18.24	<=33.01	Pass
		36	0	20.29	-3.15	17.14	<=33.01	Pass
			18	20.18	-3.15	17.03	<=33.01	Pass
			39	20.19	-3.15	17.04	<=33.01	Pass
		75	0	20.30	-3.15	17.15	<=33.01	Pass
256QAM	1857.5	1	0	21.57	-3.15	18.42	<=33.01	Pass
			38	21.73	-3.15	18.58	<=33.01	Pass
			74	21.65	-3.15	18.5	<=33.01	Pass
		36	0	20.33	-3.15	17.18	<=33.01	Pass
			18	20.46	-3.15	17.31	<=33.01	Pass
			39	20.53	-3.15	17.38	<=33.01	Pass
		75	0	20.40	-3.15	17.25	<=33.01	Pass
	1882.5	1	0	21.83	-3.15	18.68	<=33.01	Pass
			38	21.82	-3.15	18.67	<=33.01	Pass
			74	21.56	-3.15	18.41	<=33.01	Pass
		36	0	20.75	-3.15	17.6	<=33.01	Pass
			18	20.69	-3.15	17.54	<=33.01	Pass
			39	20.64	-3.15	17.49	<=33.01	Pass
		75	0	20.66	-3.15	17.51	<=33.01	Pass
	1907.5	1	0	21.60	-3.15	18.45	<=33.01	Pass

			38	21.62	-3.15	18.47	<=33.01	Pass
			74	21.50	-3.15	18.35	<=33.01	Pass
		36	0	20.38	-3.15	17.23	<=33.01	Pass
			18	20.31	-3.15	17.16	<=33.01	Pass
			39	20.29	-3.15	17.14	<=33.01	Pass
		75	0	20.41	-3.15	17.26	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.02	-3.15	19.87	<=33.01	Pass
			50	23.46	-3.15	20.31	<=33.01	Pass
			99	23.30	-3.15	20.15	<=33.01	Pass
		50	0	22.19	-3.15	19.04	<=33.01	Pass
			25	22.36	-3.15	19.21	<=33.01	Pass
			50	22.39	-3.15	19.24	<=33.01	Pass
		100	0	22.27	-3.15	19.12	<=33.01	Pass
	1882.5	1	0	23.38	-3.15	20.23	<=33.01	Pass
			50	23.66	-3.15	20.51	<=33.01	Pass
			99	23.11	-3.15	19.96	<=33.01	Pass
		50	0	22.54	-3.15	19.39	<=33.01	Pass
			25	22.59	-3.15	19.44	<=33.01	Pass
			50	22.51	-3.15	19.36	<=33.01	Pass
		100	0	22.52	-3.15	19.37	<=33.01	Pass
	1905	1	0	23.06	-3.15	19.91	<=33.01	Pass
			50	23.31	-3.15	20.16	<=33.01	Pass
			99	22.79	-3.15	19.64	<=33.01	Pass
		50	0	22.44	-3.15	19.29	<=33.01	Pass
			25	22.27	-3.15	19.12	<=33.01	Pass
			50	22.26	-3.15	19.11	<=33.01	Pass
		100	0	22.39	-3.15	19.24	<=33.01	Pass
16QAM	1860	1	0	22.37	-3.15	19.22	<=33.01	Pass
			50	22.80	-3.15	19.65	<=33.01	Pass
			99	22.63	-3.15	19.48	<=33.01	Pass
		50	0	21.24	-3.15	18.09	<=33.01	Pass
			25	21.44	-3.15	18.29	<=33.01	Pass
			50	21.43	-3.15	18.28	<=33.01	Pass
		100	0	21.37	-3.15	18.22	<=33.01	Pass
	1882.5	1	0	22.67	-3.15	19.52	<=33.01	Pass
			50	22.91	-3.15	19.76	<=33.01	Pass
			99	22.42	-3.15	19.27	<=33.01	Pass
		50	0	21.61	-3.15	18.46	<=33.01	Pass
			25	21.61	-3.15	18.46	<=33.01	Pass
			50	21.56	-3.15	18.41	<=33.01	Pass
		100	0	21.56	-3.15	18.41	<=33.01	Pass
	1905	1	0	22.67	-3.15	19.52	<=33.01	Pass
			50	22.88	-3.15	19.73	<=33.01	Pass
			99	22.38	-3.15	19.23	<=33.01	Pass
		50	0	21.53	-3.15	18.38	<=33.01	Pass
			25	21.30	-3.15	18.15	<=33.01	Pass
			50	21.30	-3.15	18.15	<=33.01	Pass
		100	0	21.42	-3.15	18.27	<=33.01	Pass
64QAM	1860	1	0	21.28	-3.15	18.13	<=33.01	Pass

		50	50	21.67	-3.15	18.52	<=33.01	Pass
			99	21.57	-3.15	18.42	<=33.01	Pass
			0	20.32	-3.15	17.17	<=33.01	Pass
			25	20.50	-3.15	17.35	<=33.01	Pass
			50	20.47	-3.15	17.32	<=33.01	Pass
		100	0	20.32	-3.15	17.17	<=33.01	Pass
	1882.5	1	0	21.76	-3.15	18.61	<=33.01	Pass
			50	22.01	-3.15	18.86	<=33.01	Pass
			99	21.53	-3.15	18.38	<=33.01	Pass
		50	0	20.66	-3.15	17.51	<=33.01	Pass
			25	20.68	-3.15	17.53	<=33.01	Pass
			50	20.58	-3.15	17.43	<=33.01	Pass
		100	0	20.55	-3.15	17.40	<=33.01	Pass
	1905	1	0	21.01	-3.15	17.86	<=33.01	Pass
			50	21.24	-3.15	18.09	<=33.01	Pass
			99	20.79	-3.15	17.64	<=33.01	Pass
		50	0	20.56	-3.15	17.41	<=33.01	Pass
			25	20.37	-3.15	17.22	<=33.01	Pass
			50	20.33	-3.15	17.18	<=33.01	Pass
		100	0	20.55	-3.15	17.40	<=33.01	Pass
256QAM	1860	1	0	21.38	-3.15	18.23	<=33.01	Pass
			50	21.79	-3.15	18.64	<=33.01	Pass
			99	21.65	-3.15	18.5	<=33.01	Pass
		50	0	20.41	-3.15	17.26	<=33.01	Pass
			25	20.63	-3.15	17.48	<=33.01	Pass
			50	20.56	-3.15	17.41	<=33.01	Pass
		100	0	20.45	-3.15	17.3	<=33.01	Pass
	1882.5	1	0	21.87	-3.15	18.72	<=33.01	Pass
			50	22.08	-3.15	18.93	<=33.01	Pass
			99	21.63	-3.15	18.48	<=33.01	Pass
		50	0	20.77	-3.15	17.62	<=33.01	Pass
			25	20.77	-3.15	17.62	<=33.01	Pass
			50	20.66	-3.15	17.51	<=33.01	Pass
		100	0	20.64	-3.15	17.49	<=33.01	Pass
	1905	1	0	21.10	-3.15	17.95	<=33.01	Pass
			50	21.34	-3.15	18.19	<=33.01	Pass
			99	20.92	-3.15	17.77	<=33.01	Pass
		50	0	20.65	-3.15	17.5	<=33.01	Pass
			25	20.47	-3.15	17.32	<=33.01	Pass
			50	20.40	-3.15	17.25	<=33.01	Pass
		100	0	20.64	-3.15	17.49	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	3.27	-6.309	-0.0034	-2.5 to 2.5	Pass
					3.85	-4.134	-0.0022	-2.5 to 2.5	Pass
					4.43	-8.225	-0.0044	-2.5 to 2.5	Pass

				-30	3.85	-9.913	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-5.722	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-2.675	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-1.702	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-7.567	-0.0040	-2.5 to 2.5	Pass
				30	3.85	-3.834	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-2.961	-0.0016	-2.5 to 2.5	Pass
				50	3.85	0.572	0.0003	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.110	/	Pass
	16QAM	1882.5	6	0	1.115	/	Pass
3	QPSK	1882.5	15	0	2.725	/	Pass
	16QAM	1882.5	15	0	2.723	/	Pass
5	QPSK	1882.5	25	0	4.584	/	Pass
	16QAM	1882.5	25	0	4.561	/	Pass
10	QPSK	1882.5	50	0	9.083	/	Pass
	16QAM	1882.5	50	0	9.103	/	Pass
15	QPSK	1882.5	75	0	13.606	/	Pass
	16QAM	1882.5	75	0	13.618	/	Pass
20	QPSK	1882.5	100	0	18.080	/	Pass
	16QAM	1882.5	100	0	18.095	/	Pass

3.1.2 Band25_XDB


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.330	/	Pass
	16QAM	1882.5	6	0	1.337	/	Pass
3	QPSK	1882.5	15	0	2.986	/	Pass
	16QAM	1882.5	15	0	3.011	/	Pass
5	QPSK	1882.5	25	0	5.266	/	Pass
	16QAM	1882.5	25	0	5.204	/	Pass
10	QPSK	1882.5	50	0	10.298	/	Pass
	16QAM	1882.5	50	0	10.256	/	Pass
15	QPSK	1882.5	75	0	15.335	/	Pass
	16QAM	1882.5	75	0	15.302	/	Pass
20	QPSK	1882.5	100	0	20.002	/	Pass
	16QAM	1882.5	100	0	20.189	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




3.2.2 Band25_XDB




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV



Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	5.96	<=13	Pass
16QAM	1882.5	100	0	6.93	<=13	Pass
64QAM	1882.5	100	0	7.06	<=13	Pass
256QAM	1882.5	100	0	12.15	<=13	Pass

4.2 Test Graph


4.2.1 B25_20MHz



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1914.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass

			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band25 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-25.81	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-28.94	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTNV



Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 0 NTNV




Band25 1.4MHz QPSK HCH 1914.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.003	-27.60	-13	Pass
1916	1918	1	CHP	2	1916.598	-34.24	-13	Pass

Band25 1.4MHz QPSK HCH 1914.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.013	CHP	/	/	/	/	/
1915	1916	0.013	CHP	1	1915.020	-29.44	-13	Pass
1916	1918	1	CHP	2	1916.500	-26.10	-13	Pass


5.2.2 B25_3MHz



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-21.58	-13	Pass
1849	1850	0.03	/	2	1849.994	-28.55	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.027	-28.56	-13	Pass
1916	1918	1	CHP	2	1916.500	-36.75	-13	Pass


Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.03	/	/	/	/	/	/
1915	1916	0.03	/	1	1915.018	-28.13	-13	Pass
1916	1918	1	CHP	2	1916.500	-20.10	-13	Pass


5.2.3 B25_5MHz

Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.464	-35.65	-13	Pass
1849	1850	0.003	/	2	1849.998	-24.00	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-21.67	-13	Pass
1849	1850	0.053	CHP	2	1849.990	-25.75	-13	Pass
1850	1855	0.053	CHP	/	/	/	/	/


Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.014	-24.44	-13	Pass
1916	1920	1	CHP	2	1916.509	-35.64	-13	Pass


Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1910	1915	0.053	CHP	/	/	/	/	/
1915	1916	0.053	CHP	1	1915.010	-25.96	-13	Pass
1916	1920	1	CHP	2	1916.500	-19.53	-13	Pass


5.2.4 B25_10MHz

Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.499	-36.62	-13	Pass
1849	1850	0.003	/	2	1849.999	-30.69	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-23.99	-13	Pass
1849	1850	0.103	CHP	2	1849.900	-29.76	-13	Pass
1850	1860	0.103	CHP	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.001	-29.87	-13	Pass
1916	1925	1	CHP	2	1916.501	-36.82	-13	Pass


Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.103	CHP	/	/	/	/	/
1915	1916	0.103	CHP	1	1915.060	-28.45	-13	Pass
1916	1925	1	CHP	2	1916.500	-20.64	-13	Pass

5.2.5 B25_15MHz







Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.014	-32.95	-13	Pass
1916	1930	1	CHP	2	1916.500	-36.62	-13	Pass


Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1915	0.153	CHP	/	/	/	/	/
1915	1916	0.153	CHP	1	1915.150	-27.75	-13	Pass
1916	1930	1	CHP	2	1916.500	-21.27	-13	Pass

5.2.6 B25_20MHz







Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz QPSK MCH 1882.5MHz RB 1 0 NTNV




Band25 20MHz_QPSK_HCH_1905MHz_RB_1_0 NTNv



Band25 20MHz_QPSK_HCH_1905MHz_RB_1_0 NTNv




Band25_20MHz_QPSK_HCH_1905MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.015	-36.84	-13	Pass
1916	1935	1	CHP	2	1916.500	-37.40	-13	Pass

Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1915	0.2	CHP	/	/	/	/	/
1915	1916	0.2	CHP	1	1915.040	-29.09	-13	Pass
1916	1935	1	CHP	2	1916.520	-23.21	-13	Pass