

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	22.06	-3.70	16.21	<=34.77	Pass
			13	24.21	-3.70	18.36	<=34.77	Pass
			24	24.29	-3.70	18.44	<=34.77	Pass
		12	0	23.25	-3.70	17.40	<=34.77	Pass
			6	23.22	-3.70	17.37	<=34.77	Pass
			13	23.22	-3.70	17.37	<=34.77	Pass
		25	0	23.25	-3.70	17.40	<=34.77	Pass
	793	1	0	22.06	-3.70	16.21	<=34.77	Pass
			13	24.19	-3.70	18.34	<=34.77	Pass
			24	24.22	-3.70	18.37	<=34.77	Pass
		12	0	23.25	-3.70	17.40	<=34.77	Pass
			6	23.23	-3.70	17.38	<=34.77	Pass
			13	23.22	-3.70	17.37	<=34.77	Pass
		25	0	23.29	-3.70	17.44	<=34.77	Pass
	795.5	1	0	22.06	-3.70	16.21	<=34.77	Pass
			13	24.19	-3.70	18.34	<=34.77	Pass
			24	24.19	-3.70	18.34	<=34.77	Pass
		12	0	23.29	-3.70	17.44	<=34.77	Pass
			6	23.22	-3.70	17.37	<=34.77	Pass
			13	23.22	-3.70	17.37	<=34.77	Pass
		25	0	23.26	-3.70	17.41	<=34.77	Pass
16QAM	790.5	1	0	21.46	-3.70	15.61	<=34.77	Pass
			13	23.56	-3.70	17.71	<=34.77	Pass
			24	23.53	-3.70	17.68	<=34.77	Pass
		12	0	22.30	-3.70	16.45	<=34.77	Pass
			6	22.24	-3.70	16.39	<=34.77	Pass
			13	22.20	-3.70	16.35	<=34.77	Pass
		25	0	22.23	-3.70	16.38	<=34.77	Pass
	793	1	0	21.46	-3.70	15.61	<=34.77	Pass
			13	23.52	-3.70	17.67	<=34.77	Pass
			24	23.59	-3.70	17.74	<=34.77	Pass
		12	0	22.29	-3.70	16.44	<=34.77	Pass
			6	22.24	-3.70	16.39	<=34.77	Pass
			13	22.25	-3.70	16.40	<=34.77	Pass
		25	0	22.26	-3.70	16.41	<=34.77	Pass
	795.5	1	0	21.30	-3.70	15.45	<=34.77	Pass
			13	23.51	-3.70	17.66	<=34.77	Pass
			24	23.51	-3.70	17.66	<=34.77	Pass
		12	0	22.31	-3.70	16.46	<=34.77	Pass
			6	22.24	-3.70	16.39	<=34.77	Pass
			13	22.24	-3.70	16.39	<=34.77	Pass
		25	0	22.23	-3.70	16.38	<=34.77	Pass
64QAM	790.5	1	0	20.20	-3.70	14.35	<=34.77	Pass
			13	22.50	-3.70	16.65	<=34.77	Pass
			24	22.37	-3.70	16.52	<=34.77	Pass
		12	0	21.27	-3.70	15.42	<=34.77	Pass
			6	21.23	-3.70	15.38	<=34.77	Pass
			13	21.22	-3.70	15.37	<=34.77	Pass
		25	0	21.25	-3.70	15.40	<=34.77	Pass

	793	1	0	20.22	-3.70	14.37	<=34.77	Pass
			13	22.34	-3.70	16.49	<=34.77	Pass
			24	22.46	-3.70	16.61	<=34.77	Pass
		12	0	21.30	-3.70	15.45	<=34.77	Pass
			6	21.26	-3.70	15.41	<=34.77	Pass
			13	21.28	-3.70	15.43	<=34.77	Pass
		25	0	21.27	-3.70	15.42	<=34.77	Pass
	795.5	1	0	20.27	-3.70	14.42	<=34.77	Pass
			13	22.40	-3.70	16.55	<=34.77	Pass
			24	22.37	-3.70	16.52	<=34.77	Pass
		12	0	21.31	-3.70	15.46	<=34.77	Pass
			6	21.29	-3.70	15.44	<=34.77	Pass
			13	21.25	-3.70	15.40	<=34.77	Pass
		25	0	21.24	-3.70	15.39	<=34.77	Pass
256QAM	790.5	1	0	19.36	-3.70	13.51	<=34.77	Pass
			13	19.27	-3.70	13.42	<=34.77	Pass
			24	19.29	-3.70	13.44	<=34.77	Pass
		12	0	19.21	-3.70	13.36	<=34.77	Pass
			6	19.17	-3.70	13.32	<=34.77	Pass
			13	19.20	-3.70	13.35	<=34.77	Pass
		25	0	19.20	-3.70	13.35	<=34.77	Pass
	793	1	0	19.36	-3.70	13.51	<=34.77	Pass
			13	19.24	-3.70	13.39	<=34.77	Pass
			24	19.36	-3.70	13.51	<=34.77	Pass
		12	0	19.20	-3.70	13.35	<=34.77	Pass
			6	19.16	-3.70	13.31	<=34.77	Pass
			13	19.18	-3.70	13.33	<=34.77	Pass
		25	0	19.19	-3.70	13.34	<=34.77	Pass
	795.5	1	0	19.32	-3.70	13.47	<=34.77	Pass
			13	19.22	-3.70	13.37	<=34.77	Pass
			24	19.30	-3.70	13.45	<=34.77	Pass
		12	0	19.22	-3.70	13.37	<=34.77	Pass
			6	19.15	-3.70	13.30	<=34.77	Pass
			13	19.17	-3.70	13.32	<=34.77	Pass
		25	0	19.16	-3.70	13.31	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	24.34	-3.70	18.49	<=34.77	Pass
			25	24.16	-3.70	18.31	<=34.77	Pass
			49	24.23	-3.70	18.38	<=34.77	Pass
		25	0	23.25	-3.70	17.40	<=34.77	Pass
			13	23.25	-3.70	17.40	<=34.77	Pass
			25	23.19	-3.70	17.34	<=34.77	Pass
		50	0	23.24	-3.70	17.39	<=34.77	Pass
16QAM	793	1	0	23.58	-3.70	17.73	<=34.77	Pass
			25	23.36	-3.70	17.51	<=34.77	Pass
			49	23.41	-3.70	17.56	<=34.77	Pass
		25	0	22.23	-3.70	16.38	<=34.77	Pass
			13	22.18	-3.70	16.33	<=34.77	Pass
			25	22.20	-3.70	16.35	<=34.77	Pass
		50	0	22.26	-3.70	16.41	<=34.77	Pass
64QAM	793	1	0	22.44	-3.70	16.59	<=34.77	Pass

			25	22.37	-3.70	16.52	<=34.77	Pass
			49	22.37	-3.70	16.52	<=34.77	Pass
		25	0	21.23	-3.70	15.38	<=34.77	Pass
			13	21.18	-3.70	15.33	<=34.77	Pass
			25	21.16	-3.70	15.31	<=34.77	Pass
		50	0	21.20	-3.70	15.35	<=34.77	Pass
		256QAM	793	1	0	19.47	-3.70	13.62
25	19.31				-3.70	13.46	<=34.77	Pass
49	19.30				-3.70	13.45	<=34.77	Pass
25	0			19.19	-3.70	13.34	<=34.77	Pass
	13			19.17	-3.70	13.32	<=34.77	Pass
	25			19.11	-3.70	13.26	<=34.77	Pass
50	0			19.19	-3.70	13.34	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	3.27	-7.000	-0.0088	-2.5 to 2.5	Pass
					3.85	-2.300	-0.0029	-2.5 to 2.5	Pass
					4.43	-4.000	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	1.100	0.0014	-2.5 to 2.5	Pass
				-20	3.85	1.100	0.0014	-2.5 to 2.5	Pass
				-10	3.85	2.200	0.0028	-2.5 to 2.5	Pass
				0	3.85	-3.000	-0.0038	-2.5 to 2.5	Pass
				10	3.85	1.300	0.0016	-2.5 to 2.5	Pass
				30	3.85	-4.300	-0.0054	-2.5 to 2.5	Pass
				40	3.85	1.400	0.0018	-2.5 to 2.5	Pass
				50	3.85	-4.300	-0.0054	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.529	/	Pass
	16QAM	793	25	0	4.534	/	Pass
10	QPSK	793	50	0	9.062	/	Pass
	16QAM	793	50	0	9.009	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	5.043	/	Pass
	16QAM	793	25	0	5.068	/	Pass
10	QPSK	793	50	0	9.957	/	Pass
	16QAM	793	50	0	9.936	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV




3.2.2 Band14_XDB



Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.66	<=13	Pass
16QAM	793	50	0	6.33	<=13	Pass
64QAM	793	50	0	6.58	<=13	Pass
256QAM	793	50	0	6.78	<=13	Pass

4.2 Test Graph


4.2.1 B14_10MHz



Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.508	-68.49	-13	Pass
769	775	0.00625	CHP	2	774.458	-79.96	-35	Pass
775	787.9	0.1	CHP	3	787.848	-31.73	-13	Pass
787.9	788	0.03	CHP	4	787.999	-33.61	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-22.05	-13	Pass
798.1	799	0.1	CHP	2	798.152	-27.84	-13	Pass
799	805	0.00625	CHP	3	799.832	-54.54	-35	Pass
805	810	0.1	CHP	4	806.365	-28.03	-13	Pass


Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-34.26	-13	Pass
798.1	799	0.1	CHP	2	798.152	-32.95	-13	Pass
799	805	0.00625	CHP	3	799.032	-46.53	-35	Pass
805	810	0.1	CHP	4	805.165	-51.16	-13	Pass

5.2.2 B14_10MHz


Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV



Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_LCH_793MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.498	-68.51	-13	Pass
769	775	0.00625	CHP	2	773.221	-80.10	-35	Pass
775	787.9	0.1	CHP	3	787.846	-34.75	-13	Pass
787.9	788	0.03	CHP	4	787.999	-38.77	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.002	-39.54	-13	Pass
798.1	799	0.1	CHP	6	798.150	-36.19	-13	Pass
799	803	0.00625	CHP	7	799.022	-48.56	-35	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.490	-43.32	-13	Pass
787.9	788	0.03	CHP	2	787.979	-50.34	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-28.68	-13	Pass
798.1	799	0.1	CHP	4	798.152	-29.67	-13	Pass
799	805	0.00625	CHP	5	801.837	-55.50	-35	Pass
805	810	0.1	CHP	6	805.076	-57.18	-13	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.845	-34.84	-13	Pass
787.9	788	0.03	CHP	2	787.990	-38.95	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.005	-39.78	-13	Pass
798.1	799	0.1	CHP	4	798.154	-36.20	-13	Pass
799	805	0.00625	CHP	5	799.006	-48.58	-35	Pass
805	810	0.1	CHP	6	806.210	-42.14	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-67.61	-13	Pass
				778	785.5	-34.36	-16.43	Pass
				785.5	787.95	-22.44	-6.43	Pass
				787.95	793.05	18.57	18.57	Pass
				793.05	795.5	-49.02	-6.43	Pass
				795.5	803	-23.22	-16.43	Pass
				803	808	-66.65	-13	Pass
			13	773	778	-67.42	-13	Pass
				778	785.5	-47.69	-14.56	Pass
				785.5	787.95	-44.95	-4.56	Pass
				787.95	793.05	20.44	20.44	Pass
				793.05	795.5	-44.64	-4.56	Pass
				795.5	803	-52.59	-14.56	Pass
				803	808	-66.76	-13	Pass
			24	773	778	-67.69	-13	Pass
				778	785.5	-19.47	-14.66	Pass
				785.5	787.95	-45.66	-4.66	Pass
				787.95	793.05	20.34	20.34	Pass
				793.05	795.5	-17.05	-4.66	Pass
				795.5	803	-29.54	-14.66	Pass
				803	808	-66.69	-13	Pass
		12	0	773	778	-65.71	-13	Pass
				778	785.5	-38.78	-25.01	Pass
				785.5	787.95	-28.70	-15.01	Pass
				787.95	793.05	9.99	9.99	Pass
				793.05	795.5	-31.26	-15.01	Pass
				795.5	803	-34.55	-25.01	Pass
				803	808	-66.20	-13	Pass
			6	773	778	-66.64	-13	Pass
				778	785.5	-45.93	-25.02	Pass
				785.5	787.95	-34.05	-15.02	Pass
				787.95	793.05	9.98	9.98	Pass
				793.05	795.5	-33.00	-15.02	Pass
				795.5	803	-48.28	-25.02	Pass
				803	808	-64.41	-13	Pass
			13	773	778	-67.46	-13	Pass
				778	785.5	-34.61	-25.02	Pass
				785.5	787.95	-31.59	-15.02	Pass
				787.95	793.05	9.98	9.98	Pass
				793.05	795.5	-27.87	-15.02	Pass
				795.5	803	-39.16	-25.02	Pass
				803	808	-62.38	-13	Pass
		25	0	773	778	-60.61	-13	Pass
				778	785.5	-36.27	-27.96	Pass
				785.5	787.95	-30.09	-17.96	Pass
				787.95	793.05	7.04	7.04	Pass

				793.05	795.5	-28.11	-17.96	Pass
				795.5	803	-37.09	-27.96	Pass
				803	808	-55.60	-13	Pass
	793	1	0	775.5	780.5	-66.91	-13	Pass
				780.5	788	-33.07	-16.53	Pass
				788	790.45	-23.29	-6.53	Pass
				790.45	795.55	18.47	18.47	Pass
				795.55	798	-48.51	-6.53	Pass
				798	805.5	-23.61	-16.53	Pass
				805.5	810.5	-67.35	-13	Pass
				775.5	780.5	-66.63	-13	Pass
				780.5	788	-47.21	-14.61	Pass
			788	790.45	-44.84	-4.61	Pass	
			790.45	795.55	20.39	20.39	Pass	
			795.55	798	-44.64	-4.61	Pass	
			798	805.5	-52.72	-14.61	Pass	
			805.5	810.5	-66.35	-13	Pass	
			775.5	780.5	-65.86	-13	Pass	
			780.5	788	-19.02	-14.55	Pass	
			788	790.45	-44.92	-4.55	Pass	
			790.45	795.55	20.45	20.45	Pass	
		795.55	798	-19.13	-4.55	Pass		
		798	805.5	-28.73	-14.55	Pass		
		805.5	810.5	-66.22	-13	Pass		
		12	0	775.5	780.5	-61.78	-13	Pass
				780.5	788	-38.26	-25.12	Pass
				788	790.45	-28.72	-15.12	Pass
				790.45	795.55	9.88	9.88	Pass
				795.55	798	-32.23	-15.12	Pass
				798	805.5	-34.46	-25.12	Pass
				805.5	810.5	-65.50	-13	Pass
				775.5	780.5	-63.50	-13	Pass
				780.5	788	-46.32	-25.15	Pass
			788	790.45	-34.72	-15.15	Pass	
			790.45	795.55	9.85	9.85	Pass	
			795.55	798	-34.01	-15.15	Pass	
			798	805.5	-48.76	-25.15	Pass	
			805.5	810.5	-64.45	-13	Pass	
			13	775.5	780.5	-65.47	-13	Pass
	780.5			788	-33.96	-25.37	Pass	
	788			790.45	-31.09	-15.37	Pass	
	790.45			795.55	9.63	9.63	Pass	
	795.55	798		-27.53	-15.37	Pass		
	798	805.5		-39.05	-25.37	Pass		
	805.5	810.5		-62.06	-13	Pass		
	775.5	780.5		-54.70	-13	Pass		
	780.5	788		-36.40	-28.17	Pass		
	788	790.45	-30.23	-18.17	Pass			
	25	0	790.45	795.55	6.83	6.83	Pass	
			795.55	798	-29.51	-18.17	Pass	
			798	805.5	-37.16	-28.17	Pass	
			805.5	810.5	-55.21	-13	Pass	
			778	783	-66.75	-13	Pass	
			783	790.5	-32.56	-16.44	Pass	
	795.5	1	0	790.5	792.95	-22.98	-6.44	Pass
				792.95	798.05	18.56	18.56	Pass
				798.05	800.5	-48.62	-6.44	Pass
				800.5	808	-24.79	-16.44	Pass
				808	813	-67.93	-13	Pass

			13	778	783	-66.53	-13	Pass
				783	790.5	-46.64	-14.41	Pass
				790.5	792.95	-44.41	-4.41	Pass
				792.95	798.05	20.59	20.59	Pass
				798.05	800.5	-44.92	-4.41	Pass
				800.5	808	-53.10	-14.41	Pass
				808	813	-67.34	-13	Pass
			24	778	783	-61.50	-13	Pass
				783	790.5	-18.34	-14.01	Pass
				790.5	792.95	-44.84	-4.01	Pass
				792.95	798.05	20.99	20.99	Pass
				798.05	800.5	-19.67	-4.01	Pass
				800.5	808	-27.98	-14.01	Pass
				808	813	-66.76	-13	Pass
		12	0	778	783	-60.53	-13	Pass
				783	790.5	-37.66	-25.24	Pass
				790.5	792.95	-27.93	-15.24	Pass
				792.95	798.05	9.76	9.76	Pass
				798.05	800.5	-32.22	-15.24	Pass
				800.5	808	-35.46	-25.24	Pass
				808	813	-66.20	-13	Pass
			6	778	783	-61.29	-13	Pass
				783	790.5	-45.17	-25.12	Pass
				790.5	792.95	-33.42	-15.12	Pass
				792.95	798.05	9.88	9.88	Pass
				798.05	800.5	-33.75	-15.12	Pass
				800.5	808	-48.43	-25.12	Pass
				808	813	-64.27	-13	Pass
			13	778	783	-64.26	-13	Pass
				783	790.5	-32.64	-25.22	Pass
				790.5	792.95	-30.59	-15.22	Pass
				792.95	798.05	9.78	9.78	Pass
				798.05	800.5	-27.50	-15.22	Pass
				800.5	808	-39.99	-25.22	Pass
				808	813	-62.84	-13	Pass
		25	0	778	783	-52.67	-13	Pass
				783	790.5	-36.59	-27.83	Pass
				790.5	792.95	-28.74	-17.83	Pass
				792.95	798.05	7.17	7.17	Pass
				798.05	800.5	-30.58	-17.83	Pass
				800.5	808	-38.10	-27.83	Pass
16QAM	790.5	1	0	808	813	-57.83	-13	Pass
				773	778	-67.78	-13	Pass
				778	785.5	-35.69	-17.89	Pass
				785.5	787.95	-21.96	-7.89	Pass
				787.95	793.05	17.11	17.11	Pass
				793.05	795.5	-48.35	-7.89	Pass
				795.5	803	-25.00	-17.89	Pass
			13	803	808	-67.22	-13	Pass
				773	778	-67.59	-13	Pass
				778	785.5	-48.90	-15.42	Pass
				785.5	787.95	-45.58	-5.42	Pass
				787.95	793.05	19.58	19.58	Pass
				793.05	795.5	-44.42	-5.42	Pass
				795.5	803	-53.19	-15.42	Pass
				803	808	-67.09	-13	Pass
			24	773	778	-67.52	-13	Pass
				778	785.5	-21.04	-15.22	Pass
				785.5	787.95	-45.18	-5.22	Pass

				787.95	793.05	19.78	19.78	Pass
				793.05	795.5	-17.44	-5.22	Pass
				795.5	803	-30.52	-15.22	Pass
				803	808	-66.75	-13	Pass
		12	0	773	778	-67.07	-13	Pass
				778	785.5	-39.95	-25.98	Pass
				785.5	787.95	-27.18	-15.98	Pass
				787.95	793.05	9.02	9.02	Pass
				793.05	795.5	-33.03	-15.98	Pass
				795.5	803	-35.29	-25.98	Pass
				803	808	-66.70	-13	Pass
				773	778	-66.96	-13	Pass
			6	778	785.5	-47.50	-26.04	Pass
				785.5	787.95	-33.63	-16.04	Pass
				787.95	793.05	8.96	8.96	Pass
				793.05	795.5	-33.92	-16.04	Pass
				795.5	803	-48.48	-26.04	Pass
				803	808	-66.41	-13	Pass
				773	778	-67.56	-13	Pass
			13	778	785.5	-36.29	-26.12	Pass
				785.5	787.95	-32.81	-16.12	Pass
				787.95	793.05	8.88	8.88	Pass
				793.05	795.5	-27.06	-16.12	Pass
				795.5	803	-40.61	-26.12	Pass
				803	808	-64.47	-13	Pass
		25	0	773	778	-62.20	-13	Pass
				778	785.5	-36.69	-28.97	Pass
				785.5	787.95	-30.63	-18.97	Pass
				787.95	793.05	6.03	6.03	Pass
				793.05	795.5	-29.85	-18.97	Pass
				795.5	803	-37.35	-28.97	Pass
				803	808	-57.26	-13	Pass
		793	0	775.5	780.5	-67.40	-13	Pass
				780.5	788	-33.81	-17.09	Pass
				788	790.45	-23.43	-7.09	Pass
				790.45	795.55	17.91	17.91	Pass
				795.55	798	-49.20	-7.09	Pass
				798	805.5	-24.95	-17.09	Pass
				805.5	810.5	-67.58	-13	Pass
			13	775.5	780.5	-67.10	-13	Pass
				780.5	788	-48.29	-15.4	Pass
				788	790.45	-44.98	-5.4	Pass
				790.45	795.55	19.60	19.6	Pass
				795.55	798	-45.18	-5.4	Pass
				798	805.5	-53.84	-15.4	Pass
				805.5	810.5	-67.14	-13	Pass
			24	775.5	780.5	-66.22	-13	Pass
				780.5	788	-19.80	-14.8	Pass
				788	790.45	-44.66	-4.8	Pass
				790.45	795.55	20.20	20.2	Pass
				795.55	798	-17.38	-4.8	Pass
				798	805.5	-30.35	-14.8	Pass
				805.5	810.5	-66.84	-13	Pass
		12	0	775.5	780.5	-63.75	-13	Pass
				780.5	788	-39.00	-26.09	Pass
				788	790.45	-28.42	-16.09	Pass
				790.45	795.55	8.91	8.91	Pass
				795.55	798	-32.90	-16.09	Pass
				798	805.5	-36.16	-26.09	Pass

				805.5	810.5	-66.54	-13	Pass
			6	775.5	780.5	-64.58	-13	Pass
				780.5	788	-47.45	-25.84	Pass
				788	790.45	-33.97	-15.84	Pass
				790.45	795.55	9.16	9.16	Pass
				795.55	798	-34.34	-15.84	Pass
				798	805.5	-48.78	-25.84	Pass
				805.5	810.5	-65.67	-13	Pass
			13	775.5	780.5	-66.10	-13	Pass
				780.5	788	-35.51	-26.16	Pass
				788	790.45	-32.09	-16.16	Pass
				790.45	795.55	8.84	8.84	Pass
				795.55	798	-28.14	-16.16	Pass
				798	805.5	-40.44	-26.16	Pass
				805.5	810.5	-63.75	-13	Pass
		25	0	775.5	780.5	-55.40	-13	Pass
				780.5	788	-36.62	-28.89	Pass
				788	790.45	-29.49	-18.89	Pass
				790.45	795.55	6.11	6.11	Pass
				795.55	798	-31.89	-18.89	Pass
				798	805.5	-37.34	-28.89	Pass
				805.5	810.5	-56.86	-13	Pass
	795.5	1	0	778	783	-67.10	-13	Pass
				783	790.5	-32.63	-17.5	Pass
				790.5	792.95	-21.96	-7.5	Pass
				792.95	798.05	17.50	17.5	Pass
				798.05	800.5	-49.67	-7.5	Pass
				800.5	808	-26.54	-17.5	Pass
				808	813	-67.80	-13	Pass
			13	778	783	-66.69	-13	Pass
				783	790.5	-47.73	-15.31	Pass
				790.5	792.95	-45.47	-5.31	Pass
				792.95	798.05	19.69	19.69	Pass
				798.05	800.5	-45.51	-5.31	Pass
				800.5	808	-53.40	-15.31	Pass
				808	813	-67.61	-13	Pass
			24	778	783	-61.75	-13	Pass
				783	790.5	-19.26	-15.17	Pass
				790.5	792.95	-45.32	-5.17	Pass
				792.95	798.05	19.83	19.83	Pass
				798.05	800.5	-18.56	-5.17	Pass
				800.5	808	-30.02	-15.17	Pass
				808	813	-66.74	-13	Pass
		12	0	778	783	-62.12	-13	Pass
				783	790.5	-38.67	-25.69	Pass
				790.5	792.95	-26.90	-15.69	Pass
				792.95	798.05	9.31	9.31	Pass
				798.05	800.5	-32.99	-15.69	Pass
				800.5	808	-36.76	-25.69	Pass
				808	813	-67.21	-13	Pass
			6	778	783	-63.87	-13	Pass
				783	790.5	-47.11	-25.91	Pass
				790.5	792.95	-34.42	-15.91	Pass
				792.95	798.05	9.09	9.09	Pass
				798.05	800.5	-35.32	-15.91	Pass
				800.5	808	-49.67	-25.91	Pass
				808	813	-66.37	-13	Pass
			13	778	783	-65.03	-13	Pass
				783	790.5	-35.06	-26	Pass

				790.5	792.95	-31.40	-16	Pass
				792.95	798.05	9.00	9	Pass
				798.05	800.5	-29.03	-16	Pass
				800.5	808	-41.09	-26	Pass
				808	813	-63.62	-13	Pass
		25	0	778	783	-54.49	-13	Pass
				783	790.5	-36.90	-28.86	Pass
				790.5	792.95	-30.96	-18.86	Pass
				792.95	798.05	6.14	6.14	Pass
				798.05	800.5	-31.75	-18.86	Pass
				800.5	808	-38.62	-28.86	Pass
				808	813	-58.22	-13	Pass
				773	778	-68.05	-13	Pass
				778	785.5	-38.14	-18.56	Pass
				785.5	787.95	-23.42	-8.56	Pass
		1	0	787.95	793.05	16.44	16.44	Pass
				793.05	795.5	-49.78	-8.56	Pass
				795.5	803	-25.09	-18.56	Pass
				803	808	-67.55	-13	Pass
				773	778	-67.83	-13	Pass
				778	785.5	-50.20	-16.42	Pass
			13	785.5	787.95	-46.65	-6.42	Pass
				787.95	793.05	18.58	18.58	Pass
				793.05	795.5	-46.03	-6.42	Pass
				795.5	803	-54.02	-16.42	Pass
				803	808	-67.32	-13	Pass
				773	778	-67.73	-13	Pass
			24	778	785.5	-23.23	-16.43	Pass
				785.5	787.95	-46.58	-6.43	Pass
				787.95	793.05	18.57	18.57	Pass
				793.05	795.5	-23.66	-6.43	Pass
				795.5	803	-32.18	-16.43	Pass
				803	808	-67.45	-13	Pass
64QAM	790.5	12	0	773	778	-67.66	-13	Pass
				778	785.5	-42.30	-26.93	Pass
				785.5	787.95	-28.66	-16.93	Pass
				787.95	793.05	8.07	8.07	Pass
				793.05	795.5	-34.31	-16.93	Pass
				795.5	803	-37.25	-26.93	Pass
			6	803	808	-67.31	-13	Pass
				773	778	-67.43	-13	Pass
				778	785.5	-48.11	-27.19	Pass
				785.5	787.95	-34.80	-17.19	Pass
				787.95	793.05	7.81	7.81	Pass
				793.05	795.5	-35.76	-17.19	Pass
				795.5	803	-48.81	-27.19	Pass
			13	803	808	-66.93	-13	Pass
				773	778	-67.90	-13	Pass
				778	785.5	-37.95	-26.97	Pass
				785.5	787.95	-34.37	-16.97	Pass
				787.95	793.05	8.03	8.03	Pass
				793.05	795.5	-29.40	-16.97	Pass
				795.5	803	-42.21	-26.97	Pass
				803	808	-64.59	-13	Pass
		25	0	773	778	-62.72	-13	Pass
				778	785.5	-38.31	-30.36	Pass
				785.5	787.95	-31.89	-20.36	Pass
				787.95	793.05	4.64	4.64	Pass
				793.05	795.5	-30.86	-20.36	Pass

				795.5	803	-38.42	-30.36	Pass
				803	808	-58.06	-13	Pass
				775.5	780.5	-67.58	-13	Pass
				780.5	788	-35.89	-18	Pass
				788	790.45	-26.74	-8	Pass
				790.45	795.55	17.00	17	Pass
				795.55	798	-50.42	-8	Pass
				798	805.5	-27.44	-18	Pass
				805.5	810.5	-67.45	-13	Pass
			13	775.5	780.5	-67.61	-13	Pass
				780.5	788	-48.94	-16.04	Pass
				788	790.45	-46.12	-6.04	Pass
				790.45	795.55	18.96	18.96	Pass
				795.55	798	-46.02	-6.04	Pass
				798	805.5	-54.14	-16.04	Pass
			24	805.5	810.5	-67.06	-13	Pass
				775.5	780.5	-67.20	-13	Pass
				780.5	788	-22.03	-15.97	Pass
				788	790.45	-46.37	-5.97	Pass
				790.45	795.55	19.03	19.03	Pass
				795.55	798	-20.12	-5.97	Pass
			12	798	805.5	-32.32	-15.97	Pass
				805.5	810.5	-67.05	-13	Pass
				775.5	780.5	-64.75	-13	Pass
				780.5	788	-41.32	-27.02	Pass
				788	790.45	-29.70	-17.02	Pass
				790.45	795.55	7.98	7.98	Pass
				795.55	798	-34.80	-17.02	Pass
				798	805.5	-37.27	-27.02	Pass
				805.5	810.5	-67.11	-13	Pass
				775.5	780.5	-66.47	-13	Pass
				780.5	788	-47.13	-27.05	Pass
				788	790.45	-35.72	-17.05	Pass
				790.45	795.55	7.95	7.95	Pass
				795.55	798	-36.69	-17.05	Pass
				798	805.5	-49.23	-27.05	Pass
				805.5	810.5	-66.25	-13	Pass
				775.5	780.5	-66.85	-13	Pass
				780.5	788	-36.81	-26.94	Pass
			13	788	790.45	-33.45	-16.94	Pass
				790.45	795.55	8.06	8.06	Pass
				795.55	798	-27.21	-16.94	Pass
				798	805.5	-42.65	-26.94	Pass
				805.5	810.5	-64.83	-13	Pass
				775.5	780.5	-56.30	-13	Pass
			25	780.5	788	-38.61	-29.59	Pass
				788	790.45	-29.95	-19.59	Pass
				790.45	795.55	5.41	5.41	Pass
				795.55	798	-30.66	-19.59	Pass
				798	805.5	-38.73	-29.59	Pass
				805.5	810.5	-57.24	-13	Pass
	795.5	1	0	778	783	-67.02	-13	Pass
				783	790.5	-36.38	-18.71	Pass
				790.5	792.95	-25.54	-8.71	Pass
				792.95	798.05	16.29	16.29	Pass
				798.05	800.5	-50.35	-8.71	Pass
				800.5	808	-27.06	-18.71	Pass
				808	813	-68.04	-13	Pass
				778	783	-66.61	-13	Pass
			13	778	783	-66.61	-13	Pass

				783	790.5	-48.59	-16.41	Pass
				790.5	792.95	-45.96	-6.41	Pass
				792.95	798.05	18.59	18.59	Pass
				798.05	800.5	-45.90	-6.41	Pass
				800.5	808	-54.45	-16.41	Pass
				808	813	-67.61	-13	Pass
			24	778	783	-64.35	-13	Pass
				783	790.5	-21.81	-16.35	Pass
				790.5	792.95	-45.50	-6.35	Pass
				792.95	798.05	18.65	18.65	Pass
				798.05	800.5	-22.37	-6.35	Pass
				800.5	808	-31.70	-16.35	Pass
		12	0	808	813	-67.37	-13	Pass
				778	783	-63.64	-13	Pass
				783	790.5	-41.19	-26.77	Pass
				790.5	792.95	-28.17	-16.77	Pass
				792.95	798.05	8.23	8.23	Pass
				798.05	800.5	-34.75	-16.77	Pass
			6	800.5	808	-38.38	-26.77	Pass
				808	813	-67.58	-13	Pass
				778	783	-65.32	-13	Pass
				783	790.5	-47.61	-26.95	Pass
				790.5	792.95	-34.52	-16.95	Pass
				792.95	798.05	8.05	8.05	Pass
			13	798.05	800.5	-36.31	-16.95	Pass
				800.5	808	-50.16	-26.95	Pass
				808	813	-66.86	-13	Pass
				778	783	-66.09	-13	Pass
				783	790.5	-36.93	-27.32	Pass
				790.5	792.95	-33.42	-17.32	Pass
		25	0	792.95	798.05	7.68	7.68	Pass
				798.05	800.5	-27.92	-17.32	Pass
				800.5	808	-42.45	-27.32	Pass
				808	813	-65.11	-13	Pass
				778	783	-54.81	-13	Pass
				783	790.5	-38.16	-29.88	Pass
			13	790.5	792.95	-31.83	-19.88	Pass
				792.95	798.05	5.12	5.12	Pass
				798.05	800.5	-30.95	-19.88	Pass
				800.5	808	-39.80	-29.88	Pass
				808	813	-57.84	-13	Pass
				773	778	-68.08	-13	Pass
256QAM	790.5	1	0	778	785.5	-41.26	-18.88	Pass
				785.5	787.95	-23.26	-8.88	Pass
				787.95	793.05	16.12	16.12	Pass
				793.05	795.5	-50.47	-8.88	Pass
				795.5	803	-27.09	-18.88	Pass
				803	808	-67.41	-13	Pass
			13	773	778	-67.88	-13	Pass
				778	785.5	-52.48	-18.94	Pass
				785.5	787.95	-48.11	-8.94	Pass
				787.95	793.05	16.06	16.06	Pass
				793.05	795.5	-49.29	-8.94	Pass
				795.5	803	-55.74	-18.94	Pass
		24	803	808	-67.83	-13	Pass	
			773	778	-67.71	-13	Pass	
			778	785.5	-28.53	-19.51	Pass	
			785.5	787.95	-49.69	-9.51	Pass	
			787.95	793.05	15.49	15.49	Pass	

				793.05	795.5	-21.69	-9.51	Pass
				795.5	803	-39.45	-19.51	Pass
				803	808	-67.51	-13	Pass
		12	0	773	778	-67.63	-13	Pass
				778	785.5	-44.81	-29.03	Pass
				785.5	787.95	-31.83	-19.03	Pass
				787.95	793.05	5.97	5.97	Pass
				793.05	795.5	-37.91	-19.03	Pass
				795.5	803	-41.21	-29.03	Pass
				803	808	-67.35	-13	Pass
				773	778	-68.11	-13	Pass
			6	778	785.5	-49.00	-29.12	Pass
				785.5	787.95	-37.74	-19.12	Pass
				787.95	793.05	5.88	5.88	Pass
				793.05	795.5	-38.08	-19.12	Pass
				795.5	803	-49.90	-29.12	Pass
				803	808	-67.32	-13	Pass
			13	773	778	-67.82	-13	Pass
				778	785.5	-41.27	-29.28	Pass
				785.5	787.95	-38.29	-19.28	Pass
				787.95	793.05	5.72	5.72	Pass
				793.05	795.5	-29.86	-19.28	Pass
				795.5	803	-45.18	-29.28	Pass
				803	808	-67.11	-13	Pass
		25	0	773	778	-64.79	-13	Pass
				778	785.5	-40.92	-32.09	Pass
				785.5	787.95	-32.52	-22.09	Pass
				787.95	793.05	2.91	2.91	Pass
				793.05	795.5	-33.13	-22.09	Pass
				795.5	803	-41.35	-32.09	Pass
	793	1	0	803	808	-59.70	-13	Pass
				775.5	780.5	-56.96	-13	Pass
				780.5	788	-57.25	-35.79	Pass
				788	790.45	-44.33	-25.79	Pass
				790.45	795.55	-0.79	-0.79	Pass
				795.55	798	-43.72	-25.79	Pass
				798	805.5	-53.30	-35.79	Pass
			13	805.5	810.5	-67.87	-13	Pass
				775.5	780.5	-67.56	-13	Pass
				780.5	788	-51.92	-19.44	Pass
				788	790.45	-49.38	-9.44	Pass
				790.45	795.55	15.56	15.56	Pass
				795.55	798	-49.42	-9.44	Pass
				798	805.5	-57.18	-19.44	Pass
				805.5	810.5	-67.31	-13	Pass
			24	775.5	780.5	-67.89	-13	Pass
				780.5	788	-27.31	-19.12	Pass
				788	790.45	-49.46	-9.12	Pass
				790.45	795.55	15.88	15.88	Pass
				795.55	798	-21.29	-9.12	Pass
				798	805.5	-40.05	-19.12	Pass
		12	0	805.5	810.5	-67.42	-13	Pass
				775.5	780.5	-67.21	-13	Pass
				780.5	788	-44.58	-28.99	Pass
				788	790.45	-31.72	-18.99	Pass
				790.45	795.55	6.01	6.01	Pass
				795.55	798	-38.37	-18.99	Pass
				798	805.5	-41.50	-28.99	Pass
				805.5	810.5	-67.48	-13	Pass

			6	775.5	780.5	-67.05	-13	Pass
				780.5	788	-49.14	-29.3	Pass
				788	790.45	-38.60	-19.3	Pass
				790.45	795.55	5.70	5.7	Pass
				795.55	798	-39.58	-19.3	Pass
				798	805.5	-50.91	-29.3	Pass
				805.5	810.5	-67.57	-13	Pass
			13	775.5	780.5	-67.73	-13	Pass
				780.5	788	-40.55	-28.71	Pass
				788	790.45	-37.61	-18.71	Pass
				790.45	795.55	6.29	6.29	Pass
				795.55	798	-30.57	-18.71	Pass
				798	805.5	-45.45	-28.71	Pass
				805.5	810.5	-66.76	-13	Pass
		25	0	775.5	780.5	-58.13	-13	Pass
				780.5	788	-41.09	-32.03	Pass
				788	790.45	-34.08	-22.03	Pass
				790.45	795.55	2.97	2.97	Pass
				795.55	798	-34.52	-22.03	Pass
				798	805.5	-41.48	-32.03	Pass
				805.5	810.5	-59.36	-13	Pass
	795.5	1	0	778	783	-57.64	-13	Pass
				783	790.5	-43.28	-35.08	Pass
				790.5	792.95	-43.50	-25.08	Pass
				792.95	798.05	-0.08	-0.08	Pass
				798.05	800.5	-36.85	-25.08	Pass
				800.5	808	-51.83	-35.08	Pass
				808	813	-64.51	-13	Pass
			13	778	783	-67.67	-13	Pass
				783	790.5	-47.63	-25.28	Pass
				790.5	792.95	-40.04	-15.28	Pass
				792.95	798.05	9.72	9.72	Pass
				798.05	800.5	-37.64	-15.28	Pass
				800.5	808	-41.79	-25.28	Pass
				808	813	-67.79	-13	Pass
			24	778	783	-66.42	-13	Pass
				783	790.5	-27.17	-19.09	Pass
				790.5	792.95	-49.05	-9.09	Pass
				792.95	798.05	15.91	15.91	Pass
				798.05	800.5	-23.34	-9.09	Pass
				800.5	808	-37.88	-19.09	Pass
				808	813	-67.87	-13	Pass
		12	0	778	783	-65.87	-13	Pass
				783	790.5	-44.13	-28.86	Pass
				790.5	792.95	-31.61	-18.86	Pass
				792.95	798.05	6.14	6.14	Pass
				798.05	800.5	-38.57	-18.86	Pass
				800.5	808	-42.27	-28.86	Pass
				808	813	-67.66	-13	Pass
			6	778	783	-66.78	-13	Pass
				783	790.5	-48.84	-29.19	Pass
				790.5	792.95	-37.95	-19.19	Pass
				792.95	798.05	5.81	5.81	Pass
				798.05	800.5	-38.93	-19.19	Pass
				800.5	808	-51.73	-29.19	Pass
				808	813	-67.71	-13	Pass
			13	778	783	-67.20	-13	Pass
				783	790.5	-40.38	-29.39	Pass
				790.5	792.95	-37.04	-19.39	Pass

				792.95	798.05	5.61	5.61	Pass
				798.05	800.5	-31.14	-19.39	Pass
				800.5	808	-45.93	-29.39	Pass
				808	813	-67.06	-13	Pass
		25	0	778	783	-56.25	-13	Pass
				783	790.5	-40.59	-31.72	Pass
				790.5	792.95	-32.26	-21.72	Pass
				792.95	798.05	3.28	3.28	Pass
				798.05	800.5	-33.47	-21.72	Pass
				800.5	808	-41.93	-31.72	Pass
				808	813	-59.29	-13	Pass

6.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-67.59	-13	Pass
				768	783	-57.03	-14.37	Pass
				783	787.95	-25.61	-4.37	Pass
				787.95	798.05	20.63	20.63	Pass
				798.05	803	-49.78	-4.37	Pass
				803	818	-21.21	-14.37	Pass
				818	828	-67.70	-13	Pass
			25	758	768	-67.72	-13	Pass
				768	783	-57.50	-14.55	Pass
				783	787.95	-47.85	-4.55	Pass
				787.95	798.05	20.45	20.45	Pass
				798.05	803	-49.06	-4.55	Pass
				803	818	-59.59	-14.55	Pass
				818	828	-67.68	-13	Pass
			49	758	768	-67.78	-13	Pass
				768	783	-20.59	-14.18	Pass
				783	787.95	-47.71	-4.18	Pass
				787.95	798.05	20.82	20.82	Pass
				798.05	803	-25.16	-4.18	Pass
				803	818	-54.86	-14.18	Pass
				818	828	-67.76	-13	Pass
		25	0	758	768	-67.82	-13	Pass
				768	783	-41.87	-28.24	Pass
				783	787.95	-33.07	-18.24	Pass
				787.95	798.05	6.76	6.76	Pass
				798.05	803	-35.14	-18.24	Pass
				803	818	-39.10	-28.24	Pass
				818	828	-67.90	-13	Pass
			13	758	768	-67.83	-13	Pass
				768	783	-49.81	-27.91	Pass
				783	787.95	-35.76	-17.91	Pass
				787.95	798.05	7.09	7.09	Pass
				798.05	803	-37.82	-17.91	Pass
				803	818	-51.93	-27.91	Pass
				818	828	-67.95	-13	Pass
			25	758	768	-67.89	-13	Pass
				768	783	-37.24	-28.46	Pass
				783	787.95	-34.10	-18.46	Pass
				787.95	798.05	6.54	6.54	Pass
				798.05	803	-34.54	-18.46	Pass

		50	0	803	818	-43.26	-28.46	Pass
				818	828	-67.86	-13	Pass
				758	768	-67.90	-13	Pass
				768	783	-39.17	-30.96	Pass
				783	787.95	-34.19	-20.96	Pass
				787.95	798.05	4.04	4.04	Pass
				798.05	803	-36.16	-20.96	Pass
				803	818	-41.55	-30.96	Pass
				818	828	-67.91	-13	Pass
				758	768	-67.84	-13	Pass
16QAM	793	1	0	768	783	-57.00	-15.39	Pass
				783	787.95	-26.00	-5.39	Pass
				787.95	798.05	19.61	19.61	Pass
				798.05	803	-50.11	-5.39	Pass
				803	818	-23.18	-15.39	Pass
				818	828	-67.97	-13	Pass
			25	758	768	-67.98	-13	Pass
				768	783	-57.08	-15.26	Pass
				783	787.95	-48.39	-5.26	Pass
				787.95	798.05	19.74	19.74	Pass
				798.05	803	-49.78	-5.26	Pass
				803	818	-59.82	-15.26	Pass
				818	828	-67.70	-13	Pass
			49	758	768	-67.89	-13	Pass
				768	783	-21.89	-15.34	Pass
				783	787.95	-48.01	-5.34	Pass
				787.95	798.05	19.66	19.66	Pass
				798.05	803	-25.69	-5.34	Pass
				803	818	-55.91	-15.34	Pass
		25	0	818	828	-67.67	-13	Pass
				758	768	-68.12	-13	Pass
				768	783	-43.25	-29.43	Pass
				783	787.95	-33.26	-19.43	Pass
				787.95	798.05	5.57	5.57	Pass
				798.05	803	-36.70	-19.43	Pass
			13	803	818	-41.12	-29.43	Pass
				818	828	-67.67	-13	Pass
				758	768	-68.20	-13	Pass
				768	783	-50.62	-29.27	Pass
				783	787.95	-36.90	-19.27	Pass
				787.95	798.05	5.73	5.73	Pass
			25	798.05	803	-37.74	-19.27	Pass
				803	818	-53.34	-29.27	Pass
				818	828	-67.96	-13	Pass
				758	768	-68.20	-13	Pass
				768	783	-38.67	-29.36	Pass
				783	787.95	-34.84	-19.36	Pass
		50	0	787.95	798.05	5.64	5.64	Pass
				798.05	803	-34.78	-19.36	Pass
				803	818	-44.90	-29.36	Pass
				818	828	-67.92	-13	Pass
				758	768	-68.00	-13	Pass
				768	783	-39.79	-32.01	Pass
			0	783	787.95	-34.60	-22.01	Pass
				787.95	798.05	2.99	2.99	Pass
				798.05	803	-34.10	-22.01	Pass
				803	818	-42.16	-32.01	Pass
64QAM	793	1	0	818	828	-68.11	-13	Pass
				758	768	-67.81	-13	Pass


				768	783	-58.69	-16.82	Pass
				783	787.95	-23.92	-6.82	Pass
				787.95	798.05	18.18	18.18	Pass
				798.05	803	-51.27	-6.82	Pass
				803	818	-23.62	-16.82	Pass
				818	828	-67.88	-13	Pass
			25	758	768	-67.80	-13	Pass
				768	783	-58.48	-16.09	Pass
				783	787.95	-49.70	-6.09	Pass
				787.95	798.05	18.91	18.91	Pass
				798.05	803	-51.11	-6.09	Pass
				803	818	-60.54	-16.09	Pass
				818	828	-67.97	-13	Pass
			49	758	768	-68.07	-13	Pass
				768	783	-23.72	-16.41	Pass
				783	787.95	-49.00	-6.41	Pass
				787.95	798.05	18.59	18.59	Pass
				798.05	803	-24.79	-6.41	Pass
				803	818	-57.78	-16.41	Pass
			25	818	828	-67.91	-13	Pass
				758	768	-68.25	-13	Pass
				768	783	-44.94	-30.12	Pass
				783	787.95	-33.21	-20.12	Pass
				787.95	798.05	4.88	4.88	Pass
				798.05	803	-38.04	-20.12	Pass
				803	818	-42.26	-30.12	Pass
				818	828	-67.96	-13	Pass
				758	768	-68.06	-13	Pass
				768	783	-50.85	-30.41	Pass
				783	787.95	-38.59	-20.41	Pass
				787.95	798.05	4.59	4.59	Pass
				798.05	803	-39.25	-20.41	Pass
				803	818	-53.75	-30.41	Pass
				818	828	-68.05	-13	Pass
				758	768	-68.03	-13	Pass
				768	783	-40.02	-30.22	Pass
				783	787.95	-36.80	-20.22	Pass
				787.95	798.05	4.78	4.78	Pass
				798.05	803	-35.56	-20.22	Pass
				803	818	-46.88	-30.22	Pass
				818	828	-67.96	-13	Pass
		50	0	758	768	-67.79	-13	Pass
				768	783	-41.20	-33	Pass
				783	787.95	-34.76	-23	Pass
				787.95	798.05	2.00	2	Pass
				798.05	803	-36.03	-23	Pass
				803	818	-43.53	-33	Pass
			25	818	828	-67.87	-13	Pass
				758	768	-68.19	-13	Pass
				768	783	-60.51	-19.13	Pass
				783	787.95	-28.71	-9.13	Pass
				787.95	798.05	15.87	15.87	Pass
				798.05	803	-53.28	-9.13	Pass
256QAM	793	1	0	803	818	-29.25	-19.13	Pass
				818	828	-67.97	-13	Pass
				758	768	-68.11	-13	Pass
				768	783	-60.48	-19.41	Pass
				783	787.95	-52.63	-9.41	Pass
				787.95	798.05	15.59	15.59	Pass

		25	49	798.05	803	-53.76	-9.41	Pass	
				803	818	-63.05	-19.41	Pass	
				818	828	-68.18	-13	Pass	
				758	768	-68.17	-13	Pass	
				768	783	-28.89	-19.39	Pass	
				783	787.95	-52.15	-9.39	Pass	
				787.95	798.05	15.61	15.61	Pass	
				798.05	803	-29.56	-9.39	Pass	
				803	818	-58.59	-19.39	Pass	
			818	828	-68.04	-13	Pass		
			0	758	768	-68.04	-13	Pass	
				768	783	-47.75	-31.83	Pass	
				783	787.95	-35.22	-21.83	Pass	
				787.95	798.05	3.17	3.17	Pass	
		798.05		803	-41.30	-21.83	Pass		
		803		818	-46.18	-31.83	Pass		
		818		828	-67.83	-13	Pass		
		13		758	768	-68.20	-13	Pass	
				768	783	-52.02	-32.4	Pass	
			783	787.95	-40.53	-22.4	Pass		
			787.95	798.05	2.60	2.6	Pass		
			798.05	803	-41.37	-22.4	Pass		
			803	818	-54.21	-32.4	Pass		
			818	828	-68.10	-13	Pass		
			25	758	768	-68.15	-13	Pass	
				768	783	-43.53	-32.35	Pass	
		783		787.95	-40.40	-22.35	Pass		
		787.95		798.05	2.65	2.65	Pass		
		798.05		803	-37.06	-22.35	Pass		
		803		818	-49.70	-32.35	Pass		
		818		828	-68.13	-13	Pass		
		50		0	758	768	-68.25	-13	Pass
					768	783	-44.14	-35.09	Pass
			783		787.95	-37.87	-25.09	Pass	
			787.95		798.05	-0.09	-0.09	Pass	
			798.05		803	-37.96	-25.09	Pass	
			803		818	-45.45	-35.09	Pass	
			818		828	-68.27	-13	Pass	


6.2 Test Graph

6.2.1 B14_5MHz


Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_12_6_NTNV



Band14_5MHz_256QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_25_0_NTNV




6.2.2 B14_10MHz


Band14_10MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_25_13_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_25_25_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV



7. Field Strength of Spurious Radiation

Test Band = LTE Band14_10M_TM1

Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1782.8571	44.65	-47.99	25.58	-73.01	-13.00	60.01	Horizontal
2	2365.7143	49.69	-47.47	26.93	-66.11	-13.00	53.11	Horizontal
3	3213.1429	42.84	-46.34	28.31	-70.45	-13.00	57.45	Horizontal
4	3978.8571	42.59	-46.21	29.37	-69.51	-13.00	56.51	Horizontal
5	5237.1429	41.96	-45.10	31.83	-66.57	-13.00	53.57	Horizontal
6	6317.1429	41.75	-44.63	33.48	-64.66	-13.00	51.66	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1784	44.16	-47.98	25.58	-73.50	-13.00	60.50	Vertical
2	2365.7143	51.36	-47.47	26.93	-64.44	-13.00	51.44	Vertical
3	3220.5714	42.55	-46.37	28.32	-70.76	-13.00	57.76	Vertical
4	4120.5714	42.14	-45.91	29.69	-69.34	-13.00	56.34	Vertical
5	5216	43.41	-45.04	31.79	-65.10	-13.00	52.10	Vertical
6	6701.7143	40.48	-44.06	34.46	-64.38	-13.00	51.38	Vertical

Test Band = LTE Band14_5M_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1622.2857	44.53	-48.25	25.42	-73.56	-13.00	60.56	Horizontal
2	2401.7143	50.23	-47.45	27.00	-65.47	-13.00	52.47	Horizontal
3	3517.1429	42.58	-46.51	28.63	-70.56	-13.00	57.56	Horizontal
4	4032	42.57	-46.10	29.48	-69.32	-13.00	56.32	Horizontal
5	5398.2857	42.51	-44.98	32.12	-65.61	-13.00	52.61	Horizontal
6	6928.5714	41.17	-44.00	34.87	-63.22	-13.00	50.22	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1683.4286	44.08	-48.18	25.48	-73.88	-13.00	60.88	Vertical
2	2464	47.55	-47.33	27.13	-67.92	-13.00	54.92	Vertical
3	3209.1429	42.76	-46.33	28.31	-70.52	-13.00	57.52	Vertical
4	4111.4286	42.90	-45.91	29.67	-68.60	-13.00	55.60	Vertical
5	5160	42.28	-45.15	31.69	-66.44	-13.00	53.44	Vertical
6	6342.2857	41.66	-44.66	33.56	-64.70	-13.00	51.70	Vertical

Test Band = LTE Band14_5M_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1642.2857	44.32	-48.23	25.44	-73.73	-13.00	60.73	Horizontal
2	2372.5714	45.84	-47.46	26.95	-69.94	-13.00	56.94	Horizontal
3	3700.5714	42.50	-46.15	28.92	-69.99	-13.00	56.99	Horizontal
4	5116	42.31	-45.32	31.61	-66.66	-13.00	53.66	Horizontal
5	6576.5714	40.65	-44.53	34.24	-64.90	-13.00	51.90	Horizontal
6	7221.7143	41.32	-43.78	35.62	-62.10	-13.00	49.10	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.7143	45.36	-48.29	25.38	-72.81	-40.00	32.81	Vertical
2	2372.5714	49.25	-47.46	26.95	-66.53	-13.00	53.53	Vertical
3	2463.4286	47.01	-47.34	27.13	-68.46	-13.00	55.46	Vertical
4	3222.8571	42.71	-46.38	28.32	-70.61	-13.00	57.61	Vertical
5	4145.1429	42.38	-45.93	29.75	-69.06	-13.00	56.06	Vertical
6	5402.8571	42.43	-44.97	32.13	-65.68	-13.00	52.68	Vertical

Test Band = LTE Band14_5M_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1586.8571	45.26	-48.29	25.39	-72.90	-40.00	32.90	Horizontal
2	2380	47.18	-47.46	26.96	-68.58	-13.00	55.58	Horizontal
3	3124.5714	43.01	-46.64	28.22	-70.66	-13.00	57.66	Horizontal
4	3885.7143	42.57	-46.22	29.22	-69.69	-13.00	56.69	Horizontal
5	5172	42.90	-45.10	31.71	-65.75	-13.00	52.75	Horizontal
6	6116	42.22	-44.72	32.79	-64.97	-13.00	51.97	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1579.4286	44.15	-48.29	25.38	-74.02	-40.00	34.02	Vertical
2	2402.2857	50.54	-47.45	27.00	-65.16	-13.00	52.16	Vertical
3	3251.4286	42.84	-46.49	28.35	-70.56	-13.00	57.56	Vertical
4	3964	42.75	-46.21	29.34	-69.38	-13.00	56.38	Vertical
5	5388.5714	42.14	-45.01	32.10	-66.03	-13.00	53.03	Vertical
6	6987.4286	40.78	-43.65	34.98	-63.15	-13.00	50.15	Vertical

Test Band = LTE CA 2A-14A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1438.2857	43.56	-48.12	25.24	-74.58	-13.00	61.58	Horizontal
2	2122.2857	42.89	-47.70	26.44	-73.63	-13.00	60.63	Horizontal
3	2564.5714	42.75	-47.05	27.32	-72.24	-13.00	59.24	Horizontal
4	3274.2857	42.31	-46.58	28.37	-71.16	-13.00	58.16	Horizontal
5	4577.7143	42.90	-45.75	30.72	-67.38	-13.00	54.38	Horizontal
6	6275.4286	41.44	-44.68	33.34	-65.16	-13.00	52.16	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1592	43.62	-48.28	25.39	-74.53	-40.00	34.53	Vertical
2	2328	42.92	-47.49	26.86	-72.97	-13.00	59.97	Vertical
3	2830.2857	42.52	-46.81	27.79	-71.76	-13.00	58.76	Vertical
4	3872	42.62	-46.21	29.20	-69.66	-13.00	56.66	Vertical
5	4732	42.21	-45.75	30.97	-67.83	-13.00	54.83	Vertical
6	6146.8571	41.95	-44.78	32.90	-65.19	-13.00	52.19	Vertical

Test Band = LTE CA 2A-14A_ TM1

Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1585.1429	43.51	-48.29	25.39	-74.65	-40.00	34.65	Horizontal
2	2380	42.74	-47.46	26.96	-73.02	-13.00	60.02	Horizontal
3	3046.2857	42.28	-46.63	28.15	-71.46	-13.00	58.46	Horizontal
4	3740	42.06	-46.15	28.98	-70.37	-13.00	57.37	Horizontal
5	4921.1429	41.40	-45.63	31.27	-68.21	-13.00	55.21	Horizontal
6	5721.1429	41.33	-44.59	32.34	-66.17	-13.00	53.17	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1582.8571	43.48	-48.29	25.38	-74.68	-40.00	34.68	Vertical
2	2036.5714	43.16	-47.83	26.27	-73.66	-13.00	60.66	Vertical
3	2673.7143	42.77	-47.02	27.51	-72.00	-13.00	59.00	Vertical
4	3515.4286	42.45	-46.51	28.62	-70.69	-13.00	57.69	Vertical
5	4570.2857	42.68	-45.73	30.71	-67.60	-13.00	54.60	Vertical
6	5992	41.21	-44.47	32.40	-66.12	-13.00	53.12	Vertical

Test Band = LTE CA 2A-14A_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1626.8571	43.15	-48.25	25.43	-74.93	-13.00	61.93	Horizontal
2	2409.7143	42.65	-47.43	27.02	-73.02	-13.00	60.02	Horizontal
3	2923.4286	42.19	-46.56	27.96	-71.67	-13.00	58.67	Horizontal
4	3826.8571	42.20	-46.18	29.12	-70.12	-13.00	57.12	Horizontal
5	4549.7143	42.70	-45.69	30.68	-67.57	-13.00	54.57	Horizontal
6	6258.8571	41.31	-44.73	33.28	-65.40	-13.00	52.40	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.1429	43.37	-48.29	25.38	-74.80	-40.00	34.80	Vertical
2	2054.2857	43.09	-47.80	26.31	-73.66	-13.00	60.66	Vertical
3	2815.4286	42.95	-46.87	27.77	-71.41	-13.00	58.41	Vertical
4	3662.8571	42.07	-46.22	28.86	-70.55	-13.00	57.55	Vertical
5	5164.5714	42.20	-45.13	31.70	-66.49	-13.00	53.49	Vertical
6	6819.4286	40.59	-44.13	34.67	-64.12	-13.00	51.12	Vertical