

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_66B_NTNV_EIRP

Band: CA_66B / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:5 CC2:5	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	24.19	-25.60	24.19	1.50	25.69	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.02	20.99	24.01	1.50	25.51	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.44	7.94	20.68	1.50	22.18	<=30	Pass
			CC1: 12@13 CC2: 12@0	22.85	10.11	23.07	1.50	24.57	<=30	Pass
			CC1: 25@0 CC2: 25@0	21.89	9.50	22.14	1.50	23.64	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	24.19	-25.14	24.19	1.50	25.69	<=30	Pass
			CC1: 1@24 CC2: 1@0	22.11	20.02	24.19	1.50	25.69	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.55	8.10	20.79	1.50	22.29	<=30	Pass
			CC1: 12@13 CC2: 12@0	20.61	19.35	23.03	1.50	24.53	<=30	Pass
			CC1: 25@0 CC2: 25@0	21.88	9.52	22.13	1.50	23.63	<=30	Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0 CC2: 0@0	24.40	-26.50	24.40	1.50	25.90	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.36	17.63	24.38	1.50	25.88	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.06	13.31	20.89	1.50	22.39	<=30	Pass
			CC1: 12@13 CC2: 12@0	23.11	9.99	23.31	1.50	24.81	<=30	Pass
			CC1: 25@0 CC2: 25@0	20.25	18.08	22.31	1.50	23.81	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	23.67	-25.10	23.67	1.50	25.17	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.57	10.13	23.76	1.50	25.26	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.49	8.09	20.73	1.50	22.23	<=30	Pass
			CC1: 12@13 CC2: 12@0	21.82	10.14	22.10	1.50	23.60	<=30	Pass
			CC1: 25@0 CC2: 25@0	20.03	14.83	21.17	1.50	22.67	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	21.83	-24.98	21.83	1.50	23.33	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.67	10.36	23.86	1.50	25.36	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.58	8.24	20.83	1.50	22.33	<=30	Pass
			CC1: 12@13 CC2: 12@0	22.00	9.31	22.23	1.50	23.73	<=30	Pass
			CC1: 25@0 CC2: 25@0	19.07	17.56	21.39	1.50	22.89	<=30	Pass

		CC1:1772.7 CC2:1777.5	CC1: 1@0 CC2: 0@0	23.06	-26.32	23.06	1.50	24.56	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.94	19.10	23.75	1.50	25.25	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.14	13.03	20.92	1.50	22.42	<=30	Pass
			CC1: 12@13 CC2: 12@0	22.14	9.03	22.35	1.50	23.85	<=30	Pass
			CC1: 25@0 CC2: 25@0	21.22	8.20	21.43	1.50	22.93	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	23.34	-24.86	23.34	1.50	24.84	<=30	Pass
			CC1: 1@24 CC2: 1@0	18.51	18.10	21.31	1.50	22.81	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.52	8.27	20.77	1.50	22.27	<=30	Pass
			CC1: 12@13 CC2: 12@0	20.82	9.17	21.11	1.50	22.61	<=30	Pass
			CC1: 25@0 CC2: 25@0	20.95	8.53	21.19	1.50	22.69	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	22.57	-24.22	22.57	1.50	24.07	<=30	Pass
			CC1: 1@24 CC2: 1@0	20.49	15.12	21.58	1.50	23.08	<=30	Pass
			CC1: 12@0 CC2: 12@13	19.94	13.80	20.89	1.50	22.39	<=30	Pass
			CC1: 12@13 CC2: 12@0	21.15	8.32	21.37	1.50	22.87	<=30	Pass
			CC1: 25@0 CC2: 25@0	21.11	8.69	21.35	1.50	22.85	<=30	Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0 CC2: 0@0	22.69	-25.88	22.69	1.50	24.19	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.37	8.37	21.57	1.50	23.07	<=30	Pass
			CC1: 12@0 CC2: 12@13	20.24	13.04	20.99	1.50	22.49	<=30	Pass
			CC1: 12@13 CC2: 12@0	19.16	17.28	21.33	1.50	22.83	<=30	Pass
			CC1: 25@0 CC2: 25@0	21.21	8.20	21.42	1.50	22.92	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1717.3	CC1: 1@0 CC2: 0@0	19.51	-27.53	19.51	1.50	21.01	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.07	6.37	19.28	1.50	20.78	<=30	Pass
			CC1: 12@0 CC2: 12@13	17.56	11.07	18.44	1.50	19.94	<=30	Pass
			CC1: 12@13 CC2: 12@0	18.85	6.24	19.08	1.50	20.58	<=30	Pass
			CC1: 25@0 CC2: 25@0	18.86	6.64	19.12	1.50	20.62	<=30	Pass
		CC1:1742.6 CC2:1747.4	CC1: 1@0 CC2: 0@0	19.45	-28.17	19.45	1.50	20.95	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.34	6.73	19.56	1.50	21.06	<=30	Pass
			CC1: 12@0 CC2: 12@13	17.76	5.78	18.03	1.50	19.53	<=30	Pass
			CC1: 12@13 CC2: 12@0	19.09	6.53	19.33	1.50	20.83	<=30	Pass
			CC1: 25@0 CC2: 25@0	19.08	6.76	19.33	1.50	20.83	<=30	Pass
		CC1:1772.7	CC1: 1@0	19.64	-29.18	19.64	1.50	21.14	<=30	Pass

		CC2:1777.5	CC2: 0@0							
			CC1: 1@24 CC2: 1@0	19.33	6.08	19.52	1.50	21.02	<=30	Pass
			CC1: 12@0 CC2: 12@13	18.62	5.90	18.85	1.50	20.35	<=30	Pass
			CC1: 12@13 CC2: 12@0	19.09	6.18	19.31	1.50	20.81	<=30	Pass
			CC1: 25@0 CC2: 25@0	19.16	6.29	19.37	1.50	20.87	<=30	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	23.85	-24.90	23.85	1.50	25.35	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.82	19.10	24.04	1.50	25.54	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.47	9.12	20.78	1.50	22.28	<=30	Pass
			CC1: 12@13 CC2: 25@0	20.08	17.95	22.09	1.50	23.59	<=30	Pass
			CC1: 25@0 CC2: 50@0	21.46	14.74	22.25	1.50	23.75	<=30	Pass
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	24.03	-24.58	24.03	1.50	25.53	<=30	Pass
			CC1: 1@24 CC2: 1@0	22.54	21.40	24.25	1.50	25.75	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.17	11.80	20.76	1.50	22.26	<=30	Pass
			CC1: 12@13 CC2: 25@0	21.95	11.24	22.20	1.50	23.70	<=30	Pass
			CC1: 25@0 CC2: 50@0	21.91	10.76	22.17	1.50	23.67	<=30	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	24.27	-25.64	24.27	1.50	25.77	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.46	22.26	24.29	1.50	25.79	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.71	8.07	20.94	1.50	22.44	<=30	Pass
			CC1: 12@13 CC2: 25@0	22.23	11.25	22.46	1.50	23.96	<=30	Pass
			CC1: 25@0 CC2: 50@0	22.26	10.47	22.49	1.50	23.99	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	23.53	-25.06	23.53	1.50	25.03	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.78	20.26	23.26	1.50	24.76	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.56	9.06	20.85	1.50	22.35	<=30	Pass
			CC1: 12@13 CC2: 25@0	20.87	10.17	21.12	1.50	22.62	<=30	Pass
			CC1: 25@0 CC2: 50@0	20.81	9.81	21.09	1.50	22.59	<=30	Pass
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	23.75	-24.79	23.75	1.50	25.25	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.18	19.80	23.84	1.50	25.34	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.55	8.88	20.84	1.50	22.34	<=30	Pass
			CC1: 12@13 CC2: 25@0	21.13	10.36	21.38	1.50	22.88	<=30	Pass
			CC1: 25@0 CC2: 50@0	21.10	9.90	21.37	1.50	22.87	<=30	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	23.75	-25.95	23.75	1.50	25.25	<=30	Pass

			CC1: 1@24 CC2: 1@0	21.11	21.49	23.68	1.50	25.18	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.75	8.02	20.97	1.50	22.47	<=30	Pass
			CC1: 12@13 CC2: 25@0	21.20	10.14	21.42	1.50	22.92	<=30	Pass
			CC1: 25@0 CC2: 50@0	20.57	14.43	21.47	1.50	22.97	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	23.44	-24.39	23.44	1.50	24.94	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.70	18.32	21.26	1.50	22.76	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.50	9.04	20.80	1.50	22.30	<=30	Pass
			CC1: 12@13 CC2: 25@0	20.91	10.22	21.16	1.50	22.66	<=30	Pass
			CC1: 25@0 CC2: 50@0	21.01	9.95	21.29	1.50	22.79	<=30	Pass
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	22.48	-25.06	22.48	1.50	23.98	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.48	16.94	21.69	1.50	23.19	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.11	11.83	20.72	1.50	22.22	<=30	Pass
			CC1: 12@13 CC2: 25@0	21.15	10.35	21.39	1.50	22.89	<=30	Pass
			CC1: 25@0 CC2: 50@0	21.12	9.92	21.39	1.50	22.89	<=30	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	22.63	-25.90	22.63	1.50	24.13	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.53	17.02	21.73	1.50	23.23	<=30	Pass
			CC1: 12@0 CC2: 25@25	20.34	11.96	20.93	1.50	22.43	<=30	Pass
			CC1: 12@13 CC2: 25@0	20.36	15.29	21.46	1.50	22.96	<=30	Pass
			CC1: 25@0 CC2: 50@0	21.24	9.40	21.46	1.50	22.96	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 0@0	19.33	-29.77	19.33	1.50	20.83	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.21	14.67	19.43	1.50	20.93	<=30	Pass
			CC1: 12@0 CC2: 25@25	18.51	7.09	18.82	1.50	20.32	<=30	Pass
			CC1: 12@13 CC2: 25@0	18.95	8.28	19.20	1.50	20.70	<=30	Pass
			CC1: 25@0 CC2: 50@0	18.95	7.81	19.22	1.50	20.72	<=30	Pass
		CC1:1740.2 CC2:1747.4	CC1: 1@0 CC2: 0@0	19.61	-29.59	19.61	1.50	21.11	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.35	14.72	19.57	1.50	21.07	<=30	Pass
			CC1: 12@0 CC2: 25@25	18.48	6.88	18.77	1.50	20.27	<=30	Pass
			CC1: 12@13 CC2: 25@0	19.08	8.35	19.33	1.50	20.83	<=30	Pass
			CC1: 25@0 CC2: 50@0	19.10	7.89	19.37	1.50	20.87	<=30	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 0@0	19.53	-29.82	19.53	1.50	21.03	<=30	Pass
			CC1: 1@24	17.69	16.76	19.47	1.50	20.97	<=30	Pass

			CC2: 1@0							
			CC1: 12@0 CC2: 25@25	18.70	6.10	18.93	1.50	20.43	<=30	Pass
			CC1: 12@13 CC2: 25@0	19.15	8.17	19.38	1.50	20.88	<=30	Pass
			CC1: 25@0 CC2: 50@0	19.22	7.39	19.45	1.50	20.95	<=30	Pass
CC1:5 CC2:15	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 0@0	24.17	-24.28	24.17	1.50	25.67	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.77	23.98	23.98	1.50	25.48	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.51	9.11	20.81	1.50	22.31	<=30	Pass
			CC1: 12@13 CC2: 36@0	21.93	16.34	22.19	1.50	23.69	<=30	Pass
			CC1: 25@0 CC2: 75@0	22.03	14.43	22.31	1.50	23.81	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 1@0 CC2: 0@0	24.02	-24.40	24.02	1.50	25.52	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.99	24.13	24.14	1.50	25.64	<=30	Pass
			CC1: 12@0 CC2: 36@39	19.35	14.21	20.51	1.50	22.01	<=30	Pass
			CC1: 12@13 CC2: 36@0	21.91	16.23	22.15	1.50	23.65	<=30	Pass
			CC1: 25@0 CC2: 75@0	21.89	14.07	22.15	1.50	23.65	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 0@0	24.24	-24.14	24.24	1.50	25.74	<=30	Pass
			CC1: 1@24 CC2: 1@0	24.04	24.22	24.23	1.50	25.73	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.73	7.64	20.94	1.50	22.44	<=30	Pass
			CC1: 12@13 CC2: 36@0	22.18	16.29	22.39	1.50	23.89	<=30	Pass
			CC1: 25@0 CC2: 75@0	22.24	13.97	22.45	1.50	23.95	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 0@0	22.72	-24.61	22.72	1.50	24.22	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.33	23.51	23.52	1.50	25.02	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.55	9.02	20.84	1.50	22.34	<=30	Pass
			CC1: 12@13 CC2: 36@0	20.81	15.76	21.22	1.50	22.72	<=30	Pass
			CC1: 25@0 CC2: 75@0	21.02	13.36	21.29	1.50	22.79	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 1@0 CC2: 0@0	22.65	-25.75	22.65	1.50	24.15	<=30	Pass
			CC1: 1@24 CC2: 1@0	23.45	23.63	23.63	1.50	25.13	<=30	Pass
			CC1: 12@0 CC2: 36@39	18.53	16.91	20.80	1.50	22.30	<=30	Pass
			CC1: 12@13 CC2: 36@0	20.91	16.01	21.37	1.50	22.87	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.90	16.79	21.32	1.50	22.82	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 0@0	23.69	-25.51	23.69	1.50	25.19	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.17	23.57	23.58	1.50	25.08	<=30	Pass

			CC1: 12@0 CC2: 36@39	20.79	7.62	20.99	1.50	22.49	<=30	Pass
			CC1: 12@13 CC2: 36@0	21.19	15.31	21.40	1.50	22.90	<=30	Pass
			CC1: 25@0 CC2: 75@0	21.33	12.88	21.52	1.50	23.02	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 0@0	24.09	-24.26	24.09	1.50	25.59	<=30	Pass
			CC1: 1@24 CC2: 1@0	18.33	21.31	21.31	1.50	22.81	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.50	8.94	20.80	1.50	22.30	<=30	Pass
			CC1: 12@13 CC2: 36@0	20.95	15.27	21.19	1.50	22.69	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.77	16.66	21.19	1.50	22.69	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 1@0 CC2: 0@0	22.40	-25.60	22.40	1.50	23.90	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.36	21.57	21.58	1.50	23.08	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.54	8.72	20.82	1.50	22.32	<=30	Pass
			CC1: 12@13 CC2: 36@0	21.11	15.33	21.36	1.50	22.86	<=30	Pass
			CC1: 25@0 CC2: 75@0	20.99	13.40	21.30	1.50	22.80	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 0@0	22.03	-25.65	22.03	1.50	23.53	<=30	Pass
			CC1: 1@24 CC2: 1@0	21.43	21.61	21.61	1.50	23.11	<=30	Pass
			CC1: 12@0 CC2: 36@39	20.74	7.57	20.94	1.50	22.44	<=30	Pass
			CC1: 12@13 CC2: 36@0	21.20	15.22	21.41	1.50	22.91	<=30	Pass
			CC1: 25@0 CC2: 75@0	20.78	15.03	21.47	1.50	22.97	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 0@0	19.46	-27.08	19.46	1.50	20.96	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.10	19.29	19.30	1.50	20.80	<=30	Pass
			CC1: 12@0 CC2: 36@39	18.51	7.09	18.81	1.50	20.31	<=30	Pass
			CC1: 12@13 CC2: 36@0	18.78	13.16	19.04	1.50	20.54	<=30	Pass
			CC1: 25@0 CC2: 75@0	18.97	11.30	19.25	1.50	20.75	<=30	Pass
		CC1:1737.9 CC2:1747.2	CC1: 1@0 CC2: 0@0	19.51	-27.54	19.51	1.50	21.01	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.26	19.47	19.47	1.50	20.97	<=30	Pass
			CC1: 12@0 CC2: 36@39	18.46	6.85	18.75	1.50	20.25	<=30	Pass
			CC1: 12@13 CC2: 36@0	18.94	13.27	19.19	1.50	20.69	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.06	11.21	19.33	1.50	20.83	<=30	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 0@0	19.47	-28.43	19.47	1.50	20.97	<=30	Pass
			CC1: 1@24 CC2: 1@0	19.24	19.46	19.46	1.50	20.96	<=30	Pass
			CC1: 12@0	18.66	5.59	18.87	1.50	20.37	<=30	Pass

CC1:10 CC2:5			CC2: 36@39							
			CC1: 12@13 CC2: 36@0	19.10	13.16	19.32	1.50	20.82	<=30	Pass
			CC1: 25@0 CC2: 75@0	19.19	10.81	19.40	1.50	20.90	<=30	Pass
	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	24.20	-31.63	24.20	1.50	25.70	<=30	Pass
			CC1: 1@49 CC2: 1@0	22.96	20.02	24.28	1.50	25.78	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.36	9.04	20.67	1.50	22.17	<=30	Pass
			CC1: 25@25 CC2: 12@0	21.85	9.53	22.09	1.50	23.59	<=30	Pass
			CC1: 50@0 CC2: 25@0	20.84	16.37	22.15	1.50	23.65	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@0 CC2: 0@0	24.14	-31.32	24.14	1.50	25.64	<=30	Pass
			CC1: 1@49 CC2: 1@0	23.95	10.82	24.12	1.50	25.62	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.59	8.99	20.88	1.50	22.38	<=30	Pass
			CC1: 25@25 CC2: 12@0	21.99	9.51	22.23	1.50	23.73	<=30	Pass
			CC1: 50@0 CC2: 25@0	21.96	9.92	22.22	1.50	23.72	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 0@0	24.42	-32.23	24.42	1.50	25.92	<=30	Pass
			CC1: 1@49 CC2: 1@0	23.65	17.88	24.41	1.50	25.91	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.71	8.05	20.94	1.50	22.44	<=30	Pass
			CC1: 25@25 CC2: 12@0	22.17	9.28	22.39	1.50	23.89	<=30	Pass
			CC1: 50@0 CC2: 25@0	22.19	9.40	22.41	1.50	23.91	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	23.64	-31.47	23.64	1.50	25.14	<=30	Pass
			CC1: 1@49 CC2: 1@0	22.22	18.82	23.42	1.50	24.92	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.49	8.96	20.79	1.50	22.29	<=30	Pass
			CC1: 25@25 CC2: 12@0	20.95	8.58	21.19	1.50	22.69	<=30	Pass
			CC1: 50@0 CC2: 25@0	19.89	15.46	21.22	1.50	22.72	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@0 CC2: 0@0	22.89	-32.71	22.89	1.50	24.39	<=30	Pass
			CC1: 1@49 CC2: 1@0	22.47	19.17	23.69	1.50	25.19	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.46	9.02	20.77	1.50	22.27	<=30	Pass
			CC1: 25@25 CC2: 12@0	21.12	8.64	21.35	1.50	22.85	<=30	Pass
			CC1: 50@0 CC2: 25@0	21.15	8.73	21.39	1.50	22.89	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 0@0	23.74	-32.96	23.74	1.50	25.24	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.87	20.51	23.65	1.50	25.15	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.75	7.95	20.97	1.50	22.47	<=30	Pass

			CC1: 25@25 CC2: 12@0	21.24	8.31	21.45	1.50	22.95	<=30	Pass
			CC1: 50@0 CC2: 25@0	21.24	8.20	21.45	1.50	22.95	<=30	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 0@0	22.61	-32.39	22.61	1.50	24.11	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.19	8.15	21.33	1.50	22.83	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.42	8.93	20.72	1.50	22.22	<=30	Pass
			CC1: 25@25 CC2: 12@0	20.95	8.52	21.19	1.50	22.69	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.78	17.56	21.20	1.50	22.70	<=30	Pass
			CC1: 1@0 CC2: 0@0	22.48	-32.02	22.48	1.50	23.98	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@49 CC2: 1@0	21.60	8.38	21.73	1.50	23.23	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.01	13.62	20.90	1.50	22.40	<=30	Pass
			CC1: 25@25 CC2: 12@0	21.19	8.67	21.42	1.50	22.92	<=30	Pass
			CC1: 50@0 CC2: 25@0	20.06	15.75	21.41	1.50	22.91	<=30	Pass
			CC1: 1@0 CC2: 0@0	22.65	-33.47	22.65	1.50	24.15	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@49 CC2: 1@0	20.30	17.26	21.59	1.50	23.09	<=30	Pass
			CC1: 25@0 CC2: 12@13	20.73	7.93	20.95	1.50	22.45	<=30	Pass
			CC1: 25@25 CC2: 12@0	21.23	8.36	21.45	1.50	22.95	<=30	Pass
			CC1: 50@0 CC2: 25@0	21.21	8.79	21.45	1.50	22.95	<=30	Pass
			CC1: 1@0 CC2: 0@0	18.55	-35.54	18.55	1.50	20.05	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1722.2	CC1: 1@49 CC2: 1@0	19.19	6.19	19.34	1.50	20.84	<=30	Pass
			CC1: 25@0 CC2: 12@13	18.31	6.93	18.62	1.50	20.12	<=30	Pass
			CC1: 25@25 CC2: 12@0	18.94	6.60	19.18	1.50	20.68	<=30	Pass
			CC1: 50@0 CC2: 25@0	18.89	6.99	19.16	1.50	20.66	<=30	Pass
			CC1: 1@0 CC2: 0@0	19.53	-34.84	19.53	1.50	21.03	<=30	Pass
		CC1:1742.7 CC2:1749.9	CC1: 1@49 CC2: 1@0	19.46	6.54	19.62	1.50	21.12	<=30	Pass
			CC1: 25@0 CC2: 12@13	18.59	6.95	18.88	1.50	20.38	<=30	Pass
			CC1: 25@25 CC2: 12@0	19.13	6.63	19.36	1.50	20.86	<=30	Pass
			CC1: 50@0 CC2: 25@0	19.10	7.13	19.36	1.50	20.86	<=30	Pass
			CC1: 1@0 CC2: 0@0	19.60	-36.24	19.60	1.50	21.10	<=30	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@49 CC2: 1@0	19.39	7.01	19.57	1.50	21.07	<=30	Pass
			CC1: 25@0 CC2: 12@13	18.67	5.92	18.89	1.50	20.39	<=30	Pass
			CC1: 25@25	19.21	6.31	19.42	1.50	20.92	<=30	Pass

			CC2: 12@0							
			CC1: 50@0 CC2: 25@0	19.16	6.46	19.38	1.50	20.88	<=30	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	23.57	-24.41	23.57	1.50	25.07	<=30	Pass
			CC1: 1@49 CC2: 1@0	23.23	16.10	24.00	1.50	25.50	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.49	8.88	20.78	1.50	22.28	<=30	Pass
			CC1: 25@25 CC2: 25@0	22.83	10.51	23.08	1.50	24.58	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.00	17.94	22.10	1.50	23.60	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	24.15	-25.60	24.15	1.50	25.65	<=30	Pass
			CC1: 1@49 CC2: 1@0	22.46	19.72	24.32	1.50	25.82	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.29	11.87	20.88	1.50	22.38	<=30	Pass
			CC1: 25@25 CC2: 25@0	22.94	10.56	23.18	1.50	24.68	<=30	Pass
			CC1: 50@0 CC2: 50@0	21.87	10.00	22.14	1.50	23.64	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	24.27	-26.55	24.27	1.50	25.77	<=30	Pass
			CC1: 1@49 CC2: 1@0	24.21	10.95	24.41	1.50	25.91	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.74	7.69	20.95	1.50	22.45	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.21	19.21	23.33	1.50	24.83	<=30	Pass
			CC1: 50@0 CC2: 50@0	22.25	9.26	22.46	1.50	23.96	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	23.23	-24.89	23.23	1.50	24.73	<=30	Pass
			CC1: 1@49 CC2: 1@0	22.90	15.34	23.60	1.50	25.10	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.44	8.64	20.72	1.50	22.22	<=30	Pass
			CC1: 25@25 CC2: 25@0	18.90	19.08	22.00	1.50	23.50	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.25	14.14	21.20	1.50	22.70	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	23.01	-26.10	23.01	1.50	24.51	<=30	Pass
			CC1: 1@49 CC2: 1@0	22.78	16.04	23.61	1.50	25.11	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.31	11.94	20.90	1.50	22.40	<=30	Pass
			CC1: 25@25 CC2: 25@0	22.02	9.66	22.27	1.50	23.77	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.97	9.18	21.25	1.50	22.75	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	22.85	-26.09	22.85	1.50	24.35	<=30	Pass
			CC1: 1@49 CC2: 1@0	23.68	10.20	23.87	1.50	25.37	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.75	7.60	20.95	1.50	22.45	<=30	Pass
			CC1: 25@25 CC2: 25@0	22.22	9.24	22.44	1.50	23.94	<=30	Pass

	CC1: 64QAM CC2: 64QAM		CC1: 50@0 CC2: 50@0	21.30	8.23	21.51	1.50	23.01	<=30	Pass
			CC1: 1@0 CC2: 0@0	22.01	-26.09	22.01	1.50	23.51	<=30	Pass
		CC1:1715 CC2:1724.9	CC1: 1@49 CC2: 1@0	21.21	8.14	21.42	1.50	22.92	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.54	8.81	20.82	1.50	22.32	<=30	Pass
			CC1: 25@25 CC2: 25@0	20.79	8.75	21.05	1.50	22.55	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.95	8.95	21.21	1.50	22.71	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	21.85	-26.49	21.85	1.50	23.35	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.55	8.56	21.76	1.50	23.26	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.61	9.07	20.90	1.50	22.40	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.19	8.43	21.42	1.50	22.92	<=30	Pass
			CC1: 50@0 CC2: 50@0	21.12	9.17	21.39	1.50	22.89	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	22.72	-26.48	22.72	1.50	24.22	<=30	Pass
			CC1: 1@49 CC2: 1@0	21.44	8.41	21.65	1.50	23.15	<=30	Pass
			CC1: 25@0 CC2: 25@25	20.79	7.65	21.00	1.50	22.50	<=30	Pass
			CC1: 25@25 CC2: 25@0	21.23	8.43	21.45	1.50	22.95	<=30	Pass
			CC1: 50@0 CC2: 50@0	20.37	14.97	21.47	1.50	22.97	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 0@0	19.46	-27.91	19.46	1.50	20.96	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.05	6.30	19.28	1.50	20.78	<=30	Pass
			CC1: 25@0 CC2: 25@25	18.28	8.76	18.74	1.50	20.24	<=30	Pass
			CC1: 25@25 CC2: 25@0	18.81	6.88	19.08	1.50	20.58	<=30	Pass
			CC1: 50@0 CC2: 50@0	18.80	7.05	19.08	1.50	20.58	<=30	Pass
		CC1:1740.1 CC2:1750	CC1: 1@0 CC2: 0@0	19.55	-28.62	19.55	1.50	21.05	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.33	6.57	19.55	1.50	21.05	<=30	Pass
			CC1: 25@0 CC2: 25@25	18.24	9.97	18.84	1.50	20.34	<=30	Pass
			CC1: 25@25 CC2: 25@0	18.29	12.78	19.36	1.50	20.86	<=30	Pass
			CC1: 50@0 CC2: 50@0	19.06	7.28	19.34	1.50	20.84	<=30	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 0@0	19.56	-29.73	19.56	1.50	21.06	<=30	Pass
			CC1: 1@49 CC2: 1@0	19.32	6.51	19.54	1.50	21.04	<=30	Pass
			CC1: 25@0 CC2: 25@25	18.72	5.71	18.93	1.50	20.43	<=30	Pass
			CC1: 25@25 CC2: 25@0	19.15	6.50	19.38	1.50	20.88	<=30	Pass
			CC1: 50@0	19.19	6.39	19.42	1.50	20.92	<=30	Pass

CC1:15 CC2:5			CC2: 50@0							
			CC1: 1@0 CC2: 0@0	24.20	-29.59	24.20	1.50	25.70	<=30	Pass
			CC1: 1@74 CC2: 1@0	23.99	17.22	23.99	1.50	25.49	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.43	8.58	20.71	1.50	22.21	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.82	8.82	21.99	1.50	23.49	<=30	Pass
			CC1: 75@0 CC2: 25@0	21.67	11.31	22.01	1.50	23.51	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	24.10	-29.88	24.10	1.50	25.60	<=30	Pass
			CC1: 1@74 CC2: 1@0	24.10	17.05	24.11	1.50	25.61	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.53	9.04	20.82	1.50	22.32	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.99	9.63	22.18	1.50	23.68	<=30	Pass
			CC1: 75@0 CC2: 25@0	21.83	9.98	22.08	1.50	23.58	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	24.27	-31.27	24.27	1.50	25.77	<=30	Pass
			CC1: 1@74 CC2: 1@0	24.27	11.07	24.27	1.50	25.77	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.65	7.74	20.86	1.50	22.36	<=30	Pass
			CC1: 36@39 CC2: 12@0	22.18	9.28	22.35	1.50	23.85	<=30	Pass
			CC1: 75@0 CC2: 25@0	22.23	9.29	22.43	1.50	23.93	<=30	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 0@0	23.50	-30.45	23.50	1.50	25.00	<=30	Pass
			CC1: 1@74 CC2: 1@0	23.40	10.06	23.40	1.50	24.90	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.48	8.51	20.74	1.50	22.24	<=30	Pass
			CC1: 36@39 CC2: 12@0	20.93	8.30	21.12	1.50	22.62	<=30	Pass
			CC1: 75@0 CC2: 25@0	20.89	8.59	21.11	1.50	22.61	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	23.82	-30.06	23.82	1.50	25.32	<=30	Pass
			CC1: 1@74 CC2: 1@0	23.41	16.08	23.41	1.50	24.91	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.53	8.94	20.82	1.50	22.32	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.17	8.84	21.37	1.50	22.87	<=30	Pass
			CC1: 75@0 CC2: 25@0	21.11	9.14	21.35	1.50	22.85	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	23.08	-32.04	23.08	1.50	24.58	<=30	Pass
			CC1: 1@74 CC2: 1@0	23.73	10.17	23.73	1.50	25.23	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.68	7.72	20.89	1.50	22.39	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.19	8.29	21.36	1.50	22.86	<=30	Pass
			CC1: 75@0 CC2: 25@0	21.18	9.45	21.43	1.50	22.93	<=30	Pass

	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 0@0	21.63	-31.71	21.63	1.50	23.13	<=30	Pass
			CC1: 1@74 CC2: 1@0	21.38	14.40	21.38	1.50	22.88	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.44	8.43	20.70	1.50	22.20	<=30	Pass
			CC1: 36@39 CC2: 12@0	20.93	8.26	21.11	1.50	22.61	<=30	Pass
			CC1: 75@0 CC2: 25@0	20.89	8.64	21.12	1.50	22.62	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	21.89	-31.53	21.89	1.50	23.39	<=30	Pass
			CC1: 1@74 CC2: 1@0	21.46	16.87	21.46	1.50	22.96	<=30	Pass
			CC1: 36@0 CC2: 12@13	18.45	17.00	20.80	1.50	22.30	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.23	8.83	21.42	1.50	22.92	<=30	Pass
			CC1: 75@0 CC2: 25@0	21.09	9.12	21.33	1.50	22.83	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	22.76	-32.60	22.76	1.50	24.26	<=30	Pass
			CC1: 1@74 CC2: 1@0	21.69	8.60	21.69	1.50	23.19	<=30	Pass
			CC1: 36@0 CC2: 12@13	20.68	7.74	20.89	1.50	22.39	<=30	Pass
			CC1: 36@39 CC2: 12@0	21.22	8.29	21.39	1.50	22.89	<=30	Pass
			CC1: 75@0 CC2: 25@0	21.22	8.28	21.41	1.50	22.91	<=30	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 0@0	19.40	-33.46	19.40	1.50	20.90	<=30	Pass
			CC1: 1@74 CC2: 1@0	19.38	6.52	19.38	1.50	20.88	<=30	Pass
			CC1: 36@0 CC2: 12@13	17.46	12.52	18.67	1.50	20.17	<=30	Pass
			CC1: 36@39 CC2: 12@0	18.90	6.25	19.08	1.50	20.58	<=30	Pass
			CC1: 75@0 CC2: 25@0	18.84	6.62	19.06	1.50	20.56	<=30	Pass
		CC1:1742.9 CC2:1752.2	CC1: 1@0 CC2: 0@0	19.62	-33.30	19.62	1.50	21.12	<=30	Pass
			CC1: 1@74 CC2: 1@0	19.56	6.77	19.56	1.50	21.06	<=30	Pass
			CC1: 36@0 CC2: 12@13	15.51	16.28	18.92	1.50	20.42	<=30	Pass
			CC1: 36@39 CC2: 12@0	19.17	6.77	19.36	1.50	20.86	<=30	Pass
			CC1: 75@0 CC2: 25@0	19.04	7.16	19.29	1.50	20.79	<=30	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 0@0	19.60	-35.06	19.60	1.50	21.10	<=30	Pass
			CC1: 1@74 CC2: 1@0	19.58	6.64	19.59	1.50	21.09	<=30	Pass
			CC1: 36@0 CC2: 12@13	18.65	5.64	18.86	1.50	20.36	<=30	Pass
			CC1: 36@39 CC2: 12@0	19.19	6.27	19.36	1.50	20.86	<=30	Pass
			CC1: 75@0 CC2: 25@0	19.18	6.34	19.38	1.50	20.88	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_66B_NTNV_OBW

Band: CA_66B / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:5	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	9.35	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	9.38	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	9.39	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	9.37	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	9.32	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	9.34	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	9.35	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	9.35	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	9.37	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	9.28	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	9.32	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	9.34	/	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.03	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	14.04	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	13.97	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.02	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	14.03	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	13.93	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.02	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	13.86	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	14.03	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	13.99	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	13.97	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	13.95	/	Pass

CC1:5 CC2:15	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	18.52	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	18.57	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	18.27	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	18.46	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	18.43	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	18.29	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	18.36	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	18.38	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	18.30	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	18.33	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	18.40	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	18.34	/	Pass
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	14.07	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	14.02	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	14.09	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	14.04	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	14.03	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	13.97	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	14.02	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	14.01	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	14.00	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	14.00	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	13.97	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	13.99	/	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	19.00	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	19.08	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	19.04	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	18.98	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	19.00	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	18.97	/	Pass
	CC1:	CC1:1715	CC1: 50@0	18.95	/	Pass

	64QAM CC2: 64QAM	CC2:1724.9	CC2: 50@0			
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	19.01	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	19.10	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	18.91	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	18.98	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	19.02	/	Pass
CC1:15 CC2:5	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	18.45	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	18.40	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	18.33	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	18.38	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	18.41	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	18.22	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	18.36	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	18.39	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	18.27	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	18.35	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	18.37	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	18.31	/	Pass

2.1.2 CA_66B_NTNV_XDB

Band: CA 66B / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:5 CC2:5	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	10.04	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	10.06	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	13.80	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	10.06	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	10.05	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	10.09	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	10.01	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	10.01	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	10.09	/	Pass


	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0 CC2: 25@0	9.99	/	Pass
		CC1:1742.6 CC2:1747.4	CC1: 25@0 CC2: 25@0	10.04	/	Pass
		CC1:1772.7 CC2:1777.5	CC1: 25@0 CC2: 25@0	10.04	/	Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.99	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	15.13	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	15.49	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.97	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	14.98	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	15.06	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.98	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	14.77	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	14.97	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1719.7	CC1: 25@0 CC2: 50@0	14.94	/	Pass
		CC1:1740.2 CC2:1747.4	CC1: 25@0 CC2: 50@0	14.97	/	Pass
		CC1:1767.8 CC2:1775	CC1: 25@0 CC2: 50@0	15.21	/	Pass
CC1:5 CC2:15	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	19.77	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	19.71	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	19.75	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	19.58	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	19.62	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	19.82	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	19.53	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	19.56	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	19.86	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1721.8	CC1: 25@0 CC2: 75@0	19.62	/	Pass
		CC1:1737.9 CC2:1747.2	CC1: 25@0 CC2: 75@0	19.57	/	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	19.87	/	Pass
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	15.19	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	15.13	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	15.14	/	Pass
	CC1:	CC1:1715	CC1: 50@0	15.04	/	Pass

	16QAM CC2: 16QAM	CC2:1722.2	CC2: 25@0			
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	15.05	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	15.41	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	15.05	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	15.16	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	16.45	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1722.2	CC1: 50@0 CC2: 25@0	15.05	/	Pass
		CC1:1742.7 CC2:1749.9	CC1: 50@0 CC2: 25@0	15.07	/	Pass
		CC1:1770.3 CC2:1777.5	CC1: 50@0 CC2: 25@0	15.05	/	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	20.36	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	20.42	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	20.31	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	20.30	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	20.39	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	20.31	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	20.32	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	20.29	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	27.34	/	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1724.9	CC1: 50@0 CC2: 50@0	20.18	/	Pass
		CC1:1740.1 CC2:1750	CC1: 50@0 CC2: 50@0	20.36	/	Pass
		CC1:1765.1 CC2:1775	CC1: 50@0 CC2: 50@0	20.38	/	Pass
CC1:15 CC2:5	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	19.84	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	19.83	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	19.77	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	19.73	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	19.77	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	19.93	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	19.73	/	Pass
		CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	19.76	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	19.86	/	Pass
	CC1: 256QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	19.85	/	Pass


	CC2: 256QAM	CC1:1742.9 CC2:1752.2	CC1: 75@0 CC2: 25@0	19.73	/	Pass
		CC1:1768.2 CC2:1777.5	CC1: 75@0 CC2: 25@0	19.75	/	Pass

2.2 Test Graph


2.2.1 CA_66B_NTNV_OBW




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1742.6_CC2:1747.4MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1742.6_CC2:1747.4MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz CC1:64QAM CC2:64QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.6 CC2:1747.4MHz_CC1: 25@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz CC1:QPSK CC2:QPSK_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1715_CC2:1722.2MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1742.7_CC2:1749.9MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:1715_CC2:1724.9MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:1740.1_CC2:1750MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1715 CC2:1724.9MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1740.1 CC2:1750MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1715 CC2:1724.9MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1740.1 CC2:1750MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1724.9MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1740.1 CC2:1750MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2:
25@0




2.2.2 CA_66B_NTNV_XDB




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1742.6_CC2:1747.4MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1742.6_CC2:1747.4MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz CC1:64QAM CC2:64QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.6 CC2:1747.4MHz_CC1: 25@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz CC1:QPSK CC2:QPSK_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1719.7MHz_CC1: 25@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1740.2 CC2:1747.4MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1767.8 CC2:1775MHz_CC1: 25@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2: 75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1721.8MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1737.9 CC2:1747.2MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:5 CC2:15MHz_CC1:256QAM CC2:256QAM_CC1:1763.2 CC2:1772.5MHz_CC1: 25@0 CC2:
75@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1722.2MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.7 CC2:1749.9MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1770.3 CC2:1777.5MHz_CC1: 50@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:1715_CC2:1724.9MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10_CC2:10MHz_CC1:QPSK_CC2:QPSK_CC1:1740.1_CC2:1750MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1715 CC2:1724.9MHz_CC1: 50@0 CC2: 50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1740.1 CC2:1750MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1715 CC2:1724.9MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1740.1 CC2:1750MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1715 CC2:1724.9MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1740.1 CC2:1750MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:10 CC2:10MHz_CC1:256QAM CC2:256QAM_CC1:1765.1 CC2:1775MHz_CC1: 50@0 CC2:
50@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1717.5 CC2:1726.8MHz_CC1: 75@0 CC2:
25@0



CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1742.9 CC2:1752.2MHz_CC1: 75@0 CC2:
25@0



CA_66B_SISO_NTNV_CC1:15 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1768.2 CC2:1777.5MHz_CC1: 75@0 CC2:
25@0



3. Spurious Emission

3.1 Test Result

3.1.1 CA_66B_NTNV

Band: CA_66B / NTNV								
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
				CC1	CC2	Sum	Limit	
CC1:5 CC2:5	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1717.3	CC1: 1@0	Refer To Test Graph				Pass
			CC2: 1@0	Refer To Test Graph				Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0	Refer To Test Graph				Pass
			CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@24	Refer To Test Graph				Pass
			CC2: 1@24	Refer To Test Graph				Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0	Refer To Test Graph				Pass
			CC2: 25@0	Refer To Test Graph				Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0	Refer To Test Graph				Pass
			CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@24	Refer To Test Graph				Pass
			CC2: 1@24	Refer To Test Graph				Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0	Refer To Test Graph				Pass
			CC2: 25@0	Refer To Test Graph				Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0	Refer To Test Graph				Pass
			CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@24	Refer To Test Graph				Pass
			CC2: 1@24	Refer To Test Graph				Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1717.3	CC1: 25@0	Refer To Test Graph				Pass
			CC2: 25@0	Refer To Test Graph				Pass
		CC1:1772.7 CC2:1777.5	CC1: 1@0	Refer To Test Graph				Pass
			CC2: 1@0	Refer To Test Graph				Pass
			CC1: 1@24	Refer To Test Graph				Pass
			CC2: 1@24	Refer To Test Graph				Pass
CC1:5 CC2:10	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1719.7	CC1: 1@0	Refer To Test Graph				Pass
			CC2: 1@0	Refer To Test Graph				Pass
		CC1:1767.8 CC2:1775	CC1: 25@0	Refer To Test Graph				Pass
			CC2: 50@0	Refer To Test Graph				Pass

			CC1: 25@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 1@0	Refer To Test Graph
	CC1: 25@0 CC2: 50@0			Refer To Test Graph	Pass
	CC1:1767.8 CC2:1775		CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1719.7	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1767.8 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:5 CC2:15	CC1: QPSK CC2: QPSK	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1712.5 CC2:1721.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:1763.2 CC2:1772.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 25@0	Refer To Test Graph	Pass


	CC1: 256QAM CC2: 256QAM	CC1:1712.5 CC2:1721.8	CC2: 75@0		
			CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
		CC1:1763.2 CC2:1772.5	CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
			CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@24 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 25@0 CC2: 75@0	Refer To Test Graph	Pass
CC1:10 CC2:5	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1722.2	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1770.3 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 25@0	Refer To Test Graph	Pass
CC1:10 CC2:10	CC1: QPSK CC2: QPSK	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass

	CC1: 16QAM CC2: 16QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 256QAM CC2: 256QAM	CC1:1715 CC2:1724.9	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:1765.1 CC2:1775	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@49 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 50@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:15 CC2:5	CC1: QPSK CC2: QPSK	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@24	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:1717.5 CC2:1726.8	CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
			CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@74 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
			CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:1717.5 CC2:1726.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@24	Refer To Test Graph	Pass
	CC1:	CC1:1717.5	CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
			CC1: 1@0	Refer To Test Graph	Pass


	256QAM CC2: 256QAM	CC2:1726.8	CC2: 1@0		
			CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass
		CC1:1768.2 CC2:1777.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@24	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 25@0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 CA_66B_NTNV



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1699.9	1709	1	CHP	1	1708.000	-23.70	-13	Pass
1709	1710	0.1	/	2	1709.980	-26.16	-13	Pass
1710	1719.9	0.1	/	/	/	/	/	/


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1:1@0_CC2:1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1:1@0_CC2:1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1: 1@24_CC2: 1@24




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:QPSK_CC2:QPSK_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1699.9	1709	1	CHP	1	1708.500	-25.40	-13	Pass
1709	1710	0.101	CHP	2	1709.980	-31.18	-13	Pass
1710	1719.9	0.1	/	/	/	/	/	/


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@0_CC2: 1@0



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@24_CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770.1	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.009	-44.94	-13	Pass
1781	1790.1	1	CHP	2	1784.370	-28.76	-13	Pass

CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770.1	1780	0.1	/	/	/	/	/	/
1780	1781	0.101	CHP	1	1780.020	-31.42	-13	Pass
1781	1790.1	1	CHP	2	1781.620	-25.81	-13	Pass


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:16QAM_CC2:16QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1699.9	1709	1	CHP	1	1705.471	-27.04	-13	Pass
1709	1710	0.003	/	2	1710.000	-33.86	-13	Pass
1710	1719.9	0.003	/	/	/	/	/	/


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1699.9	1709	1	CHP	1	1708.300	-42.36	-13	Pass
1709	1710	0.1	/	2	1709.980	-24.87	-13	Pass
1710	1719.9	0.1	/	/	/	/	/	/


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@0_CC2: 1@0



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@24_CC2: 1@24




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770.1	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-43.03	-13	Pass
1781	1790.1	1	CHP	2	1784.376	-27.90	-13	Pass

CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770.1	1780	0.1	/	/	/	/	/	/
1780	1781	0.101	CHP	1	1780.040	-30.62	-13	Pass
1781	1790.1	1	CHP	2	1781.500	-28.65	-13	Pass


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0



CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:64QAM_CC2:64QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 25@0_CC2: 25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1699.9	1709	1	CHP	1	1705.398	-23.74	-13	Pass
1709	1710	0.003	/	2	1709.989	-34.87	-13	Pass
1710	1719.9	0.003	/	/	/	/	/	/


CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:1712.5_CC2:1717.3MHz_CC1: 1@0 CC2: 1@0



CA_66B_SISO_NTNV_CC1:5 CC2:5MHz CC1:256QAM CC2:256QAM CC1:1712.5 CC2:1717.3MHz_CC1: 1@0 CC2: 1@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1717.3MHz_CC1: 25@0 CC2: 25@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1699.9	1709	1	CHP	1	1708.240	-30.96	-13	Pass
1709	1710	0.1	/	2	1709.960	-33.67	-13	Pass
1710	1719.9	0.1	/	/	/	/	/	/


CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1717.3MHz_CC1: 25@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1712.5 CC2:1717.3MHz_CC1: 25@0 CC2:
25@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5_CC2:5MHz_CC1:256QAM_CC2:256QAM_CC1:1772.7_CC2:1777.5MHz_CC1: 1@0_CC2: 1@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 1@24 CC2: 1@24




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2: 25@0




CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2:
25@0



CA_66B_SISO_NTNV_CC1:5 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:1772.7 CC2:1777.5MHz_CC1: 25@0 CC2:
25@0



CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1719.7MHz_CC1: 1@0 CC2: 1@0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1694.85	1709	1	ChP	1	1705.292	-26.44	-13	Pass
1709	1710	0.003	/	2	1709.998	-35.11	-13	Pass
1710	1724.85	0.003	/	/	/	/	/	/

CA_66B_SISO_NTNV_CC1:5 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:1712.5 CC2:1719.7MHz_CC1: 1@0 CC2: 1@0

