

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	22.16	-1.75	18.26	<=34.77	Pass
			13	24.44	-1.75	20.54	<=34.77	Pass
			24	24.09	-1.75	20.19	<=34.77	Pass
		12	0	23.41	-1.75	19.51	<=34.77	Pass
			6	23.49	-1.75	19.59	<=34.77	Pass
			13	23.57	-1.75	19.67	<=34.77	Pass
		25	0	23.42	-1.75	19.52	<=34.77	Pass
	793	1	0	22.33	-1.75	18.43	<=34.77	Pass
			13	24.20	-1.75	20.30	<=34.77	Pass
			24	24.64	-1.75	20.74	<=34.77	Pass
		12	0	23.59	-1.75	19.69	<=34.77	Pass
			6	23.57	-1.75	19.67	<=34.77	Pass
			13	23.64	-1.75	19.74	<=34.77	Pass
		25	0	23.63	-1.75	19.73	<=34.77	Pass
	795.5	1	0	22.53	-1.75	18.63	<=34.77	Pass
			13	24.57	-1.75	20.67	<=34.77	Pass
			24	24.81	-1.75	20.91	<=34.77	Pass
		12	0	23.65	-1.75	19.75	<=34.77	Pass
			6	23.33	-1.75	19.43	<=34.77	Pass
			13	23.31	-1.75	19.41	<=34.77	Pass
		25	0	23.76	-1.75	19.86	<=34.77	Pass
16QAM	790.5	1	0	21.61	-1.75	17.71	<=34.77	Pass
			13	23.29	-1.75	19.39	<=34.77	Pass
			24	23.48	-1.75	19.58	<=34.77	Pass
		12	0	22.16	-1.75	18.26	<=34.77	Pass
			6	22.50	-1.75	18.60	<=34.77	Pass
			13	22.32	-1.75	18.42	<=34.77	Pass
		25	0	22.18	-1.75	18.28	<=34.77	Pass
	793	1	0	21.29	-1.75	17.39	<=34.77	Pass
			13	22.73	-1.75	18.83	<=34.77	Pass
			24	23.76	-1.75	19.86	<=34.77	Pass
		12	0	22.58	-1.75	18.68	<=34.77	Pass
			6	22.46	-1.75	18.56	<=34.77	Pass
			13	22.68	-1.75	18.78	<=34.77	Pass
		25	0	21.75	-1.75	17.85	<=34.77	Pass
	795.5	1	0	21.64	-1.75	17.74	<=34.77	Pass
			13	23.80	-1.75	19.90	<=34.77	Pass
			24	23.81	-1.75	19.91	<=34.77	Pass
		12	0	22.80	-1.75	18.90	<=34.77	Pass
			6	22.43	-1.75	18.53	<=34.77	Pass
			13	22.73	-1.75	18.83	<=34.77	Pass
		25	0	21.45	-1.75	17.55	<=34.77	Pass
64QAM	790.5	1	0	20.41	-1.75	16.51	<=34.77	Pass
			13	22.44	-1.75	18.54	<=34.77	Pass
			24	22.23	-1.75	18.33	<=34.77	Pass
		12	0	21.34	-1.75	17.44	<=34.77	Pass
			6	21.03	-1.75	17.13	<=34.77	Pass
			13	21.13	-1.75	17.23	<=34.77	Pass
		25	0	21.32	-1.75	17.42	<=34.77	Pass

	793	1	0	20.35	-1.75	16.45	<=34.77	Pass	
			13	22.21	-1.75	18.31	<=34.77	Pass	
			24	22.32	-1.75	18.42	<=34.77	Pass	
		12	0	21.49	-1.75	17.59	<=34.77	Pass	
			6	21.38	-1.75	17.48	<=34.77	Pass	
			13	21.40	-1.75	17.50	<=34.77	Pass	
		25	0	21.61	-1.75	17.71	<=34.77	Pass	
		13	22.41	-1.75	18.51	<=34.77	Pass		
		24	22.39	-1.75	18.49	<=34.77	Pass		
	12	0	21.56	-1.75	17.66	<=34.77	Pass		
		6	21.58	-1.75	17.68	<=34.77	Pass		
		13	21.77	-1.75	17.87	<=34.77	Pass		
	25	0	21.76	-1.75	17.86	<=34.77	Pass		
	256QAM	790.5	1	0	19.33	-1.75	15.43	<=34.77	Pass
13				19.46	-1.75	15.56	<=34.77	Pass	
24				19.50	-1.75	15.60	<=34.77	Pass	
12			0	19.33	-1.75	15.43	<=34.77	Pass	
			6	18.89	-1.75	14.99	<=34.77	Pass	
			13	19.47	-1.75	15.57	<=34.77	Pass	
25			0	19.26	-1.75	15.36	<=34.77	Pass	
13		19.77	-1.75	15.87	<=34.77	Pass			
24		19.65	-1.75	15.75	<=34.77	Pass			
12		0	19.27	-1.75	15.37	<=34.77	Pass		
		6	19.61	-1.75	15.71	<=34.77	Pass		
		13	19.59	-1.75	15.69	<=34.77	Pass		
25		0	19.66	-1.75	15.76	<=34.77	Pass		
13		19.64	-1.75	15.74	<=34.77	Pass			
24		19.75	-1.75	15.85	<=34.77	Pass			
12		0	19.52	-1.75	15.62	<=34.77	Pass		
		6	19.57	-1.75	15.67	<=34.77	Pass		
		13	19.44	-1.75	15.54	<=34.77	Pass		
25		0	19.74	-1.75	15.84	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	24.23	-1.75	20.33	<=34.77	Pass
			25	24.54	-1.75	20.64	<=34.77	Pass
			49	24.70	-1.75	20.80	<=34.77	Pass
		25	0	23.39	-1.75	19.49	<=34.77	Pass
			13	23.43	-1.75	19.53	<=34.77	Pass
			25	23.70	-1.75	19.80	<=34.77	Pass
		50	0	23.68	-1.75	19.78	<=34.77	Pass
16QAM	793	1	0	23.51	-1.75	19.61	<=34.77	Pass
			25	23.36	-1.75	19.46	<=34.77	Pass
			49	23.58	-1.75	19.68	<=34.77	Pass
		25	0	22.31	-1.75	18.41	<=34.77	Pass
			13	22.53	-1.75	18.63	<=34.77	Pass
			25	22.15	-1.75	18.25	<=34.77	Pass
		50	0	22.65	-1.75	18.75	<=34.77	Pass
64QAM	793	1	0	22.01	-1.75	18.11	<=34.77	Pass

			25	22.36	-1.75	18.46	<=34.77	Pass
			49	22.15	-1.75	18.25	<=34.77	Pass
		25	0	21.41	-1.75	17.51	<=34.77	Pass
			13	21.48	-1.75	17.58	<=34.77	Pass
			25	21.70	-1.75	17.80	<=34.77	Pass
		50	0	21.66	-1.75	17.76	<=34.77	Pass
		256QAM	793	1	0	19.45	-1.75	15.55
25	19.71				-1.75	15.81	<=34.77	Pass
49	19.68				-1.75	15.78	<=34.77	Pass
25	0			19.57	-1.75	15.67	<=34.77	Pass
	13			19.38	-1.75	15.48	<=34.77	Pass
	25			19.32	-1.75	15.42	<=34.77	Pass
50	0			19.43	-1.75	15.53	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	3.27	-1.900	-0.0024	-2.5 to 2.5	Pass
					3.85	-4.900	-0.0062	-2.5 to 2.5	Pass
					4.43	-1.600	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-2.800	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-3.600	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-3.100	-0.0039	-2.5 to 2.5	Pass
				0	3.85	3.000	0.0038	-2.5 to 2.5	Pass
				10	3.85	-1.900	-0.0024	-2.5 to 2.5	Pass
				30	3.85	2.800	0.0035	-2.5 to 2.5	Pass
				40	3.85	-2.000	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-0.200	-0.0003	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.520	/	Pass
	16QAM	793	25	0	4.537	/	Pass
10	QPSK	793	50	0	9.081	/	Pass
	16QAM	793	50	0	9.036	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	5.039	/	Pass
	16QAM	793	25	0	5.032	/	Pass
10	QPSK	793	50	0	9.999	/	Pass
	16QAM	793	50	0	9.881	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV




3.2.2 Band14_XDB



Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.65	<=13	Pass
16QAM	793	50	0	6.33	<=13	Pass
64QAM	793	50	0	6.64	<=13	Pass
256QAM	793	50	0	6.88	<=13	Pass

4.2 Test Graph


4.2.1 B14_10MHz



Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.415	-67.81	-13	Pass
769	775	0.00625	CHP	2	774.784	-79.07	-35	Pass
775	787.9	0.1	CHP	3	787.848	-29.95	-13	Pass
787.9	788	0.03	CHP	4	787.999	-31.98	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-21.25	-13	Pass
798.1	799	0.1	CHP	2	798.152	-27.44	-13	Pass
799	805	0.00625	CHP	3	799.407	-53.20	-35	Pass
805	810	0.1	CHP	4	806.365	-28.43	-13	Pass


Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-32.47	-13	Pass
798.1	799	0.1	CHP	2	798.152	-30.97	-13	Pass
799	805	0.00625	CHP	3	799.004	-43.81	-35	Pass
805	810	0.1	CHP	4	805.196	-50.81	-13	Pass

5.2.2 B14_10MHz


Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV



Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_LCH_793MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.664	-67.79	-13	Pass
769	775	0.00625	CHP	2	772.370	-79.42	-35	Pass
775	787.9	0.1	CHP	3	787.742	-33.02	-13	Pass
787.9	788	0.03	CHP	4	787.988	-36.91	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.002	-38.11	-13	Pass
798.1	799	0.1	CHP	6	798.163	-34.06	-13	Pass
799	803	0.00625	CHP	7	799.336	-45.99	-35	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.850	-46.97	-13	Pass
787.9	788	0.03	CHP	2	787.996	-53.07	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-26.74	-13	Pass
798.1	799	0.1	CHP	4	798.152	-27.47	-13	Pass
799	805	0.00625	CHP	5	801.832	-55.37	-35	Pass
805	810	0.1	CHP	6	806.231	-54.32	-13	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.846	-33.02	-13	Pass
787.9	788	0.03	CHP	2	787.989	-37.47	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.012	-38.09	-13	Pass
798.1	799	0.1	CHP	4	798.466	-34.08	-13	Pass
799	805	0.00625	CHP	5	799.006	-46.14	-35	Pass
805	810	0.1	CHP	6	806.192	-38.96	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-66.86	-13	Pass
				778	785.5	-34.24	-15.52	Pass
				785.5	787.95	-20.24	-5.52	Pass
				787.95	793.05	19.48	19.48	Pass
				793.05	795.5	-47.90	-5.52	Pass
				795.5	803	-23.35	-15.52	Pass
			13	803	808	-66.74	-13	Pass
				773	778	-66.43	-13	Pass
				778	785.5	-47.15	-13.6	Pass
				785.5	787.95	-44.68	-3.6	Pass
				787.95	793.05	21.40	21.4	Pass
				793.05	795.5	-44.34	-3.6	Pass
				795.5	803	-51.85	-13.6	Pass
				803	808	-66.53	-13	Pass
			24	773	778	-65.18	-13	Pass
				778	785.5	-19.27	-13.54	Pass
				785.5	787.95	-44.79	-3.54	Pass
				787.95	793.05	21.46	21.46	Pass
				793.05	795.5	-19.07	-3.54	Pass
				795.5	803	-27.36	-13.54	Pass
			12	803	808	-56.85	-13	Pass
				773	778	-65.65	-13	Pass
				778	785.5	-37.43	-24.33	Pass
				785.5	787.95	-25.31	-14.33	Pass
				787.95	793.05	10.67	10.67	Pass
				793.05	795.5	-31.45	-14.33	Pass
				795.5	803	-34.01	-24.33	Pass
				803	808	-65.17	-13	Pass
				773	778	-65.97	-13	Pass
				778	785.5	-45.91	-24.26	Pass
				785.5	787.95	-30.66	-14.26	Pass
				787.95	793.05	10.74	10.74	Pass
				793.05	795.5	-31.30	-14.26	Pass
				795.5	803	-47.23	-24.26	Pass
				803	808	-64.02	-13	Pass
				773	778	-66.78	-13	Pass
				778	785.5	-33.87	-23.96	Pass
				785.5	787.95	-30.79	-13.96	Pass
				787.95	793.05	11.04	11.04	Pass
				793.05	795.5	-26.86	-13.96	Pass
				795.5	803	-37.49	-23.96	Pass
				803	808	-61.61	-13	Pass
		25	0	773	778	-61.29	-13	Pass
				778	785.5	-33.75	-27.28	Pass
				785.5	787.95	-27.53	-17.28	Pass
				787.95	793.05	7.72	7.72	Pass

				793.05	795.5	-27.45	-17.28	Pass
				795.5	803	-34.78	-27.28	Pass
				803	808	-56.06	-13	Pass
	793	1	0	775.5	780.5	-66.64	-13	Pass
				780.5	788	-32.20	-15.41	Pass
				788	790.45	-21.91	-5.41	Pass
				790.45	795.55	19.59	19.59	Pass
				795.55	798	-48.91	-5.41	Pass
				798	805.5	-23.70	-15.41	Pass
			13	805.5	810.5	-66.34	-13	Pass
				775.5	780.5	-58.45	-13	Pass
				780.5	788	-46.19	-13.67	Pass
				788	790.45	-44.08	-3.67	Pass
				790.45	795.55	21.33	21.33	Pass
				795.55	798	-42.11	-3.67	Pass
				798	805.5	-46.42	-13.67	Pass
				805.5	810.5	-55.17	-13	Pass
			24	775.5	780.5	-65.98	-13	Pass
				780.5	788	-18.80	-13.8	Pass
				788	790.45	-44.03	-3.8	Pass
				790.45	795.55	21.20	21.2	Pass
				795.55	798	-19.44	-3.8	Pass
				798	805.5	-28.57	-13.8	Pass
		12	0	805.5	810.5	-65.34	-13	Pass
				775.5	780.5	-61.09	-13	Pass
				780.5	788	-36.73	-23.95	Pass
				788	790.45	-25.13	-13.95	Pass
				790.45	795.55	11.05	11.05	Pass
				795.55	798	-31.67	-13.95	Pass
			6	798	805.5	-33.75	-23.95	Pass
				805.5	810.5	-65.12	-13	Pass
				775.5	780.5	-62.14	-13	Pass
				780.5	788	-45.70	-24.13	Pass
				788	790.45	-31.26	-14.13	Pass
				790.45	795.55	10.87	10.87	Pass
			13	795.55	798	-31.29	-14.13	Pass
				798	805.5	-47.40	-24.13	Pass
				805.5	810.5	-63.15	-13	Pass
				775.5	780.5	-64.16	-13	Pass
				780.5	788	-32.88	-24.24	Pass
				788	790.45	-30.59	-14.24	Pass
	795.5	25	0	790.45	795.55	10.76	10.76	Pass
				795.55	798	-24.89	-14.24	Pass
				798	805.5	-36.93	-24.24	Pass
				805.5	810.5	-60.37	-13	Pass
				775.5	780.5	-54.45	-13	Pass
				780.5	788	-33.87	-27.18	Pass
		1	0	788	790.45	-28.64	-17.18	Pass
				790.45	795.55	7.82	7.82	Pass
				795.55	798	-28.55	-17.18	Pass
				798	805.5	-34.64	-27.18	Pass
				805.5	810.5	-54.76	-13	Pass
				778	783	-63.12	-13	Pass
		1	0	783	790.5	-30.02	-15.51	Pass
				790.5	792.95	-25.27	-5.51	Pass
				792.95	798.05	19.49	19.49	Pass
				798.05	800.5	-48.15	-5.51	Pass
				800.5	808	-23.93	-15.51	Pass
				808	813	-67.05	-13	Pass

			13	778	783	-55.95	-13	Pass
				783	790.5	-44.96	-13.64	Pass
				790.5	792.95	-41.29	-3.64	Pass
				792.95	798.05	21.36	21.36	Pass
				798.05	800.5	-42.64	-3.64	Pass
				800.5	808	-50.66	-13.64	Pass
			24	808	813	-61.20	-13	Pass
				778	783	-61.35	-13	Pass
				783	790.5	-18.90	-13.7	Pass
				790.5	792.95	-44.07	-3.7	Pass
				792.95	798.05	21.30	21.3	Pass
				798.05	800.5	-16.43	-3.7	Pass
		12	0	800.5	808	-27.64	-13.7	Pass
				808	813	-65.95	-13	Pass
				778	783	-59.31	-13	Pass
				783	790.5	-37.18	-24.54	Pass
				790.5	792.95	-26.69	-14.54	Pass
				792.95	798.05	10.46	10.46	Pass
			6	798.05	800.5	-31.63	-14.54	Pass
				800.5	808	-34.52	-24.54	Pass
				808	813	-65.22	-13	Pass
				778	783	-61.08	-13	Pass
				783	790.5	-44.19	-23.83	Pass
				790.5	792.95	-30.76	-13.83	Pass
			13	792.95	798.05	11.17	11.17	Pass
				798.05	800.5	-31.87	-13.83	Pass
				800.5	808	-48.01	-23.83	Pass
				808	813	-63.09	-13	Pass
				778	783	-63.52	-13	Pass
				783	790.5	-32.82	-23.97	Pass
16QAM	790.5	25	0	790.5	792.95	-30.49	-13.97	Pass
				792.95	798.05	11.03	11.03	Pass
				798.05	800.5	-26.12	-13.97	Pass
				800.5	808	-37.58	-23.97	Pass
				808	813	-61.69	-13	Pass
				778	783	-52.80	-13	Pass
		1	0	783	790.5	-33.88	-27.13	Pass
				790.5	792.95	-28.75	-17.13	Pass
				792.95	798.05	7.87	7.87	Pass
				798.05	800.5	-27.84	-17.13	Pass
				800.5	808	-34.89	-27.13	Pass
				808	813	-56.90	-13	Pass
			13	773	778	-67.06	-13	Pass
				778	785.5	-35.12	-16.51	Pass
				785.5	787.95	-22.26	-6.51	Pass
				787.95	793.05	18.49	18.49	Pass
				793.05	795.5	-47.97	-6.51	Pass
				795.5	803	-24.28	-16.51	Pass
		24	0	803	808	-65.97	-13	Pass
				773	778	-66.77	-13	Pass
				778	785.5	-47.38	-14.59	Pass
				785.5	787.95	-43.76	-4.59	Pass
				787.95	793.05	20.41	20.41	Pass
				793.05	795.5	-44.79	-4.59	Pass
			13	795.5	803	-52.38	-14.59	Pass
				803	808	-66.62	-13	Pass
				773	778	-66.94	-13	Pass
			24	778	785.5	-20.49	-14.61	Pass
				785.5	787.95	-45.81	-4.61	Pass

				787.95	793.05	20.39	20.39	Pass
				793.05	795.5	-20.03	-4.61	Pass
				795.5	803	-29.08	-14.61	Pass
				803	808	-58.62	-13	Pass
		12	0	773	778	-66.56	-13	Pass
				778	785.5	-38.93	-25.37	Pass
				785.5	787.95	-24.82	-15.37	Pass
				787.95	793.05	9.63	9.63	Pass
				793.05	795.5	-32.54	-15.37	Pass
				795.5	803	-35.10	-25.37	Pass
				803	808	-66.05	-13	Pass
				773	778	-66.96	-13	Pass
			6	778	785.5	-46.53	-25.44	Pass
				785.5	787.95	-31.44	-15.44	Pass
				787.95	793.05	9.56	9.56	Pass
				793.05	795.5	-32.77	-15.44	Pass
				795.5	803	-47.63	-25.44	Pass
				803	808	-65.46	-13	Pass
				773	778	-67.13	-13	Pass
			13	778	785.5	-36.10	-24.94	Pass
				785.5	787.95	-32.49	-14.94	Pass
				787.95	793.05	10.06	10.06	Pass
				793.05	795.5	-26.18	-14.94	Pass
				795.5	803	-38.56	-24.94	Pass
				803	808	-63.22	-13	Pass
		25	0	773	778	-62.67	-13	Pass
				778	785.5	-33.69	-27.92	Pass
				785.5	787.95	-28.79	-17.92	Pass
				787.95	793.05	7.08	7.08	Pass
				793.05	795.5	-28.71	-17.92	Pass
				795.5	803	-34.66	-27.92	Pass
				803	808	-57.12	-13	Pass
			1	775.5	780.5	-65.88	-13	Pass
			0	780.5	788	-30.60	-16.42	Pass
				788	790.45	-19.42	-6.42	Pass
				790.45	795.55	18.58	18.58	Pass
				795.55	798	-48.21	-6.42	Pass
				798	805.5	-24.55	-16.42	Pass
				805.5	810.5	-65.55	-13	Pass
			13	775.5	780.5	-65.72	-13	Pass
				780.5	788	-46.65	-13.9	Pass
				788	790.45	-43.64	-3.9	Pass
				790.45	795.55	21.10	21.1	Pass
				795.55	798	-44.68	-3.9	Pass
				798	805.5	-50.44	-13.9	Pass
				805.5	810.5	-57.66	-13	Pass
			24	775.5	780.5	-65.80	-13	Pass
				780.5	788	-20.58	-14.37	Pass
				788	790.45	-44.46	-4.37	Pass
				790.45	795.55	20.63	20.63	Pass
				795.55	798	-19.82	-4.37	Pass
				798	805.5	-29.14	-14.37	Pass
				805.5	810.5	-58.15	-13	Pass
		12	0	775.5	780.5	-62.57	-13	Pass
				780.5	788	-38.21	-25.28	Pass
				788	790.45	-25.83	-15.28	Pass
				790.45	795.55	9.72	9.72	Pass
				795.55	798	-32.80	-15.28	Pass
				798	805.5	-35.33	-25.28	Pass

				805.5	810.5	-63.48	-13	Pass	
			6	775.5	780.5	-63.98	-13	Pass	
				780.5	788	-46.10	-24.8	Pass	
				788	790.45	-31.23	-14.8	Pass	
				790.45	795.55	10.20	10.2	Pass	
				795.55	798	-31.83	-14.8	Pass	
				798	805.5	-48.31	-24.8	Pass	
				805.5	810.5	-64.63	-13	Pass	
			13	775.5	780.5	-65.45	-13	Pass	
				780.5	788	-35.09	-25.27	Pass	
				788	790.45	-31.38	-15.27	Pass	
				790.45	795.55	9.73	9.73	Pass	
				795.55	798	-26.57	-15.27	Pass	
				798	805.5	-38.25	-25.27	Pass	
				805.5	810.5	-63.00	-13	Pass	
		25	0	775.5	780.5	-56.20	-13	Pass	
				780.5	788	-34.52	-28.19	Pass	
				788	790.45	-28.10	-18.19	Pass	
				790.45	795.55	6.81	6.81	Pass	
				795.55	798	-27.90	-18.19	Pass	
				798	805.5	-34.86	-28.19	Pass	
				805.5	810.5	-56.34	-13	Pass	
		795.5	1	0	778	783	-63.15	-13	Pass
					783	790.5	-32.51	-16.67	Pass
					790.5	792.95	-20.77	-6.67	Pass
	792.95				798.05	18.33	18.33	Pass	
	798.05				800.5	-47.54	-6.67	Pass	
	800.5				808	-24.54	-16.67	Pass	
	13			808	813	-66.17	-13	Pass	
				778	783	-57.61	-13	Pass	
				783	790.5	-46.57	-14.49	Pass	
				790.5	792.95	-44.24	-4.49	Pass	
				792.95	798.05	20.51	20.51	Pass	
				798.05	800.5	-43.87	-4.49	Pass	
				800.5	808	-49.08	-14.49	Pass	
	24			808	813	-65.06	-13	Pass	
				778	783	-58.37	-13	Pass	
				783	790.5	-20.18	-14.41	Pass	
				790.5	792.95	-44.40	-4.41	Pass	
				792.95	798.05	20.59	20.59	Pass	
				798.05	800.5	-18.52	-4.41	Pass	
			800.5	808	-29.02	-14.41	Pass		
	12		0	808	813	-62.87	-13	Pass	
				778	783	-60.61	-13	Pass	
				783	790.5	-37.37	-25.45	Pass	
				790.5	792.95	-25.64	-15.45	Pass	
				792.95	798.05	9.55	9.55	Pass	
				798.05	800.5	-32.70	-15.45	Pass	
			6	800.5	808	-36.06	-25.45	Pass	
				808	813	-65.75	-13	Pass	
				778	783	-62.93	-13	Pass	
				783	790.5	-45.72	-25.31	Pass	
				790.5	792.95	-32.01	-15.31	Pass	
				792.95	798.05	9.69	9.69	Pass	
	798.05			800.5	-32.85	-15.31	Pass		
	13		800.5	808	-48.41	-25.31	Pass		
			808	813	-64.86	-13	Pass		
			778	783	-64.40	-13	Pass		
					783	790.5	-34.51	-25.43	Pass

				790.5	792.95	-31.97	-15.43	Pass
				792.95	798.05	9.57	9.57	Pass
				798.05	800.5	-26.50	-15.43	Pass
				800.5	808	-39.45	-25.43	Pass
				808	813	-62.85	-13	Pass
		25	0	778	783	-54.32	-13	Pass
				783	790.5	-34.28	-28.5	Pass
				790.5	792.95	-29.41	-18.5	Pass
				792.95	798.05	6.50	6.5	Pass
				798.05	800.5	-28.87	-18.5	Pass
64QAM	790.5	1	0	800.5	808	-35.72	-28.5	Pass
				808	813	-57.20	-13	Pass
				773	778	-67.26	-13	Pass
				778	785.5	-36.97	-16.86	Pass
				785.5	787.95	-22.75	-6.86	Pass
			13	787.95	793.05	18.14	18.14	Pass
				793.05	795.5	-48.93	-6.86	Pass
				795.5	803	-26.10	-16.86	Pass
				803	808	-67.28	-13	Pass
				773	778	-67.18	-13	Pass
64QAM	790.5	1	13	778	785.5	-47.92	-15.72	Pass
				785.5	787.95	-45.68	-5.72	Pass
				787.95	793.05	19.28	19.28	Pass
				793.05	795.5	-45.66	-5.72	Pass
				795.5	803	-52.08	-15.72	Pass
			24	803	808	-64.34	-13	Pass
				773	778	-67.02	-13	Pass
				778	785.5	-22.61	-15.41	Pass
				785.5	787.95	-45.93	-5.41	Pass
				787.95	793.05	19.59	19.59	Pass
64QAM	790.5	12	0	793.05	795.5	-19.78	-5.41	Pass
				795.5	803	-32.28	-15.41	Pass
				803	808	-66.64	-13	Pass
				773	778	-66.33	-13	Pass
				778	785.5	-41.11	-26.11	Pass
			6	785.5	787.95	-27.09	-16.11	Pass
				787.95	793.05	8.89	8.89	Pass
				793.05	795.5	-34.04	-16.11	Pass
				795.5	803	-37.60	-26.11	Pass
				803	808	-64.36	-13	Pass
64QAM	790.5	12	6	773	778	-66.59	-13	Pass
				778	785.5	-47.18	-26.47	Pass
				785.5	787.95	-33.17	-16.47	Pass
				787.95	793.05	8.53	8.53	Pass
				793.05	795.5	-33.88	-16.47	Pass
			13	795.5	803	-47.64	-26.47	Pass
				803	808	-62.82	-13	Pass
				773	778	-67.28	-13	Pass
				778	785.5	-37.08	-25.91	Pass
				785.5	787.95	-33.79	-15.91	Pass
64QAM	790.5	25	0	787.95	793.05	9.09	9.09	Pass
				793.05	795.5	-26.58	-15.91	Pass
				795.5	803	-40.89	-25.91	Pass
				803	808	-63.15	-13	Pass
				773	778	-62.80	-13	Pass
			0	778	785.5	-36.10	-29.23	Pass
				785.5	787.95	-28.43	-19.23	Pass
				787.95	793.05	5.77	5.77	Pass
				793.05	795.5	-28.42	-19.23	Pass

				795.5	803	-36.05	-29.23	Pass
				803	808	-57.40	-13	Pass
				775.5	780.5	-67.16	-13	Pass
				780.5	788	-35.44	-18.01	Pass
				788	790.45	-22.66	-8.01	Pass
				790.45	795.55	16.99	16.99	Pass
				795.55	798	-49.11	-8.01	Pass
				798	805.5	-27.39	-18.01	Pass
				805.5	810.5	-67.16	-13	Pass
			13	775.5	780.5	-66.83	-13	Pass
				780.5	788	-48.39	-16.01	Pass
				788	790.45	-45.71	-6.01	Pass
				790.45	795.55	18.99	18.99	Pass
				795.55	798	-45.34	-6.01	Pass
				798	805.5	-53.27	-16.01	Pass
			24	805.5	810.5	-66.80	-13	Pass
				775.5	780.5	-66.00	-13	Pass
				780.5	788	-22.29	-15.76	Pass
				788	790.45	-45.43	-5.76	Pass
				790.45	795.55	19.24	19.24	Pass
				795.55	798	-19.09	-5.76	Pass
			12	798	805.5	-31.90	-15.76	Pass
				805.5	810.5	-66.31	-13	Pass
				775.5	780.5	-63.45	-13	Pass
				780.5	788	-40.09	-25.53	Pass
				788	790.45	-27.16	-15.53	Pass
				790.45	795.55	9.47	9.47	Pass
				795.55	798	-34.17	-15.53	Pass
				798	805.5	-37.00	-25.53	Pass
				805.5	810.5	-64.94	-13	Pass
				775.5	780.5	-64.90	-13	Pass
				780.5	788	-47.06	-26.13	Pass
				788	790.45	-33.41	-16.13	Pass
				790.45	795.55	8.87	8.87	Pass
				795.55	798	-34.25	-16.13	Pass
				798	805.5	-48.30	-26.13	Pass
				805.5	810.5	-65.36	-13	Pass
				775.5	780.5	-66.13	-13	Pass
				780.5	788	-36.11	-26.11	Pass
				788	790.45	-33.14	-16.11	Pass
				790.45	795.55	8.89	8.89	Pass
				795.55	798	-25.97	-16.11	Pass
				798	805.5	-40.95	-26.11	Pass
				805.5	810.5	-63.85	-13	Pass
			25	775.5	780.5	-56.36	-13	Pass
				780.5	788	-35.83	-29.06	Pass
				788	790.45	-29.00	-19.06	Pass
				790.45	795.55	5.94	5.94	Pass
				795.55	798	-30.21	-19.06	Pass
				798	805.5	-36.51	-29.06	Pass
				805.5	810.5	-56.76	-13	Pass
	795.5	1	0	778	783	-66.50	-13	Pass
				783	790.5	-34.74	-17.7	Pass
				790.5	792.95	-24.59	-7.7	Pass
				792.95	798.05	17.30	17.3	Pass
				798.05	800.5	-49.39	-7.7	Pass
				800.5	808	-26.32	-17.7	Pass
				808	813	-67.28	-13	Pass
				778	783	-66.22	-13	Pass
			13	778	783	-66.22	-13	Pass

				783	790.5	-47.20	-15.2	Pass
				790.5	792.95	-45.31	-5.2	Pass
				792.95	798.05	19.80	19.8	Pass
				798.05	800.5	-45.48	-5.2	Pass
				800.5	808	-54.07	-15.2	Pass
				808	813	-66.92	-13	Pass
				778	783	-62.00	-13	Pass
				783	790.5	-21.39	-15.44	Pass
				790.5	792.95	-46.35	-5.44	Pass
				792.95	798.05	19.56	19.56	Pass
			24	798.05	800.5	-19.56	-5.44	Pass
				800.5	808	-31.12	-15.44	Pass
				808	813	-66.67	-13	Pass
				778	783	-62.00	-13	Pass
				783	790.5	-39.87	-26.04	Pass
				790.5	792.95	-27.20	-16.04	Pass
				792.95	798.05	8.96	8.96	Pass
				798.05	800.5	-33.57	-16.04	Pass
				800.5	808	-37.20	-26.04	Pass
				808	813	-66.55	-13	Pass
		12	0	778	783	-64.28	-13	Pass
				783	790.5	-46.86	-25.93	Pass
				790.5	792.95	-33.71	-15.93	Pass
				792.95	798.05	9.07	9.07	Pass
				798.05	800.5	-33.52	-15.93	Pass
				800.5	808	-49.51	-25.93	Pass
				808	813	-66.23	-13	Pass
			6	778	783	-64.87	-13	Pass
				783	790.5	-35.84	-26.23	Pass
				790.5	792.95	-33.54	-16.23	Pass
				792.95	798.05	8.77	8.77	Pass
				798.05	800.5	-28.64	-16.23	Pass
				800.5	808	-41.63	-26.23	Pass
				808	813	-63.76	-13	Pass
			13	778	783	-54.51	-13	Pass
				783	790.5	-36.00	-29.05	Pass
				790.5	792.95	-30.35	-19.05	Pass
				792.95	798.05	5.95	5.95	Pass
				798.05	800.5	-29.79	-19.05	Pass
				800.5	808	-37.22	-29.05	Pass
				808	813	-57.53	-13	Pass
		25	0	773	778	-67.37	-13	Pass
				778	785.5	-39.38	-18.34	Pass
				785.5	787.95	-22.21	-8.34	Pass
				787.95	793.05	16.66	16.66	Pass
				793.05	795.5	-50.04	-8.34	Pass
				795.5	803	-27.81	-18.34	Pass
				803	808	-67.12	-13	Pass
			13	773	778	-67.37	-13	Pass
				778	785.5	-51.40	-18.31	Pass
				785.5	787.95	-47.90	-8.31	Pass
				787.95	793.05	16.69	16.69	Pass
				793.05	795.5	-48.56	-8.31	Pass
				795.5	803	-55.44	-18.31	Pass
				803	808	-67.07	-13	Pass
			24	773	778	-67.39	-13	Pass
				778	785.5	-26.77	-18.33	Pass
				785.5	787.95	-48.95	-8.33	Pass
				787.95	793.05	16.67	16.67	Pass
256QAM	790.5	1	0	773	778	-67.37	-13	Pass
				778	785.5	-39.38	-18.34	Pass
				785.5	787.95	-22.21	-8.34	Pass
				787.95	793.05	16.66	16.66	Pass
				793.05	795.5	-50.04	-8.34	Pass
				795.5	803	-27.81	-18.34	Pass
			13	803	808	-67.12	-13	Pass
				773	778	-67.37	-13	Pass
				778	785.5	-51.40	-18.31	Pass
				785.5	787.95	-47.90	-8.31	Pass
				787.95	793.05	16.69	16.69	Pass
				793.05	795.5	-48.56	-8.31	Pass
			24	795.5	803	-55.44	-18.31	Pass
				803	808	-67.07	-13	Pass
				773	778	-67.39	-13	Pass
				778	785.5	-26.77	-18.33	Pass
				785.5	787.95	-48.95	-8.33	Pass
				787.95	793.05	16.67	16.67	Pass

				793.05	795.5	-21.89	-8.33	Pass
				795.5	803	-36.96	-18.33	Pass
				803	808	-66.89	-13	Pass
		12	0	773	778	-67.43	-13	Pass
				778	785.5	-43.59	-28.46	Pass
				785.5	787.95	-29.09	-18.46	Pass
				787.95	793.05	6.54	6.54	Pass
				793.05	795.5	-37.85	-18.46	Pass
				795.5	803	-40.49	-28.46	Pass
				803	808	-67.19	-13	Pass
				773	778	-67.67	-13	Pass
			6	778	785.5	-48.08	-28.25	Pass
				785.5	787.95	-35.60	-18.25	Pass
				787.95	793.05	6.75	6.75	Pass
				793.05	795.5	-36.81	-18.25	Pass
				795.5	803	-50.27	-28.25	Pass
				803	808	-67.26	-13	Pass
			13	773	778	-67.20	-13	Pass
				778	785.5	-40.62	-28.3	Pass
				785.5	787.95	-37.24	-18.3	Pass
				787.95	793.05	6.70	6.7	Pass
				793.05	795.5	-29.15	-18.3	Pass
				795.5	803	-44.34	-28.3	Pass
				803	808	-66.34	-13	Pass
		25	0	773	778	-64.39	-13	Pass
				778	785.5	-38.22	-31.11	Pass
				785.5	787.95	-31.04	-21.11	Pass
				787.95	793.05	3.89	3.89	Pass
				793.05	795.5	-30.14	-21.11	Pass
				795.5	803	-37.94	-31.11	Pass
	793	1	0	803	808	-59.28	-13	Pass
				775.5	780.5	-66.88	-13	Pass
				780.5	788	-37.06	-18.35	Pass
				788	790.45	-21.00	-8.35	Pass
				790.45	795.55	16.65	16.65	Pass
				795.55	798	-50.09	-8.35	Pass
			13	798	805.5	-28.35	-18.35	Pass
				805.5	810.5	-66.09	-13	Pass
				775.5	780.5	-67.12	-13	Pass
				780.5	788	-51.14	-18.25	Pass
				788	790.45	-47.94	-8.25	Pass
				790.45	795.55	16.75	16.75	Pass
				795.55	798	-48.23	-8.25	Pass
				798	805.5	-55.61	-18.25	Pass
				805.5	810.5	-67.17	-13	Pass
			24	775.5	780.5	-67.12	-13	Pass
				780.5	788	-27.16	-18.34	Pass
				788	790.45	-48.44	-8.34	Pass
				790.45	795.55	16.66	16.66	Pass
				795.55	798	-22.55	-8.34	Pass
				798	805.5	-37.90	-18.34	Pass
		12	0	805.5	810.5	-67.08	-13	Pass
				775.5	780.5	-66.52	-13	Pass
				780.5	788	-43.59	-28.16	Pass
				788	790.45	-28.61	-18.16	Pass
				790.45	795.55	6.84	6.84	Pass
				795.55	798	-37.48	-18.16	Pass
				798	805.5	-40.60	-28.16	Pass
				805.5	810.5	-66.75	-13	Pass

			6	775.5	780.5	-66.78	-13	Pass
				780.5	788	-48.18	-27.91	Pass
				788	790.45	-35.05	-17.91	Pass
				790.45	795.55	7.09	7.09	Pass
				795.55	798	-37.29	-17.91	Pass
				798	805.5	-50.05	-27.91	Pass
				805.5	810.5	-66.86	-13	Pass
			13	775.5	780.5	-67.07	-13	Pass
				780.5	788	-39.66	-27.98	Pass
				788	790.45	-36.33	-17.98	Pass
				790.45	795.55	7.02	7.02	Pass
				795.55	798	-28.44	-17.98	Pass
				798	805.5	-43.88	-27.98	Pass
				805.5	810.5	-65.99	-13	Pass
		25	0	775.5	780.5	-58.20	-13	Pass
				780.5	788	-37.01	-31.01	Pass
				788	790.45	-30.23	-21.01	Pass
				790.45	795.55	3.99	3.99	Pass
				795.55	798	-30.35	-21.01	Pass
				798	805.5	-38.38	-31.01	Pass
				805.5	810.5	-58.79	-13	Pass
	795.5	1	0	778	783	-66.74	-13	Pass
				783	790.5	-35.66	-18.36	Pass
				790.5	792.95	-23.53	-8.36	Pass
				792.95	798.05	16.64	16.64	Pass
				798.05	800.5	-50.24	-8.36	Pass
				800.5	808	-29.00	-18.36	Pass
				808	813	-67.54	-13	Pass
			13	778	783	-66.93	-13	Pass
				783	790.5	-49.72	-18.62	Pass
				790.5	792.95	-48.11	-8.62	Pass
				792.95	798.05	16.38	16.38	Pass
				798.05	800.5	-48.01	-8.62	Pass
				800.5	808	-56.44	-18.62	Pass
				808	813	-67.47	-13	Pass
			24	778	783	-66.39	-13	Pass
				783	790.5	-26.71	-18.17	Pass
				790.5	792.95	-48.89	-8.17	Pass
				792.95	798.05	16.83	16.83	Pass
				798.05	800.5	-20.79	-8.17	Pass
				800.5	808	-36.67	-18.17	Pass
				808	813	-67.11	-13	Pass
		12	0	778	783	-64.58	-13	Pass
				783	790.5	-43.01	-28.17	Pass
				790.5	792.95	-28.57	-18.17	Pass
				792.95	798.05	6.83	6.83	Pass
				798.05	800.5	-37.13	-18.17	Pass
				800.5	808	-40.76	-28.17	Pass
				808	813	-67.37	-13	Pass
			6	778	783	-66.34	-13	Pass
				783	790.5	-48.43	-28.1	Pass
				790.5	792.95	-35.11	-18.1	Pass
				792.95	798.05	6.90	6.9	Pass
				798.05	800.5	-35.92	-18.1	Pass
				800.5	808	-50.24	-28.1	Pass
				808	813	-67.16	-13	Pass
			13	778	783	-66.50	-13	Pass
				783	790.5	-40.08	-28.18	Pass
				790.5	792.95	-36.72	-18.18	Pass

				792.95	798.05	6.82	6.82	Pass
				798.05	800.5	-28.82	-18.18	Pass
				800.5	808	-44.21	-28.18	Pass
				808	813	-66.25	-13	Pass
		25	0	778	783	-56.16	-13	Pass
				783	790.5	-37.73	-31.27	Pass
				790.5	792.95	-31.23	-21.27	Pass
				792.95	798.05	3.73	3.73	Pass
				798.05	800.5	-31.33	-21.27	Pass
				800.5	808	-39.10	-31.27	Pass
				808	813	-59.06	-13	Pass

6.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-66.77	-13	Pass
				768	783	-56.08	-13.93	Pass
				783	787.95	-23.48	-3.93	Pass
				787.95	798.05	21.07	21.07	Pass
				798.05	803	-48.90	-3.93	Pass
				803	818	-21.00	-13.93	Pass
				818	828	-66.88	-13	Pass
			25	758	768	-66.79	-13	Pass
				768	783	-56.75	-13.7	Pass
				783	787.95	-46.61	-3.7	Pass
				787.95	798.05	21.30	21.3	Pass
				798.05	803	-48.46	-3.7	Pass
				803	818	-58.70	-13.7	Pass
				818	828	-66.83	-13	Pass
			49	758	768	-66.77	-13	Pass
				768	783	-20.82	-13.56	Pass
				783	787.95	-46.91	-3.56	Pass
				787.95	798.05	21.44	21.44	Pass
				798.05	803	-24.06	-3.56	Pass
				803	818	-50.93	-13.56	Pass
				818	828	-66.79	-13	Pass
		25	0	758	768	-66.88	-13	Pass
				768	783	-40.38	-27.57	Pass
				783	787.95	-30.16	-17.57	Pass
				787.95	798.05	7.43	7.43	Pass
				798.05	803	-34.63	-17.57	Pass
				803	818	-39.36	-27.57	Pass
				818	828	-67.19	-13	Pass
			13	758	768	-66.50	-13	Pass
				768	783	-50.10	-27.17	Pass
				783	787.95	-33.74	-17.17	Pass
				787.95	798.05	7.83	7.83	Pass
				798.05	803	-35.10	-17.17	Pass
				803	818	-50.34	-27.17	Pass
				818	828	-67.15	-13	Pass
			25	758	768	-67.04	-13	Pass
				768	783	-35.93	-27.39	Pass
				783	787.95	-33.46	-17.39	Pass
				787.95	798.05	7.61	7.61	Pass
				798.05	803	-31.59	-17.39	Pass

		50	0	803	818	-41.94	-27.39	Pass
				818	828	-66.88	-13	Pass
				758	768	-66.93	-13	Pass
				768	783	-36.78	-30.19	Pass
				783	787.95	-31.92	-20.19	Pass
				787.95	798.05	4.81	4.81	Pass
				798.05	803	-32.78	-20.19	Pass
				803	818	-38.56	-30.19	Pass
				818	828	-67.20	-13	Pass
				758	768	-67.15	-13	Pass
16QAM	793	1	0	768	783	-54.81	-14.76	Pass
				783	787.95	-23.97	-4.76	Pass
				787.95	798.05	20.24	20.24	Pass
				798.05	803	-48.39	-4.76	Pass
				803	818	-22.73	-14.76	Pass
				818	828	-67.20	-13	Pass
			25	758	768	-67.01	-13	Pass
				768	783	-55.53	-14.88	Pass
				783	787.95	-47.66	-4.88	Pass
				787.95	798.05	20.12	20.12	Pass
				798.05	803	-49.15	-4.88	Pass
				803	818	-59.19	-14.88	Pass
				818	828	-67.04	-13	Pass
			49	758	768	-67.05	-13	Pass
				768	783	-22.74	-14.85	Pass
				783	787.95	-39.06	-4.85	Pass
				787.95	798.05	20.15	20.15	Pass
				798.05	803	-25.52	-4.85	Pass
				803	818	-52.09	-14.85	Pass
			25	818	828	-67.13	-13	Pass
				758	768	-67.19	-13	Pass
				768	783	-42.22	-28.84	Pass
				783	787.95	-30.50	-18.84	Pass
				787.95	798.05	6.16	6.16	Pass
				798.05	803	-35.57	-18.84	Pass
				803	818	-40.63	-28.84	Pass
				818	828	-67.30	-13	Pass
				758	768	-67.22	-13	Pass
				768	783	-50.45	-28.74	Pass
				783	787.95	-35.04	-18.74	Pass
				787.95	798.05	6.26	6.26	Pass
				798.05	803	-34.87	-18.74	Pass
				803	818	-52.26	-28.74	Pass
				818	828	-67.35	-13	Pass
			25	758	768	-67.24	-13	Pass
				768	783	-38.14	-28.67	Pass
				783	787.95	-34.98	-18.67	Pass
				787.95	798.05	6.33	6.33	Pass
				798.05	803	-31.24	-18.67	Pass
				803	818	-43.70	-28.67	Pass
			50	818	828	-67.30	-13	Pass
				758	768	-67.22	-13	Pass
				768	783	-37.56	-31.29	Pass
				783	787.95	-32.37	-21.29	Pass
				787.95	798.05	3.71	3.71	Pass
				798.05	803	-33.32	-21.29	Pass
				803	818	-40.14	-31.29	Pass
64QAM	793	1	0	818	828	-67.27	-13	Pass
				758	768	-67.19	-13	Pass


				768	783	-55.43	-16.15	Pass
				783	787.95	-24.55	-6.15	Pass
				787.95	798.05	18.85	18.85	Pass
				798.05	803	-50.24	-6.15	Pass
				803	818	-23.75	-16.15	Pass
				818	828	-67.32	-13	Pass
			25	758	768	-67.26	-13	Pass
				768	783	-57.68	-16.54	Pass
				783	787.95	-48.51	-6.54	Pass
				787.95	798.05	18.46	18.46	Pass
				798.05	803	-49.10	-6.54	Pass
				803	818	-59.58	-16.54	Pass
				818	828	-67.39	-13	Pass
			49	758	768	-67.11	-13	Pass
				768	783	-23.96	-16.06	Pass
				783	787.95	-48.36	-6.06	Pass
				787.95	798.05	18.94	18.94	Pass
				798.05	803	-24.47	-6.06	Pass
				803	818	-53.78	-16.06	Pass
			25	818	828	-67.26	-13	Pass
				758	768	-67.29	-13	Pass
				768	783	-43.97	-29.38	Pass
				783	787.95	-31.06	-19.38	Pass
				787.95	798.05	5.62	5.62	Pass
				798.05	803	-37.31	-19.38	Pass
				803	818	-42.09	-29.38	Pass
				818	828	-67.41	-13	Pass
				758	768	-67.34	-13	Pass
				768	783	-50.77	-29.48	Pass
				783	787.95	-35.86	-19.48	Pass
				787.95	798.05	5.52	5.52	Pass
				798.05	803	-35.88	-19.48	Pass
				803	818	-53.45	-29.48	Pass
				818	828	-67.43	-13	Pass
				758	768	-67.41	-13	Pass
				768	783	-40.01	-29.41	Pass
				783	787.95	-36.42	-19.41	Pass
				787.95	798.05	5.59	5.59	Pass
				798.05	803	-32.07	-19.41	Pass
				803	818	-45.23	-29.41	Pass
				818	828	-67.21	-13	Pass
		50	0	758	768	-67.06	-13	Pass
				768	783	-39.18	-32.35	Pass
				783	787.95	-33.27	-22.35	Pass
				787.95	798.05	2.65	2.65	Pass
				798.05	803	-34.35	-22.35	Pass
				803	818	-40.50	-32.35	Pass
				818	828	-67.41	-13	Pass
			25	758	768	-67.40	-13	Pass
				768	783	-60.07	-18.65	Pass
				783	787.95	-29.88	-8.65	Pass
				787.95	798.05	16.35	16.35	Pass
256QAM	793	1	0	798.05	803	-53.09	-8.65	Pass
				803	818	-29.37	-18.65	Pass
				818	828	-67.37	-13	Pass
				758	768	-67.64	-13	Pass
				768	783	-59.91	-18.46	Pass
				783	787.95	-51.32	-8.46	Pass
			25	787.95	798.05	16.54	16.54	Pass

				798.05	803	-52.40	-8.46	Pass
				803	818	-62.11	-18.46	Pass
				818	828	-67.56	-13	Pass
			49	758	768	-67.56	-13	Pass
				768	783	-28.80	-19.11	Pass
				783	787.95	-50.78	-9.11	Pass
				787.95	798.05	15.89	15.89	Pass
				798.05	803	-27.22	-9.11	Pass
				803	818	-57.92	-19.11	Pass
				818	828	-67.64	-13	Pass
				758	768	-67.43	-13	Pass
				768	783	-47.08	-31.47	Pass
				783	787.95	-33.00	-21.47	Pass
			0	787.95	798.05	3.53	3.53	Pass
				798.05	803	-40.64	-21.47	Pass
				803	818	-45.35	-31.47	Pass
				818	828	-67.35	-13	Pass
				758	768	-67.38	-13	Pass
				768	783	-51.58	-31.06	Pass
				783	787.95	-37.41	-21.06	Pass
				787.95	798.05	3.94	3.94	Pass
				798.05	803	-37.80	-21.06	Pass
			13	803	818	-54.86	-31.06	Pass
				818	828	-67.61	-13	Pass
				758	768	-67.28	-13	Pass
				768	783	-43.26	-31.31	Pass
				783	787.95	-39.75	-21.31	Pass
				787.95	798.05	3.69	3.69	Pass
				798.05	803	-33.26	-21.31	Pass
				803	818	-49.00	-31.31	Pass
				818	828	-67.59	-13	Pass
			25	758	768	-67.53	-13	Pass
				768	783	-41.48	-34.02	Pass
				783	787.95	-34.76	-24.02	Pass
				787.95	798.05	0.98	0.98	Pass
				798.05	803	-35.79	-24.02	Pass
				803	818	-42.43	-34.02	Pass
				818	828	-67.51	-13	Pass
			50	758	768	-67.53	-13	Pass
				768	783	-41.48	-34.02	Pass
				783	787.95	-34.76	-24.02	Pass
				787.95	798.05	0.98	0.98	Pass
				798.05	803	-35.79	-24.02	Pass
				803	818	-42.43	-34.02	Pass
				818	828	-67.51	-13	Pass


6.2 Test Graph

6.2.1 B14_5MHz


Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_256QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_12_6_NTNV



Band14_5MHz_256QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_256QAM_HCH_795.5MHz_RB_25_0_NTNV




6.2.2 B14_10MHz


Band14_10MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_25_13_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_25_25_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV



7. Field Strength of Spurious Radiation

Test Band = LTE Band14-10M_ TM1

Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577.1429	54.87	-48.29	25.38	-63.30	-40.00	23.30	Horizontal
2	2365.7143	45.20	-47.47	26.93	-70.60	-13.00	57.60	Horizontal
3	3789.7143	42.81	-46.16	29.06	-69.55	-13.00	56.55	Horizontal
4	4541.7143	44.23	-45.68	30.67	-66.04	-13.00	53.04	Horizontal
5	5481.7143	43.12	-45.11	32.27	-64.98	-13.00	51.98	Horizontal
6	6705.7143	41.74	-44.06	34.47	-63.11	-13.00	50.11	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1577.1429	50.70	-48.29	25.38	-67.47	-40.00	27.47	Vertical
2	2365.7143	45.13	-47.47	26.93	-70.67	-13.00	57.67	Vertical
3	3685.1429	42.86	-46.18	28.90	-69.68	-13.00	56.68	Vertical
4	4600	43.70	-45.79	30.76	-66.59	-13.00	53.59	Vertical
5	5476	42.88	-45.10	32.26	-65.22	-13.00	52.22	Vertical
6	6714.8571	41.82	-44.07	34.49	-63.02	-13.00	50.02	Vertical

Test Band = LTE 2A-14A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1684.5714	44.04	-48.18	25.48	-73.91	-13.00	60.91	Horizontal
2	2512.5714	43.01	-47.23	27.22	-72.25	-13.00	59.25	Horizontal
3	3114.2857	43.02	-46.68	28.21	-70.71	-13.00	57.71	Horizontal
4	3976.5714	42.96	-46.21	29.36	-69.14	-13.00	56.14	Horizontal
5	5727.4286	41.35	-44.59	32.35	-66.16	-13.00	53.16	Horizontal
6	6018.8571	41.97	-44.48	32.46	-65.30	-13.00	52.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1570.2857	44.18	-48.29	25.37	-74.00	-40.00	34.00	Vertical
2	2134.2857	42.98	-47.70	26.47	-73.51	-13.00	60.51	Vertical
3	2654.2857	42.67	-47.00	27.48	-72.11	-13.00	59.11	Vertical
4	3460	42.62	-46.54	28.56	-70.62	-13.00	57.62	Vertical
5	4541.1429	42.74	-45.68	30.67	-67.53	-13.00	54.53	Vertical
6	5176	42.31	-45.08	31.72	-66.32	-13.00	53.32	Vertical

Test Band = LTE 2A-14A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1596	44.20	-48.28	25.40	-73.95	-40.00	33.95	Horizontal
2	1989.1429	43.57	-47.92	26.17	-73.44	-13.00	60.44	Horizontal
3	2572	43.04	-47.03	27.33	-71.92	-13.00	58.92	Horizontal
4	3107.4286	42.66	-46.72	28.21	-71.11	-13.00	58.11	Horizontal
5	3686.2857	42.28	-46.18	28.90	-70.26	-13.00	57.26	Horizontal
6	4554.2857	43.05	-45.70	30.69	-67.23	-13.00	54.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1580	43.94	-48.29	25.38	-74.23	-40.00	34.23	Vertical
2	2185.1429	43.30	-47.68	26.57	-73.07	-13.00	60.07	Vertical
3	2561.7143	43.11	-47.06	27.31	-71.90	-13.00	58.90	Vertical
4	3418.2857	42.25	-46.54	28.52	-71.03	-13.00	58.03	Vertical
5	4265.7143	42.04	-45.84	30.04	-69.02	-13.00	56.02	Vertical
6	6109.1429	42.33	-44.71	32.77	-64.87	-13.00	51.87	Vertical

Test Band = LTE 2A-14A_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1597.1429	44.31	-48.28	25.40	-73.83	-40.00	33.83	Horizontal
2	2513.7143	43.39	-47.22	27.22	-71.87	-13.00	58.87	Horizontal
3	2677.1429	43.11	-47.02	27.52	-71.65	-13.00	58.65	Horizontal
4	3652	42.67	-46.24	28.84	-69.99	-13.00	56.99	Horizontal
5	4525.1429	43.03	-45.65	30.64	-67.24	-13.00	54.24	Horizontal
6	5033.7143	42.66	-45.67	31.46	-66.80	-13.00	53.80	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1580	43.95	-48.29	25.38	-74.22	-40.00	34.22	Vertical
2	2296.5714	43.25	-47.51	26.79	-72.72	-13.00	59.72	Vertical
3	2557.1429	43.27	-47.08	27.30	-71.76	-13.00	58.76	Vertical
4	3336	42.72	-46.63	28.44	-70.73	-13.00	57.73	Vertical
5	3820	42.49	-46.17	29.11	-69.83	-13.00	56.83	Vertical
6	4576.5714	43.26	-45.75	30.72	-67.02	-13.00	54.02	Vertical

Test Band = LTE 14A-66A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1405.1429	44.82	-48.02	25.21	-73.25	-13.00	60.25	Horizontal
2	1583.4286	44.49	-48.29	25.38	-73.67	-40.00	33.67	Horizontal
3	1822.2857	43.86	-47.97	25.67	-73.71	-13.00	60.71	Horizontal
4	2370.2857	43.36	-47.46	26.94	-72.42	-13.00	59.42	Horizontal
5	3368	42.55	-46.58	28.47	-70.83	-13.00	57.83	Horizontal
6	5481.7143	42.45	-45.11	32.27	-65.65	-13.00	52.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1553.7143	44.06	-48.30	25.35	-74.14	-13.00	61.14	Vertical
2	2348	43.36	-47.48	26.90	-72.48	-13.00	59.48	Vertical
3	2877.1429	42.74	-46.65	27.88	-71.29	-13.00	58.29	Vertical
4	3852.5714	43.30	-46.20	29.16	-68.99	-13.00	55.99	Vertical
5	5097.7143	42.27	-45.39	31.58	-66.80	-13.00	53.80	Vertical
6	5371.4286	42.78	-45.06	32.07	-65.47	-13.00	52.47	Vertical

Test Band = LTE 14A-66A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1581.7143	44.38	-48.29	25.38	-73.79	-40.00	33.79	Horizontal
2	2567.4286	43.22	-47.04	27.32	-71.76	-13.00	58.76	Horizontal
3	3006.2857	42.86	-46.53	28.11	-70.83	-13.00	57.83	Horizontal
4	3933.1429	42.90	-46.22	29.29	-69.29	-13.00	56.29	Horizontal
5	5203.4286	42.23	-45.00	31.77	-66.26	-13.00	53.26	Horizontal
6	6052.5714	42.02	-44.57	32.58	-65.23	-13.00	52.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1621.1429	44.38	-48.25	25.42	-73.71	-13.00	60.71	Vertical
2	2510.8571	43.58	-47.23	27.22	-71.69	-13.00	58.69	Vertical
3	3001.1429	43.24	-46.52	28.10	-70.44	-13.00	57.44	Vertical
4	3959.4286	43.30	-46.21	29.34	-68.84	-13.00	55.84	Vertical
5	5158.2857	42.29	-45.15	31.68	-66.44	-13.00	53.44	Vertical
6	6252.5714	42.29	-44.74	33.26	-64.45	-13.00	51.45	Vertical

Test Band = LTE 14A-66A_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1588	44.45	-48.28	25.39	-73.71	-40.00	33.71	Horizontal
2	2231.4286	43.36	-47.62	26.66	-72.86	-13.00	59.86	Horizontal
3	2491.4286	43.21	-47.29	27.18	-72.15	-13.00	59.15	Horizontal
4	3284.5714	43.22	-46.62	28.38	-70.28	-13.00	57.28	Horizontal
5	4179.4286	42.43	-45.95	29.83	-68.95	-13.00	55.95	Horizontal
6	5422.2857	42.53	-45.01	32.16	-65.58	-13.00	52.58	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1584.5714	44.46	-48.29	25.38	-73.70	-40.00	33.70	Vertical
2	2246.8571	43.44	-47.60	26.69	-72.72	-13.00	59.72	Vertical
3	2878.2857	43.01	-46.65	27.88	-71.02	-13.00	58.02	Vertical
4	3784.5714	42.91	-46.16	29.06	-69.45	-13.00	56.45	Vertical
5	4398.8571	42.54	-45.89	30.36	-68.25	-13.00	55.25	Vertical
6	6244	42.45	-44.77	33.23	-64.35	-13.00	51.35	Vertical