


16.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.16	-67.64	-25	42.64	Pass	2986
30	1000	0.1	RMS	978.386	-60.94	-25	35.94	Pass	9701
1000	2560	1	RMS	2559	-41.14	-25	16.14	Pass	1561
2560	2630	1	RMS	2570.675	23.45	60	36.55	Pass	401
2630	3000	1	RMS	3000	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	12000	-47.82	-25	22.82	Pass	9002
12000	26500	1	RMS	25500	-43	-25	18	Pass	14502



16.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.19	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	987.192	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2558	-42.27	-25	17.27	Pass	1561
2560	2630	1	RMS	2570.85	22.62	60	37.38	Pass	401
2630	3000	1	RMS	3000	-46.5	-25	21.5	Pass	401
3000	12000	1	RMS	11994	-47.85	-25	22.85	Pass	9002
12000	26500	1	RMS	25494	-42.96	-25	17.96	Pass	14502



16.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.83	-25	42.83	Pass	401
0.15	30	0.01	RMS	0.17	-67.81	-25	42.81	Pass	2986
30	1000	0.1	RMS	939.76	-60.91	-25	35.91	Pass	9701
1000	2560	1	RMS	2560	-47.55	-25	22.55	Pass	1561
2560	2630	1	RMS	2588.35	24.07	60	35.93	Pass	401
2630	3000	1	RMS	2996.3	-46.49	-25	21.49	Pass	401
3000	12000	1	RMS	11997	-47.85	-25	22.85	Pass	9002
12000	26500	1	RMS	25503	-42.92	-25	17.92	Pass	14502



16.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.39	-25	42.39	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	973.582	-61.1	-25	36.1	Pass	9701
1000	2560	1	RMS	2560	-47.67	-25	22.67	Pass	1561
2560	2630	1	RMS	2588.175	23.1	60	36.9	Pass	401
2630	3000	1	RMS	2999.075	-46.52	-25	21.52	Pass	401
3000	12000	1	RMS	11983	-47.88	-25	22.88	Pass	9002
12000	26500	1	RMS	25494	-42.99	-25	17.99	Pass	14502



16.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.93	-25	41.93	Pass	401
0.15	30	0.01	RMS	0.34	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	987.692	-61.21	-25	36.21	Pass	9701
1000	2560	1	RMS	2482	-47.76	-25	22.76	Pass	1561
2560	2630	1	RMS	2605.675	21.76	60	38.24	Pass	401
2630	3000	1	RMS	2631.85	-25.96	-25	0.96	Pass*	401
3000	12000	1	RMS	11993	-47.88	-25	22.88	Pass	9002
12000	26500	1	RMS	25502	-43.02	-25	18.02	Pass	14502



16.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.19	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	859.607	-61.32	-25	36.32	Pass	9701
1000	2560	1	RMS	2560	-47.75	-25	22.75	Pass	1561
2560	2630	1	RMS	2605.85	21.05	60	38.95	Pass	401
2630	3000	1	RMS	2631.85	-26.9	-25	1.9	Pass*	401
3000	12000	1	RMS	11998	-48.01	-25	23.01	Pass	9002
12000	26500	1	RMS	25506	-43.14	-25	18.14	Pass	14502



16.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.16	-68.81	-25	43.81	Pass	2986
30	1000	0.1	RMS	987.392	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2558	-40.88	-25	15.88	Pass	1561
2560	2630	1	RMS	2570.85	23.53	60	36.47	Pass	401
2630	3000	1	RMS	2997.225	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11993	-47.89	-25	22.89	Pass	9002
12000	26500	1	RMS	25508	-43.02	-25	18.02	Pass	14502



16.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.2	-68.17	-25	43.17	Pass	2986
30	1000	0.1	RMS	885.324	-61.04	-25	36.04	Pass	9701
1000	2560	1	RMS	2560	-38.97	-25	13.97	Pass	1561
2560	2630	1	RMS	2570.85	22.99	60	37.01	Pass	401
2630	3000	1	RMS	3000	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11997	-47.87	-25	22.87	Pass	9002
12000	26500	1	RMS	25492	-43	-25	18	Pass	14502



16.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.12	-25	43.12	Pass	401
0.15	30	0.01	RMS	0.16	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	859.907	-61.08	-25	36.08	Pass	9701
1000	2560	1	RMS	2550	-44.97	-25	19.97	Pass	1561
2560	2630	1	RMS	2585.9	23.6	60	36.4	Pass	401
2630	3000	1	RMS	2999.075	-46.56	-25	21.56	Pass	401
3000	12000	1	RMS	11996	-47.92	-25	22.92	Pass	9002
12000	26500	1	RMS	25507	-43.1	-25	18.1	Pass	14502



16.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.17	-67.85	-25	42.85	Pass	2986
30	1000	0.1	RMS	940.06	-61.03	-25	36.03	Pass	9701
1000	2560	1	RMS	2550	-46.6	-25	21.6	Pass	1561
2560	2630	1	RMS	2586.075	22.34	60	37.66	Pass	401
2630	3000	1	RMS	3000	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11997	-47.73	-25	22.73	Pass	9002
12000	26500	1	RMS	25503	-43.02	-25	18.02	Pass	14502



16.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.17	-67.48	-25	42.48	Pass	2986
30	1000	0.1	RMS	937.659	-61.24	-25	36.24	Pass	9701
1000	2560	1	RMS	2515	-47.78	-25	22.78	Pass	1561
2560	2630	1	RMS	2600.95	21.43	60	38.57	Pass	401
2630	3000	1	RMS	2636.475	-26.81	-25	1.81	Pass*	401
3000	12000	1	RMS	11996	-47.95	-25	22.95	Pass	9002
12000	26500	1	RMS	25499	-43.08	-25	18.08	Pass	14502



16.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-25	43.54	Pass	401
0.15	30	0.01	RMS	0.19	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	974.583	-61.09	-25	36.09	Pass	9701
1000	2560	1	RMS	2506	-47.68	-25	22.68	Pass	1561
2560	2630	1	RMS	2600.95	22.15	60	37.85	Pass	401
2630	3000	1	RMS	2636.475	-25.26	-25	0.26	Pass*	401
3000	12000	1	RMS	11998	-47.96	-25	22.96	Pass	9002
12000	26500	1	RMS	25498	-43.07	-25	18.07	Pass	14502



17.LTE_Band41 120M


17.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.23	-68.58	-25	43.58	Pass	2986
30	1000	0.1	RMS	953.269	-61.17	-25	36.17	Pass	9701
1000	2525	1	RMS	2491	-47.8	-25	22.8	Pass	1526
2525	2665	1	RMS	2535.15	18.68	60	41.32	Pass	401
2665	3000	1	RMS	3000	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11991	-58.09	-25	33.09	Pass	9002
12000	26500	1	RMS	25515	-48.42	-25	23.42	Pass	14502




17.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	871.515	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2520	-47.78	-25	22.78	Pass	1526
2525	2665	1	RMS	2535.15	19.65	60	40.35	Pass	401
2665	3000	1	RMS	2999.163	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11972	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25511	-48.48	-25	23.48	Pass	14502




17.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.01	-25	43.01	Pass	401
0.15	30	0.01	RMS	0.24	-69.01	-25	44.01	Pass	2986
30	1000	0.1	RMS	943.162	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2502	-47.79	-25	22.79	Pass	1526
2525	2665	1	RMS	2592.55	19.53	60	40.47	Pass	401
2665	3000	1	RMS	2999.163	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	3410	-55.72	-25	30.72	Pass	9002
12000	26500	1	RMS	25506	-48.46	-25	23.46	Pass	14502




17.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.2	-68.06	-25	43.06	Pass	2986
30	1000	0.1	RMS	968.679	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2524	-47.75	-25	22.75	Pass	1526
2525	2665	1	RMS	2592.55	19.64	60	40.36	Pass	401
2665	3000	1	RMS	2994.975	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11996	-58.15	-25	33.15	Pass	9002
12000	26500	1	RMS	25509	-48.45	-25	23.45	Pass	14502




17.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.25	-69.02	-25	44.02	Pass	2986
30	1000	0.1	RMS	982.689	-61.09	-25	36.09	Pass	9701
1000	2525	1	RMS	2518	-47.81	-25	22.81	Pass	1526
2525	2665	1	RMS	2650.3	19.55	60	40.45	Pass	401
2665	3000	1	RMS	2998.325	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11992	-58.09	-25	33.09	Pass	9002
12000	26500	1	RMS	25493	-48.42	-25	23.42	Pass	14502




17.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	942.462	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2495	-47.8	-25	22.8	Pass	1526
2525	2665	1	RMS	2650.3	20.18	60	39.82	Pass	401
2665	3000	1	RMS	2999.163	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11980	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25516	-48.49	-25	23.49	Pass	14502




17.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.8	-25	42.8	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	843.5	-61.26	-25	36.26	Pass	9701
1000	2525	1	RMS	2525	-47.16	-25	22.16	Pass	1526
2525	2665	1	RMS	2535.5	19.92	60	40.08	Pass	401
2665	3000	1	RMS	2994.975	-46.72	-25	21.72	Pass	401
3000	12000	1	RMS	3452	-55.85	-25	30.85	Pass	9002
12000	26500	1	RMS	25497	-48.49	-25	23.49	Pass	14502




17.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.58	-25	42.58	Pass	401
0.15	30	0.01	RMS	0.2	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	981.488	-60.98	-25	35.98	Pass	9701
1000	2525	1	RMS	2518	-46.46	-25	21.46	Pass	1526
2525	2665	1	RMS	2535.5	20.14	60	39.86	Pass	401
2665	3000	1	RMS	2999.163	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11994	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25517	-48.41	-25	23.41	Pass	14502



17.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	0.39	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	837.4	-61.3	-25	36.3	Pass	9701
1000	2525	1	RMS	2505	-47.77	-25	22.77	Pass	1526
2525	2665	1	RMS	2590.1	19.2	60	40.8	Pass	401
2665	3000	1	RMS	2998.325	-46.7	-25	21.7	Pass	401
3000	12000	1	RMS	11997	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25507	-48.43	-25	23.43	Pass	14502



17.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.07	-25	43.07	Pass	401
0.15	30	0.01	RMS	0.16	-69.04	-25	44.04	Pass	2986
30	1000	0.1	RMS	910.441	-61.32	-25	36.32	Pass	9701
1000	2525	1	RMS	2507	-47.81	-25	22.81	Pass	1526
2525	2665	1	RMS	2590.45	20.01	60	39.99	Pass	401
2665	3000	1	RMS	3000	-46.65	-25	21.65	Pass	401
3000	12000	1	RMS	11995	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25496	-48.48	-25	23.48	Pass	14502



17.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.16	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	914.243	-61.32	-25	36.32	Pass	9701
1000	2525	1	RMS	2505	-47.86	-25	22.86	Pass	1526
2525	2665	1	RMS	2645.4	19.33	60	40.67	Pass	401
2665	3000	1	RMS	2999.163	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	12000	-58.18	-25	33.18	Pass	9002
12000	26500	1	RMS	25523	-48.45	-25	23.45	Pass	14502



17.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.57	-25	42.57	Pass	401
0.15	30	0.01	RMS	0.37	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	863.91	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2516	-47.78	-25	22.78	Pass	1526
2525	2665	1	RMS	2645.75	19.25	60	40.75	Pass	401
2665	3000	1	RMS	2997.488	-46.73	-25	21.73	Pass	401
3000	12000	1	RMS	11988	-58.17	-25	33.17	Pass	9002
12000	26500	1	RMS	25499	-48.48	-25	23.48	Pass	14502



17.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.2	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	971.381	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2524	-44.95	-25	19.95	Pass	1526
2525	2665	1	RMS	2535.5	19.39	60	40.61	Pass	401
2665	3000	1	RMS	2998.325	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11991	-58.2	-25	33.2	Pass	9002
12000	26500	1	RMS	25504	-48.45	-25	23.45	Pass	14502



17.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.82	-25	42.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	978.986	-61.24	-25	36.24	Pass	9701
1000	2525	1	RMS	2524	-45.22	-25	20.22	Pass	1526
2525	2665	1	RMS	2535.5	19.53	60	40.47	Pass	401
2665	3000	1	RMS	2997.488	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11987	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25501	-48.45	-25	23.45	Pass	14502



17.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.22	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	957.372	-61.29	-25	36.29	Pass	9701
1000	2525	1	RMS	2487	-47.83	-25	22.83	Pass	1526
2525	2665	1	RMS	2588	19.81	60	40.19	Pass	401
2665	3000	1	RMS	2997.488	-46.71	-25	21.71	Pass	401
3000	12000	1	RMS	11996	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25503	-48.44	-25	23.44	Pass	14502



17.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	973.482	-61.29	-25	36.29	Pass	9701
1000	2525	1	RMS	2495	-47.84	-25	22.84	Pass	1526
2525	2665	1	RMS	2588	19.33	60	40.67	Pass	401
2665	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11999	-58.1	-25	33.1	Pass	9002
12000	26500	1	RMS	25526	-48.54	-25	23.54	Pass	14502



17.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.46	-25	43.46	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	879.22	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2480	-47.87	-25	22.87	Pass	1526
2525	2665	1	RMS	2640.5	19.51	60	40.49	Pass	401
2665	3000	1	RMS	2667.513	-25.49	-25	0.49	Pass*	401
3000	12000	1	RMS	11997	-58.19	-25	33.19	Pass	9002
12000	26500	1	RMS	25488	-48.41	-25	23.41	Pass	14502



17.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.27	-69.06	-25	44.06	Pass	2986
30	1000	0.1	RMS	980.187	-61.28	-25	36.28	Pass	9701
1000	2525	1	RMS	2498	-47.81	-25	22.81	Pass	1526
2525	2665	1	RMS	2640.5	19.78	60	40.22	Pass	401
2665	3000	1	RMS	2667.513	-25.29	-25	0.29	Pass*	401
3000	12000	1	RMS	11993	-58.11	-25	33.11	Pass	9002
12000	26500	1	RMS	25486	-48.52	-25	23.52	Pass	14502



17.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.2	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	865.111	-61.27	-25	36.27	Pass	9701
1000	2525	1	RMS	2524	-44.81	-25	19.81	Pass	1526
2525	2665	1	RMS	2536.2	18.83	60	41.17	Pass	401
2665	3000	1	RMS	3000	-46.68	-25	21.68	Pass	401
3000	12000	1	RMS	11998	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25501	-48.42	-25	23.42	Pass	14502



17.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.24	-68.72	-25	43.72	Pass	2986
30	1000	0.1	RMS	980.687	-61.19	-25	36.19	Pass	9701
1000	2525	1	RMS	2524	-43.77	-25	18.77	Pass	1526
2525	2665	1	RMS	2535.85	19.31	60	40.69	Pass	401
2665	3000	1	RMS	2997.488	-46.75	-25	21.75	Pass	401
3000	12000	1	RMS	11992	-58.13	-25	33.13	Pass	9002
12000	26500	1	RMS	25508	-48.49	-25	23.49	Pass	14502



17.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.44	-25	42.44	Pass	401
0.15	30	0.01	RMS	0.39	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	996.598	-61.3	-25	36.3	Pass	9701
1000	2525	1	RMS	2503	-47.79	-25	22.79	Pass	1526
2525	2665	1	RMS	2585.9	19.27	60	40.73	Pass	401
2665	3000	1	RMS	2996.65	-46.69	-25	21.69	Pass	401
3000	12000	1	RMS	11998	-58.12	-25	33.12	Pass	9002
12000	26500	1	RMS	25522	-48.45	-25	23.45	Pass	14502



17.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.22	-25	44.22	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	43.71	Pass	2986
30	1000	0.1	RMS	831.3	-61.18	-25	36.18	Pass	9701
1000	2525	1	RMS	2525	-47.81	-25	22.81	Pass	1526
2525	2665	1	RMS	2585.9	19.72	60	40.28	Pass	401
2665	3000	1	RMS	3000	-46.67	-25	21.67	Pass	401
3000	12000	1	RMS	11992	-58.16	-25	33.16	Pass	9002
12000	26500	1	RMS	25506	-48.43	-25	23.43	Pass	14502



17.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.43	-25	44.43	Pass	401
0.15	30	0.01	RMS	0.2	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	931.655	-61.23	-25	36.23	Pass	9701
1000	2525	1	RMS	2495	-47.79	-25	22.79	Pass	1526
2525	2665	1	RMS	2635.95	18.84	60	41.16	Pass	401
2665	3000	1	RMS	2671.7	-27.17	-25	2.17	Pass*	401
3000	12000	1	RMS	12000	-58.15	-25	33.15	Pass	9002
12000	26500	1	RMS	25496	-48.5	-25	23.5	Pass	14502



17.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	0.27	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	974.283	-61.21	-25	36.21	Pass	9701
1000	2525	1	RMS	2509	-47.8	-25	22.8	Pass	1526
2525	2665	1	RMS	2635.95	19.06	60	40.94	Pass	401
2665	3000	1	RMS	2671.7	-26.57	-25	1.57	Pass*	401
3000	12000	1	RMS	11994	-58.23	-25	33.23	Pass	9002
12000	26500	1	RMS	25508	-48.39	-25	23.39	Pass	14502



18. LTE_Band66


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	825.7	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-53.47	-13	40.47	Pass	701
1700	1790	1	RMS	1710.125	22.88	60	37.12	Pass	401
1790	3000	1	RMS	2978	-51.31	-13	38.31	Pass	1211
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13605	-39.7	-13	26.7	Pass	8001




**18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	849.5	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1700	-53.65	-13	40.65	Pass	701
1700	1790	1	RMS	1710.125	21.96	60	38.04	Pass	401
1790	3000	1	RMS	2983	-51.28	-13	38.28	Pass	1211
3000	12000	1	RMS	11992	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13602	-39.68	-13	26.68	Pass	8001




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	837.1	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1677	-53.93	-13	40.93	Pass	701
1700	1790	1	RMS	1744.55	22.99	60	37.01	Pass	401
1790	3000	1	RMS	2995	-51.25	-13	38.25	Pass	1211
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001




**18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	970.581	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1679	-53.9	-13	40.9	Pass	701
1700	1790	1	RMS	1744.32 5	22.05	60	37.95	Pass	401
1790	3000	1	RMS	2928	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	12000	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13600	-39.7	-13	26.7	Pass	8001




18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	840.2	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1678	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1778.75	23.13	60	36.87	Pass	401
1790	3000	1	RMS	2982	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	12000	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




**18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	867.512	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1680	-53.93	-13	40.93	Pass	701
1700	1790	1	RMS	1778.75	22.29	60	37.71	Pass	401
1790	3000	1	RMS	2932	-51.24	-13	38.24	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13597	-39.75	-13	26.75	Pass	8001




18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	854.604	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1700	-53.01	-13	40.01	Pass	701
1700	1790	1	RMS	1710.125	22.92	60	37.08	Pass	401
1790	3000	1	RMS	2986	-51.26	-13	38.26	Pass	1211
3000	12000	1	RMS	11989	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13597	-39.7	-13	26.7	Pass	8001




18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	872.315	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-53.28	-13	40.28	Pass	701
1700	1790	1	RMS	1710.125	22.1	60	37.9	Pass	401
1790	3000	1	RMS	2991	-51.29	-13	38.29	Pass	1211
3000	12000	1	RMS	12000	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13599	-39.76	-13	26.76	Pass	8001



18.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	57.73	Pass	2986
30	1000	0.1	RMS	987.091	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1680	-53.88	-13	40.88	Pass	701
1700	1790	1	RMS	1743.65	23.16	60	36.84	Pass	401
1790	3000	1	RMS	2999	-51.23	-13	38.23	Pass	1211
3000	12000	1	RMS	11990	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001



18.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	854.003	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1682	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1743.65	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2989	-51.27	-13	38.27	Pass	1211
3000	12000	1	RMS	11998	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001



18.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	899.834	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1681	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1777.175	23.15	60	36.85	Pass	401
1790	3000	1	RMS	2990	-51.21	-13	38.21	Pass	1211
3000	12000	1	RMS	11999	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13600	-39.69	-13	26.69	Pass	8001



18.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	839.2	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1677	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1777.175	22.28	60	37.72	Pass	401
1790	3000	1	RMS	2985	-51.28	-13	38.28	Pass	1211
3000	12000	1	RMS	11991	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001



18.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	855.704	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.12	-13	40.12	Pass	701
1700	1790	1	RMS	1710.125	22.69	60	37.31	Pass	401
1790	3000	1	RMS	2997	-51.28	-13	38.28	Pass	1211
3000	12000	1	RMS	11997	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001



18.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	832.7	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-53.36	-13	40.36	Pass	701
1700	1790	1	RMS	1710.125	21.77	60	38.23	Pass	401
1790	3000	1	RMS	2990	-51.28	-13	38.28	Pass	1211
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13597	-39.72	-13	26.72	Pass	8001

