

**12.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.42	12.45	30	17.55	Pass	401
716	716.1	0.03	RMS	716	-28.1	-13	15.1	Pass	401
716.1	725	0.1	RMS	716.1	-26.5	-13	13.5	Pass	401




**12.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	19.73	30	10.27	Pass	401
716	716.1	0.03	RMS	716	-21.15	-13	8.15	Pass	401
716.1	725	0.1	RMS	716.1	-25.47	-13	12.47	Pass	401




**12.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.335	11.64	30	18.36	Pass	401
716	716.1	0.03	RMS	716	-28.87	-13	15.87	Pass	401
716.1	725	0.1	RMS	716.1	-26.05	-13	13.05	Pass	401




12.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.37	-13	8.37	Pass	401
698.9	698.985	0.03	RMS	698.985	-19.54	-13	6.54	Pass	401
699	702	0.1	RMS	699.24	20.92	30	9.08	Pass	401




12.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.85	-13	15.85	Pass	401
698.9	699	0.03	RMS	699	-31.73	-13	18.73	Pass	401
699	702	0.1	RMS	700.433	8.67	30	21.33	Pass	401




12.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.02	-13	10.02	Pass	401
698.9	699	0.03	RMS	699	-20.21	-13	7.21	Pass	401
699	702	0.1	RMS	699.24	20.05	30	9.95	Pass	401




12.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-28.81	-13	15.81	Pass	401
698.9	699	0.03	RMS	698.999	-32.33	-13	19.33	Pass	401
699	702	0.1	RMS	700.238	7.68	30	22.32	Pass	401



12.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	20.89	30	9.11	Pass	401
716.015	716.1	0.03	RMS	716.015	-20.1	-13	7.1	Pass	4
716.1	725	0.1	RMS	716.1	-22.42	-13	9.42	Pass	401




12.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.088	8.75	30	21.25	Pass	401
716	716.1	0.03	RMS	716.002	-33.59	-13	20.59	Pass	401
716.1	725	0.1	RMS	716.1	-30.42	-13	17.42	Pass	401



12.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	19.83	30	10.17	Pass	401
716.015	716.1	0.03	RMS	716.015	-22.93	-13	9.93	Pass	401
716.1	725	0.1	RMS	716.1	-24.76	-13	11.76	Pass	401




**12.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165,
Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.133	7.63	30	22.37	Pass	401
716	716.1	0.03	RMS	716.002	-33.4	-13	20.4	Pass	401
716.1	725	0.1	RMS	716.1	-30.06	-13	17.06	Pass	401




12.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-14.87	-13	1.87	Pass*	401
698.9	699	0.03	RMS	699	-15.88	-13	2.88	Pass*	401
699	704	0.1	RMS	699.338	20.55	30	9.45	Pass	401




12.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.22	-13	13.22	Pass	401
698.9	699	0.03	RMS	699	-28.21	-13	15.21	Pass	401
699	704	0.1	RMS	702.35	6.4	30	23.6	Pass	401




12.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-15.1	-13	2.1	Pass*	401
698.9	699	0.03	RMS	699	-16.14	-13	3.14	Pass*	401
699	704	0.1	RMS	699.35	19.89	30	10.11	Pass	401




12.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.95	-13	13.95	Pass	401
698.9	699	0.03	RMS	699	-28.98	-13	15.98	Pass	401
699	704	0.1	RMS	702.325	5.51	30	24.49	Pass	401



12.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.68	30	9.32	Pass	401
716	716.1	0.03	RMS	716	-16.13	-13	3.13	Pass*	401
716.1	725	0.1	RMS	716.1	-15.25	-13	2.25	Pass*	401




12.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.875	6.41	30	23.59	Pass	401
716	716.1	0.03	RMS	716	-29.31	-13	16.31	Pass	401
716.1	725	0.1	RMS	716.1	-27.34	-13	14.34	Pass	401



12.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.79	30	10.21	Pass	401
716	716.1	0.03	RMS	716.001	-15.87	-13	2.87	Pass*	401
716.1	725	0.1	RMS	716.1	-14.89	-13	1.89	Pass*	401




12.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.575	5.53	30	24.47	Pass	401
716	716.1	0.03	RMS	716	-30	-13	17	Pass	401
716.1	725	0.1	RMS	716.1	-28.09	-13	15.09	Pass	401




12.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.17	-13	6.17	Pass	401
698.9	699	0.03	RMS	699	-21.88	-13	8.88	Pass	401
699	709	0.1	RMS	699.575	20.79	30	9.21	Pass	401




12.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.07	-13	18.07	Pass	401
698.9	699	0.03	RMS	699	-34.84	-13	21.84	Pass	401
699	709	0.1	RMS	707.025	3.5	30	26.5	Pass	401




**12.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.19	-13	7.19	Pass	401
698.9	699	0.03	RMS	699	-22.68	-13	9.68	Pass	401
699	709	0.1	RMS	699.6	19.92	30	10.08	Pass	401




12.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.75	-13	18.75	Pass	401
698.9	699	0.03	RMS	698.999	-35.85	-13	22.85	Pass	401
699	709	0.1	RMS	708.075	2.45	30	27.55	Pass	401




**12.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.76	30	9.24	Pass	401
716	716.1	0.03	RMS	716	-21.7	-13	8.7	Pass	401
716.1	725	0.1	RMS	716.1	-19.22	-13	6.22	Pass	401




12.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.15	3.68	30	26.32	Pass	401
716	716.1	0.03	RMS	716.001	-37.14	-13	24.14	Pass	401
716.1	725	0.1	RMS	716.1	-33.41	-13	20.41	Pass	401




**12.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.72	30	10.28	Pass	401
716	716.1	0.03	RMS	716.002	-22.85	-13	9.85	Pass	401
716.1	725	0.1	RMS	716.1	-20.52	-13	7.52	Pass	401



12.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.85	2.8	30	27.2	Pass	401
716	716.1	0.03	RMS	716.002	-36.98	-13	23.98	Pass	401
716.1	725	0.1	RMS	716.1	-33.42	-13	20.42	Pass	401



13. LTE_Band17


13.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-15.05	-13	2.05	Pass*	401
703.9	704	0.03	RMS	704	-16.03	-13	3.03	Pass*	401
704	709	0.1	RMS	704.338	20.54	30	9.46	Pass	401




13.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-25.96	-13	12.96	Pass	401
703.9	704	0.03	RMS	703.999	-28.09	-13	15.09	Pass	401
704	709	0.1	RMS	705.7	6.4	30	23.6	Pass	401




13.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-15.19	-13	2.19	Pass*	401
703.9	704	0.03	RMS	704	-16.29	-13	3.29	Pass*	401
704	709	0.1	RMS	704.35	19.81	30	10.19	Pass	401




13.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.95	-13	13.95	Pass	401
703.9	704	0.03	RMS	704	-28.94	-13	15.94	Pass	401
704	709	0.1	RMS	705.688	5.4	30	24.6	Pass	401



13.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.68	30	9.32	Pass	401
716	716.1	0.03	RMS	716.001	-16.24	-13	3.24	Pass*	401
716.1	725	0.1	RMS	716.1	-15.46	-13	2.46	Pass*	401




13.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	6.42	30	23.58	Pass	401
716	716.1	0.03	RMS	716	-29.4	-13	16.4	Pass	401
716.1	725	0.1	RMS	716.1	-27.37	-13	14.37	Pass	401



13.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.81	30	10.19	Pass	401
716	716.1	0.03	RMS	716	-15.81	-13	2.81	Pass*	401
716.1	725	0.1	RMS	716.1	-15.06	-13	2.06	Pass*	401




13.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.6	5.57	30	24.43	Pass	401
716	716.1	0.03	RMS	716	-30.05	-13	17.05	Pass	401
716.1	725	0.1	RMS	716.1	-27.95	-13	14.95	Pass	401




13.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-19.33	-13	6.33	Pass	401
703.9	704	0.03	RMS	703.999	-21.89	-13	8.89	Pass	401
704	714	0.1	RMS	704.575	20.8	30	9.2	Pass	401




**13.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.83	-13	17.83	Pass	401
703.9	704	0.03	RMS	703.996	-34.79	-13	21.79	Pass	401
704	714	0.1	RMS	705.95	3.72	30	26.28	Pass	401




**13.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.15	-13	7.15	Pass	401
703.9	704	0.03	RMS	703.999	-22.84	-13	9.84	Pass	401
704	714	0.1	RMS	704.575	19.98	30	10.02	Pass	401




13.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.98	-13	18.98	Pass	401
703.9	704	0.03	RMS	704	-35.84	-13	22.84	Pass	401
704	714	0.1	RMS	707.975	2.56	30	27.44	Pass	401




**13.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.81	30	9.19	Pass	401
716	716.1	0.03	RMS	716.001	-21.67	-13	8.67	Pass	401
716.1	725	0.1	RMS	716.1	-19.36	-13	6.36	Pass	401




**13.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.425	3.72	30	26.28	Pass	401
716	716.1	0.03	RMS	716.001	-37.02	-13	24.02	Pass	401
716.1	725	0.1	RMS	716.1	-33.27	-13	20.27	Pass	401




**13.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	19.79	30	10.21	Pass	401
716	716.1	0.03	RMS	716.001	-22.75	-13	9.75	Pass	401
716.1	725	0.1	RMS	716.1	-20.14	-13	7.14	Pass	401



**13.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.825	2.84	30	27.16	Pass	401
716	716.1	0.03	RMS	716.002	-37.02	-13	24.02	Pass	401
716.1	725	0.1	RMS	716.1	-33.36	-13	20.36	Pass	401



14. LTE_Band26(part22)


**14.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.73	-13	34.73	Pass	401
823	824	0.02	RMS	824	-22.44	-13	9.44	Pass	401
824	826	0.1	RMS	824.24	20.65	30	9.35	Pass	401




**14.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.93	-13	20.93	Pass	401
823	824	0.02	RMS	824	-28.82	-13	15.82	Pass	401
824	826	0.1	RMS	824.63	12.23	30	17.77	Pass	401




**14.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.08	-13	35.08	Pass	401
823	824	0.02	RMS	824	-23.82	-13	10.82	Pass	401
824	826	0.1	RMS	824.265	19.59	30	10.41	Pass	401




**14.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.22	-13	23.22	Pass	401
823	824	0.02	RMS	824	-29.9	-13	16.9	Pass	401
824	826	0.1	RMS	824.71	11.36	30	18.64	Pass	401




**14.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.72	30	9.28	Pass	401
849	850	0.02	RMS	849.003	-22.01	-13	9.01	Pass	401
850	860	0.1	RMS	850	-48.54	-13	35.54	Pass	401




**14.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.425	12.45	30	17.55	Pass	401
849	850	0.02	RMS	849	-28.24	-13	15.24	Pass	401
850	860	0.1	RMS	850	-35.19	-13	22.19	Pass	401




**14.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	19.75	30	10.25	Pass	401
849	850	0.02	RMS	849	-23.72	-13	10.72	Pass	401
850	860	0.1	RMS	850	-49.12	-13	36.12	Pass	401




**14.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.325	11.6	30	18.4	Pass	401
849	850	0.02	RMS	849.003	-29.73	-13	16.73	Pass	401
850	860	0.1	RMS	850	-36.06	-13	23.06	Pass	401




14.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.74	-44.9	-13	31.9	Pass	401
823	824	0.03	RMS	824	-21.67	-13	8.67	Pass	401
824	827	0.1	RMS	824.233	20.67	30	9.33	Pass	401




14.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-31.5	-13	18.5	Pass	401
823	824	0.03	RMS	824	-30.81	-13	17.81	Pass	401
824	827	0.1	RMS	825.448	8.53	30	21.47	Pass	401




14.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.74	-46.1	-13	33.1	Pass	401
823	824	0.03	RMS	824	-22.3	-13	9.3	Pass	401
824	827	0.1	RMS	824.24	19.8	30	10.2	Pass	401




14.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-31.59	-13	18.59	Pass	401
823	824	0.03	RMS	824	-32.33	-13	19.33	Pass	401
824	827	0.1	RMS	825.238	7.54	30	22.46	Pass	401




14.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.76	30	9.24	Pass	401
849	850	0.03	RMS	849.003	-21.28	-13	8.28	Pass	401
850	860	0.1	RMS	850	-46.85	-13	33.85	Pass	401




14.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.883	8.62	30	21.38	Pass	401
849	850	0.03	RMS	849	-28.98	-13	15.98	Pass	401
850	860	0.1	RMS	850	-29.88	-13	16.88	Pass	401




14.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.79	30	10.21	Pass	401
849	850	0.03	RMS	849	-22.31	-13	9.31	Pass	401
850	860	0.1	RMS	850	-47.65	-13	34.65	Pass	401



14.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.613	7.58	30	22.42	Pass	401
849	850	0.03	RMS	849	-30.35	-13	17.35	Pass	401
850	860	0.1	RMS	850	-30.05	-13	17.05	Pass	401



14.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.02	-47.47	-13	34.47	Pass	401
823	824	0.051	RMS	824	-20.4	-13	7.4	Pass	401
824	829	0.1	RMS	824.338	20.34	30	9.66	Pass	401

