


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.44	-13	Pass	401
0.15	30	0.01	Peak	0.3	-54.59	-13	Pass	2985
30	500	0.1	Peak	367.172	-44.66	-13	Pass	4700
500	1000	0.1	Peak	824.165	31.66	-13	N/A	5000
1000	10000	1	Peak	7206.758	-22.25	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.64	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.75	-13	Pass	2985
30	500	0.1	Peak	453.69	-44.87	-13	Pass	4700
500	1000	0.1	Peak	836.767	22.92	-13	N/A	5000
1000	10000	1	Peak	7193.756	-22.14	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.16	-13	Pass	2985
30	500	0.1	Peak	469.794	-44.66	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.03	-13	N/A	5000
1000	10000	1	Peak	7164.753	-23.02	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.86	-13	Pass	401
0.15	30	0.01	Peak	0.24	-61.75	-13	Pass	2985
30	1000	0.1	Peak	960.347	-49.63	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.06	-13	N/A	2000
3000	20000	1	Peak	19763.616	-45.06	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.75	-13	Pass	401
0.15	30	0.01	Peak	0.2	-61.12	-13	Pass	2985
30	1000	0.1	Peak	838.999	-49.64	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.84	-13	N/A	2000
3000	20000	1	Peak	19431.076	-45.11	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.39	-13	Pass	401
0.15	30	0.01	Peak	0.29	-60.63	-13	Pass	2985
30	1000	0.1	Peak	763.19	-50.21	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.09	-13	N/A	2000
3000	20000	1	Peak	19653.437	-45.21	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.79	-13	Pass	401
0.15	30	0.01	Peak	0.28	-55.87	-13	Pass	2985
30	500	0.1	Peak	478.595	-44.08	-13	Pass	4700
500	1000	0.1	Peak	824.165	24.79	-13	N/A	5000
1000	10000	1	Peak	7515.795	-22.7	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.84	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.47	-13	Pass	2985
30	500	0.1	Peak	428.185	-44.59	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.15	-13	N/A	5000
1000	10000	1	Peak	7091.744	-22.55	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.31	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.8	-13	Pass	2985
30	500	0.1	Peak	341.366	-44.14	-13	Pass	4700
500	1000	0.1	Peak	848.67	23.1	-13	N/A	5000
1000	10000	1	Peak	6773.705	-22.54	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.89	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.25	-13	Pass	2985
30	1000	0.1	Peak	720.984	-49.45	-13	Pass	9699
1000	3000	1	Peak	1849.425	22.05	-13	N/A	2000
3000	20000	1	Peak	19841.743	-44.88	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.64	-13	Pass	401
0.15	30	0.01	Peak	0.43	-61.07	-13	Pass	2985
30	1000	0.1	Peak	883.946	-49.32	-13	Pass	9699
1000	3000	1	Peak	1880.44	19.04	-13	N/A	2000
3000	20000	1	Peak	19823.714	-45.39	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.83	-13	Pass	401
0.15	30	0.01	Peak	0.47	-60.18	-13	Pass	2985
30	1000	0.1	Peak	961.649	-49.18	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.39	-13	N/A	2000
3000	20000	1	Peak	19929.886	-44.64	-13	Pass	17000



5. EVDO BC0_CH1013(FCC)

5.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.12	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.07	-13	Pass	2985
30	500	0.1	Peak	366.572	-44.73	-13	Pass	4700
500	1000	0.1	Peak	824.965	22.36	-13	N/A	5000
1000	10000	1	Peak	7020.735	-22.44	-13	Pass	9000



6. EVDO BC0_CH384(FCC)

6.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-59.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-55.73	-13	Pass	2985
30	500	0.1	Peak	408.08	-44.36	-13	Pass	4700
500	1000	0.1	Peak	836.267	22.44	-13	N/A	5000
1000	10000	1	Peak	6988.731	-22.56	-13	Pass	9000



7. EVDO BC0_CH777(FCC)

7.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.42	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.92	-13	Pass	2985
30	500	0.1	Peak	375.474	-43.85	-13	Pass	4700
500	1000	0.1	Peak	847.87	22.21	-13	N/A	5000
1000	10000	1	Peak	7013.734	-22.53	-13	Pass	9000



8. WCDMA_Band2


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.96	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.89	-13	Pass	2985
30	1000	0.1	Peak	723.685	-54.17	-13	Pass	9699
1000	3000	1	Peak	1853.427	24.09	-13	N/A	2000
3000	20000	1	Peak	19709.528	-24.34	-13	Pass	17000




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.81	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.93	-13	Pass	2985
30	1000	0.1	Peak	861.817	-53.93	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.95	-13	N/A	2000
3000	20000	1	Peak	19643.421	-24.26	-13	Pass	17000



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.55	-13	Pass	401
0.15	30	0.01	Peak	1.39	-65.71	-13	Pass	2985
30	1000	0.1	Peak	716.384	-53.65	-13	Pass	9699
1000	3000	1	Peak	1906.453	24.04	-13	N/A	2000
3000	20000	1	Peak	19633.405	-23.64	-13	Pass	17000



9. WCDMA_Band4


9.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.23	-13	Pass	401
0.15	30	0.01	Peak	1.941	-65.5	-13	Pass	2985
30	1000	0.1	Peak	535.562	-53.75	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.03	-13	N/A	2000
3000	20000	1	Peak	19702.517	-24.05	-13	Pass	17000




9.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.42	-13	Pass	401
0.15	30	0.01	Peak	1.861	-65.02	-13	Pass	2985
30	1000	0.1	Peak	827.097	-53.25	-13	Pass	9699
1000	3000	1	Peak	1731.366	23.85	-13	N/A	2000
3000	20000	1	Peak	19671.467	-23.63	-13	Pass	17000



9.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.37	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.36	-13	Pass	2985
30	1000	0.1	Peak	810.195	-54.22	-13	Pass	9699
1000	3000	1	Peak	1753.377	23.82	-13	N/A	2000
3000	20000	1	Peak	19695.506	-24.04	-13	Pass	17000



10. WCDMA_Band5


10.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.94	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.31	-13	Pass	2985
30	500	0.1	Peak	477.895	-54.6	-13	Pass	4700
500	1000	0.1	Peak	826.765	17.04	-13	N/A	5000
1000	10000	1	Peak	7204.757	-32.84	-13	Pass	9000




10.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.3	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.08	-13	Pass	2985
30	500	0.1	Peak	407.58	-54.53	-13	Pass	4700
500	1000	0.1	Peak	837.668	18.71	-13	N/A	5000
1000	10000	1	Peak	6980.73	-33.3	-13	Pass	9000



10.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-68.89	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.14	-13	Pass	2985
30	500	0.1	Peak	378.274	-54.44	-13	Pass	4700
500	1000	0.1	Peak	847.169	18.99	-13	N/A	5000
1000	10000	1	Peak	7869.839	-32.2	-13	Pass	9000



11. LTE_Band5


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.74	-13	Pass	7840
814	860	0.1	RMS	824.222	20.52	60	Pass	460
860	1000	0.1	RMS	869.207	-65.12	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.93	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.18	-13	Pass	7000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.04	-13	Pass	7840
814	860	0.1	RMS	824.222	19.49	60	Pass	460
860	1000	0.1	RMS	864.103	-64.92	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.93	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.22	-13	Pass	7000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	Pass	2985
30	814	0.1	RMS	812.5	-63.77	-13	Pass	7840
814	860	0.1	RMS	836.048	20.92	60	Pass	460
860	1000	0.1	RMS	943.76	-65.2	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.65	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.26	-13	Pass	7000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	814	0.1	RMS	812.5	-63.99	-13	Pass	7840
814	860	0.1	RMS	836.048	19.97	60	Pass	460
860	1000	0.1	RMS	860.2	-65.07	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.71	-13	Pass	2000
3000	10000	1	RMS	7204.601	-44.23	-13	Pass	7000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2985
30	814	0.1	RMS	811.5	-65.09	-13	Pass	7840
814	860	0.1	RMS	847.874	20.83	60	Pass	460
860	1000	0.1	RMS	882.716	-65.08	-13	Pass	1400
1000	3000	1	RMS	1695.348	-46.65	-13	Pass	2000
3000	10000	1	RMS	6965.567	-44.25	-13	Pass	7000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	814	0.1	RMS	811.1	-65.06	-13	Pass	7840
814	860	0.1	RMS	847.874	19.96	60	Pass	460
860	1000	0.1	RMS	875.511	-65.08	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.46	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.22	-13	Pass	7000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.51	-13	Pass	7840
814	860	0.1	RMS	824.222	20.67	60	Pass	460
860	1000	0.1	RMS	883.317	-65.23	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.88	-13	Pass	2000
3000	10000	1	RMS	6964.566	-44.18	-13	Pass	7000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.8	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.98	-13	Pass	7840
814	860	0.1	RMS	824.222	20.04	60	Pass	460
860	1000	0.1	RMS	870.207	-65.21	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.42	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.19	-13	Pass	7000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.43	-13	Pass	7840
814	860	0.1	RMS	835.246	21.06	60	Pass	460
860	1000	0.1	RMS	871.208	-65.1	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.99	-13	Pass	2000
3000	10000	1	RMS	7206.601	-44.23	-13	Pass	7000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.62	-13	Pass	7840
814	860	0.1	RMS	835.246	20.19	60	Pass	460
860	1000	0.1	RMS	860	-65.14	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.9	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.26	-13	Pass	7000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2985
30	814	0.1	RMS	811.5	-65.1	-13	Pass	7840
814	860	0.1	RMS	846.27	20.82	60	Pass	460
860	1000	0.1	RMS	914.739	-65.18	-13	Pass	1400
1000	3000	1	RMS	1692.346	-47.82	-13	Pass	2000
3000	10000	1	RMS	6957.565	-44.21	-13	Pass	7000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2985
30	814	0.1	RMS	809.999	-65.08	-13	Pass	7840
814	860	0.1	RMS	846.27	19.99	60	Pass	460
860	1000	0.1	RMS	959.471	-65.16	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.74	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.22	-13	Pass	7000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.87	-13	Pass	7840
814	860	0.1	RMS	824.322	20.72	60	Pass	460
860	1000	0.1	RMS	864.003	-65.18	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.23	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.21	-13	Pass	7000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.94	-13	Pass	7840
814	860	0.1	RMS	824.322	19.89	60	Pass	460
860	1000	0.1	RMS	864.503	-65.11	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.96	-13	Pass	2000
3000	10000	1	RMS	6956.565	-44.19	-13	Pass	7000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2985
30	814	0.1	RMS	814	-63.03	-13	Pass	7840
814	860	0.1	RMS	834.344	20.9	60	Pass	460
860	1000	0.1	RMS	868.206	-65.14	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.81	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.24	-13	Pass	7000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	Pass	2985
30	814	0.1	RMS	814	-62.89	-13	Pass	7840
814	860	0.1	RMS	834.344	20.24	60	Pass	460
860	1000	0.1	RMS	862.202	-65.18	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.45	-13	Pass	2000
3000	10000	1	RMS	6961.566	-44.23	-13	Pass	7000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.35	-13	Pass	2985
30	814	0.1	RMS	811	-65.12	-13	Pass	7840
814	860	0.1	RMS	844.366	20.66	60	Pass	460
860	1000	0.1	RMS	862.302	-65.03	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.61	-13	Pass	2000
3000	10000	1	RMS	6960.566	-44.23	-13	Pass	7000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	814	0.1	RMS	810.6	-65.16	-13	Pass	7840
814	860	0.1	RMS	844.366	20.18	60	Pass	460
860	1000	0.1	RMS	992.194	-65.15	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.32	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.22	-13	Pass	7000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.75	-13	Pass	401
0.15	30	0.01	RMS	0.38	-72.85	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.62	-13	Pass	7840
814	860	0.1	RMS	824.623	20.55	60	Pass	460
860	1000	0.1	RMS	870.608	-65.1	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.32	-13	Pass	2000
3000	10000	1	RMS	6958.566	-44.25	-13	Pass	7000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.17	-13	Pass	7840
814	860	0.1	RMS	824.623	19.73	60	Pass	460
860	1000	0.1	RMS	873.71	-65.13	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.85	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.22	-13	Pass	7000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	814	0.1	RMS	813.2	-62.36	-13	Pass	7840
814	860	0.1	RMS	832.139	20.23	60	Pass	460
860	1000	0.1	RMS	861.201	-65.04	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.9	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.26	-13	Pass	7000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	814	0.1	RMS	813.2	-62.3	-13	Pass	7840
814	860	0.1	RMS	832.139	19.24	60	Pass	460
860	1000	0.1	RMS	939.857	-65.14	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.54	-13	Pass	2000
3000	10000	1	RMS	6962.566	-44.23	-13	Pass	7000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	814	0.1	RMS	814	-64.8	-13	Pass	7840
814	860	0.1	RMS	839.556	20.85	60	Pass	460
860	1000	0.1	RMS	862.502	-65.12	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.5	-13	Pass	2000
3000	10000	1	RMS	6963.566	-44.25	-13	Pass	7000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.81	-13	Pass	7840
814	860	0.1	RMS	839.556	19.81	60	Pass	460
860	1000	0.1	RMS	861.001	-65.02	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.29	-13	Pass	2000
3000	10000	1	RMS	6959.566	-44.19	-13	Pass	7000



12. LTE_Band7


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	Pass	2985
30	1000	0.1	RMS	844.399	-64.88	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.95	-25	Pass	1480
2480	2590	1	RMS	2500.075	23.48	60	Pass	401
2590	3000	1	RMS	2949.878	-49.85	-25	Pass	410
3000	12000	1	RMS	11810.766	-53.95	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.48	-25	Pass	14000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-25	Pass	2985
30	1000	0.1	RMS	843.599	-64.96	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.87	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.7	60	Pass	401
2590	3000	1	RMS	2945.868	-49.91	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.96	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.46	-25	Pass	14000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	Pass	2985
30	1000	0.1	RMS	572.166	-62.89	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.89	-25	Pass	1480
2480	2590	1	RMS	2532.8	23.58	60	Pass	401
2590	3000	1	RMS	2948.875	-49.93	-25	Pass	410
3000	12000	1	RMS	11804.758	-53.9	-25	Pass	9000
12000	26000	1	RMS	26000	-39.38	-25	Pass	14000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-25	Pass	2985
30	1000	0.1	RMS	572.166	-63.6	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.88	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.91	60	Pass	401
2590	3000	1	RMS	2950.88	-49.92	-25	Pass	410
3000	12000	1	RMS	11817.774	-53.92	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.49	-25	Pass	14000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.28	-25	Pass	9699
1000	2480	1	RMS	2480	-51.92	-25	Pass	1480
2480	2590	1	RMS	2565.25	23.42	60	Pass	401
2590	3000	1	RMS	2947.873	-49.91	-25	Pass	410
3000	12000	1	RMS	11810.766	-53.84	-25	Pass	9000
12000	26000	1	RMS	25998	-39.39	-25	Pass	14000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.97	-25	Pass	2985
30	1000	0.1	RMS	604.67	-61.69	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.88	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.81	60	Pass	401
2590	3000	1	RMS	2948.875	-49.93	-25	Pass	410
3000	12000	1	RMS	11809.765	-53.85	-25	Pass	9000
12000	26000	1	RMS	25994.999	-39.47	-25	Pass	14000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.92	-25	Pass	2985
30	1000	0.1	RMS	833.598	-64.91	-25	Pass	9699
1000	2480	1	RMS	2480	-51.83	-25	Pass	1480
2480	2590	1	RMS	2500.35	23.46	60	Pass	401
2590	3000	1	RMS	2949.878	-49.94	-25	Pass	410
3000	12000	1	RMS	11811.767	-53.96	-25	Pass	9000
12000	26000	1	RMS	25983.997	-39.47	-25	Pass	14000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	Pass	2985
30	1000	0.1	RMS	860.014	-64.87	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.88	-25	Pass	1480
2480	2590	1	RMS	2500.35	22.83	60	Pass	401
2590	3000	1	RMS	2945.868	-49.92	-25	Pass	410
3000	12000	1	RMS	11809.765	-53.93	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.39	-25	Pass	14000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-25	Pass	2985
30	1000	0.1	RMS	569.866	-63.75	-25	Pass	9699
1000	2480	1	RMS	2480	-51.9	-25	Pass	1480
2480	2590	1	RMS	2530.325	23.52	60	Pass	401
2590	3000	1	RMS	2949.878	-49.89	-25	Pass	410
3000	12000	1	RMS	11802.756	-53.9	-25	Pass	9000
12000	26000	1	RMS	25999	-39.48	-25	Pass	14000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.05	-25	Pass	9699
1000	2480	1	RMS	2480	-51.96	-25	Pass	1480
2480	2590	1	RMS	2530.325	22.81	60	Pass	401
2590	3000	1	RMS	2949.878	-49.93	-25	Pass	410
3000	12000	1	RMS	11821.779	-53.97	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.45	-25	Pass	14000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.29	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.05	-25	Pass	2985
30	1000	0.1	RMS	599.87	-60.35	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.84	-25	Pass	1480
2480	2590	1	RMS	2560.575	23.3	60	Pass	401
2590	3000	1	RMS	2952.885	-49.93	-25	Pass	410
3000	12000	1	RMS	11820.778	-53.93	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.4	-25	Pass	14000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.26	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.87	-25	Pass	1480
2480	2590	1	RMS	2560.575	22.63	60	Pass	401
2590	3000	1	RMS	2950.88	-49.93	-25	Pass	410
3000	12000	1	RMS	11807.762	-53.91	-25	Pass	9000
12000	26000	1	RMS	25982.997	-39.5	-25	Pass	14000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-25	Pass	2985
30	1000	0.1	RMS	824.997	-64.8	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.92	-25	Pass	1480
2480	2590	1	RMS	2500.625	23.71	60	Pass	401
2590	3000	1	RMS	2949.878	-49.92	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.87	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.43	-25	Pass	14000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-25	Pass	2985
30	1000	0.1	RMS	842.599	-64.86	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.91	-25	Pass	1480
2480	2590	1	RMS	2500.625	22.85	60	Pass	401
2590	3000	1	RMS	2943.863	-49.94	-25	Pass	410
3000	12000	1	RMS	11813.77	-53.9	-25	Pass	9000
12000	26000	1	RMS	25998	-39.41	-25	Pass	14000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	Pass	2985
30	1000	0.1	RMS	567.666	-63.98	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.85	-25	Pass	1480
2480	2590	1	RMS	2528.125	23.71	60	Pass	401
2590	3000	1	RMS	2946.87	-49.89	-25	Pass	410
3000	12000	1	RMS	11788.739	-53.91	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.45	-25	Pass	14000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.21	-25	Pass	9699
1000	2480	1	RMS	2480	-51.89	-25	Pass	1480
2480	2590	1	RMS	2528.125	22.86	60	Pass	401
2590	3000	1	RMS	2946.87	-49.87	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.96	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.41	-25	Pass	14000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.53	-25	Pass	9699
1000	2480	1	RMS	2480	-51.87	-25	Pass	1480
2480	2590	1	RMS	2555.625	23.58	60	Pass	401
2590	3000	1	RMS	2946.87	-49.9	-25	Pass	410
3000	12000	1	RMS	11798.751	-53.92	-25	Pass	9000
12000	26000	1	RMS	25998	-39.45	-25	Pass	14000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.24	-25	Pass	2985
30	1000	0.1	RMS	595.169	-60.96	-25	Pass	9699
1000	2480	1	RMS	2480	-51.86	-25	Pass	1480
2480	2590	1	RMS	2555.625	22.83	60	Pass	401
2590	3000	1	RMS	2950.88	-49.89	-25	Pass	410
3000	12000	1	RMS	11793.745	-53.9	-25	Pass	9000
12000	26000	1	RMS	26000	-39.4	-25	Pass	14000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-25	Pass	2985
30	1000	0.1	RMS	858.612	-64.84	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.88	-25	Pass	1480
2480	2590	1	RMS	2500.9	23.67	60	Pass	401
2590	3000	1	RMS	2947.873	-49.9	-25	Pass	410
3000	12000	1	RMS	11810.766	-53.96	-25	Pass	9000
12000	26000	1	RMS	26000	-39.43	-25	Pass	14000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.6	-25	Pass	2985
30	1000	0.1	RMS	851.203	-64.8	-25	Pass	9699
1000	2480	1	RMS	2480	-51.85	-25	Pass	1480
2480	2590	1	RMS	2500.9	22.95	60	Pass	401
2590	3000	1	RMS	2943.863	-49.95	-25	Pass	410
3000	12000	1	RMS	11799.752	-53.94	-25	Pass	9000
12000	26000	1	RMS	25984.997	-39.46	-25	Pass	14000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-25	Pass	2985
30	1000	0.1	RMS	565.365	-64.4	-25	Pass	9699
1000	2480	1	RMS	2480	-51.87	-25	Pass	1480
2480	2590	1	RMS	2525.925	23.72	60	Pass	401
2590	3000	1	RMS	2948.875	-49.92	-25	Pass	410
3000	12000	1	RMS	11792.743	-53.92	-25	Pass	9000
12000	26000	1	RMS	25999	-39.48	-25	Pass	14000




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-25	Pass	2985
30	1000	0.1	RMS	846.3	-64.7	-25	Pass	9699
1000	2480	1	RMS	2480	-51.91	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.83	60	Pass	401
2590	3000	1	RMS	2951.883	-49.91	-25	Pass	410
3000	12000	1	RMS	11812.768	-53.88	-25	Pass	9000
12000	26000	1	RMS	26000	-39.44	-25	Pass	14000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.54	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.85	-25	Pass	1480
2480	2590	1	RMS	2550.95	23.61	60	Pass	401
2590	3000	1	RMS	2949.878	-49.86	-25	Pass	410
3000	12000	1	RMS	11817.774	-53.87	-25	Pass	9000
12000	26000	1	RMS	26000	-39.43	-25	Pass	14000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-25	Pass	2985
30	1000	0.1	RMS	590.368	-60.88	-25	Pass	9699
1000	2480	1	RMS	2480	-51.9	-25	Pass	1480
2480	2590	1	RMS	2550.95	22.99	60	Pass	401
2590	3000	1	RMS	2948.875	-49.9	-25	Pass	410
3000	12000	1	RMS	11817.774	-53.93	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.4	-25	Pass	14000



13. LTE_Band38


**13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.83	-25	Pass	2985
30	1000	0.1	RMS	609.571	-61.2	-25	Pass	9699
1000	2550	1	RMS	2547.999	-49.24	-25	Pass	1550
2550	2640	1	RMS	2570.025	21.99	60	Pass	401
2640	3000	1	RMS	2947.8	-47.98	-25	Pass	401
3000	12000	1	RMS	11800.753	-51.98	-25	Pass	9000
12000	26500	1	RMS	25996.92	-37.45	-25	Pass	14500




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.6	-25	Pass	2985
30	1000	0.1	RMS	609.671	-60.61	-25	Pass	9699
1000	2550	1	RMS	2544.997	-49.32	-25	Pass	1550
2550	2640	1	RMS	2570.025	20.82	60	Pass	401
2640	3000	1	RMS	2948.7	-47.96	-25	Pass	401
3000	12000	1	RMS	11806.761	-51.98	-25	Pass	9000
12000	26500	1	RMS	26010.922	-37.35	-25	Pass	14500




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.97	-25	Pass	2985
30	1000	0.1	RMS	840.899	-62.91	-25	Pass	9699
1000	2550	1	RMS	2487.96	-49.6	-25	Pass	1550
2550	2640	1	RMS	2592.75	21.34	60	Pass	401
2640	3000	1	RMS	2947.8	-47.98	-25	Pass	401
3000	12000	1	RMS	11816.773	-51.95	-25	Pass	9000
12000	26500	1	RMS	26014.923	-37.45	-25	Pass	14500




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.92	-25	Pass	2985
30	1000	0.1	RMS	840.699	-62.73	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.59	-25	Pass	1550
2550	2640	1	RMS	2592.75	21.31	60	Pass	401
2640	3000	1	RMS	2947.8	-48	-25	Pass	401
3000	12000	1	RMS	11798.751	-51.98	-25	Pass	9000
12000	26500	1	RMS	25999.921	-37.47	-25	Pass	14500




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.73	-25	Pass	2985
30	1000	0.1	RMS	847.3	-62.79	-25	Pass	9699
1000	2550	1	RMS	2492.963	-49.22	-25	Pass	1550
2550	2640	1	RMS	2615.25	22.24	60	Pass	401
2640	3000	1	RMS	2950.5	-48.01	-25	Pass	401
3000	12000	1	RMS	11806.761	-51.96	-25	Pass	9000
12000	26500	1	RMS	26008.922	-37.27	-25	Pass	14500




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-25	Pass	2985
30	1000	0.1	RMS	857.01	-62.85	-25	Pass	9699
1000	2550	1	RMS	2487.96	-49.36	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.62	60	Pass	401
2640	3000	1	RMS	2945.1	-48.03	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.99	-25	Pass	9000
12000	26500	1	RMS	26001.921	-37.35	-25	Pass	14500




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-25	Pass	2985
30	1000	0.1	RMS	609.971	-61.97	-25	Pass	9699
1000	2550	1	RMS	2547.999	-47.99	-25	Pass	1550
2550	2640	1	RMS	2570.475	22.17	60	Pass	401
2640	3000	1	RMS	2947.8	-47.96	-25	Pass	401
3000	12000	1	RMS	11808.763	-51.97	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.31	-25	Pass	14500




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-25	Pass	2985
30	1000	0.1	RMS	609.871	-60.43	-25	Pass	9699
1000	2550	1	RMS	2545.997	-48.92	-25	Pass	1550
2550	2640	1	RMS	2570.25	20.76	60	Pass	401
2640	3000	1	RMS	2946.9	-47.99	-25	Pass	401
3000	12000	1	RMS	11789.74	-51.97	-25	Pass	9000
12000	26500	1	RMS	26008.922	-37.41	-25	Pass	14500




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-25	Pass	2985
30	1000	0.1	RMS	826.097	-62.86	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.61	-25	Pass	1550
2550	2640	1	RMS	2590.5	22.06	60	Pass	401
2640	3000	1	RMS	2950.5	-47.96	-25	Pass	401
3000	12000	1	RMS	11804.758	-51.99	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.49	-25	Pass	14500




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-25	Pass	2985
30	1000	0.1	RMS	839.999	-62.91	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49.69	-25	Pass	1550
2550	2640	1	RMS	2590.5	20.76	60	Pass	401
2640	3000	1	RMS	2956.8	-48.02	-25	Pass	401
3000	12000	1	RMS	11809.765	-51.92	-25	Pass	9000
12000	26500	1	RMS	26004.922	-37.44	-25	Pass	14500




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.17	-25	Pass	2985
30	1000	0.1	RMS	859.514	-62.89	-25	Pass	9699
1000	2550	1	RMS	2496.966	-49.4	-25	Pass	1550
2550	2640	1	RMS	2610.3	21.38	60	Pass	401
2640	3000	1	RMS	2953.2	-47.97	-25	Pass	401
3000	12000	1	RMS	11820.778	-51.97	-25	Pass	9000
12000	26500	1	RMS	25993.92	-37.39	-25	Pass	14500




13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.1	-25	Pass	2985
30	1000	0.1	RMS	852.104	-62.88	-25	Pass	9699
1000	2550	1	RMS	2488.961	-49.53	-25	Pass	1550
2550	2640	1	RMS	2610.3	20.55	60	Pass	401
2640	3000	1	RMS	2947.8	-48	-25	Pass	401
3000	12000	1	RMS	11824.783	-51.94	-25	Pass	9000
12000	26500	1	RMS	26007.922	-37.41	-25	Pass	14500




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.58	-25	Pass	2985
30	1000	0.1	RMS	610.171	-62.04	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.84	-25	Pass	1550
2550	2640	1	RMS	2570.925	21.88	60	Pass	401
2640	3000	1	RMS	2945.1	-48	-25	Pass	401
3000	12000	1	RMS	11790.741	-51.92	-25	Pass	9000
12000	26500	1	RMS	25996.92	-37.41	-25	Pass	14500




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.99	-25	Pass	2985
30	1000	0.1	RMS	610.171	-61.93	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.68	60	Pass	401
2640	3000	1	RMS	2949.6	-47.97	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.95	-25	Pass	9000
12000	26500	1	RMS	25990.919	-37.46	-25	Pass	14500




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.21	-25	Pass	2985
30	1000	0.1	RMS	863.619	-62.82	-25	Pass	9699
1000	2550	1	RMS	2490.962	-49.73	-25	Pass	1550
2550	2640	1	RMS	2588.25	19.33	60	Pass	401
2640	3000	1	RMS	2951.4	-47.98	-25	Pass	401
3000	12000	1	RMS	11810.766	-51.95	-25	Pass	9000
12000	26500	1	RMS	25998.921	-37.33	-25	Pass	14500




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.58	-25	Pass	2985
30	1000	0.1	RMS	841.699	-62.82	-25	Pass	9699
1000	2550	1	RMS	2547.999	-49.7	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.19	60	Pass	401
2640	3000	1	RMS	2954.1	-47.97	-25	Pass	401
3000	12000	1	RMS	11807.762	-51.87	-25	Pass	9000
12000	26500	1	RMS	25987.919	-37.4	-25	Pass	14500




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.23	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.21	-25	Pass	2985
30	1000	0.1	RMS	842.999	-62.83	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.51	-25	Pass	1550
2550	2640	1	RMS	2605.8	22.06	60	Pass	401
2640	3000	1	RMS	2947.8	-47.93	-25	Pass	401
3000	12000	1	RMS	11807.762	-51.94	-25	Pass	9000
12000	26500	1	RMS	26010.922	-37.39	-25	Pass	14500




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.38	-25	Pass	2985
30	1000	0.1	RMS	845.2	-62.89	-25	Pass	9699
1000	2550	1	RMS	2493.964	-49.5	-25	Pass	1550
2550	2640	1	RMS	2605.575	20.59	60	Pass	401
2640	3000	1	RMS	2944.2	-47.98	-25	Pass	401
3000	12000	1	RMS	11812.768	-51.94	-25	Pass	9000
12000	26500	1	RMS	26009.922	-37.42	-25	Pass	14500




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-25	Pass	2985
30	1000	0.1	RMS	610.371	-60.18	-25	Pass	9699
1000	2550	1	RMS	2547.999	-48.18	-25	Pass	1550
2550	2640	1	RMS	2570.925	21.6	60	Pass	401
2640	3000	1	RMS	2945.1	-47.94	-25	Pass	401
3000	12000	1	RMS	11805.76	-51.96	-25	Pass	9000
12000	26500	1	RMS	25997.92	-37.42	-25	Pass	14500




13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.79	-25	Pass	2985
30	1000	0.1	RMS	610.371	-62.42	-25	Pass	9699
1000	2550	1	RMS	2550	-48.31	-25	Pass	1550
2550	2640	1	RMS	2571.15	21.06	60	Pass	401
2640	3000	1	RMS	2946	-48	-25	Pass	401
3000	12000	1	RMS	11808.763	-51.87	-25	Pass	9000
12000	26500	1	RMS	26010.922	-37.42	-25	Pass	14500




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-25	Pass	2985
30	1000	0.1	RMS	850.602	-62.66	-25	Pass	9699
1000	2550	1	RMS	2539.994	-49.52	-25	Pass	1550
2550	2640	1	RMS	2585.775	21.8	60	Pass	401
2640	3000	1	RMS	2947.8	-47.92	-25	Pass	401
3000	12000	1	RMS	11798.751	-51.79	-25	Pass	9000
12000	26500	1	RMS	25998.921	-37.34	-25	Pass	14500




13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-25	Pass	2985
30	1000	0.1	RMS	625.373	-62.86	-25	Pass	9699
1000	2550	1	RMS	2545.997	-49.51	-25	Pass	1550
2550	2640	1	RMS	2586	21.12	60	Pass	401
2640	3000	1	RMS	2949.6	-47.97	-25	Pass	401
3000	12000	1	RMS	11817.774	-51.93	-25	Pass	9000
12000	26500	1	RMS	25994.92	-37.4	-25	Pass	14500




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.74	-25	Pass	2985
30	1000	0.1	RMS	835.298	-62.76	-25	Pass	9699
1000	2550	1	RMS	2490.962	-49.43	-25	Pass	1550
2550	2640	1	RMS	2601.075	21.59	60	Pass	401
2640	3000	1	RMS	2946.9	-47.95	-25	Pass	401
3000	12000	1	RMS	11788.739	-51.91	-25	Pass	9000
12000	26500	1	RMS	25993.92	-37.37	-25	Pass	14500



13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-25	Pass	2985
30	1000	0.1	RMS	840.099	-62.85	-25	Pass	9699
1000	2550	1	RMS	2489.961	-49.56	-25	Pass	1550
2550	2640	1	RMS	2601.075	21.31	60	Pass	401
2640	3000	1	RMS	2951.4	-47.96	-25	Pass	401
3000	12000	1	RMS	11797.75	-51.93	-25	Pass	9000
12000	26500	1	RMS	25999.921	-37.42	-25	Pass	14500



14. LTE_Band41 full


14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.77	-25	Pass	2985
30	1000	0.1	RMS	833.398	-61.72	-25	Pass	9699
1000	2476	1	RMS	2472.998	-48.86	-25	Pass	1476
2476	2710	1	RMS	2495.89	17.11	60	Pass	401
2710	3000	1	RMS	2944.175	-46.91	-25	Pass	401
3000	12000	1	RMS	11795.747	-50.91	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.42	-25	Pass	15000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.32	-25	Pass	2985
30	1000	0.1	RMS	851.603	-61.85	-25	Pass	9699
1000	2476	1	RMS	2476	-48.86	-25	Pass	1476
2476	2710	1	RMS	2495.89	15.89	60	Pass	401
2710	3000	1	RMS	2944.175	-46.93	-25	Pass	401
3000	12000	1	RMS	11809.765	-50.88	-25	Pass	9000
12000	27000	1	RMS	25998.853	-36.38	-25	Pass	15000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.32	-70.39	-25	Pass	2985
30	1000	0.1	RMS	854.607	-61.79	-25	Pass	9699
1000	2476	1	RMS	2466.994	-48.94	-25	Pass	1476
2476	2710	1	RMS	2590.66	16.87	60	Pass	401
2710	3000	1	RMS	2945.625	-46.88	-25	Pass	401
3000	12000	1	RMS	11788.739	-50.84	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.38	-25	Pass	15000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	845.9	-61.79	-25	Pass	9699
1000	2476	1	RMS	2476	-48.88	-25	Pass	1476
2476	2710	1	RMS	2590.66	17.12	60	Pass	401
2710	3000	1	RMS	2949.975	-46.91	-25	Pass	401
3000	12000	1	RMS	11815.772	-50.89	-25	Pass	9000
12000	27000	1	RMS	26002.854	-36.41	-25	Pass	15000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.3	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.82	-25	Pass	2985
30	1000	0.1	RMS	835.698	-61.88	-25	Pass	9699
1000	2476	1	RMS	2466.994	-48.94	-25	Pass	1476
2476	2710	1	RMS	2684.845	17.32	60	Pass	401
2710	3000	1	RMS	2949.25	-46.95	-25	Pass	401
3000	12000	1	RMS	11790.741	-50.92	-25	Pass	9000
12000	27000	1	RMS	26020.856	-36.4	-25	Pass	15000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.56	-25	Pass	2985
30	1000	0.1	RMS	832.498	-61.76	-25	Pass	9699
1000	2476	1	RMS	2455.986	-48.92	-25	Pass	1476
2476	2710	1	RMS	2685.43	15.38	60	Pass	401
2710	3000	1	RMS	2943.45	-46.92	-25	Pass	401
3000	12000	1	RMS	11809.765	-50.93	-25	Pass	9000
12000	27000	1	RMS	26015.855	-36.43	-25	Pass	15000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-25	Pass	2985
30	1000	0.1	RMS	839.699	-61.67	-25	Pass	9699
1000	2476	1	RMS	2461.991	-48.9	-25	Pass	1476
2476	2710	1	RMS	2496.475	16.89	60	Pass	401
2710	3000	1	RMS	2949.975	-46.93	-25	Pass	401
3000	12000	1	RMS	11819.777	-50.9	-25	Pass	9000
12000	27000	1	RMS	25983.851	-36.42	-25	Pass	15000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.13	-25	Pass	2985
30	1000	0.1	RMS	854.807	-61.86	-25	Pass	9699
1000	2476	1	RMS	2467.995	-48.94	-25	Pass	1476
2476	2710	1	RMS	2496.475	16.38	60	Pass	401
2710	3000	1	RMS	2944.175	-46.93	-25	Pass	401
3000	12000	1	RMS	11811.767	-50.89	-25	Pass	9000
12000	27000	1	RMS	25994.852	-36.41	-25	Pass	15000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.01	-25	Pass	2985
30	1000	0.1	RMS	843.799	-61.72	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.88	-25	Pass	1476
2476	2710	1	RMS	2588.32	17.07	60	Pass	401
2710	3000	1	RMS	2949.975	-46.93	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.92	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.38	-25	Pass	15000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.81	-25	Pass	2985
30	1000	0.1	RMS	830.198	-61.7	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.86	-25	Pass	1476
2476	2710	1	RMS	2588.32	17.15	60	Pass	401
2710	3000	1	RMS	2949.975	-46.91	-25	Pass	401
3000	12000	1	RMS	11817.774	-50.81	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.36	-25	Pass	15000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.07	-25	Pass	2985
30	1000	0.1	RMS	834.098	-61.79	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.8	-25	Pass	1476
2476	2710	1	RMS	2680.165	16.32	60	Pass	401
2710	3000	1	RMS	2949.25	-46.96	-25	Pass	401
3000	12000	1	RMS	11800.753	-50.85	-25	Pass	9000
12000	27000	1	RMS	26008.854	-36.4	-25	Pass	15000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.05	-25	Pass	2985
30	1000	0.1	RMS	841.699	-61.89	-25	Pass	9699
1000	2476	1	RMS	2471.997	-48.84	-25	Pass	1476
2476	2710	1	RMS	2680.165	16.38	60	Pass	401
2710	3000	1	RMS	2949.25	-46.92	-25	Pass	401
3000	12000	1	RMS	11808.763	-50.9	-25	Pass	9000
12000	27000	1	RMS	25999.853	-36.39	-25	Pass	15000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.07	-25	Pass	2985
30	1000	0.1	RMS	839.799	-61.77	-25	Pass	9699
1000	2476	1	RMS	2476	-48.86	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.32	60	Pass	401
2710	3000	1	RMS	2952.15	-46.91	-25	Pass	401
3000	12000	1	RMS	11805.76	-50.84	-25	Pass	9000
12000	27000	1	RMS	26009.855	-36.37	-25	Pass	15000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-25	Pass	2985
30	1000	0.1	RMS	843.699	-61.84	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.8	-25	Pass	1476
2476	2710	1	RMS	2496.475	16.88	60	Pass	401
2710	3000	1	RMS	2944.9	-46.88	-25	Pass	401
3000	12000	1	RMS	8250.641	-50.86	-25	Pass	9000
12000	27000	1	RMS	26015.855	-36.41	-25	Pass	15000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.07	-25	Pass	2985
30	1000	0.1	RMS	842.099	-61.61	-25	Pass	9699
1000	2476	1	RMS	2473.999	-48.88	-25	Pass	1476
2476	2710	1	RMS	2585.98	13.89	60	Pass	401
2710	3000	1	RMS	2950.7	-46.91	-25	Pass	401
3000	12000	1	RMS	11820.778	-50.78	-25	Pass	9000
12000	27000	1	RMS	26012.855	-36.39	-25	Pass	15000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.23	-25	Pass	2985
30	1000	0.1	RMS	855.809	-61.82	-25	Pass	9699
1000	2476	1	RMS	2476	-48.85	-25	Pass	1476
2476	2710	1	RMS	2585.98	14.48	60	Pass	401
2710	3000	1	RMS	2943.45	-46.91	-25	Pass	401
3000	12000	1	RMS	11811.767	-50.82	-25	Pass	9000
12000	27000	1	RMS	26010.855	-36.33	-25	Pass	15000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.9	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.13	-25	Pass	2985
30	1000	0.1	RMS	843.599	-61.63	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.84	-25	Pass	1476
2476	2710	1	RMS	2675.485	17.31	60	Pass	401
2710	3000	1	RMS	2949.975	-46.89	-25	Pass	401
3000	12000	1	RMS	11801.755	-50.8	-25	Pass	9000
12000	27000	1	RMS	25980.85	-36.4	-25	Pass	15000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.82	-25	Pass	2985
30	1000	0.1	RMS	852.605	-61.84	-25	Pass	9699
1000	2476	1	RMS	2476	-48.83	-25	Pass	1476
2476	2710	1	RMS	2675.485	15.97	60	Pass	401
2710	3000	1	RMS	2947.075	-46.89	-25	Pass	401
3000	12000	1	RMS	11797.75	-50.82	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.36	-25	Pass	15000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.46	-25	Pass	2985
30	1000	0.1	RMS	833.298	-61.88	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.86	-25	Pass	1476
2476	2710	1	RMS	2496.475	16.83	60	Pass	401
2710	3000	1	RMS	2949.975	-46.89	-25	Pass	401
3000	12000	1	RMS	11817.774	-50.85	-25	Pass	9000
12000	27000	1	RMS	26021.856	-36.37	-25	Pass	15000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.92	-25	Pass	2985
30	1000	0.1	RMS	834.698	-61.81	-25	Pass	9699
1000	2476	1	RMS	2476	-48.85	-25	Pass	1476
2476	2710	1	RMS	2496.475	15.71	60	Pass	401
2710	3000	1	RMS	2949.975	-46.94	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.93	-25	Pass	9000
12000	27000	1	RMS	26005.854	-36.41	-25	Pass	15000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.74	-25	Pass	2985
30	1000	0.1	RMS	866.523	-61.71	-25	Pass	9699
1000	2476	1	RMS	2471.997	-48.88	-25	Pass	1476
2476	2710	1	RMS	2583.64	16.81	60	Pass	401
2710	3000	1	RMS	2945.625	-46.92	-25	Pass	401
3000	12000	1	RMS	11816.773	-50.75	-25	Pass	9000
12000	27000	1	RMS	25996.853	-36.39	-25	Pass	15000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.65	-25	Pass	2985
30	1000	0.1	RMS	839.999	-61.72	-25	Pass	9699
1000	2476	1	RMS	2476	-48.89	-25	Pass	1476
2476	2710	1	RMS	2583.64	16.08	60	Pass	401
2710	3000	1	RMS	2942.725	-46.93	-25	Pass	401
3000	12000	1	RMS	11799.752	-50.88	-25	Pass	9000
12000	27000	1	RMS	25977.85	-36.34	-25	Pass	15000




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.9	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.66	-25	Pass	2985
30	1000	0.1	RMS	852.404	-61.84	-25	Pass	9699
1000	2476	1	RMS	2476	-48.87	-25	Pass	1476
2476	2710	1	RMS	2670.805	16.93	60	Pass	401
2710	3000	1	RMS	2947.075	-46.95	-25	Pass	401
3000	12000	1	RMS	11806.761	-50.88	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.29	-25	Pass	15000



**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.63	-25	Pass	2985
30	1000	0.1	RMS	847.1	-61.78	-25	Pass	9699
1000	2476	1	RMS	2461.991	-48.86	-25	Pass	1476
2476	2710	1	RMS	2670.805	16.64	60	Pass	401
2710	3000	1	RMS	2944.9	-46.92	-25	Pass	401
3000	12000	1	RMS	11812.768	-50.84	-25	Pass	9000
12000	27000	1	RMS	26018.856	-36.39	-25	Pass	15000



15. CA_7C


**15.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.27	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.62	-25	Pass	2985
30	1000	0.1	RMS	842.099	-64.88	-25	Pass	9699
1000	2475	1	RMS	2472.999	-51.98	-25	Pass	1475
2475	2735	1	RMS	2528.3	12.46	60	Pass	401
2735	3000	1	RMS	2949.65	-49.95	-25	Pass	401
3000	12000	1	RMS	11816.773	-53.99	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.37	-25	Pass	14000




**15.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.19	-73.19	-25	Pass	2985
30	1000	0.1	RMS	848.7	-64.85	-25	Pass	9699
1000	2475	1	RMS	2465.994	-52.02	-25	Pass	1475
2475	2735	1	RMS	2521.15	9.75	60	Pass	401
2735	3000	1	RMS	2948.988	-49.96	-25	Pass	401
3000	12000	1	RMS	11820.778	-53.97	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.3	-25	Pass	14000




**15.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.78	-25	Pass	2985
30	1000	0.1	RMS	834.498	-64.95	-25	Pass	9699
1000	2475	1	RMS	2459.99	-52.03	-25	Pass	1475
2475	2735	1	RMS	2528.3	12.43	60	Pass	401
2735	3000	1	RMS	2950.313	-49.89	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.95	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.45	-25	Pass	14000




**15.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.22	-25	Pass	2985
30	1000	0.1	RMS	842.899	-64.98	-25	Pass	9699
1000	2475	1	RMS	2452.985	-52.02	-25	Pass	1475
2475	2735	1	RMS	2521.15	8.86	60	Pass	401
2735	3000	1	RMS	2950.975	-49.93	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.99	-25	Pass	9000
12000	26000	1	RMS	25986.998	-39.43	-25	Pass	14000




**15.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.56	-25	Pass	2985
30	1000	0.1	RMS	827.997	-64.96	-25	Pass	9699
1000	2475	1	RMS	2463.993	-52.01	-25	Pass	1475
2475	2735	1	RMS	2548.45	12.48	60	Pass	401
2735	3000	1	RMS	2949.65	-49.92	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.92	-25	Pass	9000
12000	26000	1	RMS	25998	-39.51	-25	Pass	14000




**15.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.97	-25	Pass	2985
30	1000	0.1	RMS	857.01	-64.94	-25	Pass	9699
1000	2475	1	RMS	2475	-51.93	-25	Pass	1475
2475	2735	1	RMS	2540.65	10.13	60	Pass	401
2735	3000	1	RMS	2949.65	-49.92	-25	Pass	401
3000	12000	1	RMS	11802.756	-53.95	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.39	-25	Pass	14000




**15.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73	-25	Pass	2985
30	1000	0.1	RMS	861.216	-64.94	-25	Pass	9699
1000	2475	1	RMS	2466.995	-51.99	-25	Pass	1475
2475	2735	1	RMS	2548.45	12.57	60	Pass	401
2735	3000	1	RMS	2946.338	-49.94	-25	Pass	401
3000	12000	1	RMS	11798.751	-53.95	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.49	-25	Pass	14000




**15.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-25	Pass	2985
30	1000	0.1	RMS	848.9	-64.98	-25	Pass	9699
1000	2475	1	RMS	2473.999	-51.91	-25	Pass	1475
2475	2735	1	RMS	2541.3	9.02	60	Pass	401
2735	3000	1	RMS	2952.963	-49.95	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.97	-25	Pass	9000
12000	26000	1	RMS	25998	-39.34	-25	Pass	14000




**15.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.56	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.32	-25	Pass	2985
30	1000	0.1	RMS	846.9	-64.86	-25	Pass	9699
1000	2475	1	RMS	2467.995	-51.93	-25	Pass	1475
2475	2735	1	RMS	2568.6	11.96	60	Pass	401
2735	3000	1	RMS	2947	-49.96	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.93	-25	Pass	9000
12000	26000	1	RMS	25998	-39.46	-25	Pass	14000




**15.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.39	-25	Pass	401
0.15	30	0.01	RMS	0.3	-72.94	-25	Pass	2985
30	1000	0.1	RMS	859.213	-64.91	-25	Pass	9699
1000	2475	1	RMS	2449.983	-52.02	-25	Pass	1475
2475	2735	1	RMS	2560.8	10.36	60	Pass	401
2735	3000	1	RMS	2952.3	-49.93	-25	Pass	401
3000	12000	1	RMS	11790.741	-54.01	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.48	-25	Pass	14000




**15.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.09	-25	Pass	2985
30	1000	0.1	RMS	841.699	-64.96	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52	-25	Pass	1475
2475	2735	1	RMS	2568.6	11.88	60	Pass	401
2735	3000	1	RMS	2949.65	-49.94	-25	Pass	401
3000	12000	1	RMS	11808.763	-53.95	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.43	-25	Pass	14000




**15.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.92	-25	Pass	401
0.15	30	0.01	RMS	0.25	-73.05	-25	Pass	2985
30	1000	0.1	RMS	836.398	-64.98	-25	Pass	9699
1000	2475	1	RMS	2475	-52.01	-25	Pass	1475
2475	2735	1	RMS	2561.45	9.28	60	Pass	401
2735	3000	1	RMS	2950.975	-49.92	-25	Pass	401
3000	12000	1	RMS	11815.772	-54.01	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.49	-25	Pass	14000




**15.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.4	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.99	-25	Pass	2985
30	1000	0.1	RMS	838.699	-64.97	-25	Pass	9699
1000	2475	1	RMS	2462.992	-51.77	-25	Pass	1475
2475	2735	1	RMS	2501	12.21	60	Pass	401
2735	3000	1	RMS	2947.663	-49.96	-25	Pass	401
3000	12000	1	RMS	11801.755	-54.01	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.48	-25	Pass	14000




**15.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.4	-25	Pass	2985
30	1000	0.1	RMS	839.599	-64.97	-25	Pass	9699
1000	2475	1	RMS	2475	-52.02	-25	Pass	1475
2475	2735	1	RMS	2517.25	7.5	60	Pass	401
2735	3000	1	RMS	2950.313	-49.97	-25	Pass	401
3000	12000	1	RMS	11822.781	-53.97	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.53	-25	Pass	14000




**15.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.43	-25	Pass	2985
30	1000	0.1	RMS	870.528	-64.99	-25	Pass	9699
1000	2475	1	RMS	2462.992	-52.08	-25	Pass	1475
2475	2735	1	RMS	2501	12.53	60	Pass	401
2735	3000	1	RMS	2945.675	-49.94	-25	Pass	401
3000	12000	1	RMS	11823.782	-53.99	-25	Pass	9000
12000	26000	1	RMS	26000	-39.43	-25	Pass	14000




**15.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-25	Pass	2985
30	1000	0.1	RMS	846.9	-64.97	-25	Pass	9699
1000	2475	1	RMS	2468.996	-52.08	-25	Pass	1475
2475	2735	1	RMS	2517.25	6.28	60	Pass	401
2735	3000	1	RMS	2950.975	-49.95	-25	Pass	401
3000	12000	1	RMS	11813.77	-53.98	-25	Pass	9000
12000	26000	1	RMS	25998	-39.46	-25	Pass	14000




**15.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.32	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.97	-25	Pass	2985
30	1000	0.1	RMS	849.801	-64.95	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.05	-25	Pass	1475
2475	2735	1	RMS	2515.95	12.48	60	Pass	401
2735	3000	1	RMS	2947	-49.95	-25	Pass	401
3000	12000	1	RMS	11815.772	-53.95	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.52	-25	Pass	14000




**15.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.27	-73.09	-25	Pass	2985
30	1000	0.1	RMS	841.299	-64.9	-25	Pass	9699
1000	2475	1	RMS	2472.999	-51.96	-25	Pass	1475
2475	2735	1	RMS	2536.75	7.39	60	Pass	401
2735	3000	1	RMS	2951.638	-49.92	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.93	-25	Pass	9000
12000	26000	1	RMS	26000	-39.51	-25	Pass	14000




**15.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.1	-25	Pass	2985
30	1000	0.1	RMS	847.1	-64.93	-25	Pass	9699
1000	2475	1	RMS	2457.988	-52	-25	Pass	1475
2475	2735	1	RMS	2515.95	12.52	60	Pass	401
2735	3000	1	RMS	2950.313	-49.93	-25	Pass	401
3000	12000	1	RMS	11785.735	-53.93	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.42	-25	Pass	14000




**15.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.43	-25	Pass	2985
30	1000	0.1	RMS	840.299	-64.94	-25	Pass	9699
1000	2475	1	RMS	2475	-52.01	-25	Pass	1475
2475	2735	1	RMS	2527.65	6.42	60	Pass	401
2735	3000	1	RMS	2947	-49.95	-25	Pass	401
3000	12000	1	RMS	11786.736	-53.99	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.39	-25	Pass	14000




**15.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-25	Pass	2985
30	1000	0.1	RMS	856.51	-65.02	-25	Pass	9699
1000	2475	1	RMS	2449.983	-52.01	-25	Pass	1475
2475	2735	1	RMS	2530.9	12.16	60	Pass	401
2735	3000	1	RMS	2952.963	-49.95	-25	Pass	401
3000	12000	1	RMS	11803.757	-53.96	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.47	-25	Pass	14000




**15.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-25	Pass	2985
30	1000	0.1	RMS	856.61	-65	-25	Pass	9699
1000	2475	1	RMS	2473.999	-52.01	-25	Pass	1475
2475	2735	1	RMS	2552.35	8.16	60	Pass	401
2735	3000	1	RMS	2948.325	-49.92	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.85	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.47	-25	Pass	14000




**15.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.5	-25	Pass	2985
30	1000	0.1	RMS	834.298	-64.92	-25	Pass	9699
1000	2475	1	RMS	2475	-52.02	-25	Pass	1475
2475	2735	1	RMS	2530.9	12.24	60	Pass	401
2735	3000	1	RMS	2948.988	-49.96	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.98	-25	Pass	9000
12000	26000	1	RMS	26000	-39.51	-25	Pass	14000



**15.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-25	Pass	2985
30	1000	0.1	RMS	853.606	-65	-25	Pass	9699
1000	2475	1	RMS	2475	-51.95	-25	Pass	1475
2475	2735	1	RMS	2551.7	1.5	60	Pass	401
2735	3000	1	RMS	2948.325	-49.91	-25	Pass	401
3000	12000	1	RMS	11793.745	-53.97	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.39	-25	Pass	14000



16. n41 30kHz


**16.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.26	-25	Pass	2985
30	1000	0.1	RMS	928.705	-61.28	-25	Pass	9699
1000	2486	1	RMS	2484.999	-43	-25	Pass	1486
2486	2700	1	RMS	2507.935	16.54	60	Pass	401
2700	3000	1	RMS	2871	-49	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.1	-25	Pass	3500
6500	27000	1	RMS	25894.731	-44.05	-25	Pass	20500




16.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.02	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.15	-25	Pass	2985
30	1000	0.1	RMS	884.547	-61.58	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.33	-25	Pass	1486
2486	2700	1	RMS	2508.47	16.57	60	Pass	401
2700	3000	1	RMS	2881.5	-48.91	-25	Pass	401
3000	6500	1	RMS	5858.817	-64.27	-25	Pass	3500
6500	27000	1	RMS	25521.641	-43.8	-25	Pass	20500




**16.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-25	Pass	2985
30	1000	0.1	RMS	938.819	-61.75	-25	Pass	9699
1000	2486	1	RMS	2486	-50.91	-25	Pass	1486
2486	2700	1	RMS	2592.465	16.83	60	Pass	401
2700	3000	1	RMS	2874.75	-49.03	-25	Pass	401
3000	6500	1	RMS	6074.879	-64.11	-25	Pass	3500
6500	27000	1	RMS	25782.704	-44.17	-25	Pass	20500




**16.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-60.45	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.96	-25	Pass	2985
30	1000	0.1	RMS	881.443	-61.48	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.71	-25	Pass	1486
2486	2700	1	RMS	2593.535	16.82	60	Pass	401
2700	3000	1	RMS	2880	-49	-25	Pass	401
3000	6500	1	RMS	6219.92	-63.99	-25	Pass	3500
6500	27000	1	RMS	25530.643	-43.69	-25	Pass	20500




**16.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.04	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.63	-25	Pass	2985
30	1000	0.1	RMS	878.739	-61.53	-25	Pass	9699
1000	2486	1	RMS	2481.997	-50.9	-25	Pass	1486
2486	2700	1	RMS	2679.67	15.87	60	Pass	401
2700	3000	1	RMS	2700	-41.34	-25	Pass	401
3000	6500	1	RMS	6197.914	-64.12	-25	Pass	3500
6500	27000	1	RMS	25516.64	-43.65	-25	Pass	20500




**16.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-61.92	-25	Pass	401
0.15	30	0.01	RMS	0.47	-70.78	-25	Pass	2985
30	1000	0.1	RMS	901.67	-60.93	-25	Pass	9699
1000	2486	1	RMS	2459.982	-50.64	-25	Pass	1486
2486	2700	1	RMS	2676.995	15.91	60	Pass	401
2700	3000	1	RMS	2700.75	-38.67	-25	Pass	401
3000	6500	1	RMS	6222.921	-64.07	-25	Pass	3500
6500	27000	1	RMS	25506.637	-43.65	-25	Pass	20500




**16.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.45	-25	Pass	401
0.15	30	0.01	RMS	0.45	-70.24	-25	Pass	2985
30	1000	0.1	RMS	990.888	-61.4	-25	Pass	9699
1000	2486	1	RMS	2486	-39	-25	Pass	1486
2486	2700	1	RMS	2525.055	11.56	60	Pass	401
2700	3000	1	RMS	2700.75	-45.18	-25	Pass	401
3000	6500	1	RMS	6040.869	-64.28	-25	Pass	3500
6500	27000	1	RMS	25891.731	-43.92	-25	Pass	20500




16.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.03	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.16	-25	Pass	2985
30	1000	0.1	RMS	857.611	-61.35	-25	Pass	9699
1000	2486	1	RMS	2486	-33.97	-25	Pass	1486
2486	2700	1	RMS	2524.52	11.46	60	Pass	401
2700	3000	1	RMS	2700.75	-44.19	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.11	-25	Pass	3500
6500	27000	1	RMS	25521.641	-43.96	-25	Pass	20500




**16.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.95	-25	Pass	401
0.15	30	0.01	RMS	0.42	-69.59	-25	Pass	2985
30	1000	0.1	RMS	899.567	-60.99	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.05	-25	Pass	1486
2486	2700	1	RMS	2603.165	11.81	60	Pass	401
2700	3000	1	RMS	2703.75	-45.46	-25	Pass	401
3000	6500	1	RMS	6202.915	-64.18	-25	Pass	3500
6500	27000	1	RMS	25492.634	-43.51	-25	Pass	20500




16.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.88	-25	Pass	2985
30	1000	0.1	RMS	982.677	-60.71	-25	Pass	9699
1000	2486	1	RMS	2486	-45.6	-25	Pass	1486
2486	2700	1	RMS	2605.305	11.79	60	Pass	401
2700	3000	1	RMS	2703	-44.52	-25	Pass	401
3000	6500	1	RMS	6207.917	-64.14	-25	Pass	3500
6500	27000	1	RMS	26951.988	-43.7	-25	Pass	20500




**16.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.92	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.48	-25	Pass	2985
30	1000	0.1	RMS	991.288	-61.53	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.15	-25	Pass	1486
2486	2700	1	RMS	2652.385	10.9	60	Pass	401
2700	3000	1	RMS	2702.25	-37.85	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.1	-25	Pass	3500
6500	27000	1	RMS	25848.72	-44.14	-25	Pass	20500




16.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-57.45	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.26	-25	Pass	2985
30	1000	0.1	RMS	888.752	-61.25	-25	Pass	9699
1000	2486	1	RMS	2486	-47.17	-25	Pass	1486
2486	2700	1	RMS	2647.035	11.06	60	Pass	401
2700	3000	1	RMS	2700	-34.68	-25	Pass	401
3000	6500	1	RMS	6389.969	-64.21	-25	Pass	3500
6500	27000	1	RMS	25501.636	-44.02	-25	Pass	20500




**16.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.14	-25	Pass	2985
30	1000	0.1	RMS	870.729	-61.38	-25	Pass	9699
1000	2486	1	RMS	2484.999	-42	-25	Pass	1486
2486	2700	1	RMS	2542.71	9.05	60	Pass	401
2700	3000	1	RMS	2705.25	-39.24	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.86	-25	Pass	3500
6500	27000	1	RMS	25500.636	-43.82	-25	Pass	20500




16.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.93	-25	Pass	401
0.15	30	0.01	RMS	0.31	-68.84	-25	Pass	2985
30	1000	0.1	RMS	967.156	-61.08	-25	Pass	9699
1000	2486	1	RMS	2486	-38.92	-25	Pass	1486
2486	2700	1	RMS	2552.34	8.82	60	Pass	401
2700	3000	1	RMS	2705.25	-38.62	-25	Pass	401
3000	6500	1	RMS	6198.914	-64.13	-25	Pass	3500
6500	27000	1	RMS	25491.634	-43.86	-25	Pass	20500




**16.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-25	Pass	2985
30	1000	0.1	RMS	992.49	-61.43	-25	Pass	9699
1000	2486	1	RMS	2486	-45.19	-25	Pass	1486
2486	2700	1	RMS	2613.33	9.31	60	Pass	401
2700	3000	1	RMS	2712	-41.42	-25	Pass	401
3000	6500	1	RMS	6221.921	-64	-25	Pass	3500
6500	27000	1	RMS	25465.627	-43.91	-25	Pass	20500




**16.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-61.97	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.23	-25	Pass	2985
30	1000	0.1	RMS	991.088	-61.52	-25	Pass	9699
1000	2486	1	RMS	2486	-40.02	-25	Pass	1486
2486	2700	1	RMS	2611.725	9.29	60	Pass	401
2700	3000	1	RMS	2701.5	-40.46	-25	Pass	401
3000	6500	1	RMS	6216.919	-63.92	-25	Pass	3500
6500	27000	1	RMS	26866.968	-44.02	-25	Pass	20500




**16.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-25	Pass	2985
30	1000	0.1	RMS	898.666	-61.15	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.65	-25	Pass	1486
2486	2700	1	RMS	2636.87	8.99	60	Pass	401
2700	3000	1	RMS	2701.5	-28.1	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.08	-25	Pass	3500
6500	27000	1	RMS	25219.567	-44.14	-25	Pass	20500



**16.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-62.3	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.75	-25	Pass	2985
30	1000	0.1	RMS	882.244	-61.13	-25	Pass	9699
1000	2486	1	RMS	2486	-42.82	-25	Pass	1486
2486	2700	1	RMS	2622.425	9.14	60	Pass	401
2700	3000	1	RMS	2701.5	-30.43	-25	Pass	401
3000	6500	1	RMS	6080.88	-64.19	-25	Pass	3500
6500	27000	1	RMS	25833.717	-43.96	-25	Pass	20500



17. n77 30kHz(3450-3550)


**17.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.89	-13	Pass	691
0.15	30	0.01	RMS	24.138	-71.07	-13	Pass	2985
30	1000	0.1	RMS	844.484	-58.09	-13	Pass	9700
1000	3000	1	RMS	3000	-46.78	-13	Pass	2000
3000	3440	1	RMS	3440	-41.81	-13	Pass	691
3440	3560	1	RMS	3462.435	13.6	60	Pass	691
3560	6500	1	RMS	3637.026	-55.91	-13	Pass	2940
6500	40000	1	RMS	39684.79	-21.16	-13	Pass	33500




**17.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.97	-13	Pass	691
0.15	30	0.01	RMS	29.32	-70.77	-13	Pass	2985
30	1000	0.1	RMS	938.494	-57.83	-13	Pass	9700
1000	3000	1	RMS	2982.991	-46.99	-13	Pass	2000
3000	3440	1	RMS	3440	-41.06	-13	Pass	691
3440	3560	1	RMS	3461.913	13.77	60	Pass	691
3560	6500	1	RMS	3642.028	-55.71	-13	Pass	2940
6500	40000	1	RMS	39650.767	-21.2	-13	Pass	33500




**17.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.51	-13	Pass	691
0.15	30	0.01	RMS	25.458	-69.51	-13	Pass	2985
30	1000	0.1	RMS	976.598	-58.34	-13	Pass	9700
1000	3000	1	RMS	2999	-46.94	-13	Pass	2000
3000	3440	1	RMS	3276.754	-44.64	-13	Pass	691
3440	3560	1	RMS	3502.087	13.65	60	Pass	691
3560	6500	1	RMS	3686.043	-55.17	-13	Pass	2940
6500	40000	1	RMS	38843.228	-21.07	-13	Pass	33500




**17.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.96	-13	Pass	691
0.15	30	0.01	RMS	25.358	-70.85	-13	Pass	2985
30	1000	0.1	RMS	828.982	-57.96	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.82	-13	Pass	2000
3000	3440	1	RMS	3276.754	-44.75	-13	Pass	691
3440	3560	1	RMS	3500.174	13.81	60	Pass	691
3560	6500	1	RMS	3560	-54.98	-13	Pass	2940
6500	40000	1	RMS	39732.822	-21.25	-13	Pass	33500




**17.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.73	-13	Pass	691
0.15	30	0.01	RMS	22.598	-70.3	-13	Pass	2985
30	1000	0.1	RMS	880.188	-58.4	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.78	-13	Pass	2000
3000	3440	1	RMS	3276.754	-44.55	-13	Pass	691
3440	3560	1	RMS	3540.348	13.9	60	Pass	691
3560	6500	1	RMS	3560	-46.17	-13	Pass	2940
6500	40000	1	RMS	39696.798	-21.24	-13	Pass	33500




**17.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.04	-13	Pass	691
0.15	30	0.01	RMS	25.368	-68.98	-13	Pass	2985
30	1000	0.1	RMS	897.489	-58.02	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.75	-13	Pass	2000
3000	3440	1	RMS	3276.754	-44.59	-13	Pass	691
3440	3560	1	RMS	3540.696	14.31	60	Pass	691
3560	6500	1	RMS	3560	-42.58	-13	Pass	2940
6500	40000	1	RMS	39675.784	-21.14	-13	Pass	33500




**17.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.64	-13	Pass	691
0.15	30	0.01	RMS	29.24	-70.72	-13	Pass	2985
30	1000	0.1	RMS	887.788	-57.82	-13	Pass	9700
1000	3000	1	RMS	2980.99	-46.79	-13	Pass	2000
3000	3440	1	RMS	3440	-39.95	-13	Pass	691
3440	3560	1	RMS	3464.696	9.67	60	Pass	691
3560	6500	1	RMS	3686.043	-47.42	-13	Pass	2940
6500	40000	1	RMS	39697.798	-20.84	-13	Pass	33500




17.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.86	-13	Pass	691
0.15	30	0.01	RMS	24.388	-69.21	-13	Pass	2985
30	1000	0.1	RMS	920.092	-58.4	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.84	-13	Pass	2000
3000	3440	1	RMS	3417.681	-41.27	-13	Pass	691
3440	3560	1	RMS	3472.348	9.96	60	Pass	691
3560	6500	1	RMS	3565.002	-46.2	-13	Pass	2940
6500	40000	1	RMS	39674.783	-20.89	-13	Pass	33500




**17.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-13	Pass	691
0.15	30	0.01	RMS	25.518	-69.54	-13	Pass	2985
30	1000	0.1	RMS	888.689	-57.83	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.61	-13	Pass	2000
3000	3440	1	RMS	3276.754	-42.62	-13	Pass	691
3440	3560	1	RMS	3493.565	9.55	60	Pass	691
3560	6500	1	RMS	3573.004	-47.04	-13	Pass	2940
6500	40000	1	RMS	39657.772	-20.9	-13	Pass	33500




**17.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	691
0.15	30	0.01	RMS	0.32	-70.51	-13	Pass	2985
30	1000	0.1	RMS	924.792	-58.02	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.81	-13	Pass	2000
3000	3440	1	RMS	3428.522	-42.46	-13	Pass	691
3440	3560	1	RMS	3495.652	9.91	60	Pass	691
3560	6500	1	RMS	3571.004	-42.59	-13	Pass	2940
6500	40000	1	RMS	39086.391	-21.28	-13	Pass	33500




**17.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	691
0.15	30	0.01	RMS	25.368	-69.66	-13	Pass	2985
30	1000	0.1	RMS	871.187	-57.93	-13	Pass	9700
1000	3000	1	RMS	2979.99	-47	-13	Pass	2000
3000	3440	1	RMS	3276.754	-42.12	-13	Pass	691
3440	3560	1	RMS	3531.652	9.7	60	Pass	691
3560	6500	1	RMS	3565.002	-43.95	-13	Pass	2940
6500	40000	1	RMS	39671.781	-20.9	-13	Pass	33500




**17.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-13	Pass	691
0.15	30	0.01	RMS	22.938	-70.8	-13	Pass	2985
30	1000	0.1	RMS	882.688	-57.76	-13	Pass	9700
1000	3000	1	RMS	2987.994	-46.86	-13	Pass	2000
3000	3440	1	RMS	3276.754	-42.77	-13	Pass	691
3440	3560	1	RMS	3531.826	9.88	60	Pass	691
3560	6500	1	RMS	3597.013	-42.24	-13	Pass	2940
6500	40000	1	RMS	39623.749	-21.2	-13	Pass	33500




**17.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.4	-13	Pass	691
0.15	30	0.01	RMS	0.55	-70.42	-13	Pass	2985
30	1000	0.1	RMS	910.691	-58.44	-13	Pass	9700
1000	3000	1	RMS	3000	-46.76	-13	Pass	2000
3000	3440	1	RMS	3439.362	-34.72	-13	Pass	691
3440	3560	1	RMS	3488	6.55	60	Pass	691
3560	6500	1	RMS	3561	-36.08	-13	Pass	2940
6500	40000	1	RMS	39686.791	-20.92	-13	Pass	33500



**17.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.78	-13	Pass	691
0.15	30	0.01	RMS	0.48	-70.65	-13	Pass	2985
30	1000	0.1	RMS	993.199	-58.14	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.84	-13	Pass	2000
3000	3440	1	RMS	3439.362	-36.61	-13	Pass	691
3440	3560	1	RMS	3483.826	6.89	60	Pass	691
3560	6500	1	RMS	3647.03	-36.26	-13	Pass	2940
6500	40000	1	RMS	39666.778	-20.73	-13	Pass	33500



18. n77 30kHz(3700-3980)


18.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.71	-13	Pass	691
0.15	30	0.01	RMS	23.488	-70.78	-13	Pass	2985
30	1000	0.1	RMS	879.988	-57.44	-13	Pass	9700
1000	3000	1	RMS	2999	-46.94	-13	Pass	2000
3000	3690	1	RMS	3690	-41.18	-13	Pass	691
3690	3990	1	RMS	3711.304	14.12	60	Pass	691
3990	6500	1	RMS	6483.994	-58.02	-13	Pass	2510
6500	40000	1	RMS	39683.789	-20.36	-13	Pass	33500




18.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.99	-13	Pass	691
0.15	30	0.01	RMS	29.13	-70.28	-13	Pass	2985
30	1000	0.1	RMS	884.088	-58.15	-13	Pass	9700
1000	3000	1	RMS	2999	-46.81	-13	Pass	2000
3000	3690	1	RMS	3690	-39.31	-13	Pass	691
3690	3990	1	RMS	3711.739	14.25	60	Pass	691
3990	6500	1	RMS	6478.992	-57.97	-13	Pass	2510
6500	40000	1	RMS	39684.79	-21.06	-13	Pass	33500




**18.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.43	-13	Pass	691
0.15	30	0.01	RMS	25.919	-70.42	-13	Pass	2985
30	1000	0.1	RMS	968.397	-58.27	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.81	-13	Pass	2000
3000	3690	1	RMS	3687	-44.68	-13	Pass	691
3690	3990	1	RMS	3840.87	12.87	60	Pass	691
3990	6500	1	RMS	4019.012	-55.48	-13	Pass	2510
6500	40000	1	RMS	39675.784	-21.34	-13	Pass	33500




**18.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.16	-13	Pass	691
0.15	30	0.01	RMS	0.54	-70.25	-13	Pass	2985
30	1000	0.1	RMS	928.293	-57.72	-13	Pass	9700
1000	3000	1	RMS	3000	-46.83	-13	Pass	2000
3000	3690	1	RMS	3687	-44.77	-13	Pass	691
3690	3990	1	RMS	3840.435	12.99	60	Pass	691
3990	6500	1	RMS	4020.012	-55.35	-13	Pass	2510
6500	40000	1	RMS	39682.788	-20.78	-13	Pass	33500




**18.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.29	-13	Pass	691
0.15	30	0.01	RMS	28.51	-70.32	-13	Pass	2985
30	1000	0.1	RMS	833.583	-57.57	-13	Pass	9700
1000	3000	1	RMS	2999	-46.79	-13	Pass	2000
3000	3690	1	RMS	3687	-45.04	-13	Pass	691
3690	3990	1	RMS	3972.609	13.5	60	Pass	691
3990	6500	1	RMS	3990	-42.32	-13	Pass	2510
6500	40000	1	RMS	39746.831	-21.34	-13	Pass	33500




**18.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.05	-13	Pass	691
0.15	30	0.01	RMS	24.238	-69.71	-13	Pass	2985
30	1000	0.1	RMS	882.888	-58	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.9	-13	Pass	2000
3000	3690	1	RMS	3687	-44.96	-13	Pass	691
3690	3990	1	RMS	3970.87	13.49	60	Pass	691
3990	6500	1	RMS	3990	-37.19	-13	Pass	2510
6500	40000	1	RMS	39703.802	-21.12	-13	Pass	33500




**18.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.47	-13	Pass	691
0.15	30	0.01	RMS	28.479	-70.73	-13	Pass	2985
30	1000	0.1	RMS	885.888	-58.08	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.85	-13	Pass	2000
3000	3690	1	RMS	3687	-37.95	-13	Pass	691
3690	3990	1	RMS	3716.522	9.64	60	Pass	691
3990	6500	1	RMS	6482.993	-58.07	-13	Pass	2510
6500	40000	1	RMS	39662.775	-20.9	-13	Pass	33500




**18.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-13	Pass	691
0.15	30	0.01	RMS	0.2	-69.92	-13	Pass	2985
30	1000	0.1	RMS	885.388	-57.97	-13	Pass	9700
1000	3000	1	RMS	2999	-46.67	-13	Pass	2000
3000	3690	1	RMS	3687	-38.06	-13	Pass	691
3690	3990	1	RMS	3718.261	9.77	60	Pass	691
3990	6500	1	RMS	6476.991	-57.94	-13	Pass	2510
6500	40000	1	RMS	39678.786	-20.58	-13	Pass	33500




**18.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.42	-13	Pass	691
0.15	30	0.01	RMS	28.98	-71.19	-13	Pass	2985
30	1000	0.1	RMS	874.087	-58.32	-13	Pass	9700
1000	3000	1	RMS	2991.996	-46.77	-13	Pass	2000
3000	3690	1	RMS	3687	-41.18	-13	Pass	691
3690	3990	1	RMS	3834.783	8.62	60	Pass	691
3990	6500	1	RMS	4003.005	-52.2	-13	Pass	2510
6500	40000	1	RMS	39699.8	-20.64	-13	Pass	33500




18.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:656000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.81	-13	Pass	691
0.15	30	0.01	RMS	24.738	-69.66	-13	Pass	2985
30	1000	0.1	RMS	976.298	-58.7	-13	Pass	9700
1000	3000	1	RMS	2995.998	-46.91	-13	Pass	2000
3000	3690	1	RMS	3687	-41.13	-13	Pass	691
3690	3990	1	RMS	3842.174	8.72	60	Pass	691
3990	6500	1	RMS	3993.001	-49.62	-13	Pass	2510
6500	40000	1	RMS	39709.806	-21.25	-13	Pass	33500




**18.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	Pass	691
0.15	30	0.01	RMS	22.377	-70.68	-13	Pass	2985
30	1000	0.1	RMS	864.486	-58.42	-13	Pass	9700
1000	3000	1	RMS	3000	-46.63	-13	Pass	2000
3000	3690	1	RMS	3687	-40.71	-13	Pass	691
3690	3990	1	RMS	3946.087	9.14	60	Pass	691
3990	6500	1	RMS	3995.002	-43.83	-13	Pass	2510
6500	40000	1	RMS	39649.766	-21.29	-13	Pass	33500




**18.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:663666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.8	-13	Pass	691
0.15	30	0.01	RMS	26.599	-70.58	-13	Pass	2985
30	1000	0.1	RMS	925.092	-58.17	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.84	-13	Pass	2000
3000	3690	1	RMS	3687	-40.81	-13	Pass	691
3690	3990	1	RMS	3952.609	9.12	60	Pass	691
3990	6500	1	RMS	3995.002	-44.6	-13	Pass	2510
6500	40000	1	RMS	39691.794	-20.94	-13	Pass	33500




**18.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.35	-13	Pass	691
0.15	30	0.01	RMS	28.289	-70.1	-13	Pass	2985
30	1000	0.1	RMS	876.587	-57.74	-13	Pass	9700
1000	3000	1	RMS	2999	-46.88	-13	Pass	2000
3000	3690	1	RMS	3687	-36.09	-13	Pass	691
3690	3990	1	RMS	3730.435	6.01	60	Pass	691
3990	6500	1	RMS	4002.005	-47.1	-13	Pass	2510
6500	40000	1	RMS	39692.795	-21.01	-13	Pass	33500




**18.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.64	-13	Pass	691
0.15	30	0.01	RMS	0.24	-70	-13	Pass	2985
30	1000	0.1	RMS	912.091	-58.2	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.88	-13	Pass	2000
3000	3690	1	RMS	3687	-35.41	-13	Pass	691
3690	3990	1	RMS	3735.217	6.12	60	Pass	691
3990	6500	1	RMS	4002.005	-45.68	-13	Pass	2510
6500	40000	1	RMS	39706.804	-20.68	-13	Pass	33500




**18.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.8	-13	Pass	691
0.15	30	0.01	RMS	21.887	-71.11	-13	Pass	2985
30	1000	0.1	RMS	833.183	-53.51	-13	Pass	9700
1000	3000	1	RMS	2993.997	-46.86	-13	Pass	2000
3000	3690	1	RMS	3687	-38.66	-13	Pass	691
3690	3990	1	RMS	3823.913	5.91	60	Pass	691
3990	6500	1	RMS	4013.009	-41.6	-13	Pass	2510
6500	40000	1	RMS	39635.757	-20.87	-13	Pass	33500




**18.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.39	-13	Pass	691
0.15	30	0.01	RMS	0.25	-69.85	-13	Pass	2985
30	1000	0.1	RMS	833.483	-56.85	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.88	-13	Pass	2000
3000	3690	1	RMS	3687	-38.77	-13	Pass	691
3690	3990	1	RMS	3822.609	6.04	60	Pass	691
3990	6500	1	RMS	4013.009	-40.35	-13	Pass	2510
6500	40000	1	RMS	39693.796	-21.32	-13	Pass	33500




**18.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.78	-13	Pass	691
0.15	30	0.01	RMS	28.62	-70.94	-13	Pass	2985
30	1000	0.1	RMS	934.893	-58.31	-13	Pass	9700
1000	3000	1	RMS	2986.993	-47.05	-13	Pass	2000
3000	3690	1	RMS	3687	-39.29	-13	Pass	691
3690	3990	1	RMS	3935.217	5.84	60	Pass	691
3990	6500	1	RMS	3991	-39.54	-13	Pass	2510
6500	40000	1	RMS	39680.787	-21.13	-13	Pass	33500



**18.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.68	-13	Pass	691
0.15	30	0.01	RMS	24.818	-70.91	-13	Pass	2985
30	1000	0.1	RMS	959.496	-58.39	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.83	-13	Pass	2000
3000	3690	1	RMS	3687	-38.34	-13	Pass	691
3690	3990	1	RMS	3922.609	6.04	60	Pass	691
3990	6500	1	RMS	3990	-39.6	-13	Pass	2510
6500	40000	1	RMS	39740.827	-21.3	-13	Pass	33500



19. n78 30kHz(3450-3550)


**19.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.71	-13	Pass	691
0.15	30	0.01	RMS	25.158	-70.67	-13	Pass	2985
30	1000	0.1	RMS	936.793	-58.11	-13	Pass	9700
1000	3000	1	RMS	3000	-46.84	-13	Pass	2000
3000	3440	1	RMS	3439.362	-42.24	-13	Pass	691
3440	3560	1	RMS	3462.261	14.66	60	Pass	691
3560	6500	1	RMS	3638.027	-54.29	-13	Pass	2940
6500	38000	1	RMS	37772.993	-26.64	-13	Pass	31500




**19.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.46	-13	Pass	691
0.15	30	0.01	RMS	23.088	-69.82	-13	Pass	2985
30	1000	0.1	RMS	875.587	-58.2	-13	Pass	9700
1000	3000	1	RMS	2996.998	-47	-13	Pass	2000
3000	3440	1	RMS	3440	-40.71	-13	Pass	691
3440	3560	1	RMS	3460	14.59	60	Pass	691
3560	6500	1	RMS	3641.028	-54.94	-13	Pass	2940
6500	38000	1	RMS	37800.994	-27.03	-13	Pass	31500




**19.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.36	-13	Pass	691
0.15	30	0.01	RMS	26.299	-70.99	-13	Pass	2985
30	1000	0.1	RMS	968.297	-58.12	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.74	-13	Pass	2000
3000	3440	1	RMS	3276.754	-43.72	-13	Pass	691
3440	3560	1	RMS	3502.087	14.44	60	Pass	691
3560	6500	1	RMS	3686.043	-53.64	-13	Pass	2940
6500	38000	1	RMS	37735.992	-27.65	-13	Pass	31500




**19.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.09	-13	Pass	691
0.15	30	0.01	RMS	23.738	-70.61	-13	Pass	2985
30	1000	0.1	RMS	970.097	-58.39	-13	Pass	9700
1000	3000	1	RMS	3000	-46.89	-13	Pass	2000
3000	3440	1	RMS	3276.754	-43.94	-13	Pass	691
3440	3560	1	RMS	3501.913	14.44	60	Pass	691
3560	6500	1	RMS	3686.043	-53.91	-13	Pass	2940
6500	38000	1	RMS	37778.993	-27.35	-13	Pass	31500




**19.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.42	-13	Pass	691
0.15	30	0.01	RMS	25.308	-71.18	-13	Pass	2985
30	1000	0.1	RMS	980.598	-58.07	-13	Pass	9700
1000	3000	1	RMS	2990.995	-46.83	-13	Pass	2000
3000	3440	1	RMS	3276.754	-43.82	-13	Pass	691
3440	3560	1	RMS	3542.957	14.36	60	Pass	691
3560	6500	1	RMS	3560	-46.15	-13	Pass	2940
6500	38000	1	RMS	37757.992	-27.29	-13	Pass	31500




**19.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.93	-13	Pass	691
0.15	30	0.01	RMS	26.969	-71.04	-13	Pass	2985
30	1000	0.1	RMS	968.097	-58.05	-13	Pass	9700
1000	3000	1	RMS	2986.993	-46.87	-13	Pass	2000
3000	3440	1	RMS	3276.754	-44.07	-13	Pass	691
3440	3560	1	RMS	3540.522	14.38	60	Pass	691
3560	6500	1	RMS	3560	-43.33	-13	Pass	2940
6500	38000	1	RMS	37730.991	-27.08	-13	Pass	31500




**19.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.97	-13	Pass	691
0.15	30	0.01	RMS	0.28	-71.27	-13	Pass	2985
30	1000	0.1	RMS	819.481	-58.59	-13	Pass	9700
1000	3000	1	RMS	2987.994	-46.9	-13	Pass	2000
3000	3440	1	RMS	3440	-40.82	-13	Pass	691
3440	3560	1	RMS	3468.348	10.42	60	Pass	691
3560	6500	1	RMS	3686.043	-45.99	-13	Pass	2940
6500	38000	1	RMS	37772.993	-27.47	-13	Pass	31500




19.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:64, RB Position:32)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.34	-13	Pass	691
0.15	30	0.01	RMS	25.919	-70.86	-13	Pass	2985
30	1000	0.1	RMS	933.993	-58.1	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.81	-13	Pass	2000
3000	3440	1	RMS	3440	-40.06	-13	Pass	691
3440	3560	1	RMS	3469.565	10.46	60	Pass	691
3560	6500	1	RMS	3565.002	-43.79	-13	Pass	2940
6500	38000	1	RMS	37777.993	-27.34	-13	Pass	31500




**19.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.81	-13	Pass	691
0.15	30	0.01	RMS	28.62	-70.83	-13	Pass	2985
30	1000	0.1	RMS	998.3	-58.69	-13	Pass	9700
1000	3000	1	RMS	3000	-46.87	-13	Pass	2000
3000	3440	1	RMS	3276.754	-41.46	-13	Pass	691
3440	3560	1	RMS	3493.565	10.33	60	Pass	691
3560	6500	1	RMS	3573.004	-45.13	-13	Pass	2940
6500	38000	1	RMS	37767.993	-27.28	-13	Pass	31500




**19.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.46	-13	Pass	691
0.15	30	0.01	RMS	26.049	-70.06	-13	Pass	2985
30	1000	0.1	RMS	777.777	-58.5	-13	Pass	9700
1000	3000	1	RMS	3000	-46.94	-13	Pass	2000
3000	3440	1	RMS	3276.754	-41.6	-13	Pass	691
3440	3560	1	RMS	3504.174	10.37	60	Pass	691
3560	6500	1	RMS	3570.003	-43.11	-13	Pass	2940
6500	38000	1	RMS	37870.996	-27.18	-13	Pass	31500




**19.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.33	-13	Pass	691
0.15	30	0.01	RMS	29.42	-71.19	-13	Pass	2985
30	1000	0.1	RMS	905.69	-58.39	-13	Pass	9700
1000	3000	1	RMS	2999	-46.78	-13	Pass	2000
3000	3440	1	RMS	3276.754	-41.6	-13	Pass	691
3440	3560	1	RMS	3531.304	10.11	60	Pass	691
3560	6500	1	RMS	3560	-44.37	-13	Pass	2940
6500	38000	1	RMS	37814.994	-27.55	-13	Pass	31500




**19.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.45	-13	Pass	691
0.15	30	0.01	RMS	0.23	-70.49	-13	Pass	2985
30	1000	0.1	RMS	872.787	-57.95	-13	Pass	9700
1000	3000	1	RMS	2987.994	-47.02	-13	Pass	2000
3000	3440	1	RMS	3276.754	-41.85	-13	Pass	691
3440	3560	1	RMS	3529.739	10.2	60	Pass	691
3560	6500	1	RMS	3596.012	-42.8	-13	Pass	2940
6500	38000	1	RMS	37782.993	-27.37	-13	Pass	31500




**19.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.07	-13	Pass	691
0.15	30	0.01	RMS	26.359	-70.13	-13	Pass	2985
30	1000	0.1	RMS	873.087	-58.35	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.93	-13	Pass	2000
3000	3440	1	RMS	3437.449	-38.05	-13	Pass	691
3440	3560	1	RMS	3502.957	6.94	60	Pass	691
3560	6500	1	RMS	3647.03	-35.35	-13	Pass	2940
6500	38000	1	RMS	37744.992	-27.23	-13	Pass	31500



**19.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.35	-13	Pass	691
0.15	30	0.01	RMS	16.816	-70.4	-13	Pass	2985
30	1000	0.1	RMS	879.088	-58.14	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.81	-13	Pass	2000
3000	3440	1	RMS	3439.362	-36.95	-13	Pass	691
3440	3560	1	RMS	3486.261	6.91	60	Pass	691
3560	6500	1	RMS	3647.03	-34.44	-13	Pass	2940
6500	38000	1	RMS	37785.993	-26.85	-13	Pass	31500



20. n78 30kHz(3700-3800)


**20.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.72	-13	Pass	691
0.15	30	0.01	RMS	21.737	-70.66	-13	Pass	2985
30	1000	0.1	RMS	963.996	-58.05	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.91	-13	Pass	2000
3000	3690	1	RMS	3690	-41.65	-13	Pass	691
3690	3810	1	RMS	3711.913	14.5	60	Pass	691
3810	6500	1	RMS	3942.049	-54.71	-13	Pass	2690
6500	38000	1	RMS	37771.993	-27.35	-13	Pass	31500




**20.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.78	-13	Pass	691
0.15	30	0.01	RMS	19.927	-70.56	-13	Pass	2985
30	1000	0.1	RMS	875.687	-58.06	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.75	-13	Pass	2000
3000	3690	1	RMS	3690	-38.84	-13	Pass	691
3690	3810	1	RMS	3712.435	14.51	60	Pass	691
3810	6500	1	RMS	3865.02	-55.35	-13	Pass	2690
6500	38000	1	RMS	37721.991	-27.29	-13	Pass	31500




**20.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.4	-13	Pass	691
0.15	30	0.01	RMS	23.218	-70.44	-13	Pass	2985
30	1000	0.1	RMS	891.589	-58.36	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.72	-13	Pass	2000
3000	3690	1	RMS	3687	-44.3	-13	Pass	691
3690	3810	1	RMS	3751.913	14.09	60	Pass	691
3810	6500	1	RMS	3891.03	-55.82	-13	Pass	2690
6500	38000	1	RMS	37814.994	-27.23	-13	Pass	31500




**20.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.69	-13	Pass	691
0.15	30	0.01	RMS	29.11	-71.2	-13	Pass	2985
30	1000	0.1	RMS	964.896	-58.07	-13	Pass	9700
1000	3000	1	RMS	2991.996	-46.73	-13	Pass	2000
3000	3690	1	RMS	3687	-44.23	-13	Pass	691
3690	3810	1	RMS	3750.174	14.12	60	Pass	691
3810	6500	1	RMS	3810	-52.45	-13	Pass	2690
6500	38000	1	RMS	37777.993	-27.44	-13	Pass	31500




**20.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.52	-13	Pass	691
0.15	30	0.01	RMS	29.5	-70.17	-13	Pass	2985
30	1000	0.1	RMS	752.775	-58.53	-13	Pass	9700
1000	3000	1	RMS	2994.997	-46.86	-13	Pass	2000
3000	3690	1	RMS	3687	-44.55	-13	Pass	691
3690	3810	1	RMS	3786.87	13.6	60	Pass	691
3810	6500	1	RMS	3810	-44.99	-13	Pass	2690
6500	38000	1	RMS	37729.991	-27.42	-13	Pass	31500




**20.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.78	-13	Pass	691
0.15	30	0.01	RMS	28.84	-70.46	-13	Pass	2985
30	1000	0.1	RMS	898.29	-58.54	-13	Pass	9700
1000	3000	1	RMS	2993.997	-46.98	-13	Pass	2000
3000	3690	1	RMS	3687	-44.67	-13	Pass	691
3690	3810	1	RMS	3789.652	13.69	60	Pass	691
3810	6500	1	RMS	3810	-38.21	-13	Pass	2690
6500	38000	1	RMS	37796.994	-27.25	-13	Pass	31500




**20.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.27	-13	Pass	691
0.15	30	0.01	RMS	21.537	-70.32	-13	Pass	2985
30	1000	0.1	RMS	964.496	-58.12	-13	Pass	9700
1000	3000	1	RMS	2996.998	-46.85	-13	Pass	2000
3000	3690	1	RMS	3687	-36.85	-13	Pass	691
3690	3810	1	RMS	3718	10.51	60	Pass	691
3810	6500	1	RMS	3815.002	-49.2	-13	Pass	2690
6500	38000	1	RMS	37765.993	-27.09	-13	Pass	31500




**20.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.39	-13	Pass	691
0.15	30	0.01	RMS	23.788	-70.36	-13	Pass	2985
30	1000	0.1	RMS	933.393	-58.04	-13	Pass	9700
1000	3000	1	RMS	3000	-46.72	-13	Pass	2000
3000	3690	1	RMS	3687	-36.76	-13	Pass	691
3690	3810	1	RMS	3721.826	10.35	60	Pass	691
3810	6500	1	RMS	3827.006	-47.78	-13	Pass	2690
6500	38000	1	RMS	37753.992	-27.39	-13	Pass	31500




**20.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.54	-13	Pass	691
0.15	30	0.01	RMS	25.488	-70.12	-13	Pass	2985
30	1000	0.1	RMS	982.898	-58.35	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.86	-13	Pass	2000
3000	3690	1	RMS	3687	-40.56	-13	Pass	691
3690	3810	1	RMS	3741.13	10.25	60	Pass	691
3810	6500	1	RMS	3829.007	-47.88	-13	Pass	2690
6500	38000	1	RMS	37758.992	-27.17	-13	Pass	31500




**20.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.37	-13	Pass	691
0.15	30	0.01	RMS	22.578	-69.41	-13	Pass	2985
30	1000	0.1	RMS	991.099	-57.91	-13	Pass	9700
1000	3000	1	RMS	2992.996	-46.75	-13	Pass	2000
3000	3690	1	RMS	3687	-40.67	-13	Pass	691
3690	3810	1	RMS	3741.304	10.33	60	Pass	691
3810	6500	1	RMS	3826.006	-45.85	-13	Pass	2690
6500	38000	1	RMS	37782.993	-26.62	-13	Pass	31500




**20.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.81	-13	Pass	691
0.15	30	0.01	RMS	22.417	-70.36	-13	Pass	2985
30	1000	0.1	RMS	914.191	-58.29	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.84	-13	Pass	2000
3000	3690	1	RMS	3687	-40.09	-13	Pass	691
3690	3810	1	RMS	3768.609	10.03	60	Pass	691
3810	6500	1	RMS	3815.002	-44.89	-13	Pass	2690
6500	38000	1	RMS	37799.994	-26.97	-13	Pass	31500




**20.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.04	-13	Pass	691
0.15	30	0.01	RMS	28.86	-69.93	-13	Pass	2985
30	1000	0.1	RMS	893.189	-57.83	-13	Pass	9700
1000	3000	1	RMS	2991.996	-46.82	-13	Pass	2000
3000	3690	1	RMS	3687	-40.46	-13	Pass	691
3690	3810	1	RMS	3770.522	10.08	60	Pass	691
3810	6500	1	RMS	3815.002	-44.76	-13	Pass	2690
6500	38000	1	RMS	37811.994	-27.38	-13	Pass	31500




**20.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.91	-13	Pass	691
0.15	30	0.01	RMS	22.247	-69.8	-13	Pass	2985
30	1000	0.1	RMS	886.488	-58.54	-13	Pass	9700
1000	3000	1	RMS	2997.999	-46.9	-13	Pass	2000
3000	3690	1	RMS	3687	-33.69	-13	Pass	691
3690	3810	1	RMS	3734.87	7.08	60	Pass	691
3810	6500	1	RMS	3811	-32.67	-13	Pass	2690
6500	38000	1	RMS	37907.997	-27.25	-13	Pass	31500



**20.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.91	-13	Pass	691
0.15	30	0.01	RMS	0.36	-70.48	-13	Pass	2985
30	1000	0.1	RMS	819.681	-58.36	-13	Pass	9700
1000	3000	1	RMS	3000	-46.69	-13	Pass	2000
3000	3690	1	RMS	3687	-33.04	-13	Pass	691
3690	3810	1	RMS	3734.696	7.05	60	Pass	691
3810	6500	1	RMS	3810	-34.17	-13	Pass	2690
6500	38000	1	RMS	37807.994	-27.35	-13	Pass	31500



END