



Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-47.39	-13
2	0.15	30	10	0.1544775	-52.42	-13
3	30	1000	100	967.796	-56.91	-13
4	1000	10000	1000	7745.275	-44.79	-13

Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.87	-13
2	0.15	30	10	0.15	-49	-13
3	30	1000	100	928.899	-57.25	-13
4	1000	10000	1000	2758.6	-44.48	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00921855	-48.34	-13
2	0.15	30	10	0.16194	-51.37	-13
3	30	1000	100	836.167	-57.64	-13
4	1000	10000	1000	3153.25	-44.54	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00907755	-47.41	-13
2	0.15	30	10	0.15671625	-50.82	-13
3	30	1000	100	977.08375	-57.21	-13
4	1000	10000	1000	7505.875	-44.91	-13


Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01091055	-47.15	-13
2	0.15	30	10	0.15	-51.2	-13
3	30	1000	100	841.18675	-56.33	-13
4	1000	10000	1000	3048.625	-44.21	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009715575	-49.31	-13
2	0.15	30	10	0.15	-49.31	-13
3	30	1000	100	915.53725	-57.01	-13
4	1000	10000	1000	6231.7	-44.7	-13

Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011922225	-49.74	-13
2	0.15	30	10	0.15	-51.44	-13
3	30	1000	100	547.3495	-56.82	-13
4	1000	10000	1000	3422.125	-42.89	-13

Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0125673	-48.98	-13
2	0.15	30	10	0.17014875	-51.88	-13
3	30	1000	100	935.1555	-57.54	-13
4	1000	10000	1000	3509.65	-41.32	-13

Band4 16QAM BW=10MHz Channel=20000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009539325	-47.64	-13
2	0.15	30	10	0.1514925	-50.81	-13
3	30	1000	100	511.72625	-57.49	-13
4	1000	10000	1000	7446.7	-43.77	-13

Band4 16QAM BW=10MHz Channel=20350 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009846	-47.52	-13
2	0.15	30	10	0.15223875	-51.47	-13
3	30	1000	100	740.1855	-57	-13
4	1000	10000	1000	7476.4	-44.35	-13


Band4 16QAM BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 16QAM BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 16QAM BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 16QAM BW=20MHz Channel=20300 RB Size=100 Position=#0




Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010660275	-49.51	-13
2	0.15	30	10	0.15597	-51.93	-13
3	30	1000	100	364.57725	-57.99	-13
4	1000	10000	1000	3421.9	-42.03	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009680325	-48.14	-13
2	0.15	30	10	0.15522375	-50.3	-13
3	30	1000	100	822.75675	-57.18	-13
4	1000	10000	1000	3508.75	-41.66	-13


Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014107725	-50.78	-13
2	0.15	30	10	0.16119375	-50.58	-13
3	30	1000	100	789.3645	-57.22	-13
4	1000	10000	1000	9829	-44.79	-13

Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092961	-47.7	-13
2	0.15	30	10	0.15	-52.18	-13
3	30	1000	100	836.04575	-58.41	-13
4	1000	10000	1000	3132.775	-44.74	-13


Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009680325	-46.18	-13
2	0.15	30	10	0.15597	-50.46	-13
3	30	1000	100	884.473	-56.88	-13
4	1000	10000	1000	6080.05	-44.24	-13

Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009081075	-46.66	-13
2	0.15	30	10	0.1574625	-51.92	-13
3	30	1000	100	793.31725	-57.03	-13
4	1000	10000	1000	3505.825	-42.82	-13


Band4 16QAM BW=1.4MHz Channel=20175 RB Size=6 Position=#0



Band4 16QAM BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 16QAM BW=15MHz Channel=20175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.09	-13
2	0.15	30	10	0.15074625	-50.96	-13
3	30	1000	100	889.15325	-57.25	-13
4	1000	10000	1000	3274.075	-44.56	-13

Band4 16QAM BW=20MHz Channel=20175 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009052875	-48.74	-13
2	0.15	30	10	0.158955	-51.43	-13
3	30	1000	100	770.66775	-58.14	-13
4	1000	10000	1000	5662.45	-44.48	-13


Band4 16QAM BW=3MHz Channel=20175 RB Size=15 Position=#0



Band4 16QAM BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01105155	-49.66	-13
2	0.15	30	10	0.15	-52.72	-13
3	30	1000	100	781.2165	-57.01	-13
4	1000	10000	1000	3465.1	-43.51	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009588675	-50.19	-13
2	0.15	30	10	0.164925	-51.42	-13
3	30	1000	100	952.0335	-57.51	-13
4	1000	10000	1000	5393.125	-43.64	-13


Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096063	-48.44	-13
2	0.15	30	10	0.15	-52.58	-13
3	30	1000	100	817.66425	-58.4	-13
4	1000	10000	1000	1650.475	-40.78	-13

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010632075	-49.07	-13
2	0.15	30	10	0.152985	-51.42	-13
3	30	1000	100	724.3745	-58.44	-13
4	1000	10000	1000	1697.5	-39.6	-13


Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0106356	-48.93	-13
2	0.15	30	10	0.15970125	-50.7	-13
3	30	1000	100	818.2705	-53.77	-13
4	1000	10000	1000	1649.8	-42.88	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092397	-50.1	-13
2	0.15	30	10	0.1514925	-52.5	-13
3	30	1000	100	854.62125	-57.64	-13
4	1000	10000	1000	1697.05	-38.29	-13


Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009525225	-49.87	-13
2	0.15	30	10	0.15820875	-51.94	-13
3	30	1000	100	898.46525	-58.26	-13
4	1000	10000	1000	5117.95	-45.83	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098178	-48.96	-13
2	0.15	30	10	0.15373125	-51.67	-13
3	30	1000	100	915.00375	-57.95	-13
4	1000	10000	1000	1695.925	-42.79	-13


Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01002225	-49.71	-13
2	0.15	30	10	0.15373125	-52.73	-13
3	30	1000	100	902.34525	-58.93	-13
4	1000	10000	1000	1673.2	-42.99	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100716	-49.47	-13
2	0.15	30	10	0.15	-50.25	-13
3	30	1000	100	790.35875	-58.41	-13
4	1000	10000	1000	1673.425	-43.59	-13


Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-49.17	-13
2	0.15	30	10	0.15	-51.91	-13
3	30	1000	100	798.919	-58.13	-13
4	1000	10000	1000	1403.2	-44.02	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009109275	-49.22	-13
2	0.15	30	10	0.1514925	-52.5	-13
3	30	1000	100	767.46675	-57.92	-13
4	1000	10000	1000	2144.575	-41.42	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.77	-13
2	0.15	30	10	0.1753725	-53.42	-13
3	30	1000	100	801.31975	-58.22	-13
4	1000	10000	1000	6215.95	-45.17	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.36	-13
2	0.15	30	10	0.15074625	-51.95	-13
3	30	1000	100	505.22725	-57.11	-13
4	1000	10000	1000	1430.875	-44.06	-13


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.96	-13
2	0.15	30	10	0.16268625	-51.24	-13
3	30	1000	100	499.64975	-57.89	-13
4	1000	10000	1000	1415.125	-45.22	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01037475	-50.64	-13
2	0.15	30	10	0.152985	-52.61	-13
3	30	1000	100	783.27775	-57.06	-13
4	1000	10000	1000	1416.7	-45.18	-13


Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00903525	-49.73	-13
2	0.15	30	10	0.15373125	-52.1	-13
3	30	1000	100	866.14	-58.33	-13
4	1000	10000	1000	5999.95	-45.44	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00907755	-49.3	-13
2	0.15	30	10	0.15	-50.48	-13
3	30	1000	100	516.52775	-58.22	-13
4	1000	10000	1000	1430.2	-43.6	-13


Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0



Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010561575	-48.64	-13
2	0.15	30	10	0.15	-51.66	-13
3	30	1000	100	541.16575	-58.37	-13
4	1000	10000	1000	1414.9	-42.78	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01003635	-49.82	-13
2	0.15	30	10	0.15	-50.93	-13
3	30	1000	100	496.20625	-58.13	-13
4	1000	10000	1000	1415.35	-44.93	-13

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.93	-13
2	0.15	30	10	0.16268625	-50.49	-13
3	30	1000	100	514.78175	-57.53	-13
4	1000	10000	1000	1415.575	-39.07	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095217	-49.45	-13
2	0.15	30	10	0.1604475	-51.55	-13
3	30	1000	100	839.05275	-57.5	-13
4	1000	10000	1000	6236.65	-45.26	-13


Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Band13 16QAM BW=10MHz Channel=23230 RB Size=50 Position=#0



Band13 16QAM BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 16QAM BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010484025	-50.95	-13
2	0.15	30	10	0.1604475	-52	-13
3	30	1000	100	722.3375	-58.12	-13
4	1000	1559	1000	1367.584425	-48.02	-13
5	1559	1610	1000	1568.9144	-41.08	-40
6	1610	10000	1000	7867.05225	-45.02	-13

Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.29	-13
2	0.15	30	10	0.15970125	-53.25	-13
3	30	1000	100	942.64875	-57.01	-13
4	1000	1559	1000	1346.3005	-47.79	-13
5	1559	1610	1000	1568.622425	-41.79	-40
6	1610	10000	1000	3147.4675	-45.36	-13


Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0



Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Band13 16QAM BW=5MHz Channel=23230 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009461775	-48.55	-13
2	0.15	30	10	0.15223875	-52.53	-13
3	30	1000	100	503.28725	-57.69	-13
4	1000	1559	1000	1326.134575	-47.64	-13
5	1559	1610	1000	1567.413725	-41.96	-40
6	1610	10000	1000	6255.75275	-44.85	-13

Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-50.36	-13
2	0.15	30	10	0.15223875	-52.08	-13
3	30	1000	100	540.899	-57.35	-13
4	1000	1559	1000	1339.494675	-49.73	-13
5	1559	1610	1000	1567.66235	-41.98	-40
6	1610	10000	1000	2348.7395	-44.98	-13

FIELD STRENGTH OF SPURIOUS RADIATION

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.10	-27.37	7.00	10.93	-31.30	-13.00	-18.30	H
5551.97	-29.28	8.20	15.11	-36.19	-13.00	-23.19	H
7402.62	-27.57	8.10	18.20	-37.67	-13.00	-24.67	H
3701.10	-28.37	7.00	10.93	-32.30	-13.00	-19.30	V
5551.97	-23.93	8.20	15.11	-30.84	-13.00	-17.84	V
7402.62	-33.37	8.10	18.20	-43.47	-13.00	-30.47	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.01	-31.61	7.00	10.93	-35.54	-13.00	-22.54	H
5639.89	-29.69	8.20	15.11	-36.60	-13.00	-23.60	H
7519.86	-24.58	8.10	18.20	-34.68	-13.00	-21.68	H
3760.01	-32.96	7.00	10.93	-36.89	-13.00	-23.89	V
5639.89	-29.06	8.20	15.11	-35.97	-13.00	-22.97	V
7519.86	-26.73	8.10	18.20	-36.83	-13.00	-23.83	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.48	-27.79	7.00	10.93	-31.72	-13.00	-18.72	H
5727.86	-26.20	8.20	15.11	-33.11	-13.00	-20.11	H
7637.11	-32.94	8.10	18.20	-43.04	-13.00	-30.04	H
3818.48	-23.79	7.00	10.93	-27.72	-13.00	-14.72	V
5727.86	-27.62	8.20	15.11	-34.53	-13.00	-21.53	V
7637.11	-29.33	8.10	18.20	-39.43	-13.00	-26.43	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.24	-26.35	7.00	10.93	-30.28	-13.00	-17.28	H
5557.40	-28.27	8.20	15.11	-35.18	-13.00	-22.18	H
7409.87	-29.04	8.10	18.20	-39.14	-13.00	-26.14	H
3705.24	-33.30	7.00	10.93	-37.23	-13.00	-24.23	V
5557.40	-28.26	8.20	15.11	-35.17	-13.00	-22.17	V
7409.87	-27.86	8.10	18.20	-37.96	-13.00	-24.96	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.14	-30.61	7.00	10.93	-34.54	-13.00	-21.54	H
5640.15	-32.02	8.20	15.11	-38.93	-13.00	-25.93	H
7520.16	-31.21	8.10	18.20	-41.31	-13.00	-28.31	H
3760.14	-31.12	7.00	10.93	-35.05	-13.00	-22.05	V
5640.15	-27.82	8.20	15.11	-34.73	-13.00	-21.73	V
7520.16	-32.49	8.10	18.20	-42.59	-13.00	-29.59	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3815.03	-29.22	7.00	10.93	-33.15	-13.00	-20.15	H
5722.54	-31.98	8.20	15.11	-38.89	-13.00	-25.89	H
7630.09	-31.27	8.10	18.20	-41.37	-13.00	-28.37	H
3815.03	-25.36	7.00	10.93	-29.29	-13.00	-16.29	V
5722.54	-23.75	8.20	15.11	-30.66	-13.00	-17.66	V
7630.09	-32.39	8.10	18.20	-42.49	-13.00	-29.49	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.94	-26.56	7.00	12.93	-32.49	-13.00	-19.49	H
5572.55	-21.55	8.20	17.11	-30.46	-13.00	-17.46	H
7430.36	-24.12	8.10	22.20	-38.22	-13.00	-25.22	H
3714.94	-30.54	7.00	12.93	-36.47	-13.00	-23.47	V
5572.55	-21.72	8.20	17.11	-30.63	-13.00	-17.63	V
7430.36	-22.60	8.10	22.20	-36.70	-13.00	-23.70	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.26	-29.42	7.00	12.93	-35.35	-13.00	-22.35	H
5639.93	-23.61	8.20	17.11	-32.52	-13.00	-19.52	H
7519.95	-25.49	8.10	22.20	-39.59	-13.00	-26.59	H
3760.26	-26.55	7.00	12.93	-32.48	-13.00	-19.48	V
5639.93	-24.67	8.20	17.11	-33.58	-13.00	-20.58	V
7519.95	-24.20	8.10	22.20	-38.30	-13.00	-25.30	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.03	-28.96	7.00	12.93	-34.89	-13.00	-21.89	H
5707.47	-23.35	8.20	17.11	-32.26	-13.00	-19.26	H
7609.96	-24.05	8.10	22.20	-38.15	-13.00	-25.15	H
3805.03	-25.37	7.00	12.93	-31.30	-13.00	-18.30	V
5707.47	-25.65	8.20	17.11	-34.56	-13.00	-21.56	V
7609.96	-24.98	8.10	22.20	-39.08	-13.00	-26.08	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3702.96	-30.82	7.00	10.93	-34.75	-13.00	-21.75	H
5554.49	-23.97	8.20	15.11	-30.88	-13.00	-17.88	H
7406.08	-30.32	8.10	18.20	-40.42	-13.00	-27.42	H
3702.96	-29.53	7.00	10.93	-33.46	-13.00	-20.46	V
5554.49	-24.09	8.20	15.11	-31.00	-13.00	-18.00	V
7406.08	-22.87	8.10	18.20	-32.97	-13.00	-19.97	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.06	-23.91	7.00	10.93	-27.84	-13.00	-14.84	H
5639.81	-28.75	8.20	15.11	-35.66	-13.00	-22.66	H
7519.85	-28.05	8.10	18.20	-38.15	-13.00	-25.15	H
3760.06	-23.39	7.00	10.93	-27.32	-13.00	-14.32	V
5639.81	-26.40	8.20	15.11	-33.31	-13.00	-20.31	V
7519.85	-27.64	8.10	18.20	-37.74	-13.00	-24.74	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3816.98	-32.25	7.00	10.93	-36.18	-13.00	-23.18	H
5725.27	-30.38	8.20	15.11	-37.29	-13.00	-24.29	H
7634.12	-28.74	8.10	18.20	-38.84	-13.00	-25.84	H
3816.98	-29.54	7.00	10.93	-33.47	-13.00	-20.47	V
5725.27	-31.10	8.20	15.11	-38.01	-13.00	-25.01	V
7634.12	-29.84	8.10	18.20	-39.94	-13.00	-26.94	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.10	-31.64	7.00	10.93	-35.57	-13.00	-22.57	H
5565.17	-29.93	8.20	15.11	-36.84	-13.00	-23.84	H
7419.92	-25.99	8.10	18.20	-36.09	-13.00	-23.09	H
3710.10	-29.20	7.00	10.93	-33.13	-13.00	-20.13	V
5565.17	-30.87	8.20	15.11	-37.78	-13.00	-24.78	V
7419.92	-25.48	8.10	18.20	-35.58	-13.00	-22.58	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.23	-28.79	7.00	10.93	-32.72	-13.00	-19.72	H
5640.25	-24.32	8.20	15.11	-31.23	-13.00	-18.23	H
7519.87	-31.69	8.10	18.20	-41.79	-13.00	-28.79	H
3760.23	-27.65	7.00	10.93	-31.58	-13.00	-18.58	V
5640.25	-27.11	8.20	15.11	-34.02	-13.00	-21.02	V
7519.87	-31.64	8.10	18.20	-41.74	-13.00	-28.74	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.39	-24.71	7.00	10.93	-28.64	-13.00	-15.64	H
5714.79	-25.53	8.20	15.11	-32.44	-13.00	-19.44	H
7619.91	-30.94	8.10	18.20	-41.04	-13.00	-28.04	H
3810.39	-25.13	7.00	10.93	-29.06	-13.00	-16.06	V
5714.79	-28.31	8.20	15.11	-35.22	-13.00	-22.22	V
7619.91	-31.96	8.10	18.20	-42.06	-13.00	-29.06	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.42	-26.34	7.00	10.93	-30.27	-13.00	-17.27	H
5580.41	-26.92	8.20	15.11	-33.83	-13.00	-20.83	H
7439.77	-26.54	8.10	18.20	-36.64	-13.00	-23.64	H
3720.42	-24.01	7.00	10.93	-27.94	-13.00	-14.94	V
5580.41	-28.50	8.20	15.11	-35.41	-13.00	-22.41	V
7439.77	-29.75	8.10	18.20	-39.85	-13.00	-26.85	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.88	-26.51	7.00	10.93	-30.44	-13.00	-17.44	H
5639.82	-32.31	8.20	15.11	-39.22	-13.00	-26.22	H
7520.02	-32.23	8.10	18.20	-42.33	-13.00	-29.33	H
3759.88	-32.04	7.00	10.93	-35.97	-13.00	-22.97	V
5639.82	-28.34	8.20	15.11	-35.25	-13.00	-22.25	V
7520.02	-26.41	8.10	18.20	-36.51	-13.00	-23.51	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.90	-28.93	7.00	10.93	-32.86	-13.00	-19.86	H
5699.73	-24.77	8.20	15.11	-31.68	-13.00	-18.68	H
7600.18	-26.89	8.10	18.20	-36.99	-13.00	-23.99	H
3799.90	-28.87	7.00	10.93	-32.80	-13.00	-19.80	V
5699.73	-27.65	8.20	15.11	-34.56	-13.00	-21.56	V
7600.18	-21.83	8.10	18.20	-31.93	-13.00	-18.93	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.01	-34.12	7.20	12.56	-39.48	-13.00	-26.48	H
5131.70	-34.10	8.10	16.32	-42.32	-13.00	-29.32	H
6842.80	-32.35	8.00	21.13	-45.48	-13.00	-32.48	H
3421.01	-35.63	7.20	12.56	-40.99	-13.00	-27.99	V
5131.70	-34.26	8.10	16.32	-42.48	-13.00	-29.48	V
6842.80	-32.35	8.00	21.13	-45.48	-13.00	-32.48	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.82	-34.44	7.20	12.56	-39.80	-13.00	-26.80	H
5196.93	-34.82	8.10	16.32	-43.04	-13.00	-30.04	H
6929.84	-33.64	8.00	21.13	-46.77	-13.00	-33.77	H
3464.82	-35.63	7.20	12.56	-40.99	-13.00	-27.99	V
5196.93	-34.07	8.10	16.32	-42.29	-13.00	-29.29	V
6929.84	-31.90	8.00	21.13	-45.03	-13.00	-32.03	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.44	-34.05	7.20	12.56	-39.41	-13.00	-26.41	H
5262.59	-34.78	8.10	16.32	-43.00	-13.00	-30.00	H
7015.39	-32.30	8.00	21.13	-45.43	-13.00	-32.43	H
3508.44	-35.29	7.20	12.56	-40.65	-13.00	-27.65	V
5262.59	-34.94	8.10	16.32	-43.16	-13.00	-30.16	V
7015.39	-32.44	8.00	21.13	-45.57	-13.00	-32.57	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.83	-34.32	7.20	12.56	-39.68	-13.00	-26.68	H
5137.09	-34.05	8.10	16.32	-42.27	-13.00	-29.27	H
6849.52	-32.30	8.00	21.13	-45.43	-13.00	-32.43	H
3424.83	-35.49	7.20	12.56	-40.85	-13.00	-27.85	V
5137.09	-33.93	8.10	16.32	-42.15	-13.00	-29.15	V
6849.52	-32.41	8.00	21.13	-45.54	-13.00	-32.54	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.63	-34.41	12.90	12.56	-34.07	-13.00	-21.07	H
5196.70	-34.36	13.10	16.32	-37.58	-13.00	-24.58	H
6929.83	-33.25	12.33	21.13	-42.05	-13.00	-29.05	H
3464.63	-35.12	12.90	12.56	-34.78	-13.00	-21.78	V
5196.70	-34.28	13.10	16.32	-37.50	-13.00	-24.50	V
6929.83	-32.89	12.33	21.13	-41.69	-13.00	-28.69	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3504.88	-34.05	7.20	12.56	-39.41	-13.00	-26.41	H
5256.97	-34.48	8.10	16.32	-42.70	-13.00	-29.70	H
7009.92	-33.52	8.00	21.13	-46.65	-13.00	-33.65	H
3504.88	-35.53	7.20	12.56	-40.89	-13.00	-27.89	V
5256.97	-34.17	8.10	16.32	-42.39	-13.00	-29.39	V
7009.92	-32.20	8.00	21.13	-45.33	-13.00	-32.33	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.87	-34.02	7.20	12.56	-39.38	-13.00	-26.38	H
5152.40	-34.57	8.10	16.32	-42.79	-13.00	-29.79	H
6870.61	-33.32	8.00	21.13	-46.45	-13.00	-33.45	H
3434.87	-35.08	7.20	12.56	-40.44	-13.00	-27.44	V
5152.40	-35.18	8.10	16.32	-43.40	-13.00	-30.40	V
6870.61	-32.78	8.00	21.13	-45.91	-13.00	-32.91	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.83	-33.75	7.20	12.56	-39.11	-13.00	-26.11	H
5196.67	-34.19	8.10	16.32	-42.41	-13.00	-29.41	H
6929.94	-32.73	8.00	21.13	-45.86	-13.00	-32.86	H
3464.83	-35.86	7.20	12.56	-41.22	-13.00	-28.22	V
5196.67	-33.97	8.10	16.32	-42.19	-13.00	-29.19	V
6929.94	-32.60	8.00	21.13	-45.73	-13.00	-32.73	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.11	-33.57	7.20	12.56	-38.93	-13.00	-25.93	H
5242.39	-34.80	8.10	16.32	-43.02	-13.00	-30.02	H
6990.08	-33.41	8.00	21.13	-46.54	-13.00	-33.54	H
3495.11	-35.15	7.20	12.56	-40.51	-13.00	-27.51	V
5242.39	-34.11	8.10	16.32	-42.33	-13.00	-29.33	V
6990.08	-32.13	8.00	21.13	-45.26	-13.00	-32.26	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.84	-34.79	7.20	12.56	-40.15	-13.00	-27.15	H
5136.15	-34.90	8.10	16.32	-43.12	-13.00	-30.12	H
6848.50	-32.55	8.00	21.13	-45.68	-13.00	-32.68	H
3423.84	-35.74	7.20	12.56	-41.10	-13.00	-28.10	V
5136.15	-34.83	8.10	16.32	-43.05	-13.00	-30.05	V
6848.50	-33.02	8.00	21.13	-46.15	-13.00	-33.15	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.83	-33.71	7.20	12.56	-39.07	-13.00	-26.07	H
5196.90	-35.36	8.10	16.32	-43.58	-13.00	-30.58	H
6929.83	-32.83	8.00	21.13	-45.96	-13.00	-32.96	H
3464.83	-35.50	7.20	12.56	-40.86	-13.00	-27.86	V
5196.90	-34.01	8.10	16.32	-42.23	-13.00	-29.23	V
6929.83	-33.10	8.00	21.13	-46.23	-13.00	-33.23	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3506.22	-34.85	7.20	12.56	-40.21	-13.00	-27.21	H
5261.58	-34.38	8.10	16.32	-42.60	-13.00	-29.60	H
7012.78	-33.29	8.00	21.13	-46.42	-13.00	-33.42	H
3506.22	-34.75	7.20	12.56	-40.11	-13.00	-27.11	V
5261.58	-34.41	8.10	16.32	-42.63	-13.00	-29.63	V
7012.78	-31.84	8.00	21.13	-44.97	-13.00	-31.97	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.78	-33.45	7.20	12.56	-38.81	-13.00	-25.81	H
5145.05	-34.13	8.10	16.32	-42.35	-13.00	-29.35	H
6860.40	-32.59	8.00	21.13	-45.72	-13.00	-32.72	H
3429.78	-35.98	7.20	12.56	-41.34	-13.00	-28.34	V
5145.05	-34.82	8.10	16.32	-43.04	-13.00	-30.04	V
6860.40	-31.77	8.00	21.13	-44.90	-13.00	-31.90	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.60	-34.94	7.20	12.56	-40.30	-13.00	-27.30	H
5196.62	-35.31	8.10	16.32	-43.53	-13.00	-30.53	H
6929.80	-32.23	8.00	21.13	-45.36	-13.00	-32.36	H
3464.60	-35.48	7.20	12.56	-40.84	-13.00	-27.84	V
5196.62	-34.85	8.10	16.32	-43.07	-13.00	-30.07	V
6929.80	-32.71	8.00	21.13	-45.84	-13.00	-32.84	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.16	-33.76	7.20	12.56	-39.12	-13.00	-26.12	H
5250.08	-35.37	8.10	16.32	-43.59	-13.00	-30.59	H
6999.74	-32.85	8.00	21.13	-45.98	-13.00	-32.98	H
3500.16	-35.84	7.20	12.56	-41.20	-13.00	-28.20	V
5250.08	-34.69	8.10	16.32	-42.91	-13.00	-29.91	V
6999.74	-31.76	8.00	21.13	-44.89	-13.00	-31.89	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.00	-34.74	7.20	12.56	-40.10	-13.00	-27.10	H
5160.09	-34.00	8.10	16.32	-42.22	-13.00	-29.22	H
6880.86	-33.13	8.00	21.13	-46.26	-13.00	-33.26	H
3440.00	-35.31	7.20	12.56	-40.67	-13.00	-27.67	V
5160.09	-33.97	8.10	16.32	-42.19	-13.00	-29.19	V
6880.86	-31.85	8.00	21.13	-44.98	-13.00	-31.98	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.91	-34.31	7.20	12.56	-39.67	-13.00	-26.67	H
5196.69	-34.87	8.10	16.32	-43.09	-13.00	-30.09	H
6929.82	-32.81	8.00	21.13	-45.94	-13.00	-32.94	H
3464.91	-35.32	7.20	12.56	-40.68	-13.00	-27.68	V
5196.69	-34.28	8.10	16.32	-42.50	-13.00	-29.50	V
6929.82	-32.33	8.00	21.13	-45.46	-13.00	-32.46	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.35	-34.75	7.20	12.56	-40.11	-13.00	-27.11	H
5235.06	-34.22	8.10	16.32	-42.44	-13.00	-29.44	H
6979.74	-32.32	8.00	21.13	-45.45	-13.00	-32.45	H
3490.35	-35.24	7.20	12.56	-40.60	-13.00	-27.60	V
5235.06	-34.34	8.10	16.32	-42.56	-13.00	-29.56	V
6979.74	-32.65	8.00	21.13	-45.78	-13.00	-32.78	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.73	-32.45	7.40	9.72	-34.77	-13.00	-21.77	H
2473.51	-33.08	8.25	10.86	-35.69	-13.00	-22.69	H
3298.71	-27.42	7.20	11.57	-31.79	-13.00	-18.79	H
1648.73	-26.87	7.40	9.72	-29.19	-13.00	-16.19	V
2473.51	-32.07	8.25	10.86	-34.68	-13.00	-21.68	V
3298.71	-23.84	7.20	11.57	-28.21	-13.00	-15.21	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.78	-31.20	7.40	9.72	-33.52	-13.00	-20.52	H
2509.03	-27.03	8.25	10.86	-29.64	-13.00	-16.64	H
3345.57	-24.07	7.20	11.57	-28.44	-13.00	-15.44	H
1672.78	-32.76	7.40	9.72	-35.08	-13.00	-22.08	V
2509.03	-24.35	8.25	10.86	-26.96	-13.00	-13.96	V
3345.57	-29.27	7.20	11.57	-33.64	-13.00	-20.64	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.07	-29.70	7.40	9.72	-32.02	-13.00	-19.02	H
2544.39	-27.37	8.25	10.86	-29.98	-13.00	-16.98	H
3393.16	-24.49	7.20	11.57	-28.86	-13.00	-15.86	H
1696.07	-29.66	7.40	9.72	-31.98	-13.00	-18.98	V
2544.39	-31.30	8.25	10.86	-33.91	-13.00	-20.91	V
3393.16	-26.33	7.20	11.57	-30.70	-13.00	-17.70	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.36	-29.20	9.56	9.72	-29.36	-13.00	-16.36	H
2478.77	-30.19	10.50	10.86	-30.55	-13.00	-17.55	H
3305.36	-24.99	12.78	11.57	-23.78	-13.00	-10.78	H
1652.36	-32.97	9.56	9.72	-33.13	-13.00	-20.13	V
2478.77	-25.18	10.50	10.86	-25.54	-13.00	-12.54	V
3305.36	-29.98	12.78	11.57	-28.77	-13.00	-15.77	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.21	-27.82	7.40	9.72	-30.14	-13.00	-17.14	H
2508.97	-26.08	8.25	10.86	-28.69	-13.00	-15.69	H
3345.26	-31.15	7.20	11.57	-35.52	-13.00	-22.52	H
1672.21	-27.31	7.40	9.72	-29.63	-13.00	-16.63	V
2508.97	-30.09	8.25	10.86	-32.70	-13.00	-19.70	V
3345.26	-28.56	7.20	11.57	-32.93	-13.00	-19.93	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.30	-31.74	7.40	9.72	-34.06	-13.00	-21.06	H
2538.79	-24.27	8.25	10.86	-26.88	-13.00	-13.88	H
3385.49	-33.30	7.20	11.57	-37.67	-13.00	-24.67	H
1692.30	-24.00	7.40	9.72	-26.32	-13.00	-13.32	V
2538.79	-26.59	8.25	10.86	-29.20	-13.00	-16.20	V
3385.49	-30.47	7.20	11.57	-34.84	-13.00	-21.84	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.05	-26.84	7.40	9.72	-29.16	-13.00	-16.16	H
2475.96	-27.66	8.25	10.86	-30.27	-13.00	-17.27	H
3301.26	-29.92	7.20	11.57	-34.29	-13.00	-21.29	H
1650.05	-28.83	7.40	9.72	-31.15	-13.00	-18.15	V
2475.96	-29.26	8.25	10.86	-31.87	-13.00	-18.87	V
3301.26	-32.66	7.20	11.57	-37.03	-13.00	-24.03	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.44	-32.52	7.40	9.72	-34.84	-13.00	-21.84	H
2508.74	-30.85	8.25	10.86	-33.46	-13.00	-20.46	H
3345.65	-32.28	7.20	11.57	-36.65	-13.00	-23.65	H
1672.44	-23.47	7.40	9.72	-25.79	-13.00	-12.79	V
2508.74	-28.83	8.25	10.86	-31.44	-13.00	-18.44	V
3345.65	-29.89	7.20	11.57	-34.26	-13.00	-21.26	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.51	-30.37	7.40	9.72	-32.69	-13.00	-19.69	H
2542.14	-28.98	8.25	10.86	-31.59	-13.00	-18.59	H
3389.05	-30.95	7.20	11.57	-35.32	-13.00	-22.32	H
1694.51	-33.17	7.40	9.72	-35.49	-13.00	-22.49	V
2542.14	-32.34	8.25	10.86	-34.95	-13.00	-21.95	V
3389.05	-29.57	7.20	11.57	-33.94	-13.00	-20.94	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.48	-32.06	7.40	9.72	-34.38	-13.00	-21.38	H
2486.38	-30.93	8.25	10.86	-33.54	-13.00	-20.54	H
3315.17	-31.07	7.20	11.57	-35.44	-13.00	-22.44	H
1657.48	-30.98	7.40	9.72	-33.30	-13.00	-20.30	V
2486.38	-27.85	8.25	10.86	-30.46	-13.00	-17.46	V
3315.17	-27.23	7.20	11.57	-31.60	-13.00	-18.60	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.59	-28.68	7.40	9.72	-31.00	-13.00	-18.00	H
2508.98	-27.17	8.25	10.86	-29.78	-13.00	-16.78	H
3345.12	-25.63	7.20	11.57	-30.00	-13.00	-17.00	H
1672.59	-29.82	7.40	9.72	-32.14	-13.00	-19.14	V
2508.98	-24.60	8.25	10.86	-27.21	-13.00	-14.21	V
3345.12	-25.03	7.20	11.57	-29.40	-13.00	-16.40	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.65	-31.04	7.40	9.72	-33.36	-13.00	-20.36	H
2531.33	-33.22	8.25	10.86	-35.83	-13.00	-22.83	H
3375.75	-30.93	7.20	11.57	-35.30	-13.00	-22.30	H
1687.65	-26.63	7.40	9.72	-28.95	-13.00	-15.95	V
2531.33	-24.35	8.25	10.86	-26.96	-13.00	-13.96	V
3375.75	-23.93	7.20	11.57	-28.30	-13.00	-15.30	V

LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1399.23	-34.78	6.70	9.34	-37.42	-13.00	-24.42	H
2098.97	-34.19	7.80	10.42	-36.81	-13.00	-23.81	H
2798.35	-33.63	8.00	11.12	-36.75	-13.00	-23.75	H
1399.23	-35.38	6.70	9.34	-38.02	-13.00	-25.02	V
2098.97	-35.21	7.80	10.42	-37.83	-13.00	-24.83	V
2798.35	-32.26	8.00	11.12	-35.38	-13.00	-22.38	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.83	-34.46	6.70	9.34	-37.10	-13.00	-24.10	H
2122.07	-35.28	7.80	10.42	-37.90	-13.00	-24.90	H
2829.81	-33.09	8.00	11.12	-36.21	-13.00	-23.21	H
1414.83	-35.93	6.70	9.34	-38.57	-13.00	-25.57	V
2122.07	-33.76	7.80	10.42	-36.38	-13.00	-23.38	V
2829.81	-33.03	8.00	11.12	-36.15	-13.00	-23.15	V
LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1430.52	-33.59	6.70	9.34	-36.23	-13.00	-23.23	H
2145.42	-34.13	7.80	10.42	-36.75	-13.00	-23.75	H
2860.84	-33.30	8.00	11.12	-36.42	-13.00	-23.42	H
1430.52	-35.61	6.70	9.34	-38.25	-13.00	-25.25	V
2145.42	-35.18	7.80	10.42	-37.80	-13.00	-24.80	V
2860.84	-31.84	8.00	11.12	-34.96	-13.00	-21.96	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1402.66	-34.68	6.70	9.34	-37.32	-13.00	-24.32	H
2104.30	-34.11	7.80	10.42	-36.73	-13.00	-23.73	H
2805.63	-33.64	8.00	11.12	-36.76	-13.00	-23.76	H
1402.66	-35.18	6.70	9.34	-37.82	-13.00	-24.82	V
2104.30	-33.78	7.80	10.42	-36.40	-13.00	-23.40	V
2805.63	-32.57	8.00	11.12	-35.69	-13.00	-22.69	V

LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.93	-33.82	6.70	9.34	-36.46	-13.00	-23.46	H
2122.44	-34.10	7.80	10.42	-36.72	-13.00	-23.72	H
2829.98	-32.58	8.00	11.12	-35.70	-13.00	-22.70	H
1414.93	-34.61	6.70	9.34	-37.25	-13.00	-24.25	V
2122.44	-34.86	7.80	10.42	-37.48	-13.00	-24.48	V
2829.98	-32.24	8.00	11.12	-35.36	-13.00	-22.36	V
LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.87	-34.49	6.70	9.34	-37.13	-13.00	-24.13	H
2140.16	-34.69	7.80	10.42	-37.31	-13.00	-24.31	H
2853.67	-33.23	8.00	11.12	-36.35	-13.00	-23.35	H
1426.87	-35.75	6.70	9.34	-38.39	-13.00	-25.39	V
2140.16	-34.77	7.80	10.42	-37.39	-13.00	-24.39	V
2853.67	-32.27	8.00	11.12	-35.39	-13.00	-22.39	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1400.76	-33.63	6.70	9.34	-36.27	-13.00	-23.27	H
2101.22	-34.62	7.80	10.42	-37.24	-13.00	-24.24	H
2801.54	-33.22	8.00	11.12	-36.34	-13.00	-23.34	H
1400.76	-34.62	6.70	9.34	-37.26	-13.00	-24.26	V
2101.22	-34.71	7.80	10.42	-37.33	-13.00	-24.33	V
2801.54	-32.40	8.00	11.12	-35.52	-13.00	-22.52	V
LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.55	-34.20	6.70	9.34	-36.84	-13.00	-23.84	H
2122.48	-34.01	7.80	10.42	-36.63	-13.00	-23.63	H
2829.99	-32.56	8.00	11.12	-35.68	-13.00	-22.68	H
1414.55	-34.72	6.70	9.34	-37.36	-13.00	-24.36	V
2122.48	-34.39	7.80	10.42	-37.01	-13.00	-24.01	V
2829.99	-32.49	8.00	11.12	-35.61	-13.00	-22.61	V

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1428.63	-34.90	6.70	9.34	-37.54	-13.00	-24.54	H
2143.26	-34.96	7.80	10.42	-37.58	-13.00	-24.58	H
2857.68	-32.49	8.00	11.12	-35.61	-13.00	-22.61	H
1428.63	-34.67	6.70	9.34	-37.31	-13.00	-24.31	V
2143.26	-34.00	7.80	10.42	-36.62	-13.00	-23.62	V
2857.68	-33.19	8.00	11.12	-36.31	-13.00	-23.31	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.53	-33.70	6.70	9.34	-36.34	-13.00	-23.34	H
2111.80	-34.05	7.80	10.42	-36.67	-13.00	-23.67	H
2815.83	-33.20	8.00	11.12	-36.32	-13.00	-23.32	H
1407.53	-35.06	6.70	9.34	-37.70	-13.00	-24.70	V
2111.80	-35.05	7.80	10.42	-37.67	-13.00	-24.67	V
2815.83	-32.47	8.00	11.12	-35.59	-13.00	-22.59	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.55	-34.01	6.70	9.34	-36.65	-13.00	-23.65	H
2122.07	-35.16	7.80	10.42	-37.78	-13.00	-24.78	H
2829.95	-32.51	8.00	11.12	-35.63	-13.00	-22.63	H
1414.55	-34.83	6.70	9.34	-37.47	-13.00	-24.47	V
2122.07	-33.96	7.80	10.42	-36.58	-13.00	-23.58	V
2829.95	-32.60	8.00	11.12	-35.72	-13.00	-22.72	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.58	-34.78	6.70	9.34	-37.42	-13.00	-24.42	H
2132.98	-34.40	7.80	10.42	-37.02	-13.00	-24.02	H
2843.72	-33.53	8.00	11.12	-36.65	-13.00	-23.65	H
1421.58	-35.16	6.70	9.34	-37.80	-13.00	-24.80	V
2132.98	-34.16	7.80	10.42	-36.78	-13.00	-23.78	V
2843.72	-32.32	8.00	11.12	-35.44	-13.00	-22.44	V

LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1559.36	-48.62	7.20	9.72	-51.14	-40.00	-11.14	H
2338.28	-47.38	8.30	10.86	-49.94	-13.00	-36.94	H
3118.08	-45.78	7.70	11.57	-49.65	-13.00	-36.65	H
1559.36	-47.95	7.20	9.72	-50.47	-40.00	-10.47	V
2338.28	-46.90	8.30	10.86	-49.46	-13.00	-36.46	V
3118.08	-45.85	7.70	11.57	-49.72	-13.00	-36.72	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.17	-48.56	7.20	9.72	-51.08	-40.00	-11.08	H
2345.69	-46.87	8.30	10.86	-49.43	-13.00	-36.43	H
3128.22	-46.22	7.70	11.57	-50.09	-13.00	-37.09	H
1564.17	-48.27	7.20	9.72	-50.79	-40.00	-10.79	V
2345.69	-46.88	8.30	10.86	-49.44	-13.00	-36.44	V
3128.22	-46.12	7.70	11.57	-49.99	-13.00	-36.99	V
LTE Band 13 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1569.08	-47.92	7.20	9.72	-50.44	-40.00	-10.44	H
2353.47	-46.03	8.30	10.86	-48.59	-13.00	-35.59	H
3138.05	-45.49	7.70	11.57	-49.36	-13.00	-36.36	H
1569.08	-47.57	7.20	9.72	-50.09	-40.00	-10.09	V
2353.47	-46.31	8.30	10.86	-48.87	-13.00	-35.87	V
3138.05	-45.23	7.70	11.57	-49.10	-13.00	-36.10	V
LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1564.09	-48.30	7.20	9.72	-50.82	-40.00	-10.82	H
2346.20	-47.02	8.30	10.86	-49.58	-13.00	-36.58	H
3127.73	-46.44	7.70	11.57	-50.31	-13.00	-37.31	H
1564.09	-48.59	7.20	9.72	-51.11	-40.00	-11.11	V
2346.20	-46.18	8.30	10.86	-48.74	-13.00	-35.74	V
3127.73	-45.53	7.70	11.57	-49.40	-13.00	-36.40	V

※※※※※END OF THE REPORT※※※※※