

8.5 Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	64QAM	18607	1RB#0	30~1000MHz	-48.28	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	1000~26000MHz	-31.92	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	30~1000MHz	-48.62	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	1000~26000MHz	-31.68	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	30~1000MHz	-48.54	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	1000~26000MHz	-31.57	PASS
Band2	3MHz	64QAM	18615	1RB#0	30~1000MHz	-47.77	PASS
Band2	3MHz	64QAM	18615	1RB#0	1000~26000MHz	-31.77	PASS
Band2	3MHz	64QAM	18900	1RB#0	30~1000MHz	-48.19	PASS
Band2	3MHz	64QAM	18900	1RB#0	1000~26000MHz	-31.53	PASS
Band2	3MHz	64QAM	19185	1RB#0	30~1000MHz	-48.36	PASS
Band2	3MHz	64QAM	19185	1RB#0	1000~26000MHz	-31.90	PASS
Band2	5MHz	64QAM	18625	1RB#0	30~1000MHz	-47.99	PASS
Band2	5MHz	64QAM	18625	1RB#0	1000~26000MHz	-31.75	PASS
Band2	5MHz	64QAM	18900	1RB#0	30~1000MHz	-48.10	PASS
Band2	5MHz	64QAM	18900	1RB#0	1000~26000MHz	-31.88	PASS
Band2	5MHz	64QAM	19175	1RB#0	30~1000MHz	-47.96	PASS
Band2	5MHz	64QAM	19175	1RB#0	1000~26000MHz	-31.74	PASS
Band2	10MHz	64QAM	18650	1RB#0	30~1000MHz	-48.50	PASS
Band2	10MHz	64QAM	18650	1RB#0	1000~26000MHz	-31.93	PASS
Band2	10MHz	64QAM	18900	1RB#0	30~1000MHz	-48.24	PASS
Band2	10MHz	64QAM	18900	1RB#0	1000~26000MHz	-31.98	PASS
Band2	10MHz	64QAM	19150	1RB#0	30~1000MHz	-48.60	PASS
Band2	10MHz	64QAM	19150	1RB#0	1000~26000MHz	-31.96	PASS
Band2	15MHz	64QAM	18675	1RB#0	30~1000MHz	-48.47	PASS
Band2	15MHz	64QAM	18675	1RB#0	1000~26000MHz	-31.82	PASS
Band2	15MHz	64QAM	18900	1RB#0	30~1000MHz	-47.92	PASS
Band2	15MHz	64QAM	18900	1RB#0	1000~26000MHz	-32.11	PASS
Band2	15MHz	64QAM	19125	1RB#0	30~1000MHz	-48.12	PASS
Band2	15MHz	64QAM	19125	1RB#0	1000~26000MHz	-31.91	PASS
Band2	20MHz	64QAM	18700	1RB#0	30~1000MHz	-48.56	PASS
Band2	20MHz	64QAM	18700	1RB#0	1000~26000MHz	-32.12	PASS
Band2	20MHz	64QAM	18900	1RB#0	30~1000MHz	-48.05	PASS
Band2	20MHz	64QAM	18900	1RB#0	1000~26000MHz	-31.91	PASS
Band2	20MHz	64QAM	19100	1RB#0	30~1000MHz	-48.56	PASS
Band2	20MHz	64QAM	19100	1RB#0	1000~26000MHz	-31.85	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	30~1000MHz	-48.86	PASS

Band4	1.4MHz	64QAM	19957	1RB#0	1000~26000MHz	-31.99	PASS
Band4	1.4MHz	64QAM	20175	1RB#0	30~1000MHz	-48.03	PASS
Band4	1.4MHz	64QAM	20175	1RB#0	1000~26000MHz	-32.01	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	30~1000MHz	-48.49	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	1000~26000MHz	-32.08	PASS
Band4	3MHz	64QAM	19965	1RB#0	30~1000MHz	-48.53	PASS
Band4	3MHz	64QAM	19965	1RB#0	1000~26000MHz	-32.02	PASS
Band4	3MHz	64QAM	20175	1RB#0	30~1000MHz	-48.51	PASS
Band4	3MHz	64QAM	20175	1RB#0	1000~26000MHz	-31.93	PASS
Band4	3MHz	64QAM	20385	1RB#0	30~1000MHz	-48.71	PASS
Band4	3MHz	64QAM	20385	1RB#0	1000~26000MHz	-32.07	PASS
Band4	5MHz	64QAM	19975	1RB#0	30~1000MHz	-48.28	PASS
Band4	5MHz	64QAM	19975	1RB#0	1000~26000MHz	-31.98	PASS
Band4	5MHz	64QAM	20175	1RB#0	30~1000MHz	-48.42	PASS
Band4	5MHz	64QAM	20175	1RB#0	1000~26000MHz	-32.00	PASS
Band4	5MHz	64QAM	20375	1RB#0	30~1000MHz	-47.90	PASS
Band4	5MHz	64QAM	20375	1RB#0	1000~26000MHz	-31.93	PASS
Band4	10MHz	64QAM	20000	1RB#0	30~1000MHz	-47.85	PASS
Band4	10MHz	64QAM	20000	1RB#0	1000~26000MHz	-31.92	PASS
Band4	10MHz	64QAM	20175	1RB#0	30~1000MHz	-48.45	PASS
Band4	10MHz	64QAM	20175	1RB#0	1000~26000MHz	-31.88	PASS
Band4	10MHz	64QAM	20350	1RB#0	30~1000MHz	-48.20	PASS
Band4	10MHz	64QAM	20350	1RB#0	1000~26000MHz	-32.16	PASS
Band4	15MHz	64QAM	20025	1RB#0	30~1000MHz	-48.25	PASS
Band4	15MHz	64QAM	20025	1RB#0	1000~26000MHz	-31.97	PASS
Band4	15MHz	64QAM	20175	1RB#0	30~1000MHz	-48.56	PASS
Band4	15MHz	64QAM	20175	1RB#0	1000~26000MHz	-32.06	PASS
Band4	15MHz	64QAM	20325	1RB#0	30~1000MHz	-48.27	PASS
Band4	15MHz	64QAM	20325	1RB#0	1000~26000MHz	-31.79	PASS
Band4	20MHz	64QAM	20050	1RB#0	30~1000MHz	-47.90	PASS
Band4	20MHz	64QAM	20050	1RB#0	1000~26000MHz	-32.07	PASS
Band4	20MHz	64QAM	20175	1RB#0	30~1000MHz	-47.71	PASS
Band4	20MHz	64QAM	20175	1RB#0	1000~26000MHz	-32.04	PASS
Band4	20MHz	64QAM	20300	1RB#0	30~1000MHz	-48.85	PASS
Band4	20MHz	64QAM	20300	1RB#0	1000~26000MHz	-31.84	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	30~1000MHz	-48.46	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	1000~26000MHz	-31.88	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	30~1000MHz	-48.87	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	1000~26000MHz	-31.83	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	30~1000MHz	-48.78	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	1000~26000MHz	-31.93	PASS
Band5	3MHz	64QAM	20415	1RB#0	30~1000MHz	-48.57	PASS
Band5	3MHz	64QAM	20415	1RB#0	1000~26000MHz	-31.77	PASS
Band5	3MHz	64QAM	20525	1RB#0	30~1000MHz	-48.09	PASS
Band5	3MHz	64QAM	20525	1RB#0	1000~26000MHz	-31.70	PASS


Band5	3MHz	64QAM	20635	1RB#0	30~1000MHz	-48.84	PASS
Band5	3MHz	64QAM	20635	1RB#0	1000~26000MHz	-31.81	PASS
Band5	5MHz	64QAM	20425	1RB#0	30~1000MHz	-48.75	PASS
Band5	5MHz	64QAM	20425	1RB#0	1000~26000MHz	-31.82	PASS
Band5	5MHz	64QAM	20525	1RB#0	30~1000MHz	-48.80	PASS
Band5	5MHz	64QAM	20525	1RB#0	1000~26000MHz	-31.83	PASS
Band5	5MHz	64QAM	20625	1RB#0	30~1000MHz	-48.57	PASS
Band5	5MHz	64QAM	20625	1RB#0	1000~26000MHz	-31.83	PASS
Band5	10MHz	64QAM	20450	1RB#0	30~1000MHz	-48.36	PASS
Band5	10MHz	64QAM	20450	1RB#0	1000~26000MHz	-31.62	PASS
Band5	10MHz	64QAM	20525	1RB#0	30~1000MHz	-48.75	PASS
Band5	10MHz	64QAM	20525	1RB#0	1000~26000MHz	-31.48	PASS
Band5	10MHz	64QAM	20600	1RB#0	30~1000MHz	-48.65	PASS
Band5	10MHz	64QAM	20600	1RB#0	1000~26000MHz	-31.71	PASS
Band7	5MHz	64QAM	20775	1RB#0	30~1000MHz	-51.24	PASS
Band7	5MHz	64QAM	20775	1RB#0	1000~26000MHz	-35.94	PASS
Band7	5MHz	64QAM	21100	1RB#0	30~1000MHz	-52.25	PASS
Band7	5MHz	64QAM	21100	1RB#0	1000~26000MHz	-36.17	PASS
Band7	5MHz	64QAM	21425	1RB#0	30~1000MHz	-51.82	PASS
Band7	5MHz	64QAM	21425	1RB#0	1000~26000MHz	-35.94	PASS
Band7	10MHz	64QAM	20800	1RB#0	30~1000MHz	-52.36	PASS
Band7	10MHz	64QAM	20800	1RB#0	1000~26000MHz	-36.04	PASS
Band7	10MHz	64QAM	21100	1RB#0	30~1000MHz	-52.47	PASS
Band7	10MHz	64QAM	21100	1RB#0	1000~26000MHz	-36.05	PASS
Band7	10MHz	64QAM	21400	1RB#0	30~1000MHz	-52.80	PASS
Band7	10MHz	64QAM	21400	1RB#0	1000~26000MHz	-35.96	PASS
Band7	15MHz	64QAM	20825	1RB#0	30~1000MHz	-52.40	PASS
Band7	15MHz	64QAM	20825	1RB#0	1000~26000MHz	-36.05	PASS
Band7	15MHz	64QAM	21100	1RB#0	30~1000MHz	-52.27	PASS
Band7	15MHz	64QAM	21100	1RB#0	1000~26000MHz	-36.09	PASS
Band7	15MHz	64QAM	21375	1RB#0	30~1000MHz	-52.42	PASS
Band7	15MHz	64QAM	21375	1RB#0	1000~26000MHz	-35.87	PASS
Band7	20MHz	64QAM	20850	1RB#0	30~1000MHz	-52.24	PASS
Band7	20MHz	64QAM	20850	1RB#0	1000~26000MHz	-35.88	PASS
Band7	20MHz	64QAM	21100	1RB#0	30~1000MHz	-52.39	PASS
Band7	20MHz	64QAM	21100	1RB#0	1000~26000MHz	-36.02	PASS
Band7	20MHz	64QAM	21350	1RB#0	30~1000MHz	-52.11	PASS
Band7	20MHz	64QAM	21350	1RB#0	1000~26000MHz	-35.86	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	30~1000MHz	-48.24	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	1000~26000MHz	-31.77	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	30~1000MHz	-48.67	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	1000~26000MHz	-31.73	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	30~1000MHz	-47.57	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	1000~26000MHz	-31.79	PASS
Band12	3MHz	64QAM	23025	1RB#0	30~1000MHz	-47.70	PASS

Band12	3MHz	64QAM	23025	1RB#0	1000~26000MHz	-31.62	PASS
Band12	3MHz	64QAM	23095	1RB#0	30~1000MHz	-48.78	PASS
Band12	3MHz	64QAM	23095	1RB#0	1000~26000MHz	-31.72	PASS
Band12	3MHz	64QAM	23165	1RB#0	30~1000MHz	-48.36	PASS
Band12	3MHz	64QAM	23165	1RB#0	1000~26000MHz	-31.61	PASS
Band12	5MHz	64QAM	23035	1RB#0	30~1000MHz	-47.98	PASS
Band12	5MHz	64QAM	23035	1RB#0	1000~26000MHz	-31.79	PASS
Band12	5MHz	64QAM	23095	1RB#0	30~1000MHz	-48.69	PASS
Band12	5MHz	64QAM	23095	1RB#0	1000~26000MHz	-31.73	PASS
Band12	5MHz	64QAM	23155	1RB#0	30~1000MHz	-48.69	PASS
Band12	5MHz	64QAM	23155	1RB#0	1000~26000MHz	-31.61	PASS
Band12	10MHz	64QAM	23060	1RB#0	30~1000MHz	-48.00	PASS
Band12	10MHz	64QAM	23060	1RB#0	1000~26000MHz	-31.82	PASS
Band12	10MHz	64QAM	23095	1RB#0	30~1000MHz	-48.64	PASS
Band12	10MHz	64QAM	23095	1RB#0	1000~26000MHz	-31.67	PASS
Band12	10MHz	64QAM	23130	1RB#0	30~1000MHz	-48.54	PASS
Band12	10MHz	64QAM	23130	1RB#0	1000~26000MHz	-31.67	PASS
Band17	5MHz	64QAM	23755	1RB#0	30~1000MHz	-48.51	PASS
Band17	5MHz	64QAM	23755	1RB#0	1000~26000MHz	-31.81	PASS
Band17	5MHz	64QAM	23790	1RB#0	30~1000MHz	-48.18	PASS
Band17	5MHz	64QAM	23790	1RB#0	1000~26000MHz	-31.81	PASS
Band17	5MHz	64QAM	23825	1RB#0	30~1000MHz	-48.35	PASS
Band17	5MHz	64QAM	23825	1RB#0	1000~26000MHz	-31.76	PASS
Band17	10MHz	64QAM	23780	1RB#0	30~1000MHz	-48.21	PASS
Band17	10MHz	64QAM	23780	1RB#0	1000~26000MHz	-31.72	PASS
Band17	10MHz	64QAM	23790	1RB#0	30~1000MHz	-47.67	PASS
Band17	10MHz	64QAM	23790	1RB#0	1000~26000MHz	-31.72	PASS
Band17	10MHz	64QAM	23800	1RB#0	30~1000MHz	-47.85	PASS
Band17	10MHz	64QAM	23800	1RB#0	1000~26000MHz	-31.65	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	30~1000MHz	-47.87	PASS
Band25	1.4MHz	64QAM	26047	1RB#0	1000~26000MHz	-31.79	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	30~1000MHz	-48.14	PASS
Band25	1.4MHz	64QAM	26365	1RB#0	1000~26000MHz	-31.88	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	30~1000MHz	-47.91	PASS
Band25	1.4MHz	64QAM	26683	1RB#0	1000~26000MHz	-31.78	PASS
Band25	3MHz	64QAM	26055	1RB#0	30~1000MHz	-48.35	PASS
Band25	3MHz	64QAM	26055	1RB#0	1000~26000MHz	-31.74	PASS
Band25	3MHz	64QAM	26365	1RB#0	30~1000MHz	-48.15	PASS
Band25	3MHz	64QAM	26365	1RB#0	1000~26000MHz	-31.71	PASS
Band25	3MHz	64QAM	26675	1RB#0	30~1000MHz	-47.97	PASS
Band25	3MHz	64QAM	26675	1RB#0	1000~26000MHz	-31.85	PASS
Band25	5MHz	64QAM	26065	1RB#0	30~1000MHz	-48.55	PASS
Band25	5MHz	64QAM	26065	1RB#0	1000~26000MHz	-31.62	PASS
Band25	5MHz	64QAM	26365	1RB#0	30~1000MHz	-48.35	PASS
Band25	5MHz	64QAM	26365	1RB#0	1000~26000MHz	-31.83	PASS

Band25	5MHz	64QAM	26665	1RB#0	30~1000MHz	-47.62	PASS
Band25	5MHz	64QAM	26665	1RB#0	1000~26000MHz	-31.84	PASS
Band25	10MHz	64QAM	26090	1RB#0	30~1000MHz	-47.98	PASS
Band25	10MHz	64QAM	26090	1RB#0	1000~26000MHz	-31.76	PASS
Band25	10MHz	64QAM	26365	1RB#0	30~1000MHz	-48.99	PASS
Band25	10MHz	64QAM	26365	1RB#0	1000~26000MHz	-31.67	PASS
Band25	10MHz	64QAM	26640	1RB#0	30~1000MHz	-47.97	PASS
Band25	10MHz	64QAM	26640	1RB#0	1000~26000MHz	-31.76	PASS
Band25	15MHz	64QAM	26115	1RB#0	30~1000MHz	-48.59	PASS
Band25	15MHz	64QAM	26115	1RB#0	1000~26000MHz	-31.69	PASS
Band25	15MHz	64QAM	26365	1RB#0	30~1000MHz	-47.07	PASS
Band25	15MHz	64QAM	26365	1RB#0	1000~26000MHz	-31.64	PASS
Band25	15MHz	64QAM	26615	1RB#0	30~1000MHz	-48.10	PASS
Band25	15MHz	64QAM	26615	1RB#0	1000~26000MHz	-31.68	PASS
Band25	20MHz	64QAM	26140	1RB#0	30~1000MHz	-48.26	PASS
Band25	20MHz	64QAM	26140	1RB#0	1000~26000MHz	-31.60	PASS
Band25	20MHz	64QAM	26365	1RB#0	30~1000MHz	-48.53	PASS
Band25	20MHz	64QAM	26365	1RB#0	1000~26000MHz	-31.76	PASS
Band25	20MHz	64QAM	26590	1RB#0	30~1000MHz	-47.30	PASS
Band25	20MHz	64QAM	26590	1RB#0	1000~26000MHz	-31.66	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	30~1000MHz	-48.66	PASS
Band26	1.4MHz	64QAM	26797	1RB#0	1000~26000MHz	-31.57	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	30~1000MHz	-48.97	PASS
Band26	1.4MHz	64QAM	26915	1RB#0	1000~26000MHz	-31.42	PASS
Band26	1.4MHz	64QAM	27033	1RB#0	30~1000MHz	-47.81	PASS
Band26	1.4MHz	64QAM	27033	1RB#0	1000~26000MHz	-31.69	PASS
Band26	3MHz	64QAM	26805	1RB#0	30~1000MHz	-47.52	PASS
Band26	3MHz	64QAM	26805	1RB#0	1000~26000MHz	-31.76	PASS
Band26	3MHz	64QAM	26915	1RB#0	30~1000MHz	-48.28	PASS
Band26	3MHz	64QAM	26915	1RB#0	1000~26000MHz	-31.68	PASS
Band26	3MHz	64QAM	27025	1RB#0	30~1000MHz	-48.49	PASS
Band26	3MHz	64QAM	27025	1RB#0	1000~26000MHz	-31.85	PASS
Band26	5MHz	64QAM	26815	1RB#0	30~1000MHz	-48.64	PASS
Band26	5MHz	64QAM	26815	1RB#0	1000~26000MHz	-31.76	PASS
Band26	5MHz	64QAM	26915	1RB#0	30~1000MHz	-48.65	PASS
Band26	5MHz	64QAM	26915	1RB#0	1000~26000MHz	-31.71	PASS
Band26	5MHz	64QAM	27015	1RB#0	30~1000MHz	-48.67	PASS
Band26	5MHz	64QAM	27015	1RB#0	1000~26000MHz	-31.48	PASS
Band26	10MHz	64QAM	26840	1RB#0	30~1000MHz	-48.31	PASS
Band26	10MHz	64QAM	26840	1RB#0	1000~26000MHz	-31.66	PASS
Band26	10MHz	64QAM	26915	1RB#0	30~1000MHz	-47.73	PASS
Band26	10MHz	64QAM	26915	1RB#0	1000~26000MHz	-31.54	PASS
Band26	10MHz	64QAM	26990	1RB#0	30~1000MHz	-48.18	PASS
Band26	10MHz	64QAM	26990	1RB#0	1000~26000MHz	-31.91	PASS
Band26	15MHz	64QAM	26865	1RB#0	30~1000MHz	-47.92	PASS

Band26	15MHz	64QAM	26865	1RB#0	1000~26000MHz	-31.73	PASS
Band26	15MHz	64QAM	26915	1RB#0	30~1000MHz	-48.87	PASS
Band26	15MHz	64QAM	26915	1RB#0	1000~26000MHz	-31.69	PASS
Band26	15MHz	64QAM	26965	1RB#0	30~1000MHz	-49.09	PASS
Band26	15MHz	64QAM	26965	1RB#0	1000~26000MHz	-31.57	PASS
Band41	5MHz	64QAM	40265	1RB#0	30~1000MHz	-52.70	PASS
Band41	5MHz	64QAM	40265	1RB#0	1000~26000MHz	-36.06	PASS
Band41	5MHz	64QAM	40740	1RB#0	30~1000MHz	-52.20	PASS
Band41	5MHz	64QAM	40740	1RB#0	1000~26000MHz	-35.97	PASS
Band41	5MHz	64QAM	41215	1RB#0	30~1000MHz	-52.29	PASS
Band41	5MHz	64QAM	41215	1RB#0	1000~26000MHz	-35.90	PASS
Band41	10MHz	64QAM	40290	1RB#0	30~1000MHz	-52.40	PASS
Band41	10MHz	64QAM	40290	1RB#0	1000~26000MHz	-36.14	PASS
Band41	10MHz	64QAM	40740	1RB#0	30~1000MHz	-52.18	PASS
Band41	10MHz	64QAM	40740	1RB#0	1000~26000MHz	-36.19	PASS
Band41	10MHz	64QAM	41190	1RB#0	30~1000MHz	-52.87	PASS
Band41	10MHz	64QAM	41190	1RB#0	1000~26000MHz	-36.05	PASS
Band41	15MHz	64QAM	40315	1RB#0	30~1000MHz	-52.04	PASS
Band41	15MHz	64QAM	40315	1RB#0	1000~26000MHz	-35.86	PASS
Band41	15MHz	64QAM	40740	1RB#0	30~1000MHz	-52.46	PASS
Band41	15MHz	64QAM	40740	1RB#0	1000~26000MHz	-35.85	PASS
Band41	15MHz	64QAM	41165	1RB#0	30~1000MHz	-52.51	PASS
Band41	15MHz	64QAM	41165	1RB#0	1000~26000MHz	-35.94	PASS
Band41	20MHz	64QAM	40340	1RB#0	30~1000MHz	-51.85	PASS
Band41	20MHz	64QAM	40340	1RB#0	1000~26000MHz	-35.90	PASS
Band41	20MHz	64QAM	40740	1RB#0	30~1000MHz	-52.37	PASS
Band41	20MHz	64QAM	40740	1RB#0	1000~26000MHz	-36.04	PASS
Band41	20MHz	64QAM	41140	1RB#0	30~1000MHz	-52.12	PASS
Band41	20MHz	64QAM	41140	1RB#0	1000~26000MHz	-35.90	PASS


Test Graphs



Band2-1.4MHz-64QAM-18607-1RB#0-30~1000MHz




Band2-1.4MHz-64QAM-18607-1RB#0-1000~26000MHz



Band2-1.4MHz-64QAM-18900-1RB#0-30~1000MHz




Band2-1.4MHz-64QAM-18900-1RB#0-1000~26000MHz



Band2-1.4MHz-64QAM-19193-1RB#0-30~1000MHz




Band2-1.4MHz-64QAM-19193-1RB#0-1000~26000MHz



Band2-3MHz-64QAM-18615-1RB#0-30~1000MHz




Band2-3MHz-64QAM-18615-1RB#0-1000~26000MHz



Band2-3MHz-64QAM-18900-1RB#0-30~1000MHz




Band2-3MHz-64QAM-18900-1RB#0-1000~26000MHz



Band2-3MHz-64QAM-19185-1RB#0-30~1000MHz




Band2-3MHz-64QAM-19185-1RB#0-1000~26000MHz



Band2-5MHz-64QAM-18625-1RB#0-30~1000MHz




Band2-5MHz-64QAM-18625-1RB#0-1000~26000MHz



Band2-5MHz-64QAM-18900-1RB#0-30~1000MHz




Band2-5MHz-64QAM-18900-1RB#0-1000~26000MHz



Band2-5MHz-64QAM-19175-1RB#0-30~1000MHz




Band2-5MHz-64QAM-19175-1RB#0-1000~26000MHz



Band2-10MHz-64QAM-18650-1RB#0-30~1000MHz




Band2-10MHz-64QAM-18650-1RB#0-1000~26000MHz



Band2-10MHz-64QAM-18900-1RB#0-30~1000MHz




Band2-10MHz-64QAM-18900-1RB#0-1000~26000MHz



Band2-10MHz-64QAM-19150-1RB#0-30~1000MHz




Band2-10MHz-64QAM-19150-1RB#0-1000~26000MHz



Band2-15MHz-64QAM-18675-1RB#0-30~1000MHz




Band2-15MHz-64QAM-18675-1RB#0-1000~26000MHz



Band2-15MHz-64QAM-18900-1RB#0-30~1000MHz




Band2-15MHz-64QAM-18900-1RB#0-1000~26000MHz



Band2-15MHz-64QAM-19125-1RB#0-30~1000MHz




Band2-15MHz-64QAM-19125-1RB#0-1000~26000MHz



Band2-20MHz-64QAM-18700-1RB#0-30~1000MHz




Band2-20MHz-64QAM-18700-1RB#0-1000~26000MHz



Band2-20MHz-64QAM-18900-1RB#0-30~1000MHz




Band2-20MHz-64QAM-18900-1RB#0-1000~26000MHz



Band2-20MHz-64QAM-19100-1RB#0-30~1000MHz




Band2-20MHz-64QAM-19100-1RB#0-1000~26000MHz



Band4-1.4MHz-64QAM-19957-1RB#0-30~1000MHz




Band4-1.4MHz-64QAM-19957-1RB#0-1000~26000MHz



Band4-1.4MHz-64QAM-20175-1RB#0-30~1000MHz




Band4-1.4MHz-64QAM-20175-1RB#0-1000~26000MHz



Band4-1.4MHz-64QAM-20393-1RB#0-30~1000MHz




Band4-1.4MHz-64QAM-20393-1RB#0-1000~26000MHz



Band4-3MHz-64QAM-19965-1RB#0-30~1000MHz




Band4-3MHz-64QAM-19965-1RB#0-1000~26000MHz



Band4-3MHz-64QAM-20175-1RB#0-30~1000MHz




Band4-3MHz-64QAM-20175-1RB#0-1000~26000MHz



Band4-3MHz-64QAM-20385-1RB#0-30~1000MHz




Band4-3MHz-64QAM-20385-1RB#0-1000~26000MHz



Band4-5MHz-64QAM-19975-1RB#0-30~1000MHz




Band4-5MHz-64QAM-19975-1RB#0-1000~26000MHz



Band4-5MHz-64QAM-20175-1RB#0-30~1000MHz




Band4-5MHz-64QAM-20175-1RB#0-1000~26000MHz



Band4-5MHz-64QAM-20375-1RB#0-30~1000MHz




Band4-5MHz-64QAM-20375-1RB#0-1000~26000MHz



Band4-10MHz-64QAM-20000-1RB#0-30~1000MHz




Band4-10MHz-64QAM-20000-1RB#0-1000~26000MHz



Band4-10MHz-64QAM-20175-1RB#0-30~1000MHz




Band4-10MHz-64QAM-20175-1RB#0-1000~26000MHz



Band4-10MHz-64QAM-20350-1RB#0-30~1000MHz




Band4-10MHz-64QAM-20350-1RB#0-1000~26000MHz



Band4-15MHz-64QAM-20025-1RB#0-30~1000MHz




Band4-15MHz-64QAM-20025-1RB#0-1000~26000MHz



Band4-15MHz-64QAM-20175-1RB#0-30~1000MHz




Band4-15MHz-64QAM-20175-1RB#0-1000~26000MHz



Band4-15MHz-64QAM-20325-1RB#0-30~1000MHz




Band4-15MHz-64QAM-20325-1RB#0-1000~26000MHz



Band4-20MHz-64QAM-20050-1RB#0-30~1000MHz




Band4-20MHz-64QAM-20050-1RB#0-1000~26000MHz



Band4-20MHz-64QAM-20175-1RB#0-30~1000MHz




Band4-20MHz-64QAM-20175-1RB#0-1000~26000MHz



Band4-20MHz-64QAM-20300-1RB#0-30~1000MHz




Band4-20MHz-64QAM-20300-1RB#0-1000~26000MHz



Band5-1.4MHz-64QAM-20407-1RB#0-30~1000MHz




Band5-1.4MHz-64QAM-20407-1RB#0-1000~26000MHz



Band5-1.4MHz-64QAM-20525-1RB#0-30~1000MHz




Band5-1.4MHz-64QAM-20525-1RB#0-1000~26000MHz



Band5-1.4MHz-64QAM-20643-1RB#0-30~1000MHz




Band5-1.4MHz-64QAM-20643-1RB#0-1000~26000MHz



Band5-3MHz-64QAM-20415-1RB#0-30~1000MHz




Band5-3MHz-64QAM-20415-1RB#0-1000~26000MHz



Band5-3MHz-64QAM-20525-1RB#0-30~1000MHz




Band5-3MHz-64QAM-20525-1RB#0-1000~26000MHz



Band5-3MHz-64QAM-20635-1RB#0-30~1000MHz




Band5-3MHz-64QAM-20635-1RB#0-1000~26000MHz



Band5-5MHz-64QAM-20425-1RB#0-30~1000MHz




Band5-5MHz-64QAM-20425-1RB#0-1000~26000MHz



Band5-5MHz-64QAM-20525-1RB#0-30~1000MHz




Band5-5MHz-64QAM-20525-1RB#0-1000~26000MHz



Band5-5MHz-64QAM-20625-1RB#0-30~1000MHz




Band5-5MHz-64QAM-20625-1RB#0-1000~26000MHz



Band5-10MHz-64QAM-20450-1RB#0-30~1000MHz



Band5-10MHz-64QAM-20450-1RB#0-1000~26000MHz



Band5-10MHz-64QAM-20525-1RB#0-30~1000MHz



Band5-10MHz-64QAM-20525-1RB#0-1000~26000MHz