


Test Mode	TX AX(HE40) Mode 2422 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

Radiated Emission Measurement




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4842.260	33.21	4.29	37.50	54.00	-16.50	AVG	
2		4847.700	43.47	4.30	47.77	74.00	-26.23	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2422 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

Radiated Emission Measurement




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4841.820	30.92	4.28	35.20	54.00	-18.80	AVG	
2		4844.580	41.24	4.29	45.53	74.00	-28.47	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2437 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

Radiated Emission Measurement




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4842.920	46.04	4.29	50.33	74.00	-23.67	peak	
2	*	4845.590	35.97	4.29	40.26	54.00	-13.74	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2437 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

Radiated Emission Measurement




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4841.500	33.11	4.28	37.39	54.00	-16.61	AVG	
2		4841.630	44.30	4.28	48.58	74.00	-25.42	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

Radiated Emission Measurement




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2445.200	86.47	7.18	93.65	54.00	39.65	AVG	No Limit
2	X	2447.600	96.21	7.18	103.39	74.00	29.39	peak	No Limit
3		2483.500	49.44	7.20	56.64	74.00	-17.36	peak	
4		2483.500	38.84	7.20	46.04	54.00	-7.96	AVG	
5		2485.000	55.44	7.20	62.64	74.00	-11.36	peak	
6		2485.000	40.33	7.20	47.53	54.00	-6.47	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

Radiated Emission Measurement



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2448.800	98.63	7.18	105.81	74.00	31.81	peak	No Limit
2	*	2458.400	87.90	7.19	95.09	54.00	41.09	AVG	No Limit
3		2483.500	58.05	7.20	65.25	74.00	-8.75	peak	
4		2483.500	43.67	7.20	50.87	54.00	-3.13	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Vertical
-----------	---------------------------	--------------	----------

Radiated Emission Measurement




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4804.080	33.85	4.17	38.02	54.00	-15.98	AVG	
2		4804.985	44.63	4.17	48.80	74.00	-25.20	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX AX(HE40) Mode 2452 MHz	Polarization	Horizontal
-----------	---------------------------	--------------	------------

Radiated Emission Measurement



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4804.890	40.35	4.17	44.52	74.00	-29.48	peak	
2	*	4806.270	30.05	4.18	34.23	54.00	-19.77	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


APPENDIX E - BANDWIDTH

6 dB Bandwidth

Test Mode		TX 802.11B Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz) ANT 1	6 dB Bandwidth (MHz) ANT 2	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	6.590	7.100	0.5	Complies
06	2437	7.560	6.580	0.5	Complies
11	2462	7.070	7.140	0.5	Complies
Test Mode		TX 802.11G Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz) ANT 1	6 dB Bandwidth (MHz) ANT 2	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	16.510	16.370	0.5	Complies
06	2437	16.420	16.340	0.5	Complies
11	2462	16.440	16.420	0.5	Complies
Test Mode		TX 802.11N20 Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz) ANT 1	6 dB Bandwidth (MHz) ANT 2	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	17.640	17.760	0.5	Complies
06	2437	17.690	17.600	0.5	Complies
11	2462	17.690	17.620	0.5	Complies
Test Mode		TX 802.11N40 Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz) ANT 1	6 dB Bandwidth (MHz) ANT 2	6 dB Bandwidth Min. Limit (MHz)	Result
03	2422	36.360	36.440	0.5	Complies
06	2437	36.490	36.440	0.5	Complies
09	2452	36.200	35.880	0.5	Complies
Test Mode		TX 802.11AX20 Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz) ANT 1	6 dB Bandwidth (MHz) ANT 2	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	18.710	18.710	0.5	Complies
06	2437	18.680	18.030	0.5	Complies
11	2462	18.940	18.540	0.5	Complies
Test Mode		TX 802.11AX40 Mode			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz) ANT 1	6 dB Bandwidth (MHz) ANT 2	6 dB Bandwidth Min. Limit (MHz)	Result
03	2422	35.839	36.889	0.5	Complies
06	2437	36.390	36.969	0.5	Complies
09	2452	37.800	36.960	0.5	Complies


802.11B mode

CH01(ANT 1)




Date: 25.JUL.2022 10:04:03

CH01(ANT 2)




Date: 25.JUL.2022 10:37:14

CH06(ANT 1)




Date: 25.JUL.2022 10:05:53

CH06(ANT 2)




Date: 25.JUL.2022 10:39:59

CH11(ANT 1)



Date: 25.JUL.2022 10:07:32


CH11(ANT 2)



Date: 25.JUL.2022 10:45:20


802.11G mode

CH01(ANT 1)




Date: 25.JUL.2022 10:22:10

CH01(ANT 2)




Date: 25.JUL.2022 10:48:05

CH06(ANT 1)




Date: 25.JUL.2022 10:23:03

CH06(ANT 2)




Date: 25.JUL.2022 10:49:12

CH11(ANT 1)




Date: 25.JUL.2022 10:23:56

CH11(ANT 2)




Date: 25.JUL.2022 10:49:51

802.11N20 mode


CH01(ANT 1)


Date: 25.JUL.2022 10:24:59

CH01(ANT 2)



Date: 25.JUL.2022 10:51:44

CH06(ANT 1)




Date: 25.JUL.2022 10:25:49

CH06(ANT 2)




Date: 25.JUL.2022 10:52:25

CH11(ANT 1)




Date: 25.JUL.2022 10:26:32

CH11(ANT 2)




Date: 25.JUL.2022 10:53:05

802.11N40 mode


CH03(ANT 1)


Date: 25.JUL.2022 10:27:17

CH03(ANT 2)



Date: 25.JUL.2022 10:54:17

CH06(ANT 1)




Date: 25.JUL.2022 10:28:43

CH06(ANT 2)




Date: 25.JUL.2022 10:55:01

CH09(ANT 1)



Date: 25.JUL.2022 10:29:43


CH09(ANT 2)



Date: 25.JUL.2022 10:55:44


802.11AX20 mode

CH01(ANT 1)




Date: 25.JUL.2022 10:30:47

CH01(ANT 2)




Date: 25.JUL.2022 10:57:20

CH06(ANT 1)




Date: 25.JUL.2022 10:31:32

CH06(ANT 2)




Date: 25.JUL.2022 10:58:02

CH11(ANT 1)



Date: 25.JUL.2022 10:32:13


CH11(ANT 2)



Date: 25.JUL.2022 10:58:45


802.11AX40 mode

CH03(ANT 1)




Date: 25.JUL.2022 10:33:05

CH03(ANT 2)




Date: 25.JUL.2022 10:59:48

CH06(ANT 1)




Date: 25.JUL.2022 10:34:01

CH06(ANT 2)




Date: 25.JUL.2022 11:00:36

CH09(ANT 1)



Date: 25.JUL.2022 10:34:58

CH09(ANT 2)




Date: 25.JUL.2022 11:01:20

99 % Occupied Bandwidth

Test Mode		TX 802.11B Mode	
Channel	Frequency (MHz)	99 % Occupied Bandwidth (MHz) ANT 1	99 % Occupied Bandwidth (MHz) ANT 2
01	2412	11.76	11.76
06	2437	11.52	11.04
11	2462	10.80	10.88
Test Mode		TX 802.11G Mode	
Channel	Frequency (MHz)	99 % Occupied Bandwidth (MHz) ANT 1	99 % Occupied Bandwidth (MHz) ANT 2
01	2412	17.28	17.12
06	2437	17.12	17.04
11	2462	17.12	17.04
Test Mode		TX 802.11N20 Mode	
Channel	Frequency (MHz)	99 % Occupied Bandwidth (MHz) ANT 1	99 % Occupied Bandwidth (MHz) ANT 2
01	2412	18.40	18.16
06	2437	18.32	18.08
11	2462	18.24	18.08
Test Mode		TX 802.11N40 Mode	
Channel	Frequency (MHz)	99 % Occupied Bandwidth (MHz) ANT 1	99 % Occupied Bandwidth (MHz) ANT 2
03	2422	37.28	36.96
06	2437	37.12	36.80
09	2452	36.96	36.96
Test Mode		TX 802.11AX20 Mode	
Channel	Frequency (MHz)	99 % Occupied Bandwidth (MHz) ANT 1	99 % Occupied Bandwidth (MHz) ANT 2
01	2412	19.20	19.20
06	2437	19.28	19.28
11	2462	19.20	19.28
Test Mode		TX 802.11AX40 Mode	
Channel	Frequency (MHz)	99 % Occupied Bandwidth (MHz) ANT 1	99 % Occupied Bandwidth (MHz) ANT 2
03	2422	37.92	37.76
06	2437	38.08	37.92
09	2452	37.92	37.92


802.11B mode

CH01(ANT 1)




Date: 25.JUL.2022 10:04:10

CH01(ANT 2)




Date: 25.JUL.2022 10:37:20

CH06(ANT 1)




Date: 25.JUL.2022 10:05:59

CH06(ANT 2)




Date: 25.JUL.2022 10:40:05

CH11(ANT 1)



Date: 25.JUL.2022 10:07:38


CH11(ANT 2)



Date: 25.JUL.2022 10:45:27


802.11G mode

CH01(ANT 1)




Date: 25.JUL.2022 11:44:04

CH01(ANT 2)




Date: 25.JUL.2022 11:11:08

CH06(ANT 1)




Date: 25.JUL.2022 11:45:08

CH06(ANT 2)




Date: 25.JUL.2022 11:12:18

CH11(ANT 1)



Date: 25.JUL.2022 11:46:11


CH11(ANT 2)



Date: 25.JUL.2022 11:13:40


802.11N20 mode

CH01(ANT 1)




Date: 25.JUL.2022 11:48:01

CH01(ANT 2)




Date: 25.JUL.2022 11:18:52

CH06(ANT 1)




Date: 25.JUL.2022 11:49:06

CH06(ANT 2)




Date: 25.JUL.2022 11:20:28

CH11(ANT 1)




Date: 25.JUL.2022 11:50:07

CH11(ANT 2)




Date: 25.JUL.2022 11:21:33

802.11N40 mode


CH03(ANT 1)


Date: 25.JUL.2022 11:51:45

CH03(ANT 2)



Date: 25.JUL.2022 11:23:10

CH06(ANT 1)




Date: 25.JUL.2022 11:52:49

CH06(ANT 2)




Date: 25.JUL.2022 11:27:02

CH09(ANT 1)



Date: 25.JUL.2022 11:53:56


CH09(ANT 2)



Date: 25.JUL.2022 11:30:01


802.11AX20 mode

CH01(ANT 1)




Date: 25.JUL.2022 13:38:24

CH01(ANT 2)




Date: 25.JUL.2022 11:32:14

CH06(ANT 1)




Date: 25.JUL.2022 11:57:42

CH06(ANT 2)




Date: 25.JUL.2022 11:34:46

CH11(ANT 1)



Date: 25.JUL.2022 11:59:17


CH11(ANT 2)



Date: 25.JUL.2022 11:37:09


802.11AX40 mode

CH03(ANT 1)




Date: 25.JUL.2022 13:41:47

CH03(ANT 2)




Date: 25.JUL.2022 11:38:36

CH06(ANT 1)




Date: 25.JUL.2022 13:45:11

CH06(ANT 2)




Date: 25.JUL.2022 11:39:44

CH09(ANT 1)



Date: 25.JUL.2022 13:46:08

CH09(ANT 2)



Date: 25.JUL.2022 11:40:44

APPENDIX F - MAXIMUM AVERAGE OUTPUT POWER

CDD

Test Mode	TX B Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	12.72	0.47	13.19	30.00	1.0000	Complies
06	2437	19.17	0.47	19.64	30.00	1.0000	Complies
11	2462	13.85	0.47	14.32	30.00	1.0000	Complies

Test Mode	TX B Mode_Ant. 2
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	13.19	0.47	13.66	30.00	1.0000	Complies
06	2437	19.77	0.47	20.24	30.00	1.0000	Complies
11	2462	14.06	0.47	14.53	30.00	1.0000	Complies

Test Mode	TX B Mode_Total
-----------	-----------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.44	30.00	1.0000	Complies
06	2437	22.96	30.00	1.0000	Complies
11	2462	17.44	30.00	1.0000	Complies

Test Mode	TX G Mode_Ant. 1
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	11.47	0.23	11.70	30.00	1.0000	Complies
06	2437	18.55	0.23	18.78	30.00	1.0000	Complies
11	2462	13.78	0.23	14.01	30.00	1.0000	Complies

Test Mode	TX G Mode_Ant. 2
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	11.58	0.23	11.81	30.00	1.0000	Complies
06	2437	19.05	0.23	19.28	30.00	1.0000	Complies
11	2462	14.38	0.23	14.61	30.00	1.0000	Complies

Test Mode	TX G Mode_Total
-----------	-----------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	14.76	30.00	1.0000	Complies
06	2437	22.04	30.00	1.0000	Complies
11	2462	17.33	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	10.97	0.23	11.20	30.00	1.0000	Complies
06	2437	17.84	0.23	18.07	30.00	1.0000	Complies
11	2462	12.87	0.23	13.10	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Ant. 2
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	11.11	0.23	11.34	30.00	1.0000	Complies
06	2437	18.42	0.23	18.65	30.00	1.0000	Complies
11	2462	13.33	0.23	13.56	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	14.28	30.00	1.0000	Complies
06	2437	21.38	30.00	1.0000	Complies
11	2462	16.34	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	9.49	0.46	9.95	30.00	1.0000	Complies
06	2437	14.28	0.46	14.74	30.00	1.0000	Complies
09	2452	12.07	0.46	12.53	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Ant. 2
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	9.81	0.46	10.27	30.00	1.0000	Complies
06	2437	14.77	0.46	15.23	30.00	1.0000	Complies
09	2452	12.48	0.46	12.94	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	13.12	30.00	1.0000	Complies
06	2437	18.00	30.00	1.0000	Complies
09	2452	15.75	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	10.35	0.09	10.44	30.00	1.0000	Complies
06	2437	17.66	0.09	17.75	30.00	1.0000	Complies
11	2462	12.19	0.09	12.28	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	10.52	0.09	10.61	30.00	1.0000	Complies
06	2437	18.21	0.09	18.30	30.00	1.0000	Complies
11	2462	12.73	0.09	12.82	30.00	1.0000	Complies

Test Mode	TX AX(HE20) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	13.54	30.00	1.0000	Complies
06	2437	21.05	30.00	1.0000	Complies
11	2462	15.57	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	9.57	0.19	9.76	30.00	1.0000	Complies
06	2437	14.12	0.19	14.31	30.00	1.0000	Complies
09	2452	12.14	0.19	12.33	30.00	1.0000	Complies

Test Mode	TX AX(HE40) Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	9.83	0.19	10.02	30.00	1.0000	Complies
06	2437	14.71	0.19	14.90	30.00	1.0000	Complies
09	2452	12.53	0.19	12.72	30.00	1.0000	Complies


Test Mode	TX AX(HE40) Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	12.90	30.00	1.0000	Complies
06	2437	17.62	30.00	1.0000	Complies
09	2452	15.54	30.00	1.0000	Complies


APPENDIX G - CONDUCTED SPURIOUS EMISSIONS

Test Mode	TX 802.11B Mode_Ant 1
-----------	-----------------------


Reference Level-CH01




Date: 25.JUL.2022 10:04:30



Date: 25.JUL.2022 10:04:37




Date: 25.JUL.2022 10:04:44




Date: 25.JUL.2022 10:04:17

Test Mode	TX 802.11B Mode_Ant 2
-----------	-----------------------


Reference Level-CH01




Date: 25.JUL.2022 10:37:40



Date: 25.JUL.2022 10:37:47




Date: 25.JUL.2022 10:37:53




Date: 25.JUL.2022 10:37:27

Test Mode	TX 802.11B Mode_Ant 1
-----------	-----------------------


Reference Level-CH06




Date: 25.JUL.2022 10:06:19



Date: 25.JUL.2022 10:06:26




Date: 25.JUL.2022 10:06:33




Date: 25.JUL.2022 10:06:06

Test Mode	TX 802.11B Mode_Ant 2
-----------	-----------------------


Reference Level-CH06




Date: 25.JUL.2022 10:40:25



Date: 25.JUL.2022 10:40:32




Date: 25.JUL.2022 10:40:39




Date: 25.JUL.2022 10:40:12

Test Mode TX 802.11B Mode_Ant 1


Reference Level-CH11




Date: 25.JUL.2022 10:08:40



Date: 25.JUL.2022 10:08:47




Date: 25.JUL.2022 10:08:54




Date: 25.JUL.2022 10:08:27

Test Mode TX 802.11B Mode_Ant 2


Reference Level-CH11




Date: 25.JUL.2022 10:45:46



Date: 25.JUL.2022 10:45:53




Date: 25.JUL.2022 10:46:00




Date: 25.JUL.2022 10:45:33

Test Mode TX 802.11G Mode_Ant 1


Reference Level-CH01




Date: 25.JUL.2022 11:44:24



Date: 25.JUL.2022 11:44:30




Date: 25.JUL.2022 11:44:37




Date: 25.JUL.2022 11:44:11

Test Mode TX 802.11G Mode_Ant 2


Reference Level-CH01




Date: 25.JUL.2022 11:11:28



Date: 25.JUL.2022 11:11:35




Date: 25.JUL.2022 11:11:42




Date: 25.JUL.2022 11:11:15

Test Mode TX 802.11G Mode_Ant 1


Reference Level-CH06




Date: 25.JUL.2022 11:45:28



Date: 25.JUL.2022 11:45:35




Date: 25.JUL.2022 11:45:42




Date: 25.JUL.2022 11:45:15

Test Mode TX 802.11G Mode_Ant 2


Reference Level-CH06




Date: 25.JUL.2022 11:12:38



Date: 25.JUL.2022 11:12:44




Date: 25.JUL.2022 11:12:51




Date: 25.JUL.2022 11:12:25

Test Mode TX 802.11G Mode_Ant 1


Reference Level-CH11




Date: 25.JUL.2022 11:46:31



Date: 25.JUL.2022 11:46:38




Date: 25.JUL.2022 11:46:45




Date: 25.JUL.2022 11:46:19

Test Mode	TX 802.11G Mode_Ant 2
-----------	-----------------------


Reference Level-CH11




Date: 25.JUL.2022 11:13:59



Date: 25.JUL.2022 11:14:06




Date: 25.JUL.2022 11:14:13




Date: 25.JUL.2022 11:13:47

Test Mode	TX 802.11N20 Mode_Ant 1
-----------	-------------------------


Reference Level-CH01




Date: 25.JUL.2022 11:48:20



Date: 25.JUL.2022 11:48:27




Date: 25.JUL.2022 11:48:34




Date: 25.JUL.2022 11:48:08

Test Mode	TX 802.11N20 Mode_Ant 2
-----------	-------------------------


Reference Level-CH01




Date: 25.JUL.2022 11:19:12



Date: 25.JUL.2022 11:19:19




Date: 25.JUL.2022 11:19:26




Date: 25.JUL.2022 11:18:59

Test Mode	TX 802.11N20 Mode_Ant 1
-----------	-------------------------


Reference Level-CH06




Date: 25.JUL.2022 11:49:25



Date: 25.JUL.2022 11:49:33




Date: 25.JUL.2022 11:49:39




Date: 25.JUL.2022 11:49:13

Test Mode TX 802.11N20 Mode_Ant 2


Reference Level-CH06




Date: 25.JUL.2022 11:20:48



Date: 25.JUL.2022 11:20:55




Date: 25.JUL.2022 11:21:02




Date: 25.JUL.2022 11:20:35

Test Mode TX 802.11N20 Mode_Ant 1


Reference Level-CH11




Date: 25.JUL.2022 11:50:27



Date: 25.JUL.2022 11:50:34




Date: 25.JUL.2022 11:50:41




Date: 25.JUL.2022 11:50:14

Test Mode	TX 802.11N20 Mode_Ant 2
-----------	-------------------------


Reference Level-CH11




Date: 25.JUL.2022 11:21:52



Date: 25.JUL.2022 11:21:59




Date: 25.JUL.2022 11:22:06




Date: 25.JUL.2022 11:21:40

Test Mode	TX 802.11N40 Mode_Ant 1
-----------	-------------------------


Reference Level-CH03




Date: 25.JUL.2022 11:52:05



Date: 25.JUL.2022 11:52:11




Date: 25.JUL.2022 11:52:18




Date: 25.JUL.2022 11:51:52

Test Mode	TX 802.11N40 Mode_Ant 2
-----------	-------------------------


Reference Level-CH03




Date: 25.JUL.2022 11:23:30



Date: 25.JUL.2022 11:23:36




Date: 25.JUL.2022 11:23:43




Date: 25.JUL.2022 11:23:17

Test Mode TX 802.11N40 Mode_Ant 1


Reference Level-CH06




Date: 25.JUL.2022 11:53:09



Date: 25.JUL.2022 11:53:16




Date: 25.JUL.2022 11:53:22




Date: 25.JUL.2022 11:52:56

Test Mode TX 802.11N40 Mode_Ant 2


Reference Level-CH06




Date: 25.JUL.2022 11:27:22



Date: 25.JUL.2022 11:27:29




Date: 25.JUL.2022 11:27:35




Date: 25.JUL.2022 11:27:09

Test Mode	TX 802.11N40 Mode_Ant 1
-----------	-------------------------


Reference Level-CH09




Date: 25.JUL.2022 11:54:16



Date: 25.JUL.2022 11:54:23




Date: 25.JUL.2022 11:54:29




Date: 25.JUL.2022 11:54:03

Test Mode TX 802.11N40 Mode_Ant 2


Reference Level-CH09




Date: 25.JUL.2022 11:30:21



Date: 25.JUL.2022 11:30:28




Date: 25.JUL.2022 11:30:35




Date: 25.JUL.2022 11:30:08

Test Mode	TX 802.11AX20 Mode_Ant 1
-----------	--------------------------


Reference Level-CH01




Date: 25.JUL.2022 13:41:04



Date: 25.JUL.2022 13:41:11




Date: 25.JUL.2022 13:41:18




Date: 25.JUL.2022 13:40:51

Test Mode	TX 802.11AX20 Mode_Ant 2
-----------	--------------------------


Reference Level-CH01




Date: 25.JUL.2022 11:33:39



Date: 25.JUL.2022 11:33:45




Date: 25.JUL.2022 11:33:52




Date: 25.JUL.2022 11:33:26

Test Mode TX 802.11AX20 Mode_Ant 1


Reference Level-CH06




Date: 25.JUL.2022 11:58:02



Date: 25.JUL.2022 11:58:09




Date: 25.JUL.2022 11:58:16




Date: 25.JUL.2022 11:57:49

Test Mode	TX 802.11AX20 Mode_Ant 2
-----------	--------------------------


Reference Level-CH06




Date: 25.JUL.2022 11:35:06



Date: 25.JUL.2022 11:35:12




Date: 25.JUL.2022 11:35:19




Date: 25.JUL.2022 11:34:53

Test Mode TX 802.11AX20 Mode_Ant 1


Reference Level-CH11




Date: 25.JUL.2022 11:59:37



Date: 25.JUL.2022 11:59:43




Date: 25.JUL.2022 11:59:50




Date: 25.JUL.2022 11:59:24

Test Mode TX 802.11AX20 Mode_Ant 2


Reference Level-CH11




Date: 25.JUL.2022 11:37:29



Date: 25.JUL.2022 11:37:35




Date: 25.JUL.2022 11:37:43




Date: 25.JUL.2022 11:37:16

Test Mode	TX 802.11AX40 Mode_Ant 1
-----------	--------------------------


Reference Level-CH03




Date: 25.JUL.2022 13:44:19



Date: 25.JUL.2022 13:44:26




Date: 25.JUL.2022 13:44:33




Date: 25.JUL.2022 13:44:07

Test Mode	TX 802.11AX40 Mode_Ant 2
-----------	--------------------------


Reference Level-CH03




Date: 25.JUL.2022 11:38:56



Date: 25.JUL.2022 11:39:03




Date: 25.JUL.2022 11:39:09




Date: 25.JUL.2022 11:38:43

Test Mode	TX 802.11AX40 Mode_Ant 1
-----------	--------------------------


Reference Level-CH06




Date: 25.JUL.2022 13:45:31



Date: 25.JUL.2022 13:45:38




Date: 25.JUL.2022 13:45:45




Date: 25.JUL.2022 13:45:18

Test Mode	TX 802.11AX40 Mode_Ant 2
-----------	--------------------------


Reference Level-CH06




Date: 25.JUL.2022 11:40:04



Date: 25.JUL.2022 11:40:11




Date: 25.JUL.2022 11:40:18




Date: 25.JUL.2022 11:39:51

Test Mode TX 802.11AX40 Mode_Ant 1


Reference Level-CH09




Date: 25.JUL.2022 13:46:28



Date: 25.JUL.2022 13:46:35




Date: 25.JUL.2022 13:46:43




Date: 25.JUL.2022 13:46:15

Test Mode	TX 802.11AX40 Mode_Ant 2
-----------	--------------------------


Reference Level-CH09




Date: 25.JUL.2022 11:41:04



Date: 25.JUL.2022 11:41:10



Date: 25.JUL.2022 11:41:17



Date: 25.JUL.2022 11:40:51


APPENDIX H - POWER SPECTRAL DENSITY

CDD

Test Mode	TX 802.11B Mode
-----------	-----------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
01	2412	-3.44	-2.18	7.66	Complies
06	2437	-4.11	-3.69	7.66	Complies
11	2462	-4.53	-3.05	7.66	Complies

CH01(ANT 1)




Date: 25.JUL.2022 10:04:52

CH01(ANT 2)




Date: 25.JUL.2022 10:38:57

CH06(ANT 1)




Date: 25.JUL.2022 13:56:03

CH06(ANT 2)




Date: 25.JUL.2022 13:58:03

CH11(ANT 1)



Date: 25.JUL.2022 10:09:02




Date: 25.JUL.2022 14:04:47

Test Mode TX 802.11B Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	0.25	7.66	Complies
06	2437	-0.88	7.66	Complies
11	2462	-0.72	7.66	Complies


Test Mode TX 802.11G Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
01	2412	-1.33	-1.17	7.66	Complies
06	2437	0.08	-1.06	7.66	Complies
11	2462	-1.34	-0.35	7.66	Complies




Date: 25.JUL.2022 10:22:19

CH01(ANT 2)




Date: 25.JUL.2022 10:48:14

CH06(ANT 1)




Date: 25.JUL.2022 10:23:11

CH06(ANT 2)




Date: 25.JUL.2022 10:49:21

CH11(ANT 1)



Date: 25.JUL.2022 10:24:04

CH11(ANT 2)



Date: 25.JUL.2022 10:50:00


Test Mode	TX 802.11G Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.76	7.66	Complies
06	2437	2.56	7.66	Complies
11	2462	2.19	7.66	Complies

Test Mode	TX 802.11N20 Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
01	2412	-0.97	-1.76	7.66	Complies
06	2437	-1.28	-0.65	7.66	Complies
11	2462	-0.82	0.87	7.66	Complies

CH01(ANT 1)




Date: 25.JUL.2022 10:25:07

CH01(ANT 2)




Date: 25.JUL.2022 10:51:53

CH06(ANT 1)




Date: 25.JUL.2022 10:25:58

CH06(ANT 2)




Date: 25.JUL.2022 10:52:34

CH11(ANT 1)



Date: 25.JUL.2022 10:26:40




Date: 25.JUL.2022 10:53:14

Test Mode	TX 802.11N20 Mode_Total			
Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.66	7.66	Complies
06	2437	2.06	7.66	Complies
11	2462	3.12	7.66	Complies

Test Mode	TX 802.11N20 Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
01	2412	-0.97	-1.76	7.66	Complies
06	2437	-1.28	-0.65	7.66	Complies
11	2462	-0.82	0.87	7.66	Complies

CH01(ANT 1)




Date: 25.JUL.2022 10:25:07

CH01(ANT 2)




Date: 25.JUL.2022 10:51:53

CH06(ANT 1)




Date: 25.JUL.2022 10:25:58

CH06(ANT 2)




Date: 25.JUL.2022 10:52:34

CH11(ANT 1)



Date: 25.JUL.2022 10:26:40




Date: 25.JUL.2022 10:53:14

Test Mode	TX 802.11N20 Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	1.66	7.66	Complies
06	2437	2.06	7.66	Complies
11	2462	3.12	7.66	Complies


Test Mode	TX 802.11N40 Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
03	2422	-4.39	-3.32	7.66	Complies
06	2437	-2.83	-3.64	7.66	Complies
09	2452	-3.82	-3.03	7.66	Complies




Date: 25.JUL.2022 10:27:28

CH03(ANT 2)




Date: 25.JUL.2022 10:54:28

CH06(ANT 1)




Date: 25.JUL.2022 10:28:55

CH06(ANT 2)




Date: 25.JUL.2022 10:55:12

CH09(ANT 1)



Date: 25.JUL.2022 10:29:54

CH09(ANT 2)



Date: 25.JUL.2022 14:00:26


Test Mode	TX 802.11N40 Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-0.81	7.66	Complies
06	2437	-0.21	7.66	Complies
09	2452	-0.40	7.66	Complies

Test Mode	TX 802.11AX20 Mode
-----------	--------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
01	2412	-0.12	-0.64	7.66	Complies
06	2437	-1.31	-1.08	7.66	Complies
11	2462	-1.47	-1.87	7.66	Complies

CH01(ANT 1)




Date: 25.JUL.2022 10:30:56

CH01(ANT 2)




Date: 25.JUL.2022 10:57:29

CH06(ANT 1)




Date: 25.JUL.2022 10:31:40

CH06(ANT 2)




Date: 25.JUL.2022 10:58:10

CH11(ANT 1)



Date: 25.JUL.2022 10:32:22

CH11(ANT 2)



Date: 25.JUL.2022 14:01:40


Test Mode	TX 802.11N20 Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	2.64	7.66	Complies
06	2437	1.82	7.66	Complies
11	2462	1.34	7.66	Complies

Test Mode	TX 802.11AX40 Mode
-----------	--------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz) ANT 1	Power Spectral Density (dBm/3kHz) ANT 2	Max. Limit (dBm/3kHz)	Result
03	2422	-5.41	-5.02	7.66	Complies
06	2437	-5.28	-4.82	7.66	Complies
09	2452	-5.01	-4.38	7.66	Complies

CH03(ANT 1)




Date: 25.JUL.2022 10:33:17

CH03(ANT 2)




Date: 25.JUL.2022 10:59:59

CH06(ANT 1)




Date: 25.JUL.2022 10:34:12

CH06(ANT 2)




Date: 25.JUL.2022 11:00:47

CH09(ANT 1)



Date: 25.JUL.2022 10:35:10



Date: 25.JUL.2022 14:02:33

Test Mode	TX 802.11N40 Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-2.20	7.66	Complies
06	2437	-2.03	7.66	Complies
09	2452	-1.67	7.66	Complies

End of Test Report