

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result

Test Band	Test Mode	Test Channel	Conducted power[dBm]	EIRP(dBm)	Limit [dBm]	Verdict
WCDMA1900	UMTS/TM1	LCH	23.20	26.00	33	PASS
		MCH	23.40	26.20	33	PASS
		HCH	23.59	26.39	33	PASS
WCDMA1700	UMTS/TM1	LCH	22.51	25.31	30	PASS
		MCH	22.55	25.35	30	PASS
		HCH	22.59	25.39	30	PASS

Note 1:

a, For getting the ERP (Efficient Radiated Power) or EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP[dBm]} = \text{SGP[dBm]} - \text{Cable Loss[dB]} + \text{Gain[dBd]} - 2.15$$

$$\text{EIRP[dBm]} = \text{SGP[dBm]} - \text{Cable Loss[dB]} + \text{Gain[dBd]}$$

b, SGP=Signal Genarator Level

c, Antenna gain of WCDMA1900 is 2.8dBi; Antenna gain of WCDMA1700 is 2.8dBi;

Note 2:

$$\text{SET Span} = 1.5 * \text{OBW}$$

SET RBW=1% of the OBW, not to exceed 1MHz

$$\text{SET VBW} \geq 3 * \text{RBW}$$

SET SWEEP time=auto couple

Detector: RMS

AppendixB:Peak-to-Average Ratio

Test Result

UMTS/TM1

Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	8.43	13	PASS
Band2	9400	3.3	13	PASS
Band2	9538	3.28	13	PASS
Band4	1312	3.36	13	PASS
Band4	1413	3.39	13	PASS
Band4	1513	3.36	13	PASS

UMTS/TM2


Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	1	3.3	13	PASS
Band2	9262	2	3.62	13	PASS
Band2	9262	3	3.57	13	PASS
Band2	9262	4	3.62	13	PASS
Band2	9400	1	3.39	13	PASS
Band2	9400	2	3.51	13	PASS
Band2	9400	3	3.68	13	PASS
Band2	9400	4	3.71	13	PASS
Band2	9538	1	3.39	13	PASS
Band2	9538	2	3.51	13	PASS
Band2	9538	3	3.65	13	PASS
Band2	9538	4	3.71	13	PASS
Band4	1312	1	3.3	13	PASS
Band4	1312	2	3.39	13	PASS
Band4	1312	3	3.57	13	PASS
Band4	1312	4	3.59	13	PASS
Band4	1413	1	3.3	13	PASS
Band4	1413	2	3.48	13	PASS
Band4	1413	3	3.62	13	PASS
Band4	1413	4	3.68	13	PASS
Band4	1513	1	3.3	13	PASS
Band4	1513	2	3.39	13	PASS
Band4	1513	3	3.54	13	PASS
Band4	1513	4	3.59	13	PASS


UMTS/TM3

Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
------	---------	---------	---------------------------	-----------	---------


Band2	9262	1	4.49	13	PASS
Band2	9262	2	5.33	13	PASS
Band2	9262	3	5.45	13	PASS
Band2	9262	4	5.07	13	PASS
Band2	9262	5	4.43	13	PASS
Band2	9400	1	4.49	13	PASS
Band2	9400	2	3.33	13	PASS
Band2	9400	3	3.65	13	PASS
Band2	9400	4	3.42	13	PASS
Band2	9400	5	4.55	13	PASS
Band2	9538	1	4.35	13	PASS
Band2	9538	2	5.48	13	PASS
Band2	9538	3	5.01	13	PASS
Band2	9538	4	5.59	13	PASS
Band2	9538	5	4.64	13	PASS
Band4	1312	1	4.49	13	PASS
Band4	1312	2	5.28	13	PASS
Band4	1312	3	5.42	13	PASS
Band4	1312	4	5.04	13	PASS
Band4	1312	5	4.43	13	PASS
Band4	1413	1	4.41	13	PASS
Band4	1413	2	3.3	13	PASS
Band4	1413	3	3.62	13	PASS
Band4	1413	4	3.33	13	PASS
Band4	1413	5	4.49	13	PASS
Band4	1513	1	4.41	13	PASS
Band4	1513	2	5.48	13	PASS
Band4	1513	3	5.04	13	PASS
Band4	1513	4	5.59	13	PASS
Band4	1513	5	4.55	13	PASS

Test Graphs






Band4-1312




Band4-1413




Band4-1513




Band2-9262-1




Band2-9262-2




Band2-9262-3




Band2-9262-4




Band2-9400-1




Band2-9400-2




Band2-9400-3




Band2-9400-4




Band2-9538-1




Band2-9538-2




Band2-9538-3



Band2-9538-4




Band4-1312-1




Band4-1312-2




Band4-1312-3




Band4-1312-4




Band4-1413-1




Band4-1413-2




Band4-1413-3




Band4-1413-4



Band4-1513-1




Band4-1513-2




Band4-1513-3



Band4-1513-4




Band2-9262-1



Band2-9262-2




Band2-9262-3




Band2-9262-4




Band2-9262-5




Band2-9400-1




Band2-9400-2



Band2-9400-3




Band2-9400-4




Band2-9400-5



Band2-9538-1



Band2-9538-2




Band2-9538-3




Band2-9538-4



Band2-9538-5




Band4-1312-1



Band4-1312-2



Band4-1312-3



Band4-1312-4




Band4-1312-5




Band4-1413-1




Band4-1413-2




Band4-1413-3



Band4-1413-4



Band4-1413-5



Band4-1513-1



Band4-1513-2



Band4-1513-3



Band4-1513-4



Band4-1513-5



Appendix D:26dB Bandwidth andOccupied Bandwidth

Test Result

UMTS/TM1

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(MHz)	Verdict
Band2	9262	4.146	4.74	---	PASS
Band2	9400	4.146	4.74	---	PASS
Band2	9538	4.136	4.72	---	PASS
Band4	1312	4.136	4.73	---	PASS
Band4	1413	4.136	4.73	---	PASS
Band4	1513	4.146	4.72	---	PASS

UMTS/TM2


Band	Channel	SubTest	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(MHz)	Verdict
Band2	9262	1	4.136	4.73	---	PASS
Band2	9262	2	4.136	4.74	---	PASS
Band2	9262	3	4.136	4.73	---	PASS
Band2	9262	4	4.136	4.74	---	PASS
Band2	9400	1	4.136	4.72	---	PASS
Band2	9400	2	4.146	4.76	---	PASS
Band2	9400	3	4.136	4.74	---	PASS
Band2	9400	4	4.136	4.73	---	PASS
Band2	9538	1	4.146	4.73	---	PASS
Band2	9538	2	4.136	4.73	---	PASS
Band2	9538	3	4.136	4.73	---	PASS
Band2	9538	4	4.136	4.73	---	PASS
Band4	1312	1	4.136	4.74	---	PASS
Band4	1312	2	4.136	4.74	---	PASS
Band4	1312	3	4.136	4.71	---	PASS
Band4	1312	4	4.136	4.71	---	PASS
Band4	1413	1	4.136	4.74	---	PASS
Band4	1413	2	4.136	4.73	---	PASS
Band4	1413	3	4.136	4.74	---	PASS
Band4	1413	4	4.136	4.73	---	PASS
Band4	1513	1	4.146	4.74	---	PASS
Band4	1513	2	4.136	4.73	---	PASS
Band4	1513	3	4.136	4.74	---	PASS
Band4	1513	4	4.146	4.73	---	PASS

UMTS/TM3


Band	Channel	SubTest	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	1	4.146	4.76	---	PASS
Band2	9262	2	4.136	4.74	---	PASS
Band2	9262	3	4.136	4.75	---	PASS
Band2	9262	4	4.146	4.74	---	PASS
Band2	9262	5	4.136	4.74	---	PASS
Band2	9400	1	4.146	4.74	---	PASS
Band2	9400	2	4.136	4.74	---	PASS
Band2	9400	3	4.146	4.74	---	PASS
Band2	9400	4	4.146	4.74	---	PASS
Band2	9400	5	4.136	4.74	---	PASS
Band2	9538	1	4.176	4.77	---	PASS
Band2	9538	2	4.176	4.76	---	PASS
Band2	9538	3	4.176	4.77	---	PASS
Band2	9538	4	4.176	4.75	---	PASS
Band2	9538	5	4.156	4.76	---	PASS
Band4	1312	1	4.146	4.74	---	PASS
Band4	1312	2	4.136	4.73	---	PASS
Band4	1312	3	4.146	4.73	---	PASS
Band4	1312	4	4.136	4.74	---	PASS
Band4	1312	5	4.136	4.74	---	PASS
Band4	1413	1	4.136	4.73	---	PASS
Band4	1413	2	4.146	4.73	---	PASS
Band4	1413	3	4.136	4.73	---	PASS
Band4	1413	4	4.136	4.73	---	PASS
Band4	1413	5	4.136	4.73	---	PASS
Band4	1513	1	4.196	4.78	---	PASS
Band4	1513	2	4.186	4.76	---	PASS
Band4	1513	3	4.196	4.76	---	PASS
Band4	1513	4	4.186	4.76	---	PASS
Band4	1513	5	4.186	4.76	---	PASS

Test Graphs


Band2-9262-4.74




Band2-9400-4.74




Band2-9538-4.72




Band4-1312-4.73




Band4-1413-4.73




Band4-1513-4.72




Band2-9262-1-4.73




Band2-9262-2-4.74




Band2-9262-3-4.73




Band2-9262-4-4.74




Band2-9400-1-4.72




Band2-9400-2-4.76




Band2-9400-3-4.74




Band2-9400-4-4.73




Band2-9538-1-4.73



Band2-9538-2-4.73




Band2-9538-3-4.73




Band2-9538-4-4.73




Band4-1312-1-4.74




Band4-1312-2-4.74




Band4-1312-3-4.71




Band4-1312-4-4.71




Band4-1413-1-4.74




Band4-1413-2-4.73



Band4-1413-3-4.74




Band4-1413-4-4.73



Band4-1513-1-4.74




Band4-1513-2-4.73




Band4-1513-3-4.74




Band4-1513-4-4.73




Band2-9262-1-4.76




Band2-9262-2-4.74




Band2-9262-3-4.75




Band2-9262-4-4.74




Band2-9262-5-4.74




Band2-9400-1-4.74




Band2-9400-2-4.74




Band2-9400-3-4.74




Band2-9400-4-4.74




Band2-9400-5-4.74




Band2-9538-1-4.77




Band2-9538-2-4.76




Band2-9538-3-4.77




Band2-9538-4-4.75




Band2-9538-5-4.76




Band4-1312-1-4.74




Band4-1312-2-4.73




Band4-1312-3-4.73




Band4-1312-4-4.74




Band4-1312-5-4.74




Band4-1413-1-4.73




Band4-1413-2-4.73




Band4-1413-3-4.73




Band4-1413-4-4.73




Band4-1413-5-4.73




Band4-1513-1-4.78




Band4-1513-2-4.76




Band4-1513-3-4.76



Band4-1513-4-4.76



Band4-1513-5-4.76



Appendix E:Band Edge

Test Result

UMTS/TM1

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-25.11	-13	PASS
Band2	9538	1910.16	-23.30	-13	PASS
Band4	1312	1710.00	-25.41	-13	PASS
Band4	1513	1755.00	-25.18	-13	PASS

UMTS/TM2

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1	1850.00	-26.25	-13	PASS
Band2	9262	2	1850.00	-25.64	-13	PASS
Band2	9262	3	1850.00	-26.29	-13	PASS
Band2	9262	4	1850.00	-26.90	-13	PASS
Band2	9538	1	1910.14	-25.53	-13	PASS
Band2	9538	2	1910.00	-24.61	-13	PASS
Band2	9538	3	1910.00	-24.41	-13	PASS
Band2	9538	4	1910.00	-24.70	-13	PASS
Band4	1312	1	1710.00	-25.54	-13	PASS
Band4	1312	2	1710.00	-25.94	-13	PASS
Band4	1312	3	1710.00	-26.36	-13	PASS
Band4	1312	4	1710.00	-26.57	-13	PASS
Band4	1513	1	1755.00	-24.63	-13	PASS
Band4	1513	2	1755.00	-24.45	-13	PASS
Band4	1513	3	1755.00	-26.38	-13	PASS
Band4	1513	4	1755.00	-26.85	-13	PASS

UMTS/TM3


Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1	1850.00	-26.25	-13	PASS
Band2	9262	2	1850.00	-26.74	-13	PASS
Band2	9262	3	1850.00	-27.98	-13	PASS
Band2	9262	4	1850.00	-26.23	-13	PASS
Band2	9262	5	1850.00	-24.75	-13	PASS
Band2	9538	1	1910.00	-24.85	-13	PASS
Band2	9538	2	1910.00	-24.30	-13	PASS
Band2	9538	3	1910.00	-23.86	-13	PASS
Band2	9538	4	1910.21	-25.32	-13	PASS
Band2	9538	5	1910.00	-24.92	-13	PASS
Band4	1312	1	1710.00	-26.62	-13	PASS
Band4	1312	2	1710.00	-26.43	-13	PASS
Band4	1312	3	1710.00	-27.39	-13	PASS
Band4	1312	4	1710.00	-25.77	-13	PASS
Band4	1312	5	1710.00	-23.79	-13	PASS
Band4	1513	1	1755.00	-26.04	-13	PASS
Band4	1513	2	1755.00	-25.25	-13	PASS
Band4	1513	3	1755.00	-25.91	-13	PASS
Band4	1513	4	1755.00	-24.94	-13	PASS
Band4	1513	5	1755.00	-24.91	-13	PASS

Test Graphs

Band2-9262




Band2-9538



Band4-1312




Band4-1513



Band2-9262-1



Band2-9262-2



Band2-9262-3



Band2-9262-4




Band2-9538-1



Band2-9538-2



Band2-9538-3




Band2-9538-4



Band4-1312-1



Band4-1312-2




Band4-1312-3




Band4-1312-4



Band4-1513-1




Band4-1513-2



Band4-1513-3



Band4-1513-4



Band2-9262-1




Band2-9262-2



Band2-9262-3




Band2-9262-4



Band2-9262-5



Band2-9538-1



Band2-9538-2



Band2-9538-3



Band2-9538-4



Band2-9538-5



Band4-1312-1



Band4-1312-2



Band4-1312-3




Band4-1312-4



Band4-1312-5



Band4-1513-1



Band4-1513-2




Band4-1513-3



Band4-1513-4



Band4-1513-5



Appendix F:Conducted SpuriousEmission

Test Result

UMTS/TM1

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-77.29	-43	PASS
Band2	9262	0.15~30MHz	24.06	-50.64	-23	PASS
Band2	9262	30~1000MHz	906.48	-33.78	-13	PASS
Band2	9262	1000~3000MHz	2952.27	-39.59	-13	PASS
Band2	9262	3000~10000MHz	4110.75	-52.81	-13	PASS
Band2	9262	10000~20000MHz	12990.73	-52.61	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-76.64	-43	PASS
Band2	9400	0.15~30MHz	25.95	-51.3	-23	PASS
Band2	9400	30~1000MHz	949.8	-34.15	-13	PASS
Band2	9400	1000~3000MHz	2998.6	-39.42	-13	PASS
Band2	9400	3000~10000MHz	4161.84	-52.82	-13	PASS
Band2	9400	10000~20000MHz	12996.73	-52.71	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-76.92	-43	PASS
Band2	9538	0.15~30MHz	28	-51.22	-23	PASS
Band2	9538	30~1000MHz	977.9	-33.82	-13	PASS
Band2	9538	1000~3000MHz	2988.27	-39.43	-13	PASS
Band2	9538	3000~10000MHz	4122.18	-52.9	-13	PASS
Band2	9538	10000~20000MHz	12996.73	-52.54	-13	PASS
Band4	1312	0.009~0.15MHz	0.01	-77.49	-43	PASS
Band4	1312	0.15~30MHz	24.18	-50.95	-23	PASS
Band4	1312	30~1000MHz	939.98	-34.26	-13	PASS
Band4	1312	1000~3000MHz	2989.27	-39.54	-13	PASS
Band4	1312	3000~10000MHz	4133.85	-52.82	-13	PASS
Band4	1312	10000~20000MHz	12997.73	-52.65	-13	PASS
Band4	1413	0.009~0.15MHz	0.01	-77.92	-43	PASS
Band4	1413	0.15~30MHz	26.33	-51	-23	PASS
Band4	1413	30~1000MHz	889.25	-33.73	-13	PASS
Band4	1413	1000~3000MHz	2977.07	-39.47	-13	PASS
Band4	1413	3000~10000MHz	4122.41	-52.83	-13	PASS
Band4	1413	10000~20000MHz	12999.73	-52.73	-13	PASS
Band4	1513	0.009~0.15MHz	0.01	-77.17	-43	PASS
Band4	1513	0.15~30MHz	27.1	-51.89	-23	PASS
Band4	1513	30~1000MHz	904.12	-33.77	-13	PASS
Band4	1513	1000~3000MHz	2969.27	-39.54	-13	PASS
Band4	1513	3000~10000MHz	4146.45	-52.93	-13	PASS

Band4	1513	10000~20000MHz	12998.07	-52.29	-13	PASS
-------	------	----------------	----------	--------	-----	------

UMTS/TM2

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	1	0.15~30MHz	23.77	-50.65	-23	PASS
Band2	9262	1	30~1000MHz	937.42	-34.16	-13	PASS
Band2	9262	1	1000~3000MHz	2987.53	-39.53	-13	PASS
Band2	9262	1	3000~10000MHz	4132.45	-52.93	-13	PASS
Band2	9262	1	10000~20000MHz	12994.07	-52.75	-13	PASS
Band2	9262	1	0.009~0.15MHz	0.02	-77.12	-43	PASS
Band2	9262	2	0.15~30MHz	24.87	-51.76	-23	PASS
Band2	9262	2	30~1000MHz	980.65	-34.03	-13	PASS
Band2	9262	2	1000~3000MHz	2988.67	-39.56	-13	PASS
Band2	9262	2	0.009~0.15MHz	0.02	-77.45	-43	PASS
Band2	9262	2	3000~10000MHz	4191.01	-52.84	-13	PASS
Band2	9262	2	10000~20000MHz	12998.73	-52.74	-13	PASS
Band2	9262	3	3000~10000MHz	4159.74	-52.77	-13	PASS
Band2	9262	3	0.15~30MHz	23.48	-51.4	-23	PASS
Band2	9262	3	1000~3000MHz	2975	-39.52	-13	PASS
Band2	9262	3	0.009~0.15MHz	0.01	-74.66	-43	PASS
Band2	9262	3	10000~20000MHz	12992.4	-52.61	-13	PASS
Band2	9262	3	30~1000MHz	909.71	-34.06	-13	PASS
Band2	9262	4	0.15~30MHz	29.32	-51.13	-23	PASS
Band2	9262	4	10000~20000MHz	12995.07	-52.7	-13	PASS
Band2	9262	4	3000~10000MHz	4116.35	-52.74	-13	PASS
Band2	9262	4	1000~3000MHz	2993.6	-39.49	-13	PASS
Band2	9262	4	30~1000MHz	964.29	-33.49	-13	PASS
Band2	9262	4	0.009~0.15MHz	0.01	-77.89	-43	PASS
Band2	9400	1	0.009~0.15MHz	0.01	-76.95	-43	PASS
Band2	9400	1	1000~3000MHz	2998	-39.52	-13	PASS
Band2	9400	1	3000~10000MHz	4116.35	-52.8	-13	PASS
Band2	9400	1	0.15~30MHz	29.59	-51.12	-23	PASS
Band2	9400	1	10000~20000MHz	12997.07	-52.57	-13	PASS
Band2	9400	1	30~1000MHz	844.11	-33.79	-13	PASS
Band2	9400	2	3000~10000MHz	4122.18	-52.81	-13	PASS
Band2	9400	2	1000~3000MHz	2995.27	-39.4	-13	PASS
Band2	9400	2	30~1000MHz	968.14	-34.45	-13	PASS
Band2	9400	2	0.15~30MHz	24.67	-51	-23	PASS
Band2	9400	2	0.009~0.15MHz	0.01	-76.56	-43	PASS
Band2	9400	2	10000~20000MHz	12999.07	-52.69	-13	PASS
Band2	9400	3	30~1000MHz	981.85	-33.62	-13	PASS

Band2	9400	3	10000~20000MHz	12999.4	-52.63	-13	PASS
Band2	9400	3	1000~3000MHz	2997.13	-39.44	-13	PASS
Band2	9400	3	0.15~30MHz	28.26	-50.92	-23	PASS
Band2	9400	3	0.009~0.15MHz	0.02	-77.49	-43	PASS
Band2	9400	3	3000~10000MHz	4137.58	-52.72	-13	PASS
Band2	9400	4	10000~20000MHz	12994.73	-52.45	-13	PASS
Band2	9400	4	3000~10000MHz	4070.38	-52.88	-13	PASS
Band2	9400	4	1000~3000MHz	2982.33	-39.49	-13	PASS
Band2	9400	4	30~1000MHz	990.09	-34.48	-13	PASS
Band2	9400	4	0.15~30MHz	23.84	-51.05	-23	PASS
Band2	9400	4	0.009~0.15MHz	0.01	-77.07	-43	PASS
Band2	9538	1	0.009~0.15MHz	0.01	-77.09	-43	PASS
Band2	9538	1	3000~10000MHz	4117.51	-52.81	-13	PASS
Band2	9538	1	1000~3000MHz	2961.4	-39.48	-13	PASS
Band2	9538	1	30~1000MHz	997.88	-33.89	-13	PASS
Band2	9538	1	0.15~30MHz	25.96	-51.19	-23	PASS
Band2	9538	1	10000~20000MHz	12999.4	-52.47	-13	PASS
Band2	9538	2	30~1000MHz	888.44	-34.22	-13	PASS
Band2	9538	2	3000~10000MHz	4143.65	-52.92	-13	PASS
Band2	9538	2	0.009~0.15MHz	0.01	-78.49	-43	PASS
Band2	9538	2	10000~20000MHz	12993.07	-52.67	-13	PASS
Band2	9538	2	0.15~30MHz	29.18	-50.05	-23	PASS
Band2	9538	2	1000~3000MHz	2996.8	-39.49	-13	PASS
Band2	9538	3	30~1000MHz	958.89	-33.7	-13	PASS
Band2	9538	3	0.15~30MHz	23.54	-50.7	-23	PASS
Band2	9538	3	0.009~0.15MHz	0.02	-77.13	-43	PASS
Band2	9538	3	10000~20000MHz	12996.07	-52.54	-13	PASS
Band2	9538	3	1000~3000MHz	2978.2	-39.41	-13	PASS
Band2	9538	3	3000~10000MHz	4247.94	-52.87	-13	PASS
Band2	9538	4	3000~10000MHz	4154.84	-52.83	-13	PASS
Band2	9538	4	0.009~0.15MHz	0.01	-75.91	-43	PASS
Band2	9538	4	0.15~30MHz	25.07	-51	-23	PASS
Band2	9538	4	30~1000MHz	931.89	-34.2	-13	PASS
Band2	9538	4	1000~3000MHz	2992.33	-39.52	-13	PASS
Band2	9538	4	10000~20000MHz	12990.4	-52.69	-13	PASS
Band4	1312	1	0.009~0.15MHz	0.02	-76.91	-43	PASS
Band4	1312	1	0.15~30MHz	23.92	-49.44	-23	PASS
Band4	1312	1	30~1000MHz	972.66	-33.99	-13	PASS
Band4	1312	1	1000~3000MHz	2978.4	-39.4	-13	PASS
Band4	1312	1	3000~10000MHz	4123.81	-52.7	-13	PASS
Band4	1312	1	10000~20000MHz	12999.73	-52.67	-13	PASS
Band4	1312	2	0.15~30MHz	28.99	-51.03	-23	PASS

Band4	1312	2	30~1000MHz	971.47	-33.95	-13	PASS
Band4	1312	2	1000~3000MHz	2984.27	-39.47	-13	PASS
Band4	1312	2	3000~10000MHz	4114.25	-52.79	-13	PASS
Band4	1312	2	0.009~0.15MHz	0.01	-75.99	-43	PASS
Band4	1312	2	10000~20000MHz	12997.4	-52.7	-13	PASS
Band4	1312	3	0.15~30MHz	24.99	-50.95	-23	PASS
Band4	1312	3	1000~3000MHz	2994.47	-39.48	-13	PASS
Band4	1312	3	0.009~0.15MHz	0.01	-75.88	-43	PASS
Band4	1312	3	3000~10000MHz	4200.58	-52.67	-13	PASS
Band4	1312	3	10000~20000MHz	12598.08	-52.81	-13	PASS
Band4	1312	3	30~1000MHz	974.44	-34.16	-13	PASS
Band4	1312	4	0.009~0.15MHz	0.01	-77.44	-43	PASS
Band4	1312	4	10000~20000MHz	12992.4	-52.64	-13	PASS
Band4	1312	4	3000~10000MHz	4081.81	-52.92	-13	PASS
Band4	1312	4	1000~3000MHz	2999.13	-39.55	-13	PASS
Band4	1312	4	30~1000MHz	984.34	-34.19	-13	PASS
Band4	1312	4	0.15~30MHz	23.59	-51.08	-23	PASS
Band4	1413	1	30~1000MHz	934.74	-33.44	-13	PASS
Band4	1413	1	1000~3000MHz	2986.13	-39.45	-13	PASS
Band4	1413	1	3000~10000MHz	4102.11	-52.75	-13	PASS
Band4	1413	1	10000~20000MHz	12995.4	-52.59	-13	PASS
Band4	1413	1	0.009~0.15MHz	0.01	-73.79	-43	PASS
Band4	1413	1	0.15~30MHz	25.36	-50.93	-23	PASS
Band4	1413	2	3000~10000MHz	4139.91	-52.79	-13	PASS
Band4	1413	2	1000~3000MHz	2990.47	-39.36	-13	PASS
Band4	1413	2	30~1000MHz	945.73	-33.42	-13	PASS
Band4	1413	2	0.15~30MHz	27.4	-50.92	-23	PASS
Band4	1413	2	0.009~0.15MHz	0.01	-75.56	-43	PASS
Band4	1413	2	10000~20000MHz	12588.75	-52.64	-13	PASS
Band4	1413	3	10000~20000MHz	12999.07	-52.71	-13	PASS
Band4	1413	3	1000~3000MHz	2956.47	-39.36	-13	PASS
Band4	1413	3	0.15~30MHz	23.59	-49.94	-23	PASS
Band4	1413	3	0.009~0.15MHz	0.01	-76.87	-43	PASS
Band4	1413	3	30~1000MHz	977.58	-34.3	-13	PASS
Band4	1413	3	3000~10000MHz	4124.51	-52.75	-13	PASS
Band4	1413	4	10000~20000MHz	12595.75	-52.58	-13	PASS
Band4	1413	4	3000~10000MHz	4128.48	-52.67	-13	PASS
Band4	1413	4	1000~3000MHz	2991.73	-39.47	-13	PASS
Band4	1413	4	30~1000MHz	959.12	-33.21	-13	PASS
Band4	1413	4	0.15~30MHz	23.4	-50.93	-23	PASS
Band4	1413	4	0.009~0.15MHz	0.01	-75.85	-43	PASS
Band4	1513	1	0.009~0.15MHz	0.01	-76.35	-43	PASS

Band4	1513	1	3000~10000MHz	4115.65	-52.79	-13	PASS
Band4	1513	1	1000~3000MHz	2985.4	-39.4	-13	PASS
Band4	1513	1	0.15~30MHz	22.96	-50.15	-23	PASS
Band4	1513	1	10000~20000MHz	12991.4	-52.61	-13	PASS
Band4	1513	1	30~1000MHz	989.8	-34.43	-13	PASS
Band4	1513	2	3000~10000MHz	4156.48	-52.67	-13	PASS
Band4	1513	2	1000~3000MHz	2962.93	-39.54	-13	PASS
Band4	1513	2	10000~20000MHz	12997.4	-52.66	-13	PASS
Band4	1513	2	0.15~30MHz	26.41	-50.3	-23	PASS
Band4	1513	2	0.009~0.15MHz	0.01	-76.84	-43	PASS
Band4	1513	2	30~1000MHz	947.35	-33.31	-13	PASS
Band4	1513	3	0.15~30MHz	24.44	-51.34	-23	PASS
Band4	1513	3	0.009~0.15MHz	0.01	-77.15	-43	PASS
Band4	1513	3	30~1000MHz	961.86	-33.63	-13	PASS
Band4	1513	3	3000~10000MHz	4107.71	-52.82	-13	PASS
Band4	1513	3	1000~3000MHz	2947.27	-39.57	-13	PASS
Band4	1513	3	10000~20000MHz	12996.07	-52.51	-13	PASS
Band4	1513	4	10000~20000MHz	12999.4	-52.72	-13	PASS
Band4	1513	4	0.009~0.15MHz	0.01	-76.97	-43	PASS
Band4	1513	4	0.15~30MHz	24.24	-51.07	-23	PASS
Band4	1513	4	30~1000MHz	898.75	-33.72	-13	PASS
Band4	1513	4	1000~3000MHz	2994.87	-39.55	-13	PASS
Band4	1513	4	3000~10000MHz	4107.71	-52.78	-13	PASS

UMTS/TM3

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	1	0.15~30MHz	28.71	-50.72	-23	PASS
Band2	9262	1	30~1000MHz	945.38	-33.17	-13	PASS
Band2	9262	1	1000~3000MHz	2992	-39.62	-13	PASS
Band2	9262	1	3000~10000MHz	4154.61	-52.93	-13	PASS
Band2	9262	1	10000~20000MHz	12995.4	-52.44	-13	PASS
Band2	9262	1	0.009~0.15MHz	0.01	-77.05	-43	PASS
Band2	9262	2	1000~3000MHz	2983.07	-39.46	-13	PASS
Band2	9262	2	3000~10000MHz	6709.06	-52.76	-13	PASS
Band2	9262	2	30~1000MHz	907.68	-34.41	-13	PASS
Band2	9262	2	0.15~30MHz	24.81	-50.98	-23	PASS
Band2	9262	2	0.009~0.15MHz	0.01	-77.06	-43	PASS
Band2	9262	2	10000~20000MHz	12995.07	-52.71	-13	PASS
Band2	9262	3	10000~20000MHz	12996.4	-52.7	-13	PASS
Band2	9262	3	0.15~30MHz	29.36	-51.48	-23	PASS
Band2	9262	3	30~1000MHz	931.5	-33.69	-13	PASS

Band2	9262	3	0.009~0.15MHz	0.02	-74.97	-43	PASS
Band2	9262	3	3000~10000MHz	4138.05	-52.67	-13	PASS
Band2	9262	3	1000~3000MHz	2982.87	-39.58	-13	PASS
Band2	9262	4	0.15~30MHz	24.87	-51.19	-23	PASS
Band2	9262	4	30~1000MHz	993.07	-33.71	-13	PASS
Band2	9262	4	1000~3000MHz	2978.93	-39.44	-13	PASS
Band2	9262	4	0.009~0.15MHz	0.01	-73.5	-43	PASS
Band2	9262	4	3000~10000MHz	4127.08	-52.69	-13	PASS
Band2	9262	4	10000~20000MHz	12995.4	-52.7	-13	PASS
Band2	9262	5	3000~10000MHz	4158.11	-52.8	-13	PASS
Band2	9262	5	0.009~0.15MHz	0.01	-75.72	-43	PASS
Band2	9262	5	10000~20000MHz	12997.07	-52.56	-13	PASS
Band2	9262	5	0.15~30MHz	23.02	-51.13	-23	PASS
Band2	9262	5	1000~3000MHz	2998.2	-39.48	-13	PASS
Band2	9262	5	30~1000MHz	886.11	-34.09	-13	PASS
Band2	9400	1	3000~10000MHz	4164.64	-52.81	-13	PASS
Band2	9400	1	0.009~0.15MHz	0.01	-75.26	-43	PASS
Band2	9400	1	0.15~30MHz	24.56	-50.38	-23	PASS
Band2	9400	1	30~1000MHz	967.91	-33.89	-13	PASS
Band2	9400	1	1000~3000MHz	2998.13	-39.59	-13	PASS
Band2	9400	1	10000~20000MHz	12997.73	-52.73	-13	PASS
Band2	9400	2	1000~3000MHz	2986.53	-39.41	-13	PASS
Band2	9400	2	3000~10000MHz	4137.11	-52.86	-13	PASS
Band2	9400	2	30~1000MHz	915.53	-33.92	-13	PASS
Band2	9400	2	0.15~30MHz	26.03	-51.49	-23	PASS
Band2	9400	2	0.009~0.15MHz	0.01	-75.42	-43	PASS
Band2	9400	2	10000~20000MHz	12999.07	-52.28	-13	PASS
Band2	9400	3	1000~3000MHz	2996.73	-39.48	-13	PASS
Band2	9400	3	30~1000MHz	890.51	-33.53	-13	PASS
Band2	9400	3	10000~20000MHz	12995.07	-52.75	-13	PASS
Band2	9400	3	3000~10000MHz	4114.95	-52.8	-13	PASS
Band2	9400	3	0.15~30MHz	25.25	-50.73	-23	PASS
Band2	9400	3	0.009~0.15MHz	0.01	-76.97	-43	PASS
Band2	9400	4	0.15~30MHz	23.74	-51.24	-23	PASS
Band2	9400	4	10000~20000MHz	12994.07	-52.5	-13	PASS
Band2	9400	4	3000~10000MHz	4106.78	-52.65	-13	PASS
Band2	9400	4	30~1000MHz	990.38	-33.39	-13	PASS
Band2	9400	4	0.009~0.15MHz	0.01	-76.41	-43	PASS
Band2	9400	4	1000~3000MHz	2966.67	-39.49	-13	PASS
Band2	9400	5	10000~20000MHz	12995.07	-52.42	-13	PASS
Band2	9400	5	0.15~30MHz	26.4	-51.1	-23	PASS
Band2	9400	5	30~1000MHz	977.16	-33.62	-13	PASS


Band2	9400	5	1000~3000MHz	2966.8	-39.41	-13	PASS
Band2	9400	5	3000~10000MHz	4127.31	-52.84	-13	PASS
Band2	9400	5	0.009~0.15MHz	0.01	-75.66	-43	PASS
Band2	9538	1	0.009~0.15MHz	0.01	-76.43	-43	PASS
Band2	9538	1	0.15~30MHz	25.74	-51.73	-23	PASS
Band2	9538	1	30~1000MHz	919.74	-33.22	-13	PASS
Band2	9538	1	1000~3000MHz	2975.27	-39.37	-13	PASS
Band2	9538	1	3000~10000MHz	4111.21	-52.78	-13	PASS
Band2	9538	1	10000~20000MHz	12999.4	-52.47	-13	PASS
Band2	9538	2	0.009~0.15MHz	0.01	-75.45	-43	PASS
Band2	9538	2	3000~10000MHz	4173.98	-52.84	-13	PASS
Band2	9538	2	1000~3000MHz	2987.67	-39.3	-13	PASS
Band2	9538	2	30~1000MHz	918.54	-34.16	-13	PASS
Band2	9538	2	0.15~30MHz	25.73	-50.76	-23	PASS
Band2	9538	2	10000~20000MHz	12999.73	-52.73	-13	PASS
Band2	9538	3	1000~3000MHz	2984	-39.6	-13	PASS
Band2	9538	3	0.009~0.15MHz	0.01	-77.73	-43	PASS
Band2	9538	3	3000~10000MHz	4148.08	-52.78	-13	PASS
Band2	9538	3	10000~20000MHz	12998.4	-52.62	-13	PASS
Band2	9538	3	0.15~30MHz	23.8	-51.03	-23	PASS
Band2	9538	3	30~1000MHz	949.09	-33.5	-13	PASS
Band2	9538	4	0.009~0.15MHz	0.01	-76.42	-43	PASS
Band2	9538	4	10000~20000MHz	12996.07	-52.58	-13	PASS
Band2	9538	4	3000~10000MHz	4088.35	-52.77	-13	PASS
Band2	9538	4	1000~3000MHz	2991.4	-39.27	-13	PASS
Band2	9538	4	0.15~30MHz	23.39	-51.76	-23	PASS
Band2	9538	4	30~1000MHz	921.32	-34.15	-13	PASS
Band2	9538	5	10000~20000MHz	12999.4	-52.47	-13	PASS
Band2	9538	5	0.009~0.15MHz	0.01	-77.25	-43	PASS
Band2	9538	5	0.15~30MHz	23.76	-50.92	-23	PASS
Band2	9538	5	30~1000MHz	935.09	-32.52	-13	PASS
Band2	9538	5	1000~3000MHz	2988.93	-39.5	-13	PASS
Band2	9538	5	3000~10000MHz	4181.44	-52.87	-13	PASS
Band4	1312	1	0.15~30MHz	25.94	-50.28	-23	PASS
Band4	1312	1	30~1000MHz	952.65	-33.8	-13	PASS
Band4	1312	1	1000~3000MHz	2964.53	-39.33	-13	PASS
Band4	1312	1	3000~10000MHz	4141.78	-52.66	-13	PASS
Band4	1312	1	10000~20000MHz	12999.07	-52.53	-13	PASS
Band4	1312	1	0.009~0.15MHz	0.01	-76.66	-43	PASS
Band4	1312	2	1000~3000MHz	2983.4	-39.52	-13	PASS
Band4	1312	2	3000~10000MHz	4091.85	-52.75	-13	PASS
Band4	1312	2	30~1000MHz	900.3	-33.54	-13	PASS

Band4	1312	2	0.15~30MHz	28.52	-50.53	-23	PASS
Band4	1312	2	0.009~0.15MHz	0.03	-76.99	-43	PASS
Band4	1312	2	10000~20000MHz	12993.4	-52.6	-13	PASS
Band4	1312	3	10000~20000MHz	12997.73	-52.58	-13	PASS
Band4	1312	3	0.15~30MHz	25.61	-51.17	-23	PASS
Band4	1312	3	30~1000MHz	875.15	-34.28	-13	PASS
Band4	1312	3	0.009~0.15MHz	0.01	-77.33	-43	PASS
Band4	1312	3	3000~10000MHz	3424.3	-51.96	-13	PASS
Band4	1312	3	1000~3000MHz	2982.6	-39.44	-13	PASS
Band4	1312	4	0.009~0.15MHz	0.02	-76.52	-43	PASS
Band4	1312	4	0.15~30MHz	0.58	-51.4	-23	PASS
Band4	1312	4	30~1000MHz	954.78	-33.4	-13	PASS
Band4	1312	4	1000~3000MHz	2978.27	-39.23	-13	PASS
Band4	1312	4	3000~10000MHz	3423.37	-51.79	-13	PASS
Band4	1312	4	10000~20000MHz	12992.73	-52.65	-13	PASS
Band4	1312	5	1000~3000MHz	2980.4	-39.52	-13	PASS
Band4	1312	5	10000~20000MHz	12999.4	-52.59	-13	PASS
Band4	1312	5	3000~10000MHz	3426.17	-51.26	-13	PASS
Band4	1312	5	0.009~0.15MHz	0.02	-75.79	-43	PASS
Band4	1312	5	30~1000MHz	986.5	-32.82	-13	PASS
Band4	1312	5	0.15~30MHz	24.73	-51.56	-23	PASS
Band4	1413	1	0.15~30MHz	29.93	-51.48	-23	PASS
Band4	1413	1	0.009~0.15MHz	0.01	-77.93	-43	PASS
Band4	1413	1	30~1000MHz	951.94	-33.22	-13	PASS
Band4	1413	1	1000~3000MHz	2989.27	-39.48	-13	PASS
Band4	1413	1	3000~10000MHz	4135.48	-52.82	-13	PASS
Band4	1413	1	10000~20000MHz	12616.08	-52.63	-13	PASS
Band4	1413	2	1000~3000MHz	2974	-39.39	-13	PASS
Band4	1413	2	3000~10000MHz	4150.18	-52.78	-13	PASS
Band4	1413	2	30~1000MHz	988.96	-33.87	-13	PASS
Band4	1413	2	0.15~30MHz	29.38	-51.41	-23	PASS
Band4	1413	2	0.009~0.15MHz	0.01	-75.86	-43	PASS
Band4	1413	2	10000~20000MHz	12611.41	-52.66	-13	PASS
Band4	1413	3	1000~3000MHz	2987.27	-39.36	-13	PASS
Band4	1413	3	10000~20000MHz	12997.4	-52.68	-13	PASS
Band4	1413	3	30~1000MHz	919.41	-33.97	-13	PASS
Band4	1413	3	0.15~30MHz	25.97	-50.58	-23	PASS
Band4	1413	3	0.009~0.15MHz	0.01	-77.06	-43	PASS
Band4	1413	3	3000~10000MHz	3467.23	-50.5	-13	PASS
Band4	1413	4	0.15~30MHz	25.65	-50.58	-23	PASS
Band4	1413	4	10000~20000MHz	12997.73	-52.42	-13	PASS
Band4	1413	4	3000~10000MHz	3466.53	-51.18	-13	PASS


Band4	1413	4	30~1000MHz	922.94	-34.11	-13	PASS
Band4	1413	4	0.009~0.15MHz	0.01	-74.6	-43	PASS
Band4	1413	4	1000~3000MHz	2993.53	-39.36	-13	PASS
Band4	1413	5	10000~20000MHz	12997.4	-52.64	-13	PASS
Band4	1413	5	0.15~30MHz	29.29	-51.51	-23	PASS
Band4	1413	5	30~1000MHz	997.98	-33.33	-13	PASS
Band4	1413	5	1000~3000MHz	2994.33	-39.48	-13	PASS
Band4	1413	5	3000~10000MHz	3466.53	-50.23	-13	PASS
Band4	1413	5	0.009~0.15MHz	0.02	-77.2	-43	PASS
Band4	1513	1	0.009~0.15MHz	0.01	-74.77	-43	PASS
Band4	1513	1	0.15~30MHz	23.01	-50.68	-23	PASS
Band4	1513	1	30~1000MHz	902.66	-34.03	-13	PASS
Band4	1513	1	1000~3000MHz	2966.73	-39.48	-13	PASS
Band4	1513	1	3000~10000MHz	4111.21	-52.75	-13	PASS
Band4	1513	1	10000~20000MHz	12991.73	-52.72	-13	PASS
Band4	1513	2	1000~3000MHz	2950.2	-39.31	-13	PASS
Band4	1513	2	10000~20000MHz	12994.07	-52.58	-13	PASS
Band4	1513	2	3000~10000MHz	4117.98	-52.65	-13	PASS
Band4	1513	2	30~1000MHz	953.62	-33.44	-13	PASS
Band4	1513	2	0.15~30MHz	24.07	-50.22	-23	PASS
Band4	1513	2	0.009~0.15MHz	0.01	-78.11	-43	PASS
Band4	1513	3	3000~10000MHz	4134.78	-52.58	-13	PASS
Band4	1513	3	0.15~30MHz	28.16	-50.63	-23	PASS
Band4	1513	3	10000~20000MHz	12599.41	-52.61	-13	PASS
Band4	1513	3	30~1000MHz	980.52	-33.89	-13	PASS
Band4	1513	3	1000~3000MHz	2972.87	-39.31	-13	PASS
Band4	1513	3	0.009~0.15MHz	0.02	-77.47	-43	PASS
Band4	1513	4	0.009~0.15MHz	0.01	-77.41	-43	PASS
Band4	1513	4	10000~20000MHz	12591.75	-52.51	-13	PASS
Band4	1513	4	3000~10000MHz	4142.71	-52.8	-13	PASS
Band4	1513	4	1000~3000MHz	2980.6	-39.45	-13	PASS
Band4	1513	4	0.15~30MHz	25.7	-51.47	-23	PASS
Band4	1513	4	30~1000MHz	979.68	-34.14	-13	PASS
Band4	1513	5	10000~20000MHz	12999.73	-52.5	-13	PASS
Band4	1513	5	0.009~0.15MHz	0.02	-76.15	-43	PASS
Band4	1513	5	0.15~30MHz	22.87	-50.63	-23	PASS
Band4	1513	5	30~1000MHz	917.5	-34.11	-13	PASS
Band4	1513	5	1000~3000MHz	2980.93	-39.35	-13	PASS
Band4	1513	5	3000~10000MHz	3124.25	-52.7	-13	PASS

Test Graphs

Band2-9262-0.009~0.15MHz



Band2-9262-0.15~30MHz



Band2-9262-30~1000MHz