

Appendix for Band 17

Report No.: BCTC2504497774-5E

Applicant: Shenzhen Baseus Technology Co., Ltd.

Product Name: Mifi Power bank


Test Model: PPMF-2067

Tested Date: 2025-04-27 to 2025-08-26

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement.....	3
Appendix 2.Frequency stability.....	6
Appendix 3.Peak-to-Average Ratio	12
Appendix 4.Occupied bandwidth	21
Appendix 5.Band edge.....	30
Appendix 6.Out-of-band emissions.....	37




Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	24.64	-2.4	20.09	PASS
NVNT	Band17	5	23755	1	#Mid	QPSK	24.66	-2.4	20.11	PASS
NVNT	Band17	5	23755	1	#Max	QPSK	24.64	-2.4	20.09	PASS
NVNT	Band17	5	23755	12	#0	QPSK	23.79	-2.4	19.24	PASS
NVNT	Band17	5	23755	12	#Mid	QPSK	23.67	-2.4	19.12	PASS
NVNT	Band17	5	23755	12	#Max	QPSK	23.55	-2.4	19.00	PASS
NVNT	Band17	5	23755	25	#0	QPSK	23.74	-2.4	19.19	PASS
NVNT	Band17	5	23755	1	#0	16QAM	23.43	-2.4	18.88	PASS
NVNT	Band17	5	23755	1	#Mid	16QAM	23.35	-2.4	18.80	PASS
NVNT	Band17	5	23755	1	#Max	16QAM	23.24	-2.4	18.69	PASS
NVNT	Band17	5	23755	12	#0	16QAM	22.60	-2.4	18.05	PASS
NVNT	Band17	5	23755	12	#Mid	16QAM	22.66	-2.4	18.11	PASS
NVNT	Band17	5	23755	12	#Max	16QAM	22.49	-2.4	17.94	PASS
NVNT	Band17	5	23755	25	#0	16QAM	22.80	-2.4	18.25	PASS
NVNT	Band17	5	23790	1	#0	QPSK	24.36	-2.4	19.81	PASS
NVNT	Band17	5	23790	1	#Mid	QPSK	24.32	-2.4	19.77	PASS
NVNT	Band17	5	23790	1	#Max	QPSK	24.31	-2.4	19.76	PASS
NVNT	Band17	5	23790	12	#0	QPSK	23.57	-2.4	19.02	PASS
NVNT	Band17	5	23790	12	#Mid	QPSK	23.73	-2.4	19.18	PASS
NVNT	Band17	5	23790	12	#Max	QPSK	23.64	-2.4	19.09	PASS
NVNT	Band17	5	23790	25	#0	QPSK	23.61	-2.4	19.06	PASS
NVNT	Band17	5	23790	1	#0	16QAM	24.24	-2.4	19.69	PASS
NVNT	Band17	5	23790	1	#Mid	16QAM	24.37	-2.4	19.82	PASS
NVNT	Band17	5	23790	1	#Max	16QAM	24.23	-2.4	19.68	PASS
NVNT	Band17	5	23790	12	#0	16QAM	22.56	-2.4	18.01	PASS
NVNT	Band17	5	23790	12	#Mid	16QAM	22.62	-2.4	18.07	PASS
NVNT	Band17	5	23790	12	#Max	16QAM	22.88	-2.4	18.33	PASS
NVNT	Band17	5	23790	25	#0	16QAM	22.79	-2.4	18.24	PASS
NVNT	Band17	5	23825	1	#0	QPSK	24.62	-2.4	20.07	PASS
NVNT	Band17	5	23825	1	#Mid	QPSK	24.61	-2.4	20.06	PASS
NVNT	Band17	5	23825	1	#Max	QPSK	24.66	-2.4	20.11	PASS
NVNT	Band17	5	23825	12	#0	QPSK	23.71	-2.4	19.16	PASS
NVNT	Band17	5	23825	12	#Mid	QPSK	23.65	-2.4	19.10	PASS
NVNT	Band17	5	23825	12	#Max	QPSK	23.78	-2.4	19.23	PASS
NVNT	Band17	5	23825	25	#0	QPSK	23.72	-2.4	19.17	PASS

NVNT	Band17	5	23825	1	#0	16QAM	23.87	-2.4	19.32	PASS
NVNT	Band17	5	23825	1	#Mid	16QAM	23.95	-2.4	19.40	PASS
NVNT	Band17	5	23825	1	#Max	16QAM	23.89	-2.4	19.34	PASS
NVNT	Band17	5	23825	12	#0	16QAM	22.89	-2.4	18.34	PASS
NVNT	Band17	5	23825	12	#Mid	16QAM	22.66	-2.4	18.11	PASS
NVNT	Band17	5	23825	12	#Max	16QAM	22.71	-2.4	18.16	PASS
NVNT	Band17	5	23825	25	#0	16QAM	22.76	-2.4	18.21	PASS
NVNT	Band17	10	23780	1	#0	QPSK	24.60	-2.4	20.05	PASS
NVNT	Band17	10	23780	1	#Mid	QPSK	24.49	-2.4	19.94	PASS
NVNT	Band17	10	23780	1	#Max	QPSK	24.58	-2.4	20.03	PASS
NVNT	Band17	10	23780	25	#0	QPSK	23.70	-2.4	19.15	PASS
NVNT	Band17	10	23780	25	#Mid	QPSK	23.67	-2.4	19.12	PASS
NVNT	Band17	10	23780	25	#Max	QPSK	23.62	-2.4	19.07	PASS
NVNT	Band17	10	23780	50	#0	QPSK	23.63	-2.4	19.08	PASS
NVNT	Band17	10	23780	1	#0	16QAM	24.59	-2.4	20.04	PASS
NVNT	Band17	10	23780	1	#Mid	16QAM	24.53	-2.4	19.98	PASS
NVNT	Band17	10	23780	1	#Max	16QAM	24.52	-2.4	19.97	PASS
NVNT	Band17	10	23780	25	#0	16QAM	22.77	-2.4	18.22	PASS
NVNT	Band17	10	23780	25	#Mid	16QAM	22.71	-2.4	18.16	PASS
NVNT	Band17	10	23780	25	#Max	16QAM	23.02	-2.4	18.47	PASS
NVNT	Band17	10	23780	50	#0	16QAM	22.74	-2.4	18.19	PASS
NVNT	Band17	10	23790	1	#0	QPSK	24.55	-2.4	20.00	PASS
NVNT	Band17	10	23790	1	#Mid	QPSK	24.47	-2.4	19.92	PASS
NVNT	Band17	10	23790	1	#Max	QPSK	24.52	-2.4	19.97	PASS
NVNT	Band17	10	23790	25	#0	QPSK	23.67	-2.4	19.12	PASS
NVNT	Band17	10	23790	25	#Mid	QPSK	23.74	-2.4	19.19	PASS
NVNT	Band17	10	23790	25	#Max	QPSK	23.72	-2.4	19.17	PASS
NVNT	Band17	10	23790	50	#0	QPSK	23.59	-2.4	19.04	PASS
NVNT	Band17	10	23790	1	#0	16QAM	24.30	-2.4	19.75	PASS
NVNT	Band17	10	23790	1	#Mid	16QAM	24.15	-2.4	19.60	PASS
NVNT	Band17	10	23790	1	#Max	16QAM	24.21	-2.4	19.66	PASS
NVNT	Band17	10	23790	25	#0	16QAM	22.70	-2.4	18.15	PASS
NVNT	Band17	10	23790	25	#Mid	16QAM	22.79	-2.4	18.24	PASS
NVNT	Band17	10	23790	25	#Max	16QAM	23.01	-2.4	18.46	PASS
NVNT	Band17	10	23790	50	#0	16QAM	22.81	-2.4	18.26	PASS
NVNT	Band17	10	23800	1	#0	QPSK	24.96	-2.4	20.41	PASS
NVNT	Band17	10	23800	1	#Mid	QPSK	24.90	-2.4	20.35	PASS
NVNT	Band17	10	23800	1	#Max	QPSK	25.03	-2.4	20.48	PASS
NVNT	Band17	10	23800	25	#0	QPSK	23.65	-2.4	19.10	PASS
NVNT	Band17	10	23800	25	#Mid	QPSK	23.77	-2.4	19.22	PASS
NVNT	Band17	10	23800	25	#Max	QPSK	23.70	-2.4	19.15	PASS
NVNT	Band17	10	23800	50	#0	QPSK	23.79	-2.4	19.24	PASS

NVNT	Band17	10	23800	1	#0	16QAM	24.49	-2.4	19.94	PASS
NVNT	Band17	10	23800	1	#Mid	16QAM	24.47	-2.4	19.92	PASS
NVNT	Band17	10	23800	1	#Max	16QAM	24.37	-2.4	19.82	PASS
NVNT	Band17	10	23800	25	#0	16QAM	22.68	-2.4	18.13	PASS
NVNT	Band17	10	23800	25	#Mid	16QAM	22.79	-2.4	18.24	PASS
NVNT	Band17	10	23800	25	#Max	16QAM	22.86	-2.4	18.31	PASS
NVNT	Band17	10	23800	50	#0	16QAM	22.71	-2.4	18.16	PASS



Appendix 2.Frequency stability

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band1 7	5	23755	25	#0	QPSK	LV	NT	28.64	0.041	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	NT	3.82	0.005	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	HV	NT	-15.89	-0.022	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	LV	NT	-23.17	-0.033	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	NT	-20.37	-0.029	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	HV	NT	-11.57	-0.016	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	LV	NT	20.63	0.029	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	NT	17.67	0.025	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	HV	NT	14.45	0.020	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	LV	NT	15.08	0.021	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	NT	22.75	0.032	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	HV	NT	27.78	0.039	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	LV	NT	4.65	0.007	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	NT	-2.86	-0.004	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	HV	NT	-11.86	-0.017	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	LV	NT	-16.11	-0.023	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	NT	-18.00	-0.025	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	HV	NT	-17.72	-0.025	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	LV	NT	25.98	0.037	PASS

NVNT	Band1 7	10	23780	50	#0	QPSK	NV	NT	-30.97	-0.044	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	HV	NT	-1.73	-0.002	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	LV	NT	6.79	0.010	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	NT	20.67	0.029	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	HV	NT	24.99	0.035	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	LV	NT	16.01	0.023	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	NT	9.94	0.014	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	HV	NT	2.99	0.004	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	LV	NT	-0.24	0.000	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	NT	2.98	0.004	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	HV	NT	5.29	0.007	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	LV	NT	12.96	0.018	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	NT	0.20	0.000	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	HV	NT	1.16	0.002	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	LV	NT	-1.66	-0.002	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	NT	1.32	0.002	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	HV	NT	3.29	0.005	PASS

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	-30	-26.06	-0.037	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	-20	-44.59	-0.063	PASS
NVNT	Band1	5	23755	25	#0	QPSK	NV	0	-25.94	-0.037	PASS

	7										
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	10	-16.22	-0.023	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	20	14.51	0.021	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	30	37.54	0.053	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	40	23.98	0.034	PASS
NVNT	Band1 7	5	23755	25	#0	QPSK	NV	50	35.66	0.050	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	-30	14.35	0.020	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	-20	33.19	0.047	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	0	2.96	0.004	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	10	13.93	0.020	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	20	19.80	0.028	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	30	26.06	0.037	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	40	32.27	0.046	PASS
NVNT	Band1 7	5	23755	25	#0	16QAM	NV	50	34.23	0.048	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	-30	19.57	0.028	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	-20	12.56	0.018	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	0	9.61	0.014	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	10	14.49	0.020	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	20	20.16	0.028	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	30	28.94	0.041	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	40	36.58	0.052	PASS
NVNT	Band1 7	5	23790	25	#0	QPSK	NV	50	44.39	0.063	PASS

NVNT	Band1 7	5	23790	25	#0	16QAM	NV	-30	-3.23	-0.005	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	-20	6.45	0.009	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	0	14.28	0.020	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	10	18.37	0.026	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	20	17.67	0.025	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	30	18.28	0.026	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	40	16.72	0.024	PASS
NVNT	Band1 7	5	23790	25	#0	16QAM	NV	50	16.41	0.023	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	-30	11.19	0.016	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	-20	-2.69	-0.004	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	0	-14.68	-0.021	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	10	-14.62	-0.020	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	20	-9.31	-0.013	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	30	0.82	0.001	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	40	9.27	0.013	PASS
NVNT	Band1 7	5	23825	25	#0	QPSK	NV	50	16.91	0.024	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	-30	23.39	0.033	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	-20	28.60	0.040	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	0	28.18	0.039	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	10	25.89	0.036	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	20	22.30	0.031	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	30	17.35	0.024	PASS


	7										
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	40	9.37	0.013	PASS
NVNT	Band1 7	5	23825	25	#0	16QAM	NV	50	2.39	0.003	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	-30	-9.01	-0.013	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	-20	-17.84	-0.025	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	0	-25.96	-0.037	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	10	-7.67	-0.011	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	20	15.69	0.022	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	30	29.47	0.042	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	40	20.87	0.029	PASS
NVNT	Band1 7	10	23780	50	#0	QPSK	NV	50	40.07	0.057	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	-30	1.79	0.003	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	-20	7.45	0.011	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	0	12.50	0.018	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	10	10.26	0.014	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	20	7.81	0.011	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	30	4.58	0.006	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	40	1.95	0.003	PASS
NVNT	Band1 7	10	23780	50	#0	16QAM	NV	50	-1.59	-0.002	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	-30	9.43	0.013	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	-20	-8.04	-0.011	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	0	-3.50	-0.005	PASS

NVNT	Band1 7	10	23790	50	#0	QPSK	NV	10	10.44	0.015	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	20	25.41	0.036	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	30	32.04	0.045	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	40	40.77	0.057	PASS
NVNT	Band1 7	10	23790	50	#0	QPSK	NV	50	47.29	0.067	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	-30	0.51	0.001	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	-20	10.63	0.015	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	0	14.16	0.020	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	10	10.44	0.015	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	20	4.88	0.007	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	30	1.93	0.003	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	40	-2.30	-0.003	PASS
NVNT	Band1 7	10	23790	50	#0	16QAM	NV	50	-5.05	-0.007	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	-30	-2.75	-0.004	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	-20	-17.81	-0.025	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	0	-17.35	-0.024	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	10	-7.40	-0.010	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	20	2.30	0.003	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	30	16.67	0.023	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	40	28.50	0.040	PASS
NVNT	Band1 7	10	23800	50	#0	QPSK	NV	50	38.17	0.054	PASS
NVNT	Band1	10	23800	50	#0	16QAM	NV	-30	44.09	0.062	PASS


	7										
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	-20	4.16	0.006	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	0	4.46	0.006	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	10	-7.91	-0.011	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	20	-17.04	-0.024	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	30	-22.60	-0.032	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	40	-25.23	-0.035	PASS
NVNT	Band1 7	10	23800	50	#0	16QAM	NV	50	-28.60	-0.040	PASS



Appendix 3. Peak-to-Average Ratio


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band17	5	23755	1	#0	QPSK	4.45	13	PASS
NVNT	Band17	5	23755	1	#0	16QAM	5.59	13	PASS
NVNT	Band17	5	23790	1	#0	QPSK	4.42	13	PASS
NVNT	Band17	5	23790	1	#0	16QAM	5.38	13	PASS
NVNT	Band17	5	23825	1	#0	QPSK	4.63	13	PASS
NVNT	Band17	5	23825	1	#0	16QAM	5.32	13	PASS
NVNT	Band17	10	23780	1	#0	QPSK	4.36	13	PASS
NVNT	Band17	10	23780	1	#0	16QAM	5.44	13	PASS
NVNT	Band17	10	23790	1	#0	QPSK	4.43	13	PASS
NVNT	Band17	10	23790	1	#0	16QAM	5.29	13	PASS
NVNT	Band17	10	23800	1	#0	QPSK	4.22	13	PASS
NVNT	Band17	10	23800	1	#0	16QAM	5.42	13	PASS




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 NVNT










Band17 16QAM BW=5MHz Channel=23790 RB Size=1 Position=#0 NVNT










Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0 NVNT









Band17 16QAM BW=10MHz Channel=23790 RB Size=1 Position=#0 NVNT







Appendix 4.Occupied bandwidth


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
NVNT	Band17	5	23755	25	#0	QPSK	4.531	4.888	PASS
NVNT	Band17	5	23755	25	#0	16QAM	4.492	4.960	PASS
NVNT	Band17	5	23790	25	#0	QPSK	4.499	4.963	PASS
NVNT	Band17	5	23790	25	#0	16QAM	4.525	4.973	PASS
NVNT	Band17	5	23825	25	#0	QPSK	4.511	4.938	PASS
NVNT	Band17	5	23825	25	#0	16QAM	4.506	4.963	PASS
NVNT	Band17	10	23780	50	#0	QPSK	9.026	9.899	PASS
NVNT	Band17	10	23780	50	#0	16QAM	8.980	9.889	PASS
NVNT	Band17	10	23790	50	#0	QPSK	8.990	9.861	PASS
NVNT	Band17	10	23790	50	#0	16QAM	9.005	9.757	PASS
NVNT	Band17	10	23800	50	#0	QPSK	9.029	9.895	PASS
NVNT	Band17	10	23800	50	#0	16QAM	9.004	9.872	PASS







Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT








Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT







Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT





Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT







Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT









Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT







Appendix 5.Band edge


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band17	5	23755	25	#0	QPSK	704.00	-29.94	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	704.00	-32.09	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	716.00	-29.83	-13	PASS
NVNT	Band17	5	23825	25	#0	16QAM	716.00	-30.72	-13	PASS
NVNT	Band17	10	23780	50	#0	QPSK	703.96	-36.72	-13	PASS
NVNT	Band17	10	23780	50	#0	16QAM	704.00	-37.45	-13	PASS
NVNT	Band17	10	23800	50	#0	QPSK	716.02	-34.08	-13	PASS
NVNT	Band17	10	23800	50	#0	16QAM	716.02	-33.65	-13	PASS







Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT










Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT









Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT







Appendix 6.Out-of-band emissions

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band17	5	23755	25	#0	QPSK	25025.63	-24.16	-13	PASS
NVNT	Band17	5	23755	25	#0	16QAM	25522.50	-23.46	-13	PASS
NVNT	Band17	5	23790	25	#0	QPSK	25736.25	-23.88	-13	PASS
NVNT	Band17	5	23790	25	#0	16QAM	25486.88	-24.36	-13	PASS
NVNT	Band17	5	23825	25	#0	QPSK	25556.25	-23.57	-13	PASS
NVNT	Band17	5	23825	25	#0	16QAM	25073.75	-24.44	-13	PASS
NVNT	Band17	10	23780	50	#0	QPSK	25443.75	-24.02	-13	PASS
NVNT	Band17	10	23780	50	#0	16QAM	25658.75	-24.17	-13	PASS
NVNT	Band17	10	23790	50	#0	QPSK	25953.75	-23.88	-13	PASS
NVNT	Band17	10	23790	50	#0	16QAM	24678.75	-24.65	-13	PASS
NVNT	Band17	10	23800	50	#0	QPSK	25996.25	-24.86	-13	PASS
NVNT	Band17	10	23800	50	#0	16QAM	25059.38	-24.33	-13	PASS






Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT





Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.11604015	-46.7	-13
2	0.15	30	10	6.0379125	-43.09	-13
3	30	1000	100	898.31975	-51	-13
4	1000	26000	1000	25736.25	-23.88	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT






Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0 NVNT





Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.47	-13
2	0.15	30	10	6.122985	-44.01	-13
3	30	1000	100	842.278	-50.47	-13
4	1000	26000	1000	25073.75	-24.44	-13

Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0 NVNT






Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT





Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-45.16	-13
2	0.15	30	10	6.11925375	-45	-13
3	30	1000	100	888.23175	-50.79	-13
4	1000	26000	1000	25953.75	-23.88	-13

Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT






Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0 NVNT



Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01052985	-46.08	-13
2	0.15	30	10	6.09612	-45.78	-13
3	30	1000	100	766.6665	-50.14	-13
4	1000	26000	1000	25059.375	-24.33	-13

Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0 NVNT