

Appendix for Band 25

Report No.: BCTC2504497774-5E

Applicant: Shenzhen Baseus Technology Co., Ltd.

Product Name: Mifi Power bank


Test Model: PPMF-2067

Tested Date: 2025-04-27 to 2025-08-26

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement.....	3
Appendix 2. Frequency stability.....	10
Appendix 3. Peak-to-Average Ratio	31
Appendix 4. Occupied bandwidth	57
Appendix 5. Band edge.....	82
Appendix 6. Out-of-band emissions.....	99



Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
NVNT	Band25	1.4	26047	1	#0	QPSK	24.76	1.95	26.71	PASS
NVNT	Band25	1.4	26047	1	#Mid	QPSK	24.72	1.95	26.67	PASS
NVNT	Band25	1.4	26047	1	#Max	QPSK	24.74	1.95	26.69	PASS
NVNT	Band25	1.4	26047	3	#0	QPSK	24.47	1.95	26.42	PASS
NVNT	Band25	1.4	26047	3	#Mid	QPSK	24.53	1.95	26.48	PASS
NVNT	Band25	1.4	26047	3	#Max	QPSK	24.49	1.95	26.44	PASS
NVNT	Band25	1.4	26047	6	#0	QPSK	23.63	1.95	25.58	PASS
NVNT	Band25	1.4	26047	1	#0	16QAM	24.76	1.95	26.71	PASS
NVNT	Band25	1.4	26047	1	#Mid	16QAM	24.76	1.95	26.71	PASS
NVNT	Band25	1.4	26047	1	#Max	16QAM	24.78	1.95	26.73	PASS
NVNT	Band25	1.4	26047	3	#0	16QAM	23.90	1.95	25.85	PASS
NVNT	Band25	1.4	26047	3	#Mid	16QAM	23.90	1.95	25.85	PASS
NVNT	Band25	1.4	26047	3	#Max	16QAM	23.78	1.95	25.73	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	22.90	1.95	24.85	PASS
NVNT	Band25	1.4	26365	1	#0	QPSK	24.95	1.95	26.90	PASS
NVNT	Band25	1.4	26365	1	#Mid	QPSK	24.92	1.95	26.87	PASS
NVNT	Band25	1.4	26365	1	#Max	QPSK	24.96	1.95	26.91	PASS
NVNT	Band25	1.4	26365	3	#0	QPSK	24.95	1.95	26.90	PASS
NVNT	Band25	1.4	26365	3	#Mid	QPSK	24.92	1.95	26.87	PASS
NVNT	Band25	1.4	26365	3	#Max	QPSK	24.93	1.95	26.88	PASS
NVNT	Band25	1.4	26365	6	#0	QPSK	23.93	1.95	25.88	PASS
NVNT	Band25	1.4	26365	1	#0	16QAM	23.48	1.95	25.43	PASS
NVNT	Band25	1.4	26365	1	#Mid	16QAM	23.48	1.95	25.43	PASS
NVNT	Band25	1.4	26365	1	#Max	16QAM	23.44	1.95	25.39	PASS
NVNT	Band25	1.4	26365	3	#0	16QAM	23.91	1.95	25.86	PASS
NVNT	Band25	1.4	26365	3	#Mid	16QAM	23.99	1.95	25.94	PASS
NVNT	Band25	1.4	26365	3	#Max	16QAM	23.96	1.95	25.91	PASS
NVNT	Band25	1.4	26365	6	#0	16QAM	23.18	1.95	25.13	PASS
NVNT	Band25	1.4	26683	1	#0	QPSK	24.99	1.95	26.94	PASS
NVNT	Band25	1.4	26683	1	#Mid	QPSK	25.00	1.95	26.95	PASS
NVNT	Band25	1.4	26683	1	#Max	QPSK	25.05	1.95	27.00	PASS
NVNT	Band25	1.4	26683	3	#0	QPSK	25.00	1.95	26.95	PASS
NVNT	Band25	1.4	26683	3	#Mid	QPSK	24.99	1.95	26.94	PASS
NVNT	Band25	1.4	26683	3	#Max	QPSK	24.95	1.95	26.90	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	23.91	1.95	25.86	PASS

NVNT	Band25	1.4	26683	1	#0	16QAM	24.17	1.95	26.12	PASS
NVNT	Band25	1.4	26683	1	#Mid	16QAM	24.13	1.95	26.08	PASS
NVNT	Band25	1.4	26683	1	#Max	16QAM	24.15	1.95	26.10	PASS
NVNT	Band25	1.4	26683	3	#0	16QAM	24.00	1.95	25.95	PASS
NVNT	Band25	1.4	26683	3	#Mid	16QAM	23.98	1.95	25.93	PASS
NVNT	Band25	1.4	26683	3	#Max	16QAM	23.99	1.95	25.94	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	23.16	1.95	25.11	PASS
NVNT	Band25	3	26055	1	#0	QPSK	24.54	1.95	26.49	PASS
NVNT	Band25	3	26055	1	#Mid	QPSK	24.56	1.95	26.51	PASS
NVNT	Band25	3	26055	1	#Max	QPSK	24.57	1.95	26.52	PASS
NVNT	Band25	3	26055	8	#0	QPSK	23.54	1.95	25.49	PASS
NVNT	Band25	3	26055	8	#Mid	QPSK	23.51	1.95	25.46	PASS
NVNT	Band25	3	26055	8	#Max	QPSK	23.47	1.95	25.42	PASS
NVNT	Band25	3	26055	15	#0	QPSK	23.61	1.95	25.56	PASS
NVNT	Band25	3	26055	1	#0	16QAM	24.65	1.95	26.60	PASS
NVNT	Band25	3	26055	1	#Mid	16QAM	24.68	1.95	26.63	PASS
NVNT	Band25	3	26055	1	#Max	16QAM	24.73	1.95	26.68	PASS
NVNT	Band25	3	26055	8	#0	16QAM	22.52	1.95	24.47	PASS
NVNT	Band25	3	26055	8	#Mid	16QAM	22.57	1.95	24.52	PASS
NVNT	Band25	3	26055	8	#Max	16QAM	22.53	1.95	24.48	PASS
NVNT	Band25	3	26055	15	#0	16QAM	22.71	1.95	24.66	PASS
NVNT	Band25	3	26365	1	#0	QPSK	24.92	1.95	26.87	PASS
NVNT	Band25	3	26365	1	#Mid	QPSK	25.03	1.95	26.98	PASS
NVNT	Band25	3	26365	1	#Max	QPSK	24.94	1.95	26.89	PASS
NVNT	Band25	3	26365	8	#0	QPSK	23.91	1.95	25.86	PASS
NVNT	Band25	3	26365	8	#Mid	QPSK	23.95	1.95	25.90	PASS
NVNT	Band25	3	26365	8	#Max	QPSK	23.92	1.95	25.87	PASS
NVNT	Band25	3	26365	15	#0	QPSK	23.92	1.95	25.87	PASS
NVNT	Band25	3	26365	1	#0	16QAM	23.44	1.95	25.39	PASS
NVNT	Band25	3	26365	1	#Mid	16QAM	23.46	1.95	25.41	PASS
NVNT	Band25	3	26365	1	#Max	16QAM	23.43	1.95	25.38	PASS
NVNT	Band25	3	26365	8	#0	16QAM	23.09	1.95	25.04	PASS
NVNT	Band25	3	26365	8	#Mid	16QAM	23.02	1.95	24.97	PASS
NVNT	Band25	3	26365	8	#Max	16QAM	22.98	1.95	24.93	PASS
NVNT	Band25	3	26365	15	#0	16QAM	22.95	1.95	24.90	PASS
NVNT	Band25	3	26675	1	#0	QPSK	25.04	1.95	26.99	PASS
NVNT	Band25	3	26675	1	#Mid	QPSK	25.02	1.95	26.97	PASS
NVNT	Band25	3	26675	1	#Max	QPSK	25.06	1.95	27.01	PASS
NVNT	Band25	3	26675	8	#0	QPSK	23.96	1.95	25.91	PASS
NVNT	Band25	3	26675	8	#Mid	QPSK	23.93	1.95	25.88	PASS
NVNT	Band25	3	26675	8	#Max	QPSK	23.99	1.95	25.94	PASS
NVNT	Band25	3	26675	15	#0	QPSK	23.97	1.95	25.92	PASS


NVNT	Band25	3	26675	1	#0	16QAM	24.17	1.95	26.12	PASS
NVNT	Band25	3	26675	1	#Mid	16QAM	24.14	1.95	26.09	PASS
NVNT	Band25	3	26675	1	#Max	16QAM	24.11	1.95	26.06	PASS
NVNT	Band25	3	26675	8	#0	16QAM	23.11	1.95	25.06	PASS
NVNT	Band25	3	26675	8	#Mid	16QAM	23.13	1.95	25.08	PASS
NVNT	Band25	3	26675	8	#Max	16QAM	23.06	1.95	25.01	PASS
NVNT	Band25	3	26675	15	#0	16QAM	23.16	1.95	25.11	PASS
NVNT	Band25	5	26065	1	#0	QPSK	24.48	1.95	26.43	PASS
NVNT	Band25	5	26065	1	#Mid	QPSK	24.50	1.95	26.45	PASS
NVNT	Band25	5	26065	1	#Max	QPSK	24.47	1.95	26.42	PASS
NVNT	Band25	5	26065	12	#0	QPSK	23.67	1.95	25.62	PASS
NVNT	Band25	5	26065	12	#Mid	QPSK	23.46	1.95	25.41	PASS
NVNT	Band25	5	26065	12	#Max	QPSK	23.62	1.95	25.57	PASS
NVNT	Band25	5	26065	25	#0	QPSK	23.50	1.95	25.45	PASS
NVNT	Band25	5	26065	1	#0	16QAM	23.65	1.95	25.60	PASS
NVNT	Band25	5	26065	1	#Mid	16QAM	23.64	1.95	25.59	PASS
NVNT	Band25	5	26065	1	#Max	16QAM	23.69	1.95	25.64	PASS
NVNT	Band25	5	26065	12	#0	16QAM	22.60	1.95	24.55	PASS
NVNT	Band25	5	26065	12	#Mid	16QAM	22.56	1.95	24.51	PASS
NVNT	Band25	5	26065	12	#Max	16QAM	22.57	1.95	24.52	PASS
NVNT	Band25	5	26065	25	#0	16QAM	22.79	1.95	24.74	PASS
NVNT	Band25	5	26365	1	#0	QPSK	25.21	1.95	27.16	PASS
NVNT	Band25	5	26365	1	#Mid	QPSK	25.18	1.95	27.13	PASS
NVNT	Band25	5	26365	1	#Max	QPSK	25.23	1.95	27.18	PASS
NVNT	Band25	5	26365	12	#0	QPSK	23.83	1.95	25.78	PASS
NVNT	Band25	5	26365	12	#Mid	QPSK	23.95	1.95	25.90	PASS
NVNT	Band25	5	26365	12	#Max	QPSK	23.80	1.95	25.75	PASS
NVNT	Band25	5	26365	25	#0	QPSK	23.82	1.95	25.77	PASS
NVNT	Band25	5	26365	1	#0	16QAM	24.18	1.95	26.13	PASS
NVNT	Band25	5	26365	1	#Mid	16QAM	24.11	1.95	26.06	PASS
NVNT	Band25	5	26365	1	#Max	16QAM	24.13	1.95	26.08	PASS
NVNT	Band25	5	26365	12	#0	16QAM	22.81	1.95	24.76	PASS
NVNT	Band25	5	26365	12	#Mid	16QAM	22.84	1.95	24.79	PASS
NVNT	Band25	5	26365	12	#Max	16QAM	22.83	1.95	24.78	PASS
NVNT	Band25	5	26365	25	#0	16QAM	23.00	1.95	24.95	PASS
NVNT	Band25	5	26665	1	#0	QPSK	24.80	1.95	26.75	PASS
NVNT	Band25	5	26665	1	#Mid	QPSK	24.76	1.95	26.71	PASS
NVNT	Band25	5	26665	1	#Max	QPSK	24.71	1.95	26.66	PASS
NVNT	Band25	5	26665	12	#0	QPSK	23.94	1.95	25.89	PASS
NVNT	Band25	5	26665	12	#Mid	QPSK	24.00	1.95	25.95	PASS
NVNT	Band25	5	26665	12	#Max	QPSK	24.00	1.95	25.95	PASS
NVNT	Band25	5	26665	25	#0	QPSK	23.98	1.95	25.93	PASS

NVNT	Band25	5	26665	1	#0	16QAM	24.54	1.95	26.49	PASS
NVNT	Band25	5	26665	1	#Mid	16QAM	24.57	1.95	26.52	PASS
NVNT	Band25	5	26665	1	#Max	16QAM	24.45	1.95	26.40	PASS
NVNT	Band25	5	26665	12	#0	16QAM	23.05	1.95	25.00	PASS
NVNT	Band25	5	26665	12	#Mid	16QAM	23.03	1.95	24.98	PASS
NVNT	Band25	5	26665	12	#Max	16QAM	23.02	1.95	24.97	PASS
NVNT	Band25	5	26665	25	#0	16QAM	23.24	1.95	25.19	PASS
NVNT	Band25	10	26090	1	#0	QPSK	24.48	1.95	26.43	PASS
NVNT	Band25	10	26090	1	#Mid	QPSK	24.50	1.95	26.45	PASS
NVNT	Band25	10	26090	1	#Max	QPSK	24.57	1.95	26.52	PASS
NVNT	Band25	10	26090	25	#0	QPSK	23.64	1.95	25.59	PASS
NVNT	Band25	10	26090	25	#Mid	QPSK	23.60	1.95	25.55	PASS
NVNT	Band25	10	26090	25	#Max	QPSK	23.62	1.95	25.57	PASS
NVNT	Band25	10	26090	50	#0	QPSK	23.62	1.95	25.57	PASS
NVNT	Band25	10	26090	1	#0	16QAM	24.66	1.95	26.61	PASS
NVNT	Band25	10	26090	1	#Mid	16QAM	24.76	1.95	26.71	PASS
NVNT	Band25	10	26090	1	#Max	16QAM	24.83	1.95	26.78	PASS
NVNT	Band25	10	26090	25	#0	16QAM	22.71	1.95	24.66	PASS
NVNT	Band25	10	26090	25	#Mid	16QAM	22.68	1.95	24.63	PASS
NVNT	Band25	10	26090	25	#Max	16QAM	22.71	1.95	24.66	PASS
NVNT	Band25	10	26090	50	#0	16QAM	22.70	1.95	24.65	PASS
NVNT	Band25	10	26365	1	#0	QPSK	24.73	1.95	26.68	PASS
NVNT	Band25	10	26365	1	#Mid	QPSK	24.77	1.95	26.72	PASS
NVNT	Band25	10	26365	1	#Max	QPSK	24.83	1.95	26.78	PASS
NVNT	Band25	10	26365	25	#0	QPSK	23.92	1.95	25.87	PASS
NVNT	Band25	10	26365	25	#Mid	QPSK	23.82	1.95	25.77	PASS
NVNT	Band25	10	26365	25	#Max	QPSK	23.98	1.95	25.93	PASS
NVNT	Band25	10	26365	50	#0	QPSK	23.84	1.95	25.79	PASS
NVNT	Band25	10	26365	1	#0	16QAM	24.48	1.95	26.43	PASS
NVNT	Band25	10	26365	1	#Mid	16QAM	24.58	1.95	26.53	PASS
NVNT	Band25	10	26365	1	#Max	16QAM	24.55	1.95	26.50	PASS
NVNT	Band25	10	26365	25	#0	16QAM	23.02	1.95	24.97	PASS
NVNT	Band25	10	26365	25	#Mid	16QAM	23.02	1.95	24.97	PASS
NVNT	Band25	10	26365	25	#Max	16QAM	22.96	1.95	24.91	PASS
NVNT	Band25	10	26365	50	#0	16QAM	22.98	1.95	24.93	PASS
NVNT	Band25	10	26640	1	#0	QPSK	24.99	1.95	26.94	PASS
NVNT	Band25	10	26640	1	#Mid	QPSK	25.07	1.95	27.02	PASS
NVNT	Band25	10	26640	1	#Max	QPSK	25.14	1.95	27.09	PASS
NVNT	Band25	10	26640	25	#0	QPSK	23.89	1.95	25.84	PASS
NVNT	Band25	10	26640	25	#Mid	QPSK	23.98	1.95	25.93	PASS
NVNT	Band25	10	26640	25	#Max	QPSK	24.05	1.95	26.00	PASS
NVNT	Band25	10	26640	50	#0	QPSK	23.88	1.95	25.83	PASS

NVNT	Band25	10	26640	1	#0	16QAM	24.36	1.95	26.31	PASS
NVNT	Band25	10	26640	1	#Mid	16QAM	24.38	1.95	26.33	PASS
NVNT	Band25	10	26640	1	#Max	16QAM	24.36	1.95	26.31	PASS
NVNT	Band25	10	26640	25	#0	16QAM	23.06	1.95	25.01	PASS
NVNT	Band25	10	26640	25	#Mid	16QAM	23.08	1.95	25.03	PASS
NVNT	Band25	10	26640	25	#Max	16QAM	23.12	1.95	25.07	PASS
NVNT	Band25	10	26640	50	#0	16QAM	22.98	1.95	24.93	PASS
NVNT	Band25	15	26115	1	#0	QPSK	24.50	1.95	26.45	PASS
NVNT	Band25	15	26115	1	#Mid	QPSK	24.59	1.95	26.54	PASS
NVNT	Band25	15	26115	1	#Max	QPSK	24.67	1.95	26.62	PASS
NVNT	Band25	15	26115	36	#0	QPSK	23.58	1.95	25.53	PASS
NVNT	Band25	15	26115	36	#Mid	QPSK	23.55	1.95	25.50	PASS
NVNT	Band25	15	26115	36	#Max	QPSK	23.62	1.95	25.57	PASS
NVNT	Band25	15	26115	75	#0	QPSK	23.56	1.95	25.51	PASS
NVNT	Band25	15	26115	1	#0	16QAM	24.70	1.95	26.65	PASS
NVNT	Band25	15	26115	1	#Mid	16QAM	24.79	1.95	26.74	PASS
NVNT	Band25	15	26115	1	#Max	16QAM	24.89	1.95	26.84	PASS
NVNT	Band25	15	26115	36	#0	16QAM	22.80	1.95	24.75	PASS
NVNT	Band25	15	26115	36	#Mid	16QAM	22.82	1.95	24.77	PASS
NVNT	Band25	15	26115	36	#Max	16QAM	22.88	1.95	24.83	PASS
NVNT	Band25	15	26115	75	#0	16QAM	22.64	1.95	24.59	PASS
NVNT	Band25	15	26365	1	#0	QPSK	24.71	1.95	26.66	PASS
NVNT	Band25	15	26365	1	#Mid	QPSK	24.74	1.95	26.69	PASS
NVNT	Band25	15	26365	1	#Max	QPSK	24.78	1.95	26.73	PASS
NVNT	Band25	15	26365	36	#0	QPSK	23.88	1.95	25.83	PASS
NVNT	Band25	15	26365	36	#Mid	QPSK	23.92	1.95	25.87	PASS
NVNT	Band25	15	26365	36	#Max	QPSK	23.92	1.95	25.87	PASS
NVNT	Band25	15	26365	75	#0	QPSK	23.90	1.95	25.85	PASS
NVNT	Band25	15	26365	1	#0	16QAM	24.62	1.95	26.57	PASS
NVNT	Band25	15	26365	1	#Mid	16QAM	24.52	1.95	26.47	PASS
NVNT	Band25	15	26365	1	#Max	16QAM	24.50	1.95	26.45	PASS
NVNT	Band25	15	26365	36	#0	16QAM	23.00	1.95	24.95	PASS
NVNT	Band25	15	26365	36	#Mid	16QAM	23.10	1.95	25.05	PASS
NVNT	Band25	15	26365	36	#Max	16QAM	23.05	1.95	25.00	PASS
NVNT	Band25	15	26365	75	#0	16QAM	22.96	1.95	24.91	PASS
NVNT	Band25	15	26615	1	#0	QPSK	24.74	1.95	26.69	PASS
NVNT	Band25	15	26615	1	#Mid	QPSK	24.90	1.95	26.85	PASS
NVNT	Band25	15	26615	1	#Max	QPSK	24.89	1.95	26.84	PASS
NVNT	Band25	15	26615	36	#0	QPSK	23.83	1.95	25.78	PASS
NVNT	Band25	15	26615	36	#Mid	QPSK	23.97	1.95	25.92	PASS
NVNT	Band25	15	26615	36	#Max	QPSK	23.93	1.95	25.88	PASS
NVNT	Band25	15	26615	75	#0	QPSK	23.90	1.95	25.85	PASS

NVNT	Band25	15	26615	1	#0	16QAM	24.73	1.95	26.68	PASS
NVNT	Band25	15	26615	1	#Mid	16QAM	24.73	1.95	26.68	PASS
NVNT	Band25	15	26615	1	#Max	16QAM	24.79	1.95	26.74	PASS
NVNT	Band25	15	26615	36	#0	16QAM	22.92	1.95	24.87	PASS
NVNT	Band25	15	26615	36	#Mid	16QAM	22.96	1.95	24.91	PASS
NVNT	Band25	15	26615	36	#Max	16QAM	23.00	1.95	24.95	PASS
NVNT	Band25	15	26615	75	#0	16QAM	23.03	1.95	24.98	PASS
NVNT	Band25	20	26140	1	#0	QPSK	24.81	1.95	26.76	PASS
NVNT	Band25	20	26140	1	#Mid	QPSK	24.89	1.95	26.84	PASS
NVNT	Band25	20	26140	1	#Max	QPSK	25.03	1.95	26.98	PASS
NVNT	Band25	20	26140	50	#0	QPSK	23.56	1.95	25.51	PASS
NVNT	Band25	20	26140	50	#Mid	QPSK	23.74	1.95	25.69	PASS
NVNT	Band25	20	26140	50	#Max	QPSK	23.73	1.95	25.68	PASS
NVNT	Band25	20	26140	100	#0	QPSK	23.62	1.95	25.57	PASS
NVNT	Band25	20	26140	1	#0	16QAM	23.87	1.95	25.82	PASS
NVNT	Band25	20	26140	1	#Mid	16QAM	23.97	1.95	25.92	PASS
NVNT	Band25	20	26140	1	#Max	16QAM	24.01	1.95	25.96	PASS
NVNT	Band25	20	26140	50	#0	16QAM	22.80	1.95	24.75	PASS
NVNT	Band25	20	26140	50	#Mid	16QAM	22.92	1.95	24.87	PASS
NVNT	Band25	20	26140	50	#Max	16QAM	23.00	1.95	24.95	PASS
NVNT	Band25	20	26140	100	#0	16QAM	22.84	1.95	24.79	PASS
NVNT	Band25	20	26365	1	#0	QPSK	25.08	1.95	27.03	PASS
NVNT	Band25	20	26365	1	#Mid	QPSK	25.20	1.95	27.15	PASS
NVNT	Band25	20	26365	1	#Max	QPSK	25.05	1.95	27.00	PASS
NVNT	Band25	20	26365	50	#0	QPSK	23.78	1.95	25.73	PASS
NVNT	Band25	20	26365	50	#Mid	QPSK	23.90	1.95	25.85	PASS
NVNT	Band25	20	26365	50	#Max	QPSK	23.96	1.95	25.91	PASS
NVNT	Band25	20	26365	100	#0	QPSK	23.98	1.95	25.93	PASS
NVNT	Band25	20	26365	1	#0	16QAM	23.60	1.95	25.55	PASS
NVNT	Band25	20	26365	1	#Mid	16QAM	23.66	1.95	25.61	PASS
NVNT	Band25	20	26365	1	#Max	16QAM	23.59	1.95	25.54	PASS
NVNT	Band25	20	26365	50	#0	16QAM	22.98	1.95	24.93	PASS
NVNT	Band25	20	26365	50	#Mid	16QAM	23.04	1.95	24.99	PASS
NVNT	Band25	20	26365	50	#Max	16QAM	23.04	1.95	24.99	PASS
NVNT	Band25	20	26365	100	#0	16QAM	22.96	1.95	24.91	PASS
NVNT	Band25	20	26590	1	#0	QPSK	24.86	1.95	26.81	PASS
NVNT	Band25	20	26590	1	#Mid	QPSK	24.95	1.95	26.90	PASS
NVNT	Band25	20	26590	1	#Max	QPSK	24.99	1.95	26.94	PASS
NVNT	Band25	20	26590	50	#0	QPSK	23.79	1.95	25.74	PASS
NVNT	Band25	20	26590	50	#Mid	QPSK	23.84	1.95	25.79	PASS
NVNT	Band25	20	26590	50	#Max	QPSK	23.84	1.95	25.79	PASS
NVNT	Band25	20	26590	100	#0	QPSK	23.94	1.95	25.89	PASS

NVNT	Band25	20	26590	1	#0	16QAM	24.24	1.95	26.19	PASS
NVNT	Band25	20	26590	1	#Mid	16QAM	24.26	1.95	26.21	PASS
NVNT	Band25	20	26590	1	#Max	16QAM	24.36	1.95	26.31	PASS
NVNT	Band25	20	26590	50	#0	16QAM	22.97	1.95	24.92	PASS
NVNT	Band25	20	26590	50	#Mid	16QAM	23.03	1.95	24.98	PASS
NVNT	Band25	20	26590	50	#Max	16QAM	23.14	1.95	25.09	PASS
NVNT	Band25	20	26590	100	#0	16QAM	23.03	1.95	24.98	PASS



Appendix 2.Frequency stability

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band25	1.4	26047	6	#0	QPSK	LV	NT	13.90	0.008	PASS
NVNT	Band25	1.4	26047	6	#0	QPSK	NV	NT	-32.77	-0.018	PASS
NVNT	Band25	1.4	26047	6	#0	QPSK	HV	NT	-28.70	-0.016	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	LV	NT	-43.95	-0.024	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	NV	NT	6.17	0.003	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	HV	NT	9.40	0.005	PASS
NVNT	Band25	1.4	26365	6	#0	QPSK	LV	NT	17.67	0.009	PASS
NVNT	Band25	1.4	26365	6	#0	QPSK	NV	NT	8.97	0.005	PASS
NVNT	Band25	1.4	26365	6	#0	QPSK	HV	NT	-3.33	-0.002	PASS
NVNT	Band25	1.4	26365	6	#0	16QAM	LV	NT	-4.72	-0.003	PASS
NVNT	Band25	1.4	26365	6	#0	16QAM	NV	NT	-11.64	-0.006	PASS
NVNT	Band25	1.4	26365	6	#0	16QAM	HV	NT	-2.72	-0.001	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	LV	NT	34.15	0.018	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	NV	NT	12.65	0.007	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	HV	NT	0.41	0.000	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	LV	NT	-4.65	-0.002	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	NV	NT	9.96	0.005	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	HV	NT	29.73	0.016	PASS
NVNT	Band25	3	26055	15	#0	QPSK	LV	NT	-4.05	-0.002	PASS

NVNT	Band2 5	3	26055	15	#0	QPSK	NV	NT	-2.99	-0.002	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	HV	NT	-34.07	-0.018	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	LV	NT	-49.00	-0.026	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	NT	-41.80	-0.023	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	HV	NT	-35.38	-0.019	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	LV	NT	40.11	0.021	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	NT	24.68	0.013	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	HV	NT	13.55	0.007	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	LV	NT	12.25	0.007	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	NT	12.43	0.007	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	HV	NT	14.10	0.007	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	LV	NT	42.19	0.022	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	NT	22.47	0.012	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	HV	NT	-1.80	-0.001	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	LV	NT	-5.21	-0.003	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	NT	8.13	0.004	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	HV	NT	29.64	0.015	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	LV	NT	-15.95	-0.009	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	NT	-21.16	-0.011	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	HV	NT	-19.03	-0.010	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	LV	NT	-11.40	-0.006	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	NT	-5.55	-0.003	PASS

	5										
NVNT	Band2 5	5	26065	25	#0	16QAM	HV	NT	8.07	0.004	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	LV	NT	31.97	0.017	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	NT	7.50	0.004	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	HV	NT	-9.48	-0.005	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	LV	NT	-13.59	-0.007	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	NT	-1.44	-0.001	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	HV	NT	-1.56	-0.001	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	LV	NT	-18.30	-0.010	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	NT	-31.94	-0.017	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	HV	NT	-48.61	-0.025	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	LV	NT	12.00	0.006	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	NT	25.13	0.013	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	HV	NT	35.00	0.018	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	LV	NT	-11.94	-0.006	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	NT	-14.53	-0.008	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	HV	NT	-21.80	-0.012	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	LV	NT	-1.32	-0.001	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	NT	23.59	0.013	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	HV	NT	38.62	0.021	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	LV	NT	13.20	0.007	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	NT	-13.38	-0.007	PASS

NVNT	Band2 5	10	26365	50	#0	QPSK	HV	NT	-18.00	-0.010	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	LV	NT	-29.71	-0.016	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	NT	-21.30	-0.011	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	HV	NT	-16.06	-0.009	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	LV	NT	30.26	0.016	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	NT	-1.87	-0.001	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	HV	NT	-2.25	-0.001	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	LV	NT	-5.76	-0.003	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	NT	-4.94	-0.003	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	HV	NT	-0.44	0.000	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	LV	NT	-0.67	0.000	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	NT	-44.22	-0.024	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	HV	NT	-20.41	-0.011	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	LV	NT	-28.84	-0.016	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	NT	-12.15	-0.007	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	HV	NT	-11.22	-0.006	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	LV	NT	38.64	0.021	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	NT	23.80	0.013	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	HV	NT	25.08	0.013	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	LV	NT	35.23	0.019	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	NT	40.01	0.021	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	HV	NT	34.17	0.018	PASS

	5										
NVNT	Band2 5	15	26615	75	#0	QPSK	LV	NT	16.97	0.009	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	NT	-9.60	-0.005	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	HV	NT	2.19	0.001	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	LV	NT	1.07	0.001	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	NT	4.21	0.002	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	HV	NT	10.04	0.005	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	LV	NT	-30.27	-0.016	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	NT	-0.21	0.000	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	HV	NT	42.07	0.023	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	LV	NT	-1.70	-0.001	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	NT	14.66	0.008	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	HV	NT	17.14	0.009	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	LV	NT	29.37	0.016	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	NT	-4.89	-0.003	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	HV	NT	-9.31	-0.005	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	LV	NT	-11.13	-0.006	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	NT	-2.57	-0.001	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	HV	NT	-4.62	-0.002	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	LV	NT	24.75	0.013	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	NT	-5.42	-0.003	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	HV	NT	-0.17	0.000	PASS

NVNT	Band2 5	20	26590	100	#0	16QAM	LV	NT	-8.74	-0.005	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	NT	5.29	0.003	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	HV	NT	5.54	0.003	PASS

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	-30	-24.73	-0.032	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	-20	-24.16	-0.031	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	0	-10.00	-0.013	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	10	-30.34	-0.039	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	20	-37.57	-0.048	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	30	-39.07	-0.050	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	40	-38.82	-0.050	PASS
NVNT	Band1 3	5	23205	25	#0	QPSK	NV	50	-37.48	-0.048	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	-30	-36.03	-0.046	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	-20	-33.95	-0.044	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	0	-32.83	-0.042	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	10	-38.61	-0.050	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	20	-46.38	-0.059	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	30	-46.75	-0.060	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	40	-1.49	-0.002	PASS
NVNT	Band1 3	5	23205	25	#0	16QAM	NV	50	-6.27	-0.008	PASS
NVNT	Band1	5	23230	25	#0	QPSK	NV	-30	4.06	0.005	PASS

	3										
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	-20	-8.33	-0.011	PASS
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	0	-16.35	-0.021	PASS
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	10	-19.76	-0.025	PASS
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	20	-19.24	-0.025	PASS
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	30	-18.00	-0.023	PASS
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	40	-14.88	-0.019	PASS
NVNT	Band1 3	5	23230	25	#0	QPSK	NV	50	-12.85	-0.016	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	-30	-10.40	-0.013	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	-20	-9.40	-0.012	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	0	-9.28	-0.012	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	10	-15.25	-0.020	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	20	-21.26	-0.027	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	30	-26.28	-0.034	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	40	-30.07	-0.038	PASS
NVNT	Band1 3	5	23230	25	#0	16QAM	NV	50	-34.03	-0.044	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	-30	12.86	0.016	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	-20	3.23	0.004	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	0	-6.61	-0.008	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	10	-13.09	-0.017	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	20	-15.42	-0.020	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	30	-19.70	-0.025	PASS

NVNT	Band1 3	5	23255	25	#0	QPSK	NV	40	-22.85	-0.029	PASS
NVNT	Band1 3	5	23255	25	#0	QPSK	NV	50	-23.26	-0.030	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	-30	-26.64	-0.034	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	-20	-29.25	-0.037	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	0	-33.13	-0.042	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	10	-34.76	-0.044	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	20	-36.54	-0.047	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	30	-41.69	-0.053	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	40	-46.94	-0.060	PASS
NVNT	Band1 3	5	23255	25	#0	16QAM	NV	50	-47.29	-0.060	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	-30	18.88	0.024	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	-20	-20.44	-0.026	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	0	-38.78	-0.050	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	10	-37.98	-0.049	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	20	-25.91	-0.033	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	30	-13.99	-0.018	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	40	-4.89	-0.006	PASS
NVNT	Band1 3	10	23230	50	#0	QPSK	NV	50	3.23	0.004	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	-30	10.57	0.014	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	-20	17.28	0.022	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	0	19.41	0.025	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	10	15.03	0.019	PASS

	3										
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	20	10.06	0.013	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	30	3.42	0.004	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	40	-2.70	-0.003	PASS
NVNT	Band1 3	10	23230	50	#0	16QAM	NV	50	-6.41	-0.008	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	-30	-22.00	-0.012	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	-20	-41.24	-0.022	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	0	-18.78	-0.010	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	10	-20.56	-0.011	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	20	13.62	0.007	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	30	14.28	0.008	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	40	41.74	0.023	PASS
NVNT	Band2 5	1.4	26047	6	#0	QPSK	NV	50	7.84	0.004	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	-30	34.66	0.019	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	-20	21.60	0.012	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	0	-7.31	-0.004	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	10	14.22	0.008	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	20	24.53	0.013	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	30	35.20	0.019	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	40	43.06	0.023	PASS
NVNT	Band2 5	1.4	26047	6	#0	16QAM	NV	50	3.23	0.002	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	-30	31.53	0.017	PASS

NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	-20	21.39	0.011	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	0	15.19	0.008	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	10	17.72	0.009	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	20	21.23	0.011	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	30	38.67	0.021	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	40	0.69	0.000	PASS
NVNT	Band2 5	1.4	26365	6	#0	QPSK	NV	50	17.70	0.009	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	-30	24.70	0.013	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	-20	42.63	0.023	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	0	13.06	0.007	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	10	20.13	0.011	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	20	28.94	0.015	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	30	30.47	0.016	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	40	31.26	0.017	PASS
NVNT	Band2 5	1.4	26365	6	#0	16QAM	NV	50	35.58	0.019	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	-30	17.92	0.009	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	-20	1.53	0.001	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	0	0.37	0.000	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	10	-4.98	-0.003	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	20	3.75	0.002	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	30	16.84	0.009	PASS
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	40	43.17	0.023	PASS

	5										
NVNT	Band2 5	1.4	26683	6	#0	QPSK	NV	50	31.24	0.016	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	-30	56.63	0.030	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	-20	21.29	0.011	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	0	17.54	0.009	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	10	37.25	0.019	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	20	0.00	0.000	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	30	0.00	0.000	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	40	0.00	0.000	PASS
NVNT	Band2 5	1.4	26683	6	#0	16QAM	NV	50	0.00	0.000	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	-30	-20.63	-0.011	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	-20	9.24	0.005	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	0	35.22	0.019	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	10	12.25	0.007	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	20	25.32	0.014	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	30	39.18	0.021	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	40	1.12	0.001	PASS
NVNT	Band2 5	3	26055	15	#0	QPSK	NV	50	18.00	0.010	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	-30	33.04	0.018	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	-20	23.02	0.012	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	0	42.79	0.023	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	10	23.12	0.012	PASS

NVNT	Band2 5	3	26055	15	#0	16QAM	NV	20	32.32	0.017	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	30	43.42	0.023	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	40	23.10	0.012	PASS
NVNT	Band2 5	3	26055	15	#0	16QAM	NV	50	18.73	0.010	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	-30	40.86	0.022	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	-20	30.28	0.016	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	0	23.69	0.013	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	10	27.65	0.015	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	20	36.36	0.019	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	30	45.72	0.024	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	40	22.24	0.012	PASS
NVNT	Band2 5	3	26365	15	#0	QPSK	NV	50	34.95	0.019	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	-30	18.77	0.010	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	-20	17.82	0.009	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	0	40.48	0.022	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	10	19.17	0.010	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	20	25.86	0.014	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	30	37.55	0.020	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	40	40.68	0.022	PASS
NVNT	Band2 5	3	26365	15	#0	16QAM	NV	50	-13.60	-0.007	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	-30	36.08	0.019	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	-20	24.13	0.013	PASS

	5										
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	0	12.47	0.007	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	10	6.31	0.003	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	20	16.21	0.008	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	30	24.92	0.013	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	40	42.47	0.022	PASS
NVNT	Band2 5	3	26675	15	#0	QPSK	NV	50	37.59	0.020	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	-30	-0.84	0.000	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	-20	22.93	0.012	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	0	18.25	0.010	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	10	32.60	0.017	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	20	48.12	0.025	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	30	10.67	0.006	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	40	24.53	0.013	PASS
NVNT	Band2 5	3	26675	15	#0	16QAM	NV	50	17.38	0.009	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	-30	-37.82	-0.020	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	-20	-28.82	-0.016	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	0	-16.19	-0.009	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	10	-7.22	-0.004	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	20	45.55	0.025	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	30	13.63	0.007	PASS
NVNT	Band2 5	5	26065	25	#0	QPSK	NV	40	22.02	0.012	PASS

NVNT	Band2 5	5	26065	25	#0	QPSK	NV	50	6.47	0.003	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	-30	40.56	0.022	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	-20	36.86	0.020	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	0	-0.54	0.000	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	10	18.75	0.010	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	20	30.68	0.017	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	30	41.90	0.023	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	40	2.22	0.001	PASS
NVNT	Band2 5	5	26065	25	#0	16QAM	NV	50	8.87	0.005	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	-30	34.29	0.018	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	-20	16.32	0.009	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	0	9.40	0.005	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	10	16.11	0.009	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	20	22.37	0.012	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	30	29.58	0.016	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	40	-5.87	-0.003	PASS
NVNT	Band2 5	5	26365	25	#0	QPSK	NV	50	4.06	0.002	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	-30	10.69	0.006	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	-20	26.84	0.014	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	0	35.16	0.019	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	10	44.09	0.023	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	20	44.30	0.024	PASS

	5										
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	30	38.18	0.020	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	40	42.16	0.022	PASS
NVNT	Band2 5	5	26365	25	#0	16QAM	NV	50	36.49	0.019	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	-30	27.87	0.015	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	-20	4.71	0.002	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	0	9.53	0.005	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	10	27.68	0.014	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	20	34.89	0.018	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	30	19.17	0.010	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	40	34.82	0.018	PASS
NVNT	Band2 5	5	26665	25	#0	QPSK	NV	50	-0.60	0.000	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	-30	20.66	0.011	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	-20	41.54	0.022	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	0	26.71	0.014	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	10	14.08	0.007	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	20	-3.26	-0.002	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	30	8.40	0.004	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	40	13.36	0.007	PASS
NVNT	Band2 5	5	26665	25	#0	16QAM	NV	50	19.73	0.010	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	-30	-30.38	-0.016	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	-20	-35.15	-0.019	PASS

NVNT	Band2 5	10	26090	50	#0	QPSK	NV	0	-39.12	-0.021	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	10	5.12	0.003	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	20	22.00	0.012	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	30	27.95	0.015	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	40	15.78	0.009	PASS
NVNT	Band2 5	10	26090	50	#0	QPSK	NV	50	40.96	0.022	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	-30	-2.85	-0.002	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	-20	16.08	0.009	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	0	32.67	0.018	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	10	7.51	0.004	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	20	5.38	0.003	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	30	-0.56	0.000	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	40	-4.98	-0.003	PASS
NVNT	Band2 5	10	26090	50	#0	16QAM	NV	50	-8.01	-0.004	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	-30	30.83	0.016	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	-20	-10.71	-0.006	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	0	-20.66	-0.011	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	10	-11.54	-0.006	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	20	4.71	0.003	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	30	22.57	0.012	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	40	39.24	0.021	PASS
NVNT	Band2 5	10	26365	50	#0	QPSK	NV	50	26.79	0.014	PASS

	5										
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	-30	-5.62	-0.003	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	-20	-1.49	-0.001	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	0	-3.08	-0.002	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	10	-13.89	-0.007	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	20	-25.21	-0.013	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	30	-39.07	-0.021	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	40	10.53	0.006	PASS
NVNT	Band2 5	10	26365	50	#0	16QAM	NV	50	-2.07	-0.001	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	-30	-6.75	-0.004	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	-20	-32.40	-0.017	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	0	4.36	0.002	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	10	32.24	0.017	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	20	24.82	0.013	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	30	22.27	0.012	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	40	5.38	0.003	PASS
NVNT	Band2 5	10	26640	50	#0	QPSK	NV	50	16.06	0.008	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	-30	35.49	0.019	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	-20	7.60	0.004	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	0	8.93	0.005	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	10	9.78	0.005	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	20	10.33	0.005	PASS

NVNT	Band2 5	10	26640	50	#0	16QAM	NV	30	11.27	0.006	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	40	9.78	0.005	PASS
NVNT	Band2 5	10	26640	50	#0	16QAM	NV	50	17.35	0.009	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	-30	-43.72	-0.024	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	-20	-12.53	-0.007	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	0	32.99	0.018	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	10	29.11	0.016	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	20	25.49	0.014	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	30	7.05	0.004	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	40	30.00	0.016	PASS
NVNT	Band2 5	15	26115	75	#0	QPSK	NV	50	30.38	0.016	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	-30	8.21	0.004	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	-20	27.11	0.015	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	0	8.43	0.005	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	10	0.20	0.000	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	20	6.44	0.003	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	30	18.20	0.010	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	40	26.79	0.014	PASS
NVNT	Band2 5	15	26115	75	#0	16QAM	NV	50	34.66	0.019	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	-30	31.34	0.017	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	-20	-16.18	-0.009	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	0	-11.52	-0.006	PASS

	5										
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	10	4.63	0.002	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	20	26.06	0.014	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	30	43.06	0.023	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	40	18.45	0.010	PASS
NVNT	Band2 5	15	26365	75	#0	QPSK	NV	50	3.45	0.002	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	-30	18.21	0.010	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	-20	18.05	0.010	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	0	-20.50	-0.011	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	10	-24.30	-0.013	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	20	-11.64	-0.006	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	30	-30.71	-0.016	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	40	-16.18	-0.009	PASS
NVNT	Band2 5	15	26365	75	#0	16QAM	NV	50	-20.30	-0.011	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	-30	27.62	0.014	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	-20	-18.98	-0.010	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	0	10.37	0.005	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	10	-1.69	-0.001	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	20	25.95	0.014	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	30	7.60	0.004	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	40	9.46	0.005	PASS
NVNT	Band2 5	15	26615	75	#0	QPSK	NV	50	27.87	0.015	PASS

NVNT	Band2 5	15	26615	75	#0	16QAM	NV	-30	34.15	0.018	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	-20	3.46	0.002	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	0	1.46	0.001	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	10	-4.53	-0.002	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	20	-13.80	-0.007	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	30	-16.34	-0.009	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	40	-18.67	-0.010	PASS
NVNT	Band2 5	15	26615	75	#0	16QAM	NV	50	-23.00	-0.012	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	-30	-42.06	-0.023	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	-20	-15.39	-0.008	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	0	30.63	0.016	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	10	21.80	0.012	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	20	14.71	0.008	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	30	32.90	0.018	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	40	41.51	0.022	PASS
NVNT	Band2 5	20	26140	100	#0	QPSK	NV	50	16.84	0.009	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	-30	14.32	0.008	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	-20	48.82	0.026	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	0	47.11	0.025	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	10	38.17	0.021	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	20	33.72	0.018	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	30	31.89	0.017	PASS


	5										
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	40	39.75	0.021	PASS
NVNT	Band2 5	20	26140	100	#0	16QAM	NV	50	18.27	0.010	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	-30	16.12	0.009	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	-20	-38.21	-0.020	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	0	-26.81	-0.014	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	10	20.24	0.011	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	20	10.34	0.005	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	30	11.14	0.006	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	40	31.93	0.017	PASS
NVNT	Band2 5	20	26365	100	#0	QPSK	NV	50	22.37	0.012	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	-30	7.82	0.004	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	-20	0.96	0.001	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	0	-27.59	-0.015	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	10	-20.34	-0.011	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	20	-18.61	-0.010	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	30	-29.27	-0.016	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	40	-45.56	-0.024	PASS
NVNT	Band2 5	20	26365	100	#0	16QAM	NV	50	-25.18	-0.013	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	-30	-23.76	-0.012	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	-20	-13.45	-0.007	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	0	23.76	0.012	PASS

NVNT	Band2 5	20	26590	100	#0	QPSK	NV	10	32.69	0.017	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	20	12.86	0.007	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	30	12.06	0.006	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	40	26.89	0.014	PASS
NVNT	Band2 5	20	26590	100	#0	QPSK	NV	50	15.11	0.008	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	-30	38.58	0.020	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	-20	56.32	0.030	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	0	41.17	0.022	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	10	22.20	0.012	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	20	11.44	0.006	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	30	-0.93	0.000	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	40	-10.56	-0.006	PASS
NVNT	Band2 5	20	26590	100	#0	16QAM	NV	50	-22.00	-0.012	PASS


Appendix 3. Peak-to-Average Ratio


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
NVNT	Band25	1.4	26047	1	#0	QPSK	3.43	13	PASS
NVNT	Band25	1.4	26047	1	#0	16QAM	4.37	13	PASS
NVNT	Band25	1.4	26365	1	#0	QPSK	4.24	13	PASS
NVNT	Band25	1.4	26365	1	#0	16QAM	4.83	13	PASS
NVNT	Band25	1.4	26683	1	#0	QPSK	2.89	13	PASS
NVNT	Band25	1.4	26683	1	#0	16QAM	3.91	13	PASS
NVNT	Band25	3	26055	1	#0	QPSK	3.59	13	PASS
NVNT	Band25	3	26055	1	#0	16QAM	4.70	13	PASS
NVNT	Band25	3	26365	1	#0	QPSK	4.13	13	PASS
NVNT	Band25	3	26365	1	#0	16QAM	4.81	13	PASS


NVNT	Band25	3	26675	1	#0	QPSK	3.11	13	PASS
NVNT	Band25	3	26675	1	#0	16QAM	4.13	13	PASS
NVNT	Band25	5	26065	1	#0	QPSK	3.72	13	PASS
NVNT	Band25	5	26065	1	#0	16QAM	4.88	13	PASS
NVNT	Band25	5	26365	1	#0	QPSK	3.99	13	PASS
NVNT	Band25	5	26365	1	#0	16QAM	4.99	13	PASS
NVNT	Band25	5	26665	1	#0	QPSK	3.29	13	PASS
NVNT	Band25	5	26665	1	#0	16QAM	4.28	13	PASS
NVNT	Band25	10	26090	1	#0	QPSK	3.59	13	PASS
NVNT	Band25	10	26090	1	#0	16QAM	4.48	13	PASS
NVNT	Band25	10	26365	1	#0	QPSK	3.99	13	PASS
NVNT	Band25	10	26365	1	#0	16QAM	4.74	13	PASS
NVNT	Band25	10	26640	1	#0	QPSK	3.35	13	PASS
NVNT	Band25	10	26640	1	#0	16QAM	4.58	13	PASS
NVNT	Band25	15	26115	1	#0	QPSK	3.69	13	PASS
NVNT	Band25	15	26115	1	#0	16QAM	4.63	13	PASS
NVNT	Band25	15	26365	1	#0	QPSK	4.16	13	PASS
NVNT	Band25	15	26365	1	#0	16QAM	4.84	13	PASS
NVNT	Band25	15	26615	1	#0	QPSK	4.59	13	PASS
NVNT	Band25	15	26615	1	#0	16QAM	5.46	13	PASS
NVNT	Band25	20	26140	1	#0	QPSK	3.50	13	PASS
NVNT	Band25	20	26140	1	#0	16QAM	4.53	13	PASS
NVNT	Band25	20	26365	1	#0	QPSK	4.19	13	PASS
NVNT	Band25	20	26365	1	#0	16QAM	5.46	13	PASS
NVNT	Band25	20	26590	1	#0	QPSK	5.16	13	PASS
NVNT	Band25	20	26590	1	#0	16QAM	6.11	13	PASS




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=1 Position=#0 NVNT










Band25 16QAM BW=1.4MHz Channel=26365 RB Size=1 Position=#0 NVNT










Band25 QPSK BW=3MHz Channel=26055 RB Size=1 Position=#0 NVNT











Band25 16QAM BW=3MHz Channel=26365 RB Size=1 Position=#0 NVNT










Band25 QPSK BW=5MHz Channel=26065 RB Size=1 Position=#0 NVNT










Band25 16QAM BW=5MHz Channel=26365 RB Size=1 Position=#0 NVNT










Band25 QPSK BW=10MHz Channel=26090 RB Size=1 Position=#0 NVNT










Band25 16QAM BW=10MHz Channel=26365 RB Size=1 Position=#0 NVNT










Band25 QPSK BW=15MHz Channel=26115 RB Size=1 Position=#0 NVNT










Band25 16QAM BW=15MHz Channel=26365 RB Size=1 Position=#0 NVNT










Band25 QPSK BW=20MHz Channel=26140 RB Size=1 Position=#0 NVNT








Band25 16QAM BW=20MHz Channel=26365 RB Size=1 Position=#0 NVNT







Band25 16QAM BW=20MHz Channel=26590 RB Size=1 Position=#0 NVNT


Appendix 4.Occupied bandwidth


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
NVNT	Band25	1.4	26047	6	#0	QPSK	1.099	1.259	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	1.101	1.257	PASS
NVNT	Band25	1.4	26365	6	#0	QPSK	1.092	1.252	PASS
NVNT	Band25	1.4	26365	6	#0	16QAM	1.096	1.255	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	1.103	1.256	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	1.103	1.254	PASS
NVNT	Band25	3	26055	15	#0	QPSK	2.717	3.048	PASS
NVNT	Band25	3	26055	15	#0	16QAM	2.706	3.047	PASS
NVNT	Band25	3	26365	15	#0	QPSK	2.701	3.034	PASS
NVNT	Band25	3	26365	15	#0	16QAM	2.708	3.065	PASS
NVNT	Band25	3	26675	15	#0	QPSK	2.725	3.042	PASS
NVNT	Band25	3	26675	15	#0	16QAM	2.722	3.101	PASS
NVNT	Band25	5	26065	25	#0	QPSK	4.520	4.958	PASS
NVNT	Band25	5	26065	25	#0	16QAM	4.515	4.937	PASS
NVNT	Band25	5	26365	25	#0	QPSK	4.502	4.966	PASS
NVNT	Band25	5	26365	25	#0	16QAM	4.516	4.972	PASS
NVNT	Band25	5	26665	25	#0	QPSK	4.515	4.970	PASS
NVNT	Band25	5	26665	25	#0	16QAM	4.531	5.002	PASS
NVNT	Band25	10	26090	50	#0	QPSK	9.014	9.791	PASS
NVNT	Band25	10	26090	50	#0	16QAM	9.005	9.921	PASS
NVNT	Band25	10	26365	50	#0	QPSK	8.995	9.786	PASS
NVNT	Band25	10	26365	50	#0	16QAM	8.987	9.826	PASS
NVNT	Band25	10	26640	50	#0	QPSK	8.978	9.859	PASS
NVNT	Band25	10	26640	50	#0	16QAM	8.971	9.792	PASS
NVNT	Band25	15	26115	75	#0	QPSK	13.473	15.007	PASS
NVNT	Band25	15	26115	75	#0	16QAM	13.471	14.816	PASS
NVNT	Band25	15	26365	75	#0	QPSK	13.479	14.844	PASS
NVNT	Band25	15	26365	75	#0	16QAM	13.492	14.731	PASS
NVNT	Band25	15	26615	75	#0	QPSK	13.428	14.733	PASS
NVNT	Band25	15	26615	75	#0	16QAM	13.453	14.856	PASS
NVNT	Band25	20	26140	100	#0	QPSK	17.963	19.426	PASS
NVNT	Band25	20	26140	100	#0	16QAM	18.068	19.503	PASS
NVNT	Band25	20	26365	100	#0	QPSK	17.987	19.382	PASS
NVNT	Band25	20	26365	100	#0	16QAM	18.063	19.552	PASS
NVNT	Band25	20	26590	100	#0	QPSK	17.998	19.689	PASS
NVNT	Band25	20	26590	100	#0	16QAM	17.989	19.610	PASS




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0 NVNT










Band25 16QAM BW=1.4MHz Channel=26365 RB Size=6 Position=#0 NVNT










Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0 NVNT










Band25 16QAM BW=3MHz Channel=26365 RB Size=15 Position=#0 NVNT










Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0 NVNT










Band25 16QAM BW=5MHz Channel=26365 RB Size=25 Position=#0 NVNT










Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0 NVNT










Band25 16QAM BW=10MHz Channel=26365 RB Size=50 Position=#0 NVNT










Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0 NVNT










Band25 16QAM BW=15MHz Channel=26365 RB Size=75 Position=#0 NVNT










Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0 NVNT









Band25 16QAM BW=20MHz Channel=26365 RB Size=100 Position=#0 NVNT






Appendix 5.Band edge

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band25	1.4	26047	6	#0	QPSK	1850.00	-26.02	-13	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	1850.00	-27.33	-13	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	1915.01	-23.69	-13	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	1915.02	-24.48	-13	PASS
NVNT	Band25	3	26055	15	#0	QPSK	1849.99	-21.89	-13	PASS
NVNT	Band25	3	26055	15	#0	16QAM	1850.00	-23.56	-13	PASS
NVNT	Band25	3	26675	15	#0	QPSK	1915.00	-22.29	-13	PASS
NVNT	Band25	3	26675	15	#0	16QAM	1915.00	-22.51	-13	PASS
NVNT	Band25	5	26065	25	#0	QPSK	1849.99	-28.83	-13	PASS
NVNT	Band25	5	26065	25	#0	16QAM	1850.00	-28.57	-13	PASS
NVNT	Band25	5	26665	25	#0	QPSK	1915.00	-25.68	-13	PASS
NVNT	Band25	5	26665	25	#0	16QAM	1915.01	-28.39	-13	PASS
NVNT	Band25	10	26090	50	#0	QPSK	1849.94	-33.39	-13	PASS
NVNT	Band25	10	26090	50	#0	16QAM	1850.00	-33.16	-13	PASS
NVNT	Band25	10	26640	50	#0	QPSK	1915.02	-28.17	-13	PASS
NVNT	Band25	10	26640	50	#0	16QAM	1915.00	-28.98	-13	PASS
NVNT	Band25	15	26115	75	#0	QPSK	1850.00	-34.26	-13	PASS
NVNT	Band25	15	26115	75	#0	16QAM	1850.00	-33.18	-13	PASS
NVNT	Band25	15	26615	75	#0	QPSK	1915.03	-30.12	-13	PASS
NVNT	Band25	15	26615	75	#0	16QAM	1915.00	-31.58	-13	PASS
NVNT	Band25	20	26140	100	#0	QPSK	1849.72	-35.45	-13	PASS
NVNT	Band25	20	26140	100	#0	16QAM	1850.00	-33.66	-13	PASS
NVNT	Band25	20	26590	100	#0	QPSK	1915.04	-31.12	-13	PASS
NVNT	Band25	20	26590	100	#0	16QAM	1915.08	-32.11	-13	PASS




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0 NVNT









Band25 16QAM BW=1.4MHz Channel=26683 RB Size=6 Position=#0 NVNT










Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0 NVNT









Band25 16QAM BW=5MHz Channel=26065 RB Size=25 Position=#0 NVNT










Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0 NVNT










Band25 16QAM BW=10MHz Channel=26640 RB Size=50 Position=#0 NVNT










Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0 NVNT









Band25 16QAM BW=20MHz Channel=26140 RB Size=100 Position=#0 NVNT






Appendix 6.Out-of-band emissions


Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band25	1.4	26047	6	#0	QPSK	25616.88	-23.24	-13	PASS
NVNT	Band25	1.4	26047	6	#0	16QAM	25585.63	-22.81	-13	PASS
NVNT	Band25	1.4	26365	6	#0	QPSK	25099.38	-23.06	-13	PASS
NVNT	Band25	1.4	26365	6	#0	16QAM	25095.63	-23.22	-13	PASS
NVNT	Band25	1.4	26683	6	#0	QPSK	25107.50	-22.80	-13	PASS
NVNT	Band25	1.4	26683	6	#0	16QAM	25830.00	-23.16	-13	PASS
NVNT	Band25	3	26055	15	#0	QPSK	25044.38	-23.17	-13	PASS
NVNT	Band25	3	26055	15	#0	16QAM	25733.13	-22.81	-13	PASS
NVNT	Band25	3	26365	15	#0	QPSK	25999.38	-23.20	-13	PASS
NVNT	Band25	3	26365	15	#0	16QAM	25970.00	-22.62	-13	PASS
NVNT	Band25	3	26675	15	#0	QPSK	25748.13	-23.12	-13	PASS
NVNT	Band25	3	26675	15	#0	16QAM	25956.88	-23.02	-13	PASS
NVNT	Band25	5	26065	25	#0	QPSK	25808.13	-23.03	-13	PASS
NVNT	Band25	5	26065	25	#0	16QAM	25805.63	-23.26	-13	PASS
NVNT	Band25	5	26365	25	#0	QPSK	25818.13	-23.08	-13	PASS
NVNT	Band25	5	26365	25	#0	16QAM	25746.88	-23.12	-13	PASS
NVNT	Band25	5	26665	25	#0	QPSK	25752.50	-21.34	-13	PASS
NVNT	Band25	5	26665	25	#0	16QAM	25885.63	-23.17	-13	PASS
NVNT	Band25	10	26090	50	#0	QPSK	25555.00	-23.25	-13	PASS
NVNT	Band25	10	26090	50	#0	16QAM	25117.50	-23.38	-13	PASS
NVNT	Band25	10	26365	50	#0	QPSK	25955.00	-22.73	-13	PASS
NVNT	Band25	10	26365	50	#0	16QAM	25670.63	-23.43	-13	PASS
NVNT	Band25	10	26640	50	#0	QPSK	25940.63	-23.01	-13	PASS
NVNT	Band25	10	26640	50	#0	16QAM	24748.13	-22.37	-13	PASS
NVNT	Band25	15	26115	75	#0	QPSK	25740.00	-23.05	-13	PASS
NVNT	Band25	15	26115	75	#0	16QAM	25136.25	-23.35	-13	PASS
NVNT	Band25	15	26365	75	#0	QPSK	25683.13	-23.03	-13	PASS
NVNT	Band25	15	26365	75	#0	16QAM	25607.50	-23.46	-13	PASS
NVNT	Band25	15	26615	75	#0	QPSK	25512.50	-22.75	-13	PASS
NVNT	Band25	15	26615	75	#0	16QAM	25794.38	-22.92	-13	PASS
NVNT	Band25	20	26140	100	#0	QPSK	25881.88	-22.50	-13	PASS
NVNT	Band25	20	26140	100	#0	16QAM	25900.63	-23.16	-13	PASS
NVNT	Band25	20	26365	100	#0	QPSK	25987.50	-22.77	-13	PASS
NVNT	Band25	20	26365	100	#0	16QAM	25805.63	-23.59	-13	PASS
NVNT	Band25	20	26590	100	#0	QPSK	25904.38	-22.44	-13	PASS
NVNT	Band25	20	26590	100	#0	16QAM	25091.88	-22.42	-13	PASS



Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0 NVNT





Band25 16QAM BW=1.4MHz Channel=26047 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-42.79	-13
2	0.15	30	10	6.10880625	-38.63	-13
3	30	1000	100	899.993	-48.44	-13
4	1000	26000	1000	25099.375	-23.06	-13

Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0 NVNT






Band25 16QAM BW=1.4MHz Channel=26365 RB Size=6 Position=#0 NVNT




Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.79	-13
2	0.15	30	10	6.12074625	-38.27	-13
3	30	1000	100	30.75175	-49.05	-13
4	1000	26000	1000	25830	-23.16	-13


Band25 16QAM BW=1.4MHz Channel=26683 RB Size=6 Position=#0 NVNT



Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0 NVNT




Band25 16QAM BW=3MHz Channel=26055 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01010685	-45.53	-13
2	0.15	30	10	6.117015	-38.48	-13
3	30	1000	100	30.2425	-48.8	-13
4	1000	26000	1000	25999.375	-23.2	-13


Band25 QPSK BW=3MHz Channel=26365 RB Size=15 Position=#0 NVNT



Band25 16QAM BW=3MHz Channel=26365 RB Size=15 Position=#0 NVNT





Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00937365	-45.09	-13
2	0.15	30	10	6.122985	-38	-13
3	30	1000	100	861.387	-49.59	-13
4	1000	26000	1000	25956.875	-23.02	-13

Band25 16QAM BW=3MHz Channel=26675 RB Size=15 Position=#0 NVNT






Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0 NVNT





Band25 16QAM BW=5MHz Channel=26065 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010766025	-45.09	-13
2	0.15	30	10	6.522975	-38.48	-13
3	30	1000	100	981.8125	-49.78	-13
4	1000	26000	1000	25818.125	-23.08	-13

Band25 QPSK BW=5MHz Channel=26365 RB Size=25 Position=#0 NVNT






Band25 16QAM BW=5MHz Channel=26365 RB Size=25 Position=#0 NVNT




Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009553425	-44.96	-13
2	0.15	30	10	6.04836	-39.44	-13
3	30	1000	100	751.5345	-48.95	-13
4	1000	26000	1000	25885.625	-23.17	-13


Band25 16QAM BW=5MHz Channel=26665 RB Size=25 Position=#0 NVNT



Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0 NVNT





Band25 16QAM BW=10MHz Channel=26090 RB Size=50 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.12	-13
2	0.15	30	10	6.49237875	-42.36	-13
3	30	1000	100	841.62325	-50.09	-13
4	1000	26000	1000	25955	-22.73	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0 NVNT






Band25 16QAM BW=10MHz Channel=26365 RB Size=50 Position=#0 NVNT




Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00947235	-45.23	-13
2	0.15	30	10	6.47223	-42.55	-13
3	30	1000	100	781.24075	-49.66	-13
4	1000	26000	1000	24748.125	-22.37	-13


Band25 16QAM BW=10MHz Channel=26640 RB Size=50 Position=#0 NVNT



Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0 NVNT





Band25 16QAM BW=15MHz Channel=26115 RB Size=75 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00971205	-44.59	-13
2	0.15	30	10	6.1304475	-42.02	-13
3	30	1000	100	863.4725	-50.43	-13
4	1000	26000	1000	25683.125	-23.03	-13

Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0 NVNT






Band25 16QAM BW=15MHz Channel=26365 RB Size=75 Position=#0 NVNT




Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-46.6	-13
2	0.15	30	10	6.0737325	-42.23	-13
3	30	1000	100	837.45225	-50.02	-13
4	1000	26000	1000	25794.375	-22.92	-13


Band25 16QAM BW=15MHz Channel=26615 RB Size=75 Position=#0 NVNT



Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0 NVNT




Band25 16QAM BW=20MHz Channel=26140 RB Size=100 Position=#0 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098178	-44.55	-13
2	0.15	30	10	6.06104625	-42.31	-13
3	30	1000	100	904.94	-49.93	-13
4	1000	26000	1000	25987.5	-22.77	-13


Band25 QPSK BW=20MHz Channel=26365 RB Size=100 Position=#0 NVNT



Band25 16QAM BW=20MHz Channel=26365 RB Size=100 Position=#0 NVNT



Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.46	-13
2	0.15	30	10	6.152835	-42.54	-13
3	30	1000	100	793.85075	-49.52	-13
4	1000	26000	1000	25091.875	-22.42	-13

Band25 16QAM BW=20MHz Channel=26590 RB Size=100 Position=#0 NVNT