



## Appendix A

### RF Test Data for BT (Conducted Measurement)

Product Name: Projector

Test Model: N5

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.8°C    |
| Relative Humidity: | 52.1%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Can Kun   |
| Supervised by:     | Nick Peng |





A.1 -20dB Bandwidth


| Condition | Mode  | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 0.969                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | 1.006                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | 0.967                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 1.279                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 1.316                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 1.284                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 1.306                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 1.292                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 1.289                  | N/A                          | Pass    |






## Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



## -20dB Bandwidth NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




## -20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






## -20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



## -20dB Bandwidth NVNT 3-DH5 2441MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.2 Maximum Peak Conducted Output Power


| Condition | Mode  | Frequency (MHz) | Antenna | Total Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-------------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | -0.75             | 21          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | -0.51             | 21          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -1.81             | 21          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | -1.41             | 21          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 1.26              | 21          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 0.18              | 21          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | -0.96             | 21          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 1.74              | 21          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 0.55              | 21          | Pass    |






## Test Graphs

Power NVNT 1-DH5 2402MHz Ant1



Power NVNT 1-DH5 2441MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 2-DH5 2480MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





### A.3 Carrier Frequencies Separation


| Condition | Mode  | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT      | 1-DH5 | Ant1    | 2402.168            | 2402.974            | 0.806     | 0.671       | Pass    |
| NVNT      | 2-DH5 | Ant1    | 2402.038            | 2403.016            | 0.978     | 0.877       | Pass    |
| NVNT      | 3-DH5 | Ant1    | 2402.044            | 2403.036            | 0.992     | 0.871       | Pass    |






## Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.4 Dwell Time

| Condition | Mode  | Frequency<br>(MHz) | Antenna | Pulse<br>Time (ms) | Total Dwell<br>Time (ms) | Burst<br>Count | Period<br>Time (ms) | Limit<br>(ms) | Verdict |
|-----------|-------|--------------------|---------|--------------------|--------------------------|----------------|---------------------|---------------|---------|
| NVNT      | 1-DH5 | 2402               | Ant1    | 2.91               | 296.82                   | 102            | 31600               | 400           | Pass    |
| NVNT      | 2-DH5 | 2402               | Ant1    | 2.898              | 324.576                  | 112            | 31600               | 400           | Pass    |
| NVNT      | 3-DH5 | 2402               | Ant1    | 2.897              | 304.185                  | 105            | 31600               | 400           | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



## Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Dwell NVNT 2-DH5 2402MHz Ant1 One Burst



## Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





## A.5 Number of Hopping Channel


| Condition | Mode  | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT      | 1-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 2-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 3-DH5 | Ant1    | 79             | 15    | Pass    |






## Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.6 Band Edge


| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | -55.33          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | -56.09          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | -52.28          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | -54.66          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | -52.48          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | -54.38          | -20         | Pass    |






## Test Graphs

## Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



## Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



## Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



(Hopping)


| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | Hopping      | -61.78          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | Hopping      | -61.98          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | Hopping      | -61.79          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | Hopping      | -58.15          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | Hopping      | -62             | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | Hopping      | -54.83          | -20         | Pass    |






## Test Graphs

## Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### A.7 Conducted RF Spurious Emission

| Condition | Mode  | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | -54.48          | -20         | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | -54.83          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -53.32          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | -51.97          | -20         | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | -54.57          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | -52.03          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | -51.44          | -20         | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | -54.04          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | -53.53          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



## Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity





Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission








## Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref



## Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref



## Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



## Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## A.8 Duty Cycle

| Condition | Mode  | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 77.6           | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2441            | Ant1    | 77.63          | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2480            | Ant1    | 77.6           | 1.1                    | 0.34      |
| NVNT      | 2-DH5 | 2402            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2441            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2480            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2402            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2441            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2480            | Ant1    | 77.28          | 1.12                   | 0.35      |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Duty Cycle NVNT 1-DH5 2402MHz Ant1



## Duty Cycle NVNT 1-DH5 2441MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity









## A.9 Restrict Band

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -51.3       | 4.01       | -                | 47.97      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -58.72      | 4.01       | 1.1              | 41.65      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2326.704        | -47.85      | 4.01       | -                | 51.42      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2363.952        | -57.73      | 4.01       | 1.1              | 42.64      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.93      | 4.01       | -                | 48.34      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -58.68      | 4.01       | 1.1              | 41.69      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -50.36      | 4.01       | -                | 48.91      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.5       | 4.01       | 1.1              | 42.87      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2484.16         | -46.17      | 4.01       | -                | 53.10      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2489.2          | -57.17      | 4.01       | 1.1              | 43.20      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -49.74      | 4.01       | -                | 49.53      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -58.59      | 4.01       | 1.1              | 41.78      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -49.93      | 4.01       | -                | 49.34      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -59.42      | 4.01       | 1.12             | 40.97      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2342.736        | -47.91      | 4.01       | -                | 51.36      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2359.344        | -57.95      | 4.01       | 1.12             | 42.44      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -49.96      | 4.01       | -                | 49.31      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -58.59      | 4.01       | 1.12             | 41.80      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -50.21      | 4.01       | -                | 49.06      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.93      | 4.01       | 1.12             | 42.46      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2494.216        | -47.18      | 4.01       | -                | 52.09      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.824        | -57.12      | 4.01       | 1.12             | 43.27      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -50.54      | 4.01       | -                | 48.73      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -57.68      | 4.01       | 1.12             | 42.71      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -51.6       | 4.01       | -                | 47.67      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -59.09      | 4.01       | 1.12             | 41.30      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2381.424        | -47.55      | 4.01       | -                | 51.72      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2381.904        | -57.85      | 4.01       | 1.12             | 42.54      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -49.75      | 4.01       | -                | 49.52      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -58.75      | 4.01       | 1.12             | 41.64      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -49.17      | 4.01       | -                | 50.10      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.88      | 4.01       | 1.12             | 42.51      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2496.664        | -46.56      | 4.01       | -                | 52.71      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.56         | -57.1       | 4.01       | 1.12             | 43.29      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -50.16      | 4.01       | -                | 49.11      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -57.83      | 4.01       | 1.12             | 42.56      | Average  | 54             | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak



## Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity





## Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average








## Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak



## Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak



## Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



## Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity