



**29.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.08	-13	Pass	2986
30	1000	0.1	RMS	936.8	-58.77	-13	Pass	9701
1000	3000	1	RMS	2689	-46.2	-13	Pass	2001
3000	3440	1	RMS	3440	-41.91	-13	Pass	441
3440	3560	1	RMS	3477.5	5.62	60	Pass	401
3560	6500	1	RMS	3560	-47.09	-13	Pass	2941
6500	26500	1	RMS	25322	-43.73	-13	Pass	20001




**29.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.73	-13	Pass	2986
30	1000	0.1	RMS	945.8	-58.9	-13	Pass	9701
1000	3000	1	RMS	2693	-46.46	-13	Pass	2001
3000	3440	1	RMS	3317	-45.84	-13	Pass	441
3440	3560	1	RMS	3475.7	21.13	60	Pass	401
3560	6500	1	RMS	3573	-58.23	-13	Pass	2941
6500	26500	1	RMS	25275	-43.09	-13	Pass	20001




**29.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.69	-13	Pass	2986
30	1000	0.1	RMS	836.6	-59.16	-13	Pass	9701
1000	3000	1	RMS	2686	-46.45	-13	Pass	2001
3000	3440	1	RMS	3318	-45.82	-13	Pass	441
3440	3560	1	RMS	3524.3	20.87	60	Pass	401
3560	6500	1	RMS	3562	-56.2	-13	Pass	2941
6500	26500	1	RMS	26427	-44	-13	Pass	20001




**29.16 Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.49	-13	Pass	2986
30	1000	0.1	RMS	930.4	-58.97	-13	Pass	9701
1000	3000	1	RMS	2689	-46.34	-13	Pass	2001
3000	3440	1	RMS	3296	-45.81	-13	Pass	441
3440	3560	1	RMS	3509.6	5.52	60	Pass	401
3560	6500	1	RMS	3560	-38.56	-13	Pass	2941
6500	26500	1	RMS	25745	-43.61	-13	Pass	20001




**29.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-13	Pass	2986
30	1000	0.1	RMS	941.5	-58.67	-13	Pass	9701
1000	3000	1	RMS	2683	-46.3	-13	Pass	2001
3000	3440	1	RMS	3315	-45.76	-13	Pass	441
3440	3560	1	RMS	3500.9	20.96	60	Pass	401
3560	6500	1	RMS	3560	-42.42	-13	Pass	2941
6500	26500	1	RMS	25328	-43.65	-13	Pass	20001




**29.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.31	-13	Pass	2986
30	1000	0.1	RMS	931.7	-58.96	-13	Pass	9701
1000	3000	1	RMS	2674	-46.24	-13	Pass	2001
3000	3440	1	RMS	3321	-45.79	-13	Pass	441
3440	3560	1	RMS	3549.2	21.07	60	Pass	401
3560	6500	1	RMS	3573	-44.72	-13	Pass	2941
6500	26500	1	RMS	25340	-43.55	-13	Pass	20001




**29.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.51	-13	Pass	2986
30	1000	0.1	RMS	944.2	-59.12	-13	Pass	9701
1000	3000	1	RMS	2697	-46.23	-13	Pass	2001
3000	3440	1	RMS	3440	-36.71	-13	Pass	441
3440	3560	1	RMS	3452.6	2.99	60	Pass	401
3560	6500	1	RMS	3560	-39.1	-13	Pass	2941
6500	26500	1	RMS	25310	-43.65	-13	Pass	20001




**29.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	1000	0.1	RMS	976.7	-59.34	-13	Pass	9701
1000	3000	1	RMS	2692	-46.32	-13	Pass	2001
3000	3440	1	RMS	3402	-43.43	-13	Pass	441
3440	3560	1	RMS	3451.1	21.25	60	Pass	401
3560	6500	1	RMS	3568	-44.22	-13	Pass	2941
6500	26500	1	RMS	25728	-43.8	-13	Pass	20001



**29.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	1000	0.1	RMS	979.9	-58.99	-13	Pass	9701
1000	3000	1	RMS	2925	-46.29	-13	Pass	2001
3000	3440	1	RMS	3432	-40.45	-13	Pass	441
3440	3560	1	RMS	3548.9	21.2	60	Pass	401
3560	6500	1	RMS	3598	-42.86	-13	Pass	2941
6500	26500	1	RMS	25357	-43.39	-13	Pass	20001



30. n77 30kHz(3700-3980)


**30.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.63	-13	Pass	2986
30	1000	0.1	RMS	924.4	-58.83	-13	Pass	9701
1000	3000	1	RMS	2684	-46.37	-13	Pass	2001
3000	3690	1	RMS	3604	-43.15	-13	Pass	691
3690	3990	1	RMS	3702	8.94	60	Pass	401
3990	6500	1	RMS	4089	-64.63	-13	Pass	2511
6500	26500	1	RMS	26411	-43.66	-13	Pass	20001




**30.2. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.46	-13	Pass	2986
30	1000	0.1	RMS	898.9	-59.44	-13	Pass	9701
1000	3000	1	RMS	2679	-46.29	-13	Pass	2001
3000	3690	1	RMS	3604	-43.08	-13	Pass	691
3690	3990	1	RMS	3700.5	17.12	60	Pass	401
3990	6500	1	RMS	4100	-64.63	-13	Pass	2511
6500	26500	1	RMS	25308	-43.86	-13	Pass	20001




**30.3. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.6	-13	Pass	2986
30	1000	0.1	RMS	947.2	-59.64	-13	Pass	9701
1000	3000	1	RMS	2699	-46.22	-13	Pass	2001
3000	3690	1	RMS	3600	-43.15	-13	Pass	691
3690	3990	1	RMS	3709.5	17.11	60	Pass	401
3990	6500	1	RMS	4110	-64.47	-13	Pass	2511
6500	26500	1	RMS	25378	-43.71	-13	Pass	20001




**30.4. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2986
30	1000	0.1	RMS	939.2	-59.6	-13	Pass	9701
1000	3000	1	RMS	2696	-46.39	-13	Pass	2001
3000	3690	1	RMS	3601	-43.11	-13	Pass	691
3690	3990	1	RMS	3837.75	9.64	60	Pass	401
3990	6500	1	RMS	4110	-63.41	-13	Pass	2511
6500	26500	1	RMS	25741	-43.43	-13	Pass	20001




**30.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.04	-13	Pass	2986
30	1000	0.1	RMS	969.1	-59	-13	Pass	9701
1000	3000	1	RMS	2706	-46.38	-13	Pass	2001
3000	3690	1	RMS	3600	-43.09	-13	Pass	691
3690	3990	1	RMS	3835.5	17.74	60	Pass	401
3990	6500	1	RMS	4100	-63.59	-13	Pass	2511
6500	26500	1	RMS	25338	-43.62	-13	Pass	20001




**30.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	1000	0.1	RMS	811.1	-58.65	-13	Pass	9701
1000	3000	1	RMS	2698	-46.33	-13	Pass	2001
3000	3690	1	RMS	3600	-43.1	-13	Pass	691
3690	3990	1	RMS	3844.5	17.77	60	Pass	401
3990	6500	1	RMS	4097	-63.66	-13	Pass	2511
6500	26500	1	RMS	26410	-43.9	-13	Pass	20001




**30.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.32	-13	Pass	2986
30	1000	0.1	RMS	966.5	-58.88	-13	Pass	9701
1000	3000	1	RMS	2660	-46.35	-13	Pass	2001
3000	3690	1	RMS	3606	-43.18	-13	Pass	691
3690	3990	1	RMS	3974.25	11.14	60	Pass	401
3990	6500	1	RMS	3990	-45.31	-13	Pass	2511
6500	26500	1	RMS	26430	-43.39	-13	Pass	20001




**30.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2986
30	1000	0.1	RMS	988.8	-59.07	-13	Pass	9701
1000	3000	1	RMS	2684	-46.39	-13	Pass	2001
3000	3690	1	RMS	3600	-43.21	-13	Pass	691
3690	3990	1	RMS	3970.5	19.23	60	Pass	401
3990	6500	1	RMS	3990	-53.97	-13	Pass	2511
6500	26500	1	RMS	26418	-43.68	-13	Pass	20001




**30.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.69	-13	Pass	2986
30	1000	0.1	RMS	921.3	-59.6	-13	Pass	9701
1000	3000	1	RMS	2676	-46.35	-13	Pass	2001
3000	3690	1	RMS	3603	-43	-13	Pass	691
3690	3990	1	RMS	3979.5	19.22	60	Pass	401
3990	6500	1	RMS	3990	-54.78	-13	Pass	2511
6500	26500	1	RMS	25773	-43.47	-13	Pass	20001




**30.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.76	-13	Pass	2986
30	1000	0.1	RMS	812.3	-58.8	-13	Pass	9701
1000	3000	1	RMS	2698	-46.32	-13	Pass	2001
3000	3690	1	RMS	3689	-37.94	-13	Pass	691
3690	3990	1	RMS	3713.25	2.03	60	Pass	401
3990	6500	1	RMS	4105	-64.11	-13	Pass	2511
6500	26500	1	RMS	25330	-43.61	-13	Pass	20001




**30.11. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	Pass	2986
30	1000	0.1	RMS	970.3	-59.27	-13	Pass	9701
1000	3000	1	RMS	2690	-46.36	-13	Pass	2001
3000	3690	1	RMS	3600	-43	-13	Pass	691
3690	3990	1	RMS	3700.5	16.38	60	Pass	401
3990	6500	1	RMS	4088	-64.45	-13	Pass	2511
6500	26500	1	RMS	25725	-43.92	-13	Pass	20001




**30.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.79	-13	Pass	2986
30	1000	0.1	RMS	799.7	-59.25	-13	Pass	9701
1000	3000	1	RMS	2694	-46.35	-13	Pass	2001
3000	3690	1	RMS	3690	-42.49	-13	Pass	691
3690	3990	1	RMS	3749.25	17.35	60	Pass	401
3990	6500	1	RMS	4061	-64.02	-13	Pass	2511
6500	26500	1	RMS	26417	-43.74	-13	Pass	20001




**30.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.71	-13	Pass	2986
30	1000	0.1	RMS	838.4	-59.27	-13	Pass	9701
1000	3000	1	RMS	2676	-46.34	-13	Pass	2001
3000	3690	1	RMS	3602	-43.02	-13	Pass	691
3690	3990	1	RMS	3854.25	2.73	60	Pass	401
3990	6500	1	RMS	4082	-63.54	-13	Pass	2511
6500	26500	1	RMS	25357	-43.87	-13	Pass	20001




**30.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.04	-13	Pass	2986
30	1000	0.1	RMS	961.3	-59.72	-13	Pass	9701
1000	3000	1	RMS	2658	-46.38	-13	Pass	2001
3000	3690	1	RMS	3603	-43.13	-13	Pass	691
3690	3990	1	RMS	3816	17.25	60	Pass	401
3990	6500	1	RMS	4058	-63.75	-13	Pass	2511
6500	26500	1	RMS	25739	-43.58	-13	Pass	20001




**30.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.39	-13	Pass	2986
30	1000	0.1	RMS	888.5	-58.9	-13	Pass	9701
1000	3000	1	RMS	2670	-46.24	-13	Pass	2001
3000	3690	1	RMS	3604	-43.11	-13	Pass	691
3690	3990	1	RMS	3864	17.39	60	Pass	401
3990	6500	1	RMS	4087	-63.6	-13	Pass	2511
6500	26500	1	RMS	25334	-43.94	-13	Pass	20001




**30.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-13	Pass	2986
30	1000	0.1	RMS	929.7	-59.4	-13	Pass	9701
1000	3000	1	RMS	2694	-46.44	-13	Pass	2001
3000	3690	1	RMS	3601	-43.06	-13	Pass	691
3690	3990	1	RMS	3976.5	4.34	60	Pass	401
3990	6500	1	RMS	3990	-31.99	-13	Pass	2511
6500	26500	1	RMS	25753	-43.63	-13	Pass	20001




**30.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.84	-13	Pass	2986
30	1000	0.1	RMS	969.4	-59.23	-13	Pass	9701
1000	3000	1	RMS	2692	-46.31	-13	Pass	2001
3000	3690	1	RMS	3603	-43.04	-13	Pass	691
3690	3990	1	RMS	3930.75	18.02	60	Pass	401
3990	6500	1	RMS	3990	-44.42	-13	Pass	2511
6500	26500	1	RMS	25347	-43.46	-13	Pass	20001




**30.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	961.4	-59.15	-13	Pass	9701
1000	3000	1	RMS	2641	-46.15	-13	Pass	2001
3000	3690	1	RMS	3616	-43.17	-13	Pass	691
3690	3990	1	RMS	3979.5	18.34	60	Pass	401
3990	6500	1	RMS	4003	-44.69	-13	Pass	2511
6500	26500	1	RMS	25810	-43.77	-13	Pass	20001




**30.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.16	-13	Pass	2986
30	1000	0.1	RMS	967.4	-59.55	-13	Pass	9701
1000	3000	1	RMS	2668	-46.3	-13	Pass	2001
3000	3690	1	RMS	3690	-38.97	-13	Pass	691
3690	3990	1	RMS	3704.25	-0.81	60	Pass	401
3990	6500	1	RMS	4046	-63.59	-13	Pass	2511
6500	26500	1	RMS	25243	-43.49	-13	Pass	20001




**30.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.96	-13	Pass	2986
30	1000	0.1	RMS	921.1	-59.4	-13	Pass	9701
1000	3000	1	RMS	2655	-46.31	-13	Pass	2001
3000	3690	1	RMS	3652	-42.35	-13	Pass	691
3690	3990	1	RMS	3701.25	16.72	60	Pass	401
3990	6500	1	RMS	4325	-49.23	-13	Pass	2511
6500	26500	1	RMS	26415	-43.67	-13	Pass	20001




**30.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	1000	0.1	RMS	956.9	-59.55	-13	Pass	9701
1000	3000	1	RMS	2691	-46.19	-13	Pass	2001
3000	3690	1	RMS	3643	-42.37	-13	Pass	691
3690	3990	1	RMS	3798.75	17.33	60	Pass	401
3990	6500	1	RMS	4423	-54.8	-13	Pass	2511
6500	26500	1	RMS	26423	-43.15	-13	Pass	20001




**30.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.48	-13	Pass	2986
30	1000	0.1	RMS	995.1	-58.54	-13	Pass	9701
1000	3000	1	RMS	2680	-46.46	-13	Pass	2001
3000	3690	1	RMS	3600	-43.09	-13	Pass	691
3690	3990	1	RMS	3887.25	0.06	60	Pass	401
3990	6500	1	RMS	3991	-54.29	-13	Pass	2511
6500	26500	1	RMS	26388	-43.9	-13	Pass	20001




**30.23. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	926	-59.19	-13	Pass	9701
1000	3000	1	RMS	2693	-46.24	-13	Pass	2001
3000	3690	1	RMS	3602	-42.96	-13	Pass	691
3690	3990	1	RMS	3791.25	17.27	60	Pass	401
3990	6500	1	RMS	4415	-50.46	-13	Pass	2511
6500	26500	1	RMS	26424	-43.78	-13	Pass	20001




**30.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.79	-13	Pass	2986
30	1000	0.1	RMS	794.6	-59.53	-13	Pass	9701
1000	3000	1	RMS	2682	-46.28	-13	Pass	2001
3000	3690	1	RMS	3265	-42.2	-13	Pass	691
3690	3990	1	RMS	3888.75	17.71	60	Pass	401
3990	6500	1	RMS	4513	-56.94	-13	Pass	2511
6500	26500	1	RMS	25290	-43.77	-13	Pass	20001




**30.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-55.07	-13	Pass	2986
30	1000	0.1	RMS	980.6	-58.86	-13	Pass	9701
1000	3000	1	RMS	2694	-46.41	-13	Pass	2001
3000	3690	1	RMS	3601	-43.05	-13	Pass	691
3690	3990	1	RMS	3977.25	1.75	60	Pass	401
3990	6500	1	RMS	3998	-34.33	-13	Pass	2511
6500	26500	1	RMS	25304	-43.55	-13	Pass	20001




**30.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.13	-13	Pass	2986
30	1000	0.1	RMS	936.3	-59.33	-13	Pass	9701
1000	3000	1	RMS	2672	-46.32	-13	Pass	2001
3000	3690	1	RMS	3603	-43.09	-13	Pass	691
3690	3990	1	RMS	3881.25	17.55	60	Pass	401
3990	6500	1	RMS	3998	-42.36	-13	Pass	2511
6500	26500	1	RMS	25326	-43.57	-13	Pass	20001



**30.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.93	-13	Pass	2986
30	1000	0.1	RMS	999.2	-59.55	-13	Pass	9701
1000	3000	1	RMS	2684	-46.36	-13	Pass	2001
3000	3690	1	RMS	3355	-42.72	-13	Pass	691
3690	3990	1	RMS	3978.75	19.13	60	Pass	401
3990	6500	1	RMS	4028	-42.93	-13	Pass	2511
6500	26500	1	RMS	26431	-43.77	-13	Pass	20001



--BLANK BELOW--