

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	19.92	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.50	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.51	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.51	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.48	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	21.17	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	20.20	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	21.11	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	21.38	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	21.42	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.55	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.49	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.53	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	20.50	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	21.36	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	21.04	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	21.07	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	21.29	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	20.28	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	20.30	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	19.28	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	19.08	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.99	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	23.16	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.23	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	19.86	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	19.91	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	20.08	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	20.19	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	21.12	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.99	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.38	PASS

Band5	1.4MHz	16QAM	20525	3RB#1	22.34	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	22.35	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	20.01	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	20.51	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	20.25	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	20.33	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	20.02	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	19.02	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	19.01	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	18.44	PASS
Band5	3MHz	QPSK	20415	1RB#0	20.04	PASS
Band5	3MHz	QPSK	20415	1RB#8	20.24	PASS
Band5	3MHz	QPSK	20415	1RB#14	20.26	PASS
Band5	3MHz	QPSK	20415	8RB#0	17.33	PASS
Band5	3MHz	QPSK	20415	8RB#4	17.36	PASS
Band5	3MHz	QPSK	20415	8RB#7	17.52	PASS
Band5	3MHz	QPSK	20415	15RB#0	17.47	PASS
Band5	3MHz	QPSK	20525	1RB#0	18.52	PASS
Band5	3MHz	QPSK	20525	1RB#8	23.41	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.39	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.41	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.40	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.44	PASS
Band5	3MHz	QPSK	20525	15RB#0	20.41	PASS
Band5	3MHz	QPSK	20635	1RB#0	21.24	PASS
Band5	3MHz	QPSK	20635	1RB#8	21.25	PASS
Band5	3MHz	QPSK	20635	1RB#14	21.03	PASS
Band5	3MHz	QPSK	20635	8RB#0	20.33	PASS
Band5	3MHz	QPSK	20635	8RB#4	19.21	PASS
Band5	3MHz	QPSK	20635	8RB#7	19.37	PASS
Band5	3MHz	QPSK	20635	15RB#0	19.33	PASS
Band5	3MHz	16QAM	20415	1RB#0	18.81	PASS
Band5	3MHz	16QAM	20415	1RB#8	19.07	PASS
Band5	3MHz	16QAM	20415	1RB#14	19.07	PASS
Band5	3MHz	16QAM	20415	8RB#0	16.37	PASS
Band5	3MHz	16QAM	20415	8RB#4	16.40	PASS
Band5	3MHz	16QAM	20415	8RB#7	16.55	PASS

Band5	3MHz	16QAM	20415	15RB#0	16.42	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.64	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.65	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.67	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.29	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.27	PASS
Band5	3MHz	16QAM	20525	8RB#7	20.01	PASS
Band5	3MHz	16QAM	20525	15RB#0	19.94	PASS
Band5	3MHz	16QAM	20635	1RB#0	20.46	PASS
Band5	3MHz	16QAM	20635	1RB#8	20.44	PASS
Band5	3MHz	16QAM	20635	1RB#14	19.80	PASS
Band5	3MHz	16QAM	20635	8RB#0	18.34	PASS
Band5	3MHz	16QAM	20635	8RB#4	18.38	PASS
Band5	3MHz	16QAM	20635	8RB#7	18.52	PASS
Band5	3MHz	16QAM	20635	15RB#0	18.48	PASS
Band5	5MHz	QPSK	20425	1RB#0	17.65	PASS
Band5	5MHz	QPSK	20425	1RB#12	18.47	PASS
Band5	5MHz	QPSK	20425	1RB#24	18.17	PASS
Band5	5MHz	QPSK	20425	12RB#0	17.30	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.36	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.48	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.57	PASS
Band5	5MHz	QPSK	20525	1RB#0	21.12	PASS
Band5	5MHz	QPSK	20525	1RB#12	21.38	PASS
Band5	5MHz	QPSK	20525	1RB#24	21.44	PASS
Band5	5MHz	QPSK	20525	12RB#0	20.21	PASS
Band5	5MHz	QPSK	20525	12RB#6	20.24	PASS
Band5	5MHz	QPSK	20525	12RB#13	18.88	PASS
Band5	5MHz	QPSK	20525	25RB#0	19.15	PASS
Band5	5MHz	QPSK	20625	1RB#0	19.79	PASS
Band5	5MHz	QPSK	20625	1RB#12	20.43	PASS
Band5	5MHz	QPSK	20625	1RB#24	20.08	PASS
Band5	5MHz	QPSK	20625	12RB#0	17.24	PASS
Band5	5MHz	QPSK	20625	12RB#6	17.25	PASS
Band5	5MHz	QPSK	20625	12RB#13	17.52	PASS
Band5	5MHz	QPSK	20625	25RB#0	17.34	PASS
Band5	5MHz	16QAM	20425	1RB#0	16.92	PASS

Band5	5MHz	16QAM	20425	1RB#12	17.75	PASS
Band5	5MHz	16QAM	20425	1RB#24	17.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.28	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.36	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.67	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.56	PASS
Band5	5MHz	16QAM	20525	1RB#0	19.68	PASS
Band5	5MHz	16QAM	20525	1RB#12	20.09	PASS
Band5	5MHz	16QAM	20525	1RB#24	20.06	PASS
Band5	5MHz	16QAM	20525	12RB#0	20.20	PASS
Band5	5MHz	16QAM	20525	12RB#6	18.39	PASS
Band5	5MHz	16QAM	20525	12RB#13	17.92	PASS
Band5	5MHz	16QAM	20525	25RB#0	18.17	PASS
Band5	5MHz	16QAM	20625	1RB#0	18.50	PASS
Band5	5MHz	16QAM	20625	1RB#12	19.22	PASS
Band5	5MHz	16QAM	20625	1RB#24	17.17	PASS
Band5	5MHz	16QAM	20625	12RB#0	16.41	PASS
Band5	5MHz	16QAM	20625	12RB#6	16.42	PASS
Band5	5MHz	16QAM	20625	12RB#13	16.52	PASS
Band5	5MHz	16QAM	20625	25RB#0	16.44	PASS
Band5	10MHz	QPSK	20450	1RB#0	19.54	PASS
Band5	10MHz	QPSK	20450	1RB#24	20.38	PASS
Band5	10MHz	QPSK	20450	1RB#49	20.91	PASS
Band5	10MHz	QPSK	20450	25RB#0	18.79	PASS
Band5	10MHz	QPSK	20450	25RB#12	18.81	PASS
Band5	10MHz	QPSK	20450	25RB#25	19.63	PASS
Band5	10MHz	QPSK	20450	50RB#0	19.24	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.30	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.30	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.32	PASS
Band5	10MHz	QPSK	20525	25RB#0	21.96	PASS
Band5	10MHz	QPSK	20525	25RB#12	21.96	PASS
Band5	10MHz	QPSK	20525	25RB#25	22.25	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.21	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.31	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.22	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.24	PASS

Band5	10MHz	QPSK	20600	25RB#0	22.12	PASS
Band5	10MHz	QPSK	20600	25RB#12	20.07	PASS
Band5	10MHz	QPSK	20600	25RB#25	20.27	PASS
Band5	10MHz	QPSK	20600	50RB#0	20.03	PASS
Band5	10MHz	16QAM	20450	1RB#0	18.22	PASS
Band5	10MHz	16QAM	20450	1RB#24	19.12	PASS
Band5	10MHz	16QAM	20450	1RB#49	19.61	PASS
Band5	10MHz	16QAM	20450	25RB#0	17.93	PASS
Band5	10MHz	16QAM	20450	25RB#12	17.95	PASS
Band5	10MHz	16QAM	20450	25RB#25	18.78	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.12	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.09	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.09	PASS
Band5	10MHz	16QAM	20525	1RB#49	21.90	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.18	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.19	PASS
Band5	10MHz	16QAM	20525	25RB#25	21.17	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.35	PASS
Band5	10MHz	16QAM	20600	1RB#0	21.87	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.00	PASS
Band5	10MHz	16QAM	20600	1RB#49	21.93	PASS
Band5	10MHz	16QAM	20600	25RB#0	20.20	PASS
Band5	10MHz	16QAM	20600	25RB#12	20.24	PASS
Band5	10MHz	16QAM	20600	25RB#25	20.37	PASS
Band5	10MHz	16QAM	20600	50RB#0	20.34	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	5.71	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.68	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.90	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	5.30	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	5.13	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.71	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.39	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.22	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.04	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.20	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.03	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.52	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.77	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.77	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.71	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	5.16	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.64	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.97	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.36	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.07	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.77	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.17	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	4.67	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	4.87	13	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20525-6RB#0



Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-6RB#0



Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-15RB#0



Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20525-15RB#0




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0




Band5-5MHz-QPSK-20525-25RB#0



Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20525-50RB#0




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0




Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.093	1.280	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.103	1.295	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.093	1.285	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.103	1.280	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.108	1.310	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.108	1.280	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.725	3.040	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.705	3.090	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.725	3.070	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.705	3.050	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.715	3.150	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.705	3.080	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.525	5.350	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.515	5.460	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.525	5.370	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.525	5.330	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.545	5.490	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.525	5.330	PASS
Band5	10MHz	QPSK	20450	50RB#0	9.018	10.167	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.985	10.267	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.985	10.333	PASS
Band5	10MHz	16QAM	20450	50RB#0	9.018	10.200	PASS
Band5	10MHz	16QAM	20525	50RB#0	9.018	10.800	PASS
Band5	10MHz	16QAM	20600	50RB#0	9.018	10.167	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20525-6RB#0




Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-6RB#0




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20525-15RB#0




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0




Band5-5MHz-QPSK-20525-25RB#0




Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20525-50RB#0




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0



Date: 7.MAR.2022 14:54:46


Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	-28.88	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-30.08	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-29.87	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-28.61	PASS
Band5	3MHz	QPSK	20415	15RB#0	-23.48	PASS
Band5	3MHz	QPSK	20635	15RB#0	-22.99	PASS
Band5	3MHz	16QAM	20415	15RB#0	-24.58	PASS
Band5	3MHz	16QAM	20635	15RB#0	-23.92	PASS
Band5	5MHz	QPSK	20425	25RB#0	-27.59	PASS
Band5	5MHz	QPSK	20625	25RB#0	-27.21	PASS
Band5	5MHz	16QAM	20425	25RB#0	-27.73	PASS
Band5	5MHz	16QAM	20625	25RB#0	-27.41	PASS
Band5	10MHz	QPSK	20450	50RB#0	-31.89	PASS
Band5	10MHz	QPSK	20600	50RB#0	-30.67	PASS
Band5	10MHz	16QAM	20450	50RB#0	-32.07	PASS
Band5	10MHz	16QAM	20600	50RB#0	-26.93	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0



Band5-1.4MHz-QPSK-20643-6RB#0



Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20635-15RB#0



Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0



Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0



Band5-10MHz-QPSK-20600-50RB#0



Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20600-50RB#0



Date: 7.MAR.2022 18:59:46

Appendix E: Conducted Spurious Emission


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	Range1:30~1000MHz	-30.05	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	Range2:1000~10000MHz	-24.7	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	Range1:30~1000MHz	-30.64	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	Range2:1000~10000MHz	-25.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	Range1:30~1000MHz	-30.22	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	Range2:1000~10000MHz	-25.74	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	Range1:30~1000MHz	-31.06	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	Range2:1000~10000MHz	-26	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	Range1:30~1000MHz	-29.56	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	Range2:1000~10000MHz	-25.96	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	Range1:30~1000MHz	-30.71	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	Range2:1000~10000MHz	-26.22	PASS
Band5	3MHz	QPSK	20415	15RB#0	Range1:30~1000MHz	-30.78	PASS
Band5	3MHz	QPSK	20415	15RB#0	Range2:1000~10000MHz	-26.37	PASS
Band5	3MHz	QPSK	20525	15RB#0	Range1:30~1000MHz	-30.97	PASS
Band5	3MHz	QPSK	20525	15RB#0	Range2:1000~10000MHz	-26.56	PASS
Band5	3MHz	QPSK	20635	15RB#0	Range1:30~1000MHz	-31.11	PASS
Band5	3MHz	QPSK	20635	15RB#0	Range2:1000~10000MHz	-25.89	PASS
Band5	3MHz	16QAM	20415	15RB#0	Range1:30~1000MHz	-30.35	PASS
Band5	3MHz	16QAM	20415	15RB#0	Range2:1000~10000MHz	-26.2	PASS
Band5	3MHz	16QAM	20525	15RB#0	Range1:30~1000MHz	-30.39	PASS
Band5	3MHz	16QAM	20525	15RB#0	Range2:1000~10000MHz	-26.03	PASS
Band5	3MHz	16QAM	20635	15RB#0	Range1:30~1000MHz	-30.71	PASS
Band5	3MHz	16QAM	20635	15RB#0	Range2:1000~10000MHz	-25.82	PASS
Band5	5MHz	QPSK	20425	25RB#0	Range1:30~1000MHz	-30.19	PASS
Band5	5MHz	QPSK	20425	25RB#0	Range2:1000~10000MHz	-26.2	PASS
Band5	5MHz	QPSK	20525	25RB#0	Range1:30~1000MHz	-30.57	PASS
Band5	5MHz	QPSK	20525	25RB#0	Range2:1000~10000MHz	-26.42	PASS
Band5	5MHz	QPSK	20625	25RB#0	Range1:30~1000MHz	-29.68	PASS
Band5	5MHz	QPSK	20625	25RB#0	Range2:1000~10000MHz	-25.57	PASS
Band5	5MHz	16QAM	20425	25RB#0	Range1:30~1000MHz	-30.94	PASS
Band5	5MHz	16QAM	20425	25RB#0	Range2:1000~10000MHz	-24.76	PASS
Band5	5MHz	16QAM	20525	25RB#0	Range1:30~1000MHz	-30.74	PASS
Band5	5MHz	16QAM	20525	25RB#0	Range2:1000~10000MHz	-26.41	PASS
Band5	5MHz	16QAM	20625	25RB#0	Range1:30~1000MHz	-30.07	PASS
Band5	5MHz	16QAM	20625	25RB#0	Range2:1000~10000MHz	-26.02	PASS


Band5	10MHz	QPSK	20450	50RB#0	Range1:30~1000MHz	-30.58	PASS
Band5	10MHz	QPSK	20450	50RB#0	Range2:1000~10000MHz	-25.21	PASS
Band5	10MHz	QPSK	20525	50RB#0	Range1:30~1000MHz	-29.42	PASS
Band5	10MHz	QPSK	20525	50RB#0	Range2:1000~10000MHz	-26.03	PASS
Band5	10MHz	QPSK	20600	50RB#0	Range1:30~1000MHz	-30.12	PASS
Band5	10MHz	QPSK	20600	50RB#0	Range2:1000~10000MHz	-25.94	PASS
Band5	10MHz	16QAM	20450	50RB#0	Range1:30~1000MHz	-30.38	PASS
Band5	10MHz	16QAM	20450	50RB#0	Range2:1000~10000MHz	-26.46	PASS
Band5	10MHz	16QAM	20525	50RB#0	Range1:30~1000MHz	-30.02	PASS
Band5	10MHz	16QAM	20525	50RB#0	Range2:1000~10000MHz	-26.13	PASS
Band5	10MHz	16QAM	20600	50RB#0	Range1:30~1000MHz	-29.85	PASS
Band5	10MHz	16QAM	20600	50RB#0	Range2:1000~10000MHz	-25.76	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20407-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-QPSK-20525-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20525-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-QPSK-20643-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20643-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20407-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20407-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20525-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20525-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20643-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20643-6RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20415-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20415-15RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20525-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20525-15RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20635-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20635-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20415-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20415-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20525-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20525-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20635-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20635-15RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20425-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20425-25RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20525-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20525-25RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20625-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20625-25RB#0-Range2:1000~10000MHz




Band5-5MHz-16QAM-20425-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20425-25RB#0-Range2:1000~10000MHz




Band5-5MHz-16QAM-20525-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20525-25RB#0-Range2:1000~10000MHz




Band5-5MHz-16QAM-20625-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20625-25RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20450-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20450-50RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20525-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20525-50RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20600-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20600-50RB#0-Range2:1000~10000MHz




Band5-10MHz-16QAM-20450-50RB#0-Range1:30~1000MHz




Band5-10MHz-16QAM-20450-50RB#0-Range2:1000~10000MHz




Band5-10MHz-16QAM-20525-50RB#0-Range1:30~1000MHz



Band5-10MHz-16QAM-20525-50RB#0-Range2:1000~10000MHz



Band5-10MHz-16QAM-20600-50RB#0-Range1:30~1000MHz



Band5-10MHz-16QAM-20600-50RB#0-Range2:1000~10000MHz

