


5020 Chip antenna

For Bluetooth / WLAN Applications



咏成國際科技有限公司

電話: 13530576606

RAIN International Technology Co., Ltd. TEL: 13530576606

地址: 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709

709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China

Part Number Information

RANT **5020** **F** **245** **M** **01**

A B C D E F

A	Product Series	Antenna
B	Dimension L x W	5.0X2.0mm (+-0.2mm)
C	Material	High K material
D	Working Frequency	2.4 ~ 2.5GHz
E	Feeding mode	Monopole & Single Feeding
F	Antenna type	Type=01

1. Electrical Specification

Specification		
Part Number	RANT5020F245M01	
Central Frequency	2450	MHz
Bandwidth	100 (Min.)	MHz
Return Loss	-10 (Max)	dB
Peak Gain	3.11	dBi
Impedance	50	Ohm
Operating Temperature	-40 ~ +85	°C
Maximum Power	4	W
Resistance to Soldering Heats	10 (@ 260°C)	sec.
Polarization	Linear	
Azimuth Beamwidth	Omni-directional	
Termination	Cu / Sn (Leadless)	

Remark : Bandwidth & Peak Gain was measured under evaluation board of next page

咏成國際科技有限公司

電話: 13530576606


RAIN International Technology Co., Ltd. TEL: 13530576606

地址 : 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709


709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China 第 2 页 共 10 页

2. Recommended PCB Pattern

Evaluation Board Dimension



Suggested Matching Circuit



咏成國際科技有限公司

電話: 13530576606


RAIN International Technology Co., Ltd. TEL: 13530576606

地址: 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709


709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China 第3页共10页

2.4GHz 5020 Chip Antenna: RANT5020F245M01

Layout Dimensions in Clearance area (Size=7.0*5.0mm)



FootPrint (Unit : mm)




2.4GHz 5020 Chip Antenna: RANT5020F245M01



3. Measurement Results

Return Loss



咏成國際科技有限公司 電話: 13530576606
RAIN International Technology Co., Ltd. TEL: 13530576606

地址: 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709


709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China 第 5 页 共 10 页

2.4GHz 5020 Chip Antenna: RANT5020F245M01




Radiation Pattern


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz




2500.000MHz H




2500.000MHz E2



2500.000MHz E1



	Efficiency	Peak Gain
2400MHz	77.56%	3.11dBi



咏成國際科技有限公司

電話: 13530576606



RAIN International Technology Co., Ltd. TEL: 13530576606

地址: 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709

709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China 第 6 页 共 10 页

2.4GHz 5020 Chip Antenna: RANT5020F245M01

4. Reliability and Test Conditions

ITEM	REQUIREMENTS	TEST CONDITION															
Solderability	<p>1. Wetting shall exceed 90% coverage 2. No visible mechanical damage</p> <p>TEMP (°C)</p> 	<p>Pre-heating temperature:150°C/60sec. Solder temperature:230±5°C Duration:4±1sec. Solder:Sn-Ag3.0-Cu0.5 Flux for lead free: rosin</p>															
Solder heat Resistance	<p>1. No visible mechanical damage 2. Central Freq. change :within ± 6%</p> <p>TEMP (°C)</p> 	<p>Pre-heating temperature:150°C/60sec. Solder temperature:260±5°C Duration:10±0.5sec. Solder:Sn-Ag3.0-Cu0.5 Flux for lead free: rosin</p>															
Component Adhesion (Push test)	1. No visible mechanical damage	The device should be reflow soldered(230±5°C for 10sec.) to a tinned copper substrate A dynamometer force gauge should be applied the side of the component. The device must with-ST-F 0.5 Kg without failure of the termination attached to component.															
Component Adhesion (Pull test)	1. No visible mechanical damage	Insert 10cm wire into the remaining open eye bend ,the ends of even wire lengths upward and wind together. Terminal shall not be remarkably damaged.															
Thermal shock	<p>1. No visible mechanical damage 2. Central Freq. change :within ±6%</p> <table border="1"> <thead> <tr> <th>Phase</th> <th>Temperature(°C)</th> <th>Time(min)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>+85±5°C</td> <td>30±3</td> </tr> <tr> <td>2</td> <td>Room Temperature</td> <td>Within 3sec</td> </tr> <tr> <td>3</td> <td>-40±2°C</td> <td>30±3</td> </tr> <tr> <td>4</td> <td>Room Temperature</td> <td>Within 3sec</td> </tr> </tbody> </table>	Phase	Temperature(°C)	Time(min)	1	+85±5°C	30±3	2	Room Temperature	Within 3sec	3	-40±2°C	30±3	4	Room Temperature	Within 3sec	<p>+85°C=>30±3min -40°C=>30±3min Test cycle:10 cycles The chip shall be stabilized at normal condition for 2~3 hours before measuring.</p>
Phase	Temperature(°C)	Time(min)															
1	+85±5°C	30±3															
2	Room Temperature	Within 3sec															
3	-40±2°C	30±3															
4	Room Temperature	Within 3sec															
Resistance to High Temperature	<p>1. No visible mechanical damage 2. Central Freq. change :within ±6% 3. No disconnection or short circuit.</p>	<p>Temperature: 85±5°C Duration: 1000±12hrs The chip shall be stabilized at normal condition for 2~3 hours before measuring.</p>															
Resistance to Low Temperature	<p>1. No visible mechanical damage 2. Central Freq. change :within ±6% 3. No disconnection or short circuit.</p>	<p>Temperature:-40±5°C Duration: 1000±12hrs The chip shall be stabilized at normal condition for 2~3 hours before measuring.</p>															
Humidity	<p>1. No visible mechanical damage 2. Central Freq. change :within ±6% 3. No disconnection or short circuit.</p>	<p>Temperature: 40±2°C Humidity: 90% to 95% RH Duration: 1000±12hrs The chip shall be stabilized at normal condition for 2~3 hours before measuring.</p>															

咏成國際科技有限公司

電話: 13530576606


RAIN International Technology Co., Ltd. TEL: 13530576606

地址 : 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709

709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China

5.Soldering and Mounting

Mildly activated rosin fluxes are preferred. The minimum amount of solder can lead to damage from the stresses caused by the difference in coefficients of expansion between solder, chip and substrate. The terminations are suitable for all wave and re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.



Recommended temperature profiles for re-flow soldering in Figure 1.

Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended.

- Preheat circuit and products to 150°C
- Never contact the ceramic with the iron tip
- Use a 20 watt soldering iron with tip diameter of 1.0mm
- 280°C tip temperature (max)
- 1.0mm tip diameter (max)
- Limit soldering time to 3 sec.

咏成國際科技有限公司

電話: 13530576606


RAIN International Technology Co., Ltd. TEL: 13530576606

地址 : 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709

709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang 第 8 页 共 10 页
Street, Bao'an District, Shenzhen, China


6. Packaging Information

◆ Tape Specification:



W	Ao	Bo	Ko	P	F	E	D	D1	Po	P2	t
16.0 ±0.30	1.30 ±0.10	5.30 ±0.10	1.50 ±0.10	4.00 ±0.10	7.50 ±0.10	1.75 ±0.10	1.50 ±0.10	0.00 ±0.10	4.00 ±0.10	2.00 ±0.10	0.30 ±0.05

◆ Reel Specification: (7", Φ180 mm)



Tape Width(mm)	A(mm)	B(mm)	C(mm)	D(mm)	Chip/Reel(pcs)
12	12±1.0	60±2	13.5±0.5	178±2	5000

咏成国际科技有限公司

電話: 13530576606

RAIN International Technology Co., Ltd. TEL: 13530576606

地址: 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709

709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China 第 9 页 共 10 页

7. Storage and Transportation Information

Storage Conditions

To maintain the solderability of terminal electrodes:

1. Temperature and humidity conditions: -10~ 40°C and 30~70% RH.
2. Recommended products should be used within 6 months from the time of delivery.
3. The packaging material should be kept where no chlorine or sulfur exists in the air.

Transportation Conditions

1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
3. Bulk handling should ensure that abrasion and mechanical shock are minimized.

咏成國際科技有限公司

電話: 13530576606

RAIN International Technology Co., Ltd. TEL: 13530576606

地址 : 深圳市宝安区西乡街道南昌社区南昌第三工业区裕兴科技工业园F栋709

709, Building F, Yuxing Technology Industrial Park, Nanchang Third Industrial Zone, Xixiang Street, Bao'an District, Shenzhen, China 第 10 页 共 10 页