

# APPENDIX D: SAR TISSUE SPECIFICATIONS

# **Measurement Procedure for Tissue verification:**

- 1) The network analyzer and probe system was configured and calibrated.
- 2) The probe was immersed in the tissue. The tissue was placed in a nonmetallic container. Trapped air bubbles beneath the flange were minimized by placing the probe at a slight angle.
- 3) The complex admittance with respect to the probe aperture was measured
- 4) The complex relative permittivity ε can be calculated from the below equation (Pournaropoulos and Misra):

$$Y = \frac{j2\omega\varepsilon_{r}\varepsilon_{0}}{[\ln(b/a)]^{2}} \int_{a}^{b} \int_{a}^{b} \int_{0}^{\pi} \cos\phi' \frac{\exp[-j\omega r(\mu_{0}\varepsilon_{r}'\varepsilon_{0})^{1/2}]}{r} d\phi' d\rho' d\rho$$

where Y is the admittance of the probe in contact with the sample, the primed and unprimed coordinates refer to source and observation points, respectively,  $r^2 = \rho^2 + \rho'^2 - 2\rho\rho'\cos\phi'$ ,  $\omega$  is the angular frequency, and  $j = \sqrt{-1}$ .

2 Mixtures		
Description: Aqueous solution with		
Declarable, or hazardous compon		- 4 0 4 00/
CAS: 107-21-1	Ethanediol	>1.0-4.9%
EINECS: 203-473-3	STOT RE 2, H373;	
Reg.nr.: 01-2119456816-28-0000	Acute Tox. 4, H302	
CAS: 68608-26-4	Sodium petroleum sulfonate	< 2.9%
EINECS: 271-781-5	Eye Irrit. 2, H319	
Reg.nr.: 01-2119527859-22-0000		
CAS: 107-41-5	Hexylene Glycol / 2-Methyl-pentane-2,4-diol	< 2.9%
EINECS: 203-489-0	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Reg.nr.: 01-2119539582-35-0000		
CAS: 68920-66-1	Alkoxylated alcohol, > C <sub>16</sub>	< 2.0%
NLP: 500-236-9	Aquatic Chronic 2, H411;	
Reg.nr.: 01-2119489407-26-0000	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Additional information:		
or the wording of the listed risk phra	and refer to continu 16	

# Figure D-1

Note: Liquid recipes are proprietary SPEAG. Since the composition is approximate to the actual liquids utilized, the manufacturer tissue-equivalent liquid data sheets are provided below.

FCC ID: 2A6WXWCNIS31SS	RF Exposure Test Report	Approved by: Technical Manager
<b>DUT Type:</b> Wireless Charger		APPENDIX D Page 1 of 2



Schmid & Partner Engineering AG

S p e a g

Zeughausstrasse 43, 8004 Zurich, Switzerland Phone +41 44 245 9700, Fax +41 44 245 9779 www.speag.swiss, info@speag.swiss

#### Measurement Certificate / Material Test

Item Name	Head Tissue Simulating Liquid (HBBL4-250V3)
Product No.	SL AAH 005 AD (Batch: 230324-2)
Manufacturer	SPEAG

### Measurement Method

TSL dielectric parameters measured using calibrated DAK probe.

## Setup Validation

Validation results were within ± 2.5% towards the target values of Methanol


Target Parameters
Target parameters as defined in the IEEE 1528 and IEC 62209 compliance standards

## **Test Condition**

Environment temperatur (22 ± 3)°C and humidity < 70%. 22°C 27-Mar-23 TSL Temperature Test Date WM Operator

## Additional Inform

TSL Density 1.042 g/cm3 TSL Heat-capacity 3.574 kJ/(kg\*K)



48.9 48.9

48.8 48.7


0.81

0.81

48.6 0.82 48.3 0.82 48.1 0.82 47.9 0.83 1.2 1.5 1.7

63.07

60.78






Figure D-1 5-250 MHz Head Tissue Equivalent Matter

-0.9 -1.4

-1.8

-2.2

FCC ID: 2A6WXWCNIS31SS	RF Exposure Test Report	Approved by: Technical Manager
<b>DUT Type:</b> Wireless Charger		APPENDIX D Page 2 of 2