

FCC TEST REPORT

Test report
On Behalf of
Shenzhen Jinbo Leather Co., LTD.
For
Solar Charger
Model No.: RY01
FCC ID: 2A75S-RY01

Prepared For: Shenzhen Jinbo Leather Co., LTD.

Zone B, Middle Floor, 5th Floor, No.6 Xintianxinhu South Road Guanlan Street,

Longhua New District, Shenzhen, Guangdong, China

Prepared By: Shenzhen HUAK Testing Technology Co., Ltd.

1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping,

Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Date of Test: Jul. 11, 2022 ~ Jul. 19, 2022

Date of Report: Jul. 19, 2022

Report Number: HK2207113003-2E

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com



Note:

1. For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.

Report No.: HK2207113003-2E

2

HUAK		HUAKIL	Chani	nel List	HUA	Kir	HUAK
Channel	Frequency (KHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
01	115	MAKTE		m^G	- WAKTE		TING
MAKTES			WAKTE				JAKTES
),,			(II)			(D)	
		STING			ESTING		

The EUT antenna is Coil Antenna. No antenna other than that furnished by the responsible party shall be used with the device.

2. SUMMARY OF TEST RESULTS

2.1. Test procedures according to the technical standards:
FCC KDB680106 D01 RF Exposure Wireless Charging Apps v03r01

	- 4/37	_4117	- 1/17	-4114
		FCC CFR 47		
Standard Section		Test Item	Judgment	Remark
FCC CFR 47 part1,	Electric Fig	eld Strength (E) (V/m)	PASS	MAKIESTING
1.1310 KDB680106 - D01v03r01 (3)(3)	Magnetic F	ield Strength (H) (A/m)	PASS	LAY TESTING

2.2. Measurement Uncertainty

The reported uncertainty of measurement $\mathbf{y} \pm \mathbf{U}$, where expended uncertainty \mathbf{U} is based on a standard uncertainty multiplied by a coverage factor of $\mathbf{k=2}$, providing a level of confidence of approximately $\mathbf{95}$ %.

AKTEO	No.	Item was to	Uncertainty			
	1	All emissions, radiated(<30M)(9KHz-30MHz)	±3.90dB			
STING	2	Temperature	±0.5°C			
	3 HUAN	Humidity	±2%			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com



2.3. Test Instruments

_	A Co		- 415		-0.00	
	Description	Brand	Model No.	Frequency Range	Calibrated Date	Calibrated Until
JP	Exposure Level Tester	narda	ELT-400	N-0231	Feb. 18, 2022	Feb. 17, 2023
65	Magnetic field probe 100cm ²	narda	ELT probe 100cm2	M0675	Feb. 18, 2022	Feb. 17, 2023

NOTE: 1. The calibration interval of the above test instruments is 12 months.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannon be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



3. MAXIMUM PERMISSIBLE EXPOSURE

Limit of Maximum Permissible Exposure

	Limits for Occ	cupational / Controlle	ed Exposure	
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm²)	Averaging Time E ², H ² or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842 / f	4.89 / f	(900 / f)*	6
30-300	61.4	0.163	1.0	6
300-1500	NG WILL	TING TESTING	F/300	6
1500-100,000	HU	HUAR	5 HUAKT	6
	Limits for General	Population / Uncon	trolled Exposure	
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm²)	Averaging Time E ² , H ² or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180 / f)*	30
30-300	27.5	0.073	0.2	30
300-1500	TESTING		F/1500	30
1500-100,000	NG HUAN	Om. Or	HUAK 1	30

Note 1: f = frequency in MHz; *Plane-wave equivalent power density.

Note 2: For the applicable limit, see FCC 1.1310, 680106 D01 RF Exposure Wireless Charging Apps v03r01.

Note 3: Emissions between 100 kHz to 300 kHz should be assessed versus the limits at 300 kHz in Table 1 of Section 1.1310: 614 V/m and 1.63A/m. A KDB inquiry is required to determine the applicable exposure limits below 100 kHz.


The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com



4. TEST PROCEDURE

a. For devices designed for typical desktop applications, such a wireless charging pads, RF exposure evaluation should be conducted assuming a user separation distance 0cm. E and H field strength measurements or numerical modeling may be used to demonstrate compliance. Measurements should be made from all sides and the top of the primary/client pair, with the 0 cm measured from the center of the probe(s) to the edge of the device.

4.1 Test Setup



4.2 Result Of Maximum Permissible Exposure

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



For Full load mode:

H-Field Strength at 0 cm from the edges surrounding the EUT (A/m)

Measuring	Field	Test	Test	Test	Test	Test	Test	Limits
distance	strengt	Position	Position	Position	Position	Position	Position	(A/m)
(cm)	"IN PIES"	Α	LAK TE B	Cartes	D	MAK'E'	FWAKT	(A/III)
0	uT	0.812	0.785	0.803	0.771	0.756	0.715	/
- Olan	A/m	0.650	0.628	0.642	0.617	0.605	0.572	1.63
2	uΤ	0.721	0.716	0.779	0.648	0.7251	0.709	/
2	A/m	0.577	0.573	0.623	0.518	0.580	0.567	1.63
4	uT	0.681	0.694	0.762	0.617	0.705	0.682	/
4	A/m	0.545	0.555	0.610	0.494	0.564	0.546	1.63
6	uT _m c	0.659	0.684	0.708	0.581	0.673	0.655	ING M
" JAK TE.O"	A/m	0.527	0.547	0.566	0.465	0.538	0.524	1.63
8	uT	0.542	0.561	0.692	0.569	0.649	0.606	/
0	A/m	0.434	0.449	0.554	0.455	0.519	0.485	1.63
10	uT	0.479	0.504	0.618	0.509	0.631	0.522	/
W TESTINI U	A/m	0.383	0.403	0.494	0.407	0.505	0.418	1.63
12	uΤ	0.462	0.429	0.581	0.495	0.626	0.511	/
12	A/m	0.370	0.343	0.465	0.396	0.501	0.409	1.63
14	uT	0.458	0.314	0.569	0.462	0.591	0.490	/
14	A/m	0.366	0.251	0.455	0.370	0.473	0.392	1.63
16	uT	0.407	0.312	0.526	0.411	0.565	0.373	/
16	A/m	0.326	0.250	0.421	0.329	0.452	0.298	1.63
10	uT	0.388	0.282	0.464	0.387	0.553	0.321	NG MAN
18	A/m	0.310	0.226	0.371	0.310	0.442	0.257	1.63
) HU 00	uΤ	0.351	0.239	0.412	0.361	0.537	0.258	/
20	A/m	0.281	0.191	0.330	0.289	0.430	0.206	1.63

Note.

Calculation: A/m=uT/1.25



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



For Half Load mode:

H-Field Strength at 0 cm from the edges surrounding the EUT (A/m)

Measuring distance	Field strength	Test Position	Test Position	Test Position	Test Position	Test Position	Test Position	Limits (A/m)
(cm)	_	Α	В	C	D 🚷	HO. E	(E) HO.	(7 (111)
0	uT	0.809	0.782	0.803	0.791	0.779	0.685	/
0	A/m	0.647	0.626	0.642	0.633	0.623	0.548	1.63
2	uT	0.728	0.719	0.781	0.772	0.724	0.656	/
HUAI	A/m	0.582	0.575	0.625	0.618	0.579	0.525	1.63
4	uT	0.681	0.629	0.751	0.705	0.709	0.634	/
4	A/m	0.545	0.503	0.601	0.564	0.567	0.507	1.63
TESTING	w uT	0.647	0.582	0.703	0.651	0.694	0.582	1
M 6 0 H	A/m	0.518	0.466	0.562	0.521	0.555	0.466	1.63
0	uT	0.539	0.511	0.692	0.626	0.628	0.514	/
8	A/m	0.431	0.409	0.554	0.501	0.502	0.411	1.63
-STING 10	υT	0.482	0.491	0.670	0.564	0.615	0.493	STING
10	A/m	0.386	0.393	0.536	0.451	0.492	0.394	1.63
40	uT	0.461	0.472	0.646	0.517	0.595	0.473	/
12	A/m	0.369	0.378	0.517	0.414	0.476	0.378	1.63
4.4	_{≤™} uT	0.428	0.372	0.619	0.311	0.568	0.429	/
14	A/m	0.342	0.298	0.495	0.249	0.454	0.343	1.63
4.0	uT	0.388	0.341	0.572	0.284	0.579	0.351	/
16	A/m	0.310	0.273	0.458	0.227	0.463	0.281	1.63
CTMG	∠suT 🧶	0.341	0.293	0.528	0.240	0.514	0.348	une M
18	A/m	0.273	0.234	0.422	0.192	0.411	0.278	1.63
00	uT	0.334	0.251	0.472	0.217	0.469	0.318	/
20	A/m	0.267	0.201	0.378	0.174	0.375	0.254	1.63

Note.

Calculation: A/m=uT/1.25

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



For No load mode:

H-Field Strength at 0 cm from the edges surrounding the EUT (A/m)

Measuring	Field	Test	Test	Test	Test	Test	Test	Limits
distance	strength	Position	Position	Position	Position	Position	Position	(A/m)
(cm)	Suchgui	Α	TESTIN B	C	D	Eme	F	(~(111)
0	uT	0.765	0.781	0.772	0.691	0.758	0.687	/
0	A/m	0.612	0.625	0.618	0.553	0.606	0.550	1.63
2	uΤ	0.722	0.718	0.653	0.671	0.745	0.676	/
Z	A/m	0.578	0.574	0.522	0.537	0.596	0.541	1.63
4	uT	0.679	0.629	0.612	0.575	0.708	0.616	/
4	A/m	0.543	0.503	0.490	0.460	0.566	0.493	1.63
6	uT	0.641	0.592	0.533	0.526	0.681	0.573	Jan H
TESTINO	A/m	0.513	0.474	0.426	0.421	0.545	0.458	1.63
8	uT	0.533	0.541	0.482	0.491	0.657	0.566	/
0	A/m	0.426	0.433	0.386	0.393	0.526	0.453	1.63
40	uT	0.475	0.483	0.474	0.479	0.645	0.561	/
10	A/m	0.380	0.386	0.379	0.383	0.516	0.449	1.63
40	WAK TUT	0.461	0.418	0.358	0.452	0.633	0.510	/
12	A/m	0.369	0.334	0.286	0.362	0.506	0.408	1.63
6	uT	0.478	0.346	0.338	0.451	0.632	0.471	/
14	A/m	0.382	0.277	0.270	0.361	0.506	0.377	1.63
10 HUAK I	uΤ	0.429	0.314	0.316	0.418	0.622	0.451	/
16	A/m	0.343	0.251	0.253	0.334	0.498	0.361	1.63
40	uT	0.411	0.308	0.291	0.384	0.593	0.367	/
18	A/m	0.329	0.246	0.233	0.307	0.474	0.294	1.63
JAK TES OO SEE HU	uT	0.361	0.252	0.225	0.337	0.581	0.361	/
20	A/m	0.289	0.202	0.180	0.270	0.465	0.289	1.63

Note.

Calculation: A/m=uT/1.25

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.

TEL: +86-755 2302 9901 FAX: +86-755 2302 9901 E-mail: service@cer-mark.com



Remark: According KDB 680106 D01 RF Exposure Wireless Charging App v03r01, section 5, b). The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit. The E- field evaluation conducted assuming a user separation distance of 15 cm according to the KDB 680106 D01 RF Exposure Wireless Charging App v03r01 section 3, c).

Result: The device comply with the RF exposure requirement according to 680106 D01 v03r01, section 5, b):

- (1) Power transfer frequency is less than 1 MHz.
- -The device operate in the frequency range for 111.5KHz~205KHz
- (2) Output power from each primary coil is less than or equal to 15 watts.
 - -The maximum output power of the primary coil is 10W.
- (3) The system may consist of more than one source primary coils, charging one or more clients. If more than one primary coil is present, the coil pairs may be powered on at the same time
 - -The transfer system including a charging system with only single primary coils is to detect and allow only
- (4) Client device is placed directly in contact with the transmitter
 - -The EUT is placed directly in contact with the transmitter
- (5) Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).
 - This is a portable device
- (6) The aggregate H-field strengths anywhere at or beyond 15 cm surrounding the device, and 20 cm away from the surface from all coils that by design can simultaneously transmit, and while those coils are simultaneously energized, are demonstrated to be less than 50% of the applicable MPE limit.
 - The EUT meet the conditions.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.co



PHOTOGRAPH OF TEST

Α




В



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannon be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.



C



D




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannont be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.





F.



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAK, this document cannon be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.cer-mark.com.