

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.60	-0.70	22.90	<=33.01	Pass
			2	23.47	-0.70	22.77	<=33.01	Pass
			5	23.41	-0.70	22.71	<=33.01	Pass
		3	0	22.01	-0.70	21.31	<=33.01	Pass
			2	22.31	-0.70	21.61	<=33.01	Pass
			3	22.20	-0.70	21.50	<=33.01	Pass
		6	0	22.13	-0.70	21.43	<=33.01	Pass
	1880	1	0	23.17	-0.70	22.47	<=33.01	Pass
			2	23.17	-0.70	22.47	<=33.01	Pass
			5	23.19	-0.70	22.49	<=33.01	Pass
		3	0	22.27	-0.70	21.57	<=33.01	Pass
			2	22.29	-0.70	21.59	<=33.01	Pass
			3	22.17	-0.70	21.47	<=33.01	Pass
		6	0	22.09	-0.70	21.39	<=33.01	Pass
	1909.3	1	0	23.78	-0.70	23.08	<=33.01	Pass
			2	23.38	-0.70	22.68	<=33.01	Pass
			5	23.61	-0.70	22.91	<=33.01	Pass
		3	0	22.05	-0.70	21.35	<=33.01	Pass
			2	22.35	-0.70	21.65	<=33.01	Pass
			3	22.27	-0.70	21.57	<=33.01	Pass
		6	0	22.28	-0.70	21.58	<=33.01	Pass
16QAM	1850.7	1	0	22.09	-0.70	21.39	<=33.01	Pass
			2	22.11	-0.70	21.41	<=33.01	Pass
			5	22.21	-0.70	21.51	<=33.01	Pass
		3	0	21.42	-0.70	20.72	<=33.01	Pass
			2	21.42	-0.70	20.72	<=33.01	Pass
			3	21.48	-0.70	20.78	<=33.01	Pass
		6	0	21.42	-0.70	20.72	<=33.01	Pass
	1880	1	0	22.05	-0.70	21.35	<=33.01	Pass
			2	22.27	-0.70	21.57	<=33.01	Pass
			5	22.18	-0.70	21.48	<=33.01	Pass
		3	0	21.44	-0.70	20.74	<=33.01	Pass
			2	21.22	-0.70	20.52	<=33.01	Pass
			3	21.42	-0.70	20.72	<=33.01	Pass
		6	0	21.25	-0.70	20.55	<=33.01	Pass
	1909.3	1	0	22.34	-0.70	21.64	<=33.01	Pass
			2	22.15	-0.70	21.45	<=33.01	Pass
			5	22.12	-0.70	21.42	<=33.01	Pass
		3	0	21.18	-0.70	20.48	<=33.01	Pass
			2	21.49	-0.70	20.79	<=33.01	Pass
			3	21.30	-0.70	20.60	<=33.01	Pass
		6	0	21.41	-0.70	20.71	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.17	-0.70	22.47	<=33.01	Pass
			7	23.84	-0.70	23.14	<=33.01	Pass
			14	23.50	-0.70	22.80	<=33.01	Pass
		8	0	22.05	-0.70	21.35	<=33.01	Pass
			4	22.11	-0.70	21.41	<=33.01	Pass
			7	22.25	-0.70	21.55	<=33.01	Pass
		15	0	22.31	-0.70	21.61	<=33.01	Pass
	1880	1	0	23.35	-0.70	22.65	<=33.01	Pass
			7	23.17	-0.70	22.47	<=33.01	Pass
			14	23.22	-0.70	22.52	<=33.01	Pass
		8	0	22.31	-0.70	21.61	<=33.01	Pass
			4	22.30	-0.70	21.60	<=33.01	Pass
			7	22.06	-0.70	21.36	<=33.01	Pass
		15	0	22.18	-0.70	21.48	<=33.01	Pass
	1908.5	1	0	23.58	-0.70	22.88	<=33.01	Pass
			7	23.45	-0.70	22.75	<=33.01	Pass
			14	23.10	-0.70	22.40	<=33.01	Pass
		8	0	22.41	-0.70	21.71	<=33.01	Pass
			4	22.19	-0.70	21.49	<=33.01	Pass
			7	22.36	-0.70	21.66	<=33.01	Pass
		15	0	22.12	-0.70	21.42	<=33.01	Pass
16QAM	1851.5	1	0	22.41	-0.70	21.71	<=33.01	Pass
			7	22.09	-0.70	21.39	<=33.01	Pass
			14	22.02	-0.70	21.32	<=33.01	Pass
		8	0	21.36	-0.70	20.66	<=33.01	Pass
			4	21.51	-0.70	20.81	<=33.01	Pass
			7	21.19	-0.70	20.49	<=33.01	Pass
		15	0	21.15	-0.70	20.45	<=33.01	Pass
	1880	1	0	22.04	-0.70	21.34	<=33.01	Pass
			7	22.09	-0.70	21.39	<=33.01	Pass
			14	22.44	-0.70	21.74	<=33.01	Pass
		8	0	21.22	-0.70	20.52	<=33.01	Pass
			4	21.27	-0.70	20.57	<=33.01	Pass
			7	21.21	-0.70	20.51	<=33.01	Pass
		15	0	21.34	-0.70	20.64	<=33.01	Pass
	1908.5	1	0	22.11	-0.70	21.41	<=33.01	Pass
			7	22.43	-0.70	21.73	<=33.01	Pass
			14	22.02	-0.70	21.32	<=33.01	Pass
		8	0	21.45	-0.70	20.75	<=33.01	Pass
			4	21.21	-0.70	20.51	<=33.01	Pass
			7	21.46	-0.70	20.76	<=33.01	Pass
		15	0	21.18	-0.70	20.48	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.64	-0.70	22.94	<=33.01	Pass
			13	23.49	-0.70	22.79	<=33.01	Pass
			24	23.19	-0.70	22.49	<=33.01	Pass
		12	0	22.16	-0.70	21.46	<=33.01	Pass
			6	22.35	-0.70	21.65	<=33.01	Pass
			13	22.12	-0.70	21.42	<=33.01	Pass
		25	0	22.18	-0.70	21.48	<=33.01	Pass

	1880	1	0	23.62	-0.70	22.92	<=33.01	Pass
			13	23.47	-0.70	22.77	<=33.01	Pass
			24	23.85	-0.70	23.15	<=33.01	Pass
		12	0	22.35	-0.70	21.65	<=33.01	Pass
			6	22.20	-0.70	21.50	<=33.01	Pass
			13	22.08	-0.70	21.38	<=33.01	Pass
		25	0	22.28	-0.70	21.58	<=33.01	Pass
	1907.5	1	0	23.06	-0.70	22.36	<=33.01	Pass
			13	23.94	-0.70	23.24	<=33.01	Pass
			24	23.50	-0.70	22.80	<=33.01	Pass
		12	0	22.16	-0.70	21.46	<=33.01	Pass
			6	22.30	-0.70	21.60	<=33.01	Pass
			13	22.06	-0.70	21.36	<=33.01	Pass
		25	0	22.11	-0.70	21.41	<=33.01	Pass
16QAM	1852.5	1	0	22.14	-0.70	21.44	<=33.01	Pass
			13	22.27	-0.70	21.57	<=33.01	Pass
			24	22.10	-0.70	21.40	<=33.01	Pass
		12	0	21.29	-0.70	20.59	<=33.01	Pass
			6	21.16	-0.70	20.46	<=33.01	Pass
			13	21.53	-0.70	20.83	<=33.01	Pass
		25	0	21.22	-0.70	20.52	<=33.01	Pass
	1880	1	0	22.18	-0.70	21.48	<=33.01	Pass
			13	22.42	-0.70	21.72	<=33.01	Pass
			24	22.24	-0.70	21.54	<=33.01	Pass
		12	0	21.46	-0.70	20.76	<=33.01	Pass
			6	21.34	-0.70	20.64	<=33.01	Pass
			13	21.54	-0.70	20.84	<=33.01	Pass
		25	0	21.44	-0.70	20.74	<=33.01	Pass
	1907.5	1	0	22.15	-0.70	21.45	<=33.01	Pass
			13	22.38	-0.70	21.68	<=33.01	Pass
			24	22.20	-0.70	21.50	<=33.01	Pass
		12	0	21.50	-0.70	20.80	<=33.01	Pass
			6	21.45	-0.70	20.75	<=33.01	Pass
			13	21.32	-0.70	20.62	<=33.01	Pass
		25	0	21.55	-0.70	20.85	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.01	-0.70	22.31	<=33.01	Pass
			25	23.24	-0.70	22.54	<=33.01	Pass
			49	23.18	-0.70	22.48	<=33.01	Pass
		25	0	22.18	-0.70	21.48	<=33.01	Pass
			13	22.27	-0.70	21.57	<=33.01	Pass
			25	22.35	-0.70	21.65	<=33.01	Pass
		50	0	22.17	-0.70	21.47	<=33.01	Pass
	1880	1	0	23.11	-0.70	22.41	<=33.01	Pass
			25	23.61	-0.70	22.91	<=33.01	Pass
			49	23.79	-0.70	23.09	<=33.01	Pass
		25	0	22.12	-0.70	21.42	<=33.01	Pass
			13	22.03	-0.70	21.33	<=33.01	Pass
			25	22.45	-0.70	21.75	<=33.01	Pass
		50	0	22.12	-0.70	21.42	<=33.01	Pass
	1905	1	0	23.38	-0.70	22.68	<=33.01	Pass
			25	23.84	-0.70	23.14	<=33.01	Pass

16QAM	1855	25	49	23.11	-0.70	22.41	<=33.01	Pass
			0	22.04	-0.70	21.34	<=33.01	Pass
			13	22.31	-0.70	21.61	<=33.01	Pass
			25	22.06	-0.70	21.36	<=33.01	Pass
		50	0	22.16	-0.70	21.46	<=33.01	Pass
	1880	1	0	22.19	-0.70	21.49	<=33.01	Pass
			25	22.10	-0.70	21.40	<=33.01	Pass
			49	22.37	-0.70	21.67	<=33.01	Pass
		25	0	21.54	-0.70	20.84	<=33.01	Pass
			13	21.34	-0.70	20.64	<=33.01	Pass
			25	21.16	-0.70	20.46	<=33.01	Pass
		50	0	21.29	-0.70	20.59	<=33.01	Pass
		1	0	22.10	-0.70	21.40	<=33.01	Pass
			25	22.42	-0.70	21.72	<=33.01	Pass
			49	22.06	-0.70	21.36	<=33.01	Pass
		25	0	21.15	-0.70	20.45	<=33.01	Pass
			13	21.49	-0.70	20.79	<=33.01	Pass
			25	21.29	-0.70	20.59	<=33.01	Pass
	1905	1	0	21.37	-0.70	20.67	<=33.01	Pass
			0	22.10	-0.70	21.40	<=33.01	Pass
			25	22.40	-0.70	21.70	<=33.01	Pass
		25	49	22.12	-0.70	21.42	<=33.01	Pass
			0	21.21	-0.70	20.51	<=33.01	Pass
			13	21.53	-0.70	20.83	<=33.01	Pass
		50	25	21.43	-0.70	20.73	<=33.01	Pass
			0	21.25	-0.70	20.55	<=33.01	Pass
			0	21.25	-0.70	20.55	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.75	-0.70	23.05	<=33.01	Pass
			38	23.30	-0.70	22.60	<=33.01	Pass
			74	23.52	-0.70	22.82	<=33.01	Pass
		36	0	22.28	-0.70	21.58	<=33.01	Pass
			18	22.36	-0.70	21.66	<=33.01	Pass
			39	22.31	-0.70	21.61	<=33.01	Pass
		75	0	22.25	-0.70	21.55	<=33.01	Pass
	1880	1	0	23.60	-0.70	22.90	<=33.01	Pass
			38	23.01	-0.70	22.31	<=33.01	Pass
			74	23.29	-0.70	22.59	<=33.01	Pass
		36	0	22.34	-0.70	21.64	<=33.01	Pass
			18	22.23	-0.70	21.53	<=33.01	Pass
			39	22.16	-0.70	21.46	<=33.01	Pass
		75	0	22.42	-0.70	21.72	<=33.01	Pass
	1902.5	1	0	23.37	-0.70	22.67	<=33.01	Pass
			38	23.61	-0.70	22.91	<=33.01	Pass
			74	23.22	-0.70	22.52	<=33.01	Pass
		36	0	22.23	-0.70	21.53	<=33.01	Pass
			18	22.38	-0.70	21.68	<=33.01	Pass
			39	22.21	-0.70	21.51	<=33.01	Pass
		75	0	22.19	-0.70	21.49	<=33.01	Pass
16QAM	1857.5	1	0	22.16	-0.70	21.46	<=33.01	Pass
			38	22.08	-0.70	21.38	<=33.01	Pass
			74	22.32	-0.70	21.62	<=33.01	Pass
		36	0	21.49	-0.70	20.79	<=33.01	Pass

		75	18	21.38	-0.70	20.68	<=33.01	Pass
			39	21.50	-0.70	20.80	<=33.01	Pass
			0	21.49	-0.70	20.79	<=33.01	Pass
	1880	1	0	22.30	-0.70	21.60	<=33.01	Pass
			38	22.20	-0.70	21.50	<=33.01	Pass
			74	22.27	-0.70	21.57	<=33.01	Pass
		36	0	21.17	-0.70	20.47	<=33.01	Pass
			18	21.36	-0.70	20.66	<=33.01	Pass
			39	21.33	-0.70	20.63	<=33.01	Pass
		75	0	21.38	-0.70	20.68	<=33.01	Pass
	1902.5	1	0	22.36	-0.70	21.66	<=33.01	Pass
			38	22.06	-0.70	21.36	<=33.01	Pass
			74	22.34	-0.70	21.64	<=33.01	Pass
		36	0	21.44	-0.70	20.74	<=33.01	Pass
			18	21.16	-0.70	20.46	<=33.01	Pass
			39	21.43	-0.70	20.73	<=33.01	Pass
		75	0	21.16	-0.70	20.46	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.36	-0.70	22.66	<=33.01	Pass
			50	23.57	-0.70	22.87	<=33.01	Pass
			99	23.09	-0.70	22.39	<=33.01	Pass
		50	0	22.18	-0.70	21.48	<=33.01	Pass
			25	22.20	-0.70	21.50	<=33.01	Pass
			50	22.21	-0.70	21.51	<=33.01	Pass
		100	0	22.04	-0.70	21.34	<=33.01	Pass
	1880	1	0	23.28	-0.70	22.58	<=33.01	Pass
			50	23.26	-0.70	22.56	<=33.01	Pass
			99	23.40	-0.70	22.70	<=33.01	Pass
		50	0	22.22	-0.70	21.52	<=33.01	Pass
			25	22.30	-0.70	21.60	<=33.01	Pass
			50	22.07	-0.70	21.37	<=33.01	Pass
		100	0	22.11	-0.70	21.41	<=33.01	Pass
	1900	1	0	23.41	-0.70	22.71	<=33.01	Pass
			50	23.83	-0.70	23.13	<=33.01	Pass
			99	23.34	-0.70	22.64	<=33.01	Pass
		50	0	22.40	-0.70	21.70	<=33.01	Pass
			25	22.18	-0.70	21.48	<=33.01	Pass
			50	22.23	-0.70	21.53	<=33.01	Pass
		100	0	22.36	-0.70	21.66	<=33.01	Pass
16QAM	1860	1	0	22.15	-0.70	21.45	<=33.01	Pass
			50	22.09	-0.70	21.39	<=33.01	Pass
			99	22.28	-0.70	21.58	<=33.01	Pass
		50	0	21.52	-0.70	20.82	<=33.01	Pass
			25	21.16	-0.70	20.46	<=33.01	Pass
			50	21.49	-0.70	20.79	<=33.01	Pass
		100	0	21.34	-0.70	20.64	<=33.01	Pass
	1880	1	0	22.13	-0.70	21.43	<=33.01	Pass
			50	22.40	-0.70	21.70	<=33.01	Pass
			99	22.10	-0.70	21.40	<=33.01	Pass
		50	0	21.52	-0.70	20.82	<=33.01	Pass
			25	21.40	-0.70	20.70	<=33.01	Pass
			50	21.46	-0.70	20.76	<=33.01	Pass

		100	0	21.35	-0.70	20.65	<=33.01	Pass
	1900	1	0	22.12	-0.70	21.42	<=33.01	Pass
			50	22.18	-0.70	21.48	<=33.01	Pass
			99	22.28	-0.70	21.58	<=33.01	Pass
			50	0	21.32	-0.70	20.62	<=33.01
		25		21.33	-0.70	20.63	<=33.01	Pass
		50		21.21	-0.70	20.51	<=33.01	Pass
		100	0	21.51	-0.70	20.81	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	9.842	0.0053	-2.5 to 2.5	Pass
					3.85	0.744	0.0004	-2.5 to 2.5	Pass
					4.43	10.142	0.0055	-2.5 to 2.5	Pass
				-30	3.85	-4.606	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	0.687	0.0004	-2.5 to 2.5	Pass
				-10	3.85	12.589	0.0068	-2.5 to 2.5	Pass
				0	3.85	-6.294	-0.0034	-2.5 to 2.5	Pass
				10	3.85	13.175	0.0071	-2.5 to 2.5	Pass
				30	3.85	-0.329	-0.0002	-2.5 to 2.5	Pass
				40	3.85	3.176	0.0017	-2.5 to 2.5	Pass
				50	3.85	14.091	0.0076	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-1.616	-0.0009	-2.5 to 2.5	Pass
					3.85	-3.705	-0.0020	-2.5 to 2.5	Pass
					4.43	-1.531	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-8.283	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-9.184	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	1.960	0.0010	-2.5 to 2.5	Pass
				0	3.85	-11.158	-0.0059	-2.5 to 2.5	Pass
				10	3.85	7.854	0.0042	-2.5 to 2.5	Pass
				30	3.85	4.735	0.0025	-2.5 to 2.5	Pass
				40	3.85	-4.864	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-4.420	-0.0024	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	13.905	0.0073	-2.5 to 2.5	Pass
					3.85	-3.619	-0.0019	-2.5 to 2.5	Pass
					4.43	-2.604	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	12.646	0.0066	-2.5 to 2.5	Pass
				-20	3.85	3.133	0.0016	-2.5 to 2.5	Pass
				-10	3.85	-0.916	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-1.788	-0.0009	-2.5 to 2.5	Pass
				10	3.85	14.277	0.0075	-2.5 to 2.5	Pass
				30	3.85	-8.726	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-3.505	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-1.473	-0.0008	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.27	5.035	0.0027	-2.5 to 2.5	Pass
					3.85	4.735	0.0026	-2.5 to 2.5	Pass
					4.43	-5.093	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	1.674	0.0009	-2.5 to 2.5	Pass

				-20	3.85	4.292	0.0023	-2.5 to 2.5	Pass
				-10	3.85	20.342	0.0110	-2.5 to 2.5	Pass
				0	3.85	15.464	0.0084	-2.5 to 2.5	Pass
				10	3.85	4.492	0.0024	-2.5 to 2.5	Pass
				30	3.85	3.147	0.0017	-2.5 to 2.5	Pass
				40	3.85	4.606	0.0025	-2.5 to 2.5	Pass
				50	3.85	6.881	0.0037	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	9.828	0.0052	-2.5 to 2.5	Pass
					3.85	-1.774	-0.0009	-2.5 to 2.5	Pass
					4.43	1.531	0.0008	-2.5 to 2.5	Pass
				-30	3.85	0.858	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-7.510	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	3.433	0.0018	-2.5 to 2.5	Pass
				0	3.85	6.366	0.0034	-2.5 to 2.5	Pass
				10	3.85	1.345	0.0007	-2.5 to 2.5	Pass
				30	3.85	18.868	0.0100	-2.5 to 2.5	Pass
				40	3.85	-4.849	-0.0026	-2.5 to 2.5	Pass
				50	3.85	24.004	0.0128	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	1.087	0.0006	-2.5 to 2.5	Pass
					3.85	-6.351	-0.0033	-2.5 to 2.5	Pass
					4.43	1.173	0.0006	-2.5 to 2.5	Pass
				-30	3.85	9.799	0.0051	-2.5 to 2.5	Pass
				-20	3.85	-3.233	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	3.705	0.0019	-2.5 to 2.5	Pass
				0	3.85	8.383	0.0044	-2.5 to 2.5	Pass
				10	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				30	3.85	9.284	0.0049	-2.5 to 2.5	Pass
				40	3.85	-4.249	-0.0022	-2.5 to 2.5	Pass
				50	3.85	-5.865	-0.0031	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	3.805	0.0021	-2.5 to 2.5	Pass
					3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
					4.43	-4.463	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	10.901	0.0059	-2.5 to 2.5	Pass
				-20	3.85	11.687	0.0063	-2.5 to 2.5	Pass
				-10	3.85	11.287	0.0061	-2.5 to 2.5	Pass
				0	3.85	2.375	0.0013	-2.5 to 2.5	Pass
				10	3.85	11.129	0.0060	-2.5 to 2.5	Pass
				30	3.85	9.971	0.0054	-2.5 to 2.5	Pass
				40	3.85	16.837	0.0091	-2.5 to 2.5	Pass
				50	3.85	-2.275	-0.0012	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	0.501	0.0003	-2.5 to 2.5	Pass
					3.85	-2.418	-0.0013	-2.5 to 2.5	Pass
					4.43	12.116	0.0064	-2.5 to 2.5	Pass
				-30	3.85	-7.925	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-5.164	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	-5.293	-0.0028	-2.5 to 2.5	Pass
				0	3.85	12.417	0.0066	-2.5 to 2.5	Pass
				10	3.85	-2.460	-0.0013	-2.5 to 2.5	Pass
				30	3.85	15.178	0.0081	-2.5 to 2.5	Pass
				40	3.85	6.151	0.0033	-2.5 to 2.5	Pass
				50	3.85	0.916	0.0005	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-3.376	-0.0018	-2.5 to 2.5	Pass

						3.85	-7.010	-0.0037	-2.5 to 2.5	Pass
						4.43	10.958	0.0057	-2.5 to 2.5	Pass
					-30	3.85	0.157	0.0001	-2.5 to 2.5	Pass
					-20	3.85	10.786	0.0057	-2.5 to 2.5	Pass
					-10	3.85	21.200	0.0111	-2.5 to 2.5	Pass
					0	3.85	8.712	0.0046	-2.5 to 2.5	Pass
					10	3.85	-10.285	-0.0054	-2.5 to 2.5	Pass
					30	3.85	8.340	0.0044	-2.5 to 2.5	Pass
					40	3.85	-5.164	-0.0027	-2.5 to 2.5	Pass
				50	3.85	-0.300	-0.0002	-2.5 to 2.5	Pass	
16QAM	1851.5	15	0	20		3.27	13.118	0.0071	-2.5 to 2.5	Pass
						3.85	-6.938	-0.0037	-2.5 to 2.5	Pass
						4.43	6.351	0.0034	-2.5 to 2.5	Pass
				-30	3.85	4.678	0.0025	-2.5 to 2.5	Pass	
				-20	3.85	0.644	0.0003	-2.5 to 2.5	Pass	
				-10	3.85	2.718	0.0015	-2.5 to 2.5	Pass	
				0	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass	
				10	3.85	10.815	0.0058	-2.5 to 2.5	Pass	
				30	3.85	7.854	0.0042	-2.5 to 2.5	Pass	
				40	3.85	13.890	0.0075	-2.5 to 2.5	Pass	
				50	3.85	7.653	0.0041	-2.5 to 2.5	Pass	
				1880	15	0	20		3.27	9.241
		3.85	-0.086					0.0000	-2.5 to 2.5	Pass
		4.43	3.777					0.0020	-2.5 to 2.5	Pass
	-30	3.85	-0.401				-0.0002	-2.5 to 2.5	Pass	
	-20	3.85	5.894				0.0031	-2.5 to 2.5	Pass	
	-10	3.85	0.458				0.0002	-2.5 to 2.5	Pass	
	0	3.85	12.803				0.0068	-2.5 to 2.5	Pass	
	10	3.85	12.474				0.0066	-2.5 to 2.5	Pass	
	30	3.85	-1.616				-0.0009	-2.5 to 2.5	Pass	
	40	3.85	1.860				0.0010	-2.5 to 2.5	Pass	
	50	3.85	9.813				0.0052	-2.5 to 2.5	Pass	
	1908.5	15	0				20		3.27	12.059
					3.85	-1.574		-0.0008	-2.5 to 2.5	Pass
					4.43	4.435		0.0023	-2.5 to 2.5	Pass
				-30	3.85	5.722	0.0030	-2.5 to 2.5	Pass	
				-20	3.85	9.084	0.0048	-2.5 to 2.5	Pass	
				-10	3.85	-3.633	-0.0019	-2.5 to 2.5	Pass	
				0	3.85	4.935	0.0026	-2.5 to 2.5	Pass	
				10	3.85	12.488	0.0065	-2.5 to 2.5	Pass	
				30	3.85	-1.645	-0.0009	-2.5 to 2.5	Pass	
				40	3.85	3.061	0.0016	-2.5 to 2.5	Pass	
				50	3.85	7.553	0.0040	-2.5 to 2.5	Pass	

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-0.687	-0.0004	-2.5 to 2.5	Pass
					3.85	3.877	0.0021	-2.5 to 2.5	Pass
					4.43	13.018	0.0070	-2.5 to 2.5	Pass
				-30	3.85	5.178	0.0028	-2.5 to 2.5	Pass
					3.85	10.500	0.0057	-2.5 to 2.5	Pass
					3.85	-2.317	-0.0013	-2.5 to 2.5	Pass
				0	3.85	11.086	0.0060	-2.5 to 2.5	Pass
					3.85	7.482	0.0040	-2.5 to 2.5	Pass
					3.85	1.788	0.0010	-2.5 to 2.5	Pass

				40	3.85	3.519	0.0019	-2.5 to 2.5	Pass
				50	3.85	6.194	0.0033	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-6.967	-0.0037	-2.5 to 2.5	Pass
					3.85	3.848	0.0020	-2.5 to 2.5	Pass
				4.43	7.467	0.0040	-2.5 to 2.5	Pass	Pass
					3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	3.777	0.0020	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	13.676	0.0073	-2.5 to 2.5	Pass
				0	3.85	9.727	0.0052	-2.5 to 2.5	Pass
				10	3.85	3.619	0.0019	-2.5 to 2.5	Pass
				30	3.85	4.363	0.0023	-2.5 to 2.5	Pass
				40	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass
				50	3.85	1.101	0.0006	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	1.073	0.0006	-2.5 to 2.5	Pass
					3.85	-1.860	-0.0010	-2.5 to 2.5	Pass
				4.43	-1.574	-0.0008	-2.5 to 2.5	Pass	Pass
					3.85	3.433	0.0018	-2.5 to 2.5	Pass
				-30	3.85	6.022	0.0032	-2.5 to 2.5	Pass
				-20	3.85	8.354	0.0044	-2.5 to 2.5	Pass
				-10	3.85	6.981	0.0037	-2.5 to 2.5	Pass
				0	3.85	6.924	0.0036	-2.5 to 2.5	Pass
				10	3.85	8.998	0.0047	-2.5 to 2.5	Pass
				30	3.85	-5.622	-0.0029	-2.5 to 2.5	Pass
				40	3.85	-2.704	-0.0015	-2.5 to 2.5	Pass
				50	3.85	2.875	0.0016	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	8.411	0.0045	-2.5 to 2.5	Pass
					3.85	3.090	0.0017	-2.5 to 2.5	Pass
				4.43	4.306	0.0023	-2.5 to 2.5	Pass	Pass
					3.85	5.164	0.0028	-2.5 to 2.5	Pass
				-30	3.85	3.161	0.0017	-2.5 to 2.5	Pass
				-20	3.85	8.726	0.0047	-2.5 to 2.5	Pass
				-10	3.85	-5.178	-0.0028	-2.5 to 2.5	Pass
				0	3.85	4.306	0.0023	-2.5 to 2.5	Pass
				10	3.85	3.119	0.0017	-2.5 to 2.5	Pass
				30	3.85	4.864	0.0026	-2.5 to 2.5	Pass
				40	3.85	-2.775	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-0.730	-0.0004	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-2.546	-0.0014	-2.5 to 2.5	Pass
					3.85	-3.862	-0.0021	-2.5 to 2.5	Pass
				4.43	1.616	0.0009	-2.5 to 2.5	Pass	Pass
					3.85	7.210	0.0038	-2.5 to 2.5	Pass
				-30	3.85	0.401	0.0002	-2.5 to 2.5	Pass
				-20	3.85	2.232	0.0012	-2.5 to 2.5	Pass
				-10	3.85	1.831	0.0010	-2.5 to 2.5	Pass
				0	3.85	7.310	0.0039	-2.5 to 2.5	Pass
				10	3.85	7.010	0.0037	-2.5 to 2.5	Pass
				30	3.85	-10.901	-0.0057	-2.5 to 2.5	Pass
				40	3.85	5.579	0.0029	-2.5 to 2.5	Pass
				50	3.85	3.204	0.0017	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	0.372	0.0002	-2.5 to 2.5	Pass
					3.85	12.803	0.0067	-2.5 to 2.5	Pass
				4.43	12.431	0.0065	-2.5 to 2.5	Pass	Pass
					3.85	8.855	0.0046	-2.5 to 2.5	Pass
				-30	3.85	-4.506	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	16.222	0.0085	-2.5 to 2.5	Pass
				-10	3.85	1.774	0.0009	-2.5 to 2.5	Pass
				0	3.85				
				10	3.85				
				30	3.85				
				40	3.85				
				50	3.85				

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	6.952	0.0037	-2.5 to 2.5	Pass
					3.85	4.206	0.0023	-2.5 to 2.5	Pass
					4.43	-0.300	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	3.834	0.0021	-2.5 to 2.5	Pass
				-20	3.85	13.976	0.0075	-2.5 to 2.5	Pass
				-10	3.85	1.359	0.0007	-2.5 to 2.5	Pass
				0	3.85	5.922	0.0032	-2.5 to 2.5	Pass
				10	3.85	5.465	0.0029	-2.5 to 2.5	Pass
				30	3.85	3.161	0.0017	-2.5 to 2.5	Pass
				40	3.85	3.648	0.0020	-2.5 to 2.5	Pass
				50	3.85	1.688	0.0009	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	1.373	0.0007	-2.5 to 2.5	Pass
					3.85	4.778	0.0025	-2.5 to 2.5	Pass
					4.43	4.048	0.0022	-2.5 to 2.5	Pass
				-30	3.85	0.343	0.0002	-2.5 to 2.5	Pass
				-20	3.85	2.246	0.0012	-2.5 to 2.5	Pass
				-10	3.85	0.887	0.0005	-2.5 to 2.5	Pass
				0	3.85	2.804	0.0015	-2.5 to 2.5	Pass
				10	3.85	0.715	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.930	0.0005	-2.5 to 2.5	Pass
				40	3.85	2.661	0.0014	-2.5 to 2.5	Pass
				50	3.85	0.873	0.0005	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	2.947	0.0015	-2.5 to 2.5	Pass
					3.85	1.860	0.0010	-2.5 to 2.5	Pass
					4.43	4.377	0.0023	-2.5 to 2.5	Pass
				-30	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-20	3.85	9.170	0.0048	-2.5 to 2.5	Pass
				-10	3.85	2.818	0.0015	-2.5 to 2.5	Pass
				0	3.85	7.768	0.0041	-2.5 to 2.5	Pass
				10	3.85	5.951	0.0031	-2.5 to 2.5	Pass
				30	3.85	9.470	0.0050	-2.5 to 2.5	Pass
				40	3.85	1.388	0.0007	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	7.124	0.0038	-2.5 to 2.5	Pass
					3.85	3.390	0.0018	-2.5 to 2.5	Pass
					4.43	6.437	0.0035	-2.5 to 2.5	Pass
				-30	3.85	6.166	0.0033	-2.5 to 2.5	Pass
				-20	3.85	8.054	0.0043	-2.5 to 2.5	Pass
				-10	3.85	7.324	0.0039	-2.5 to 2.5	Pass
				0	3.85	2.761	0.0015	-2.5 to 2.5	Pass
				10	3.85	6.108	0.0033	-2.5 to 2.5	Pass
				30	3.85	5.364	0.0029	-2.5 to 2.5	Pass
				40	3.85	3.920	0.0021	-2.5 to 2.5	Pass
				50	3.85	4.706	0.0025	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	-2.089	-0.0011	-2.5 to 2.5	Pass
					3.85	8.841	0.0047	-2.5 to 2.5	Pass
					4.43	7.110	0.0038	-2.5 to 2.5	Pass
				-30	3.85	1.101	0.0006	-2.5 to 2.5	Pass
				-20	3.85	2.074	0.0011	-2.5 to 2.5	Pass
				-10	3.85	3.562	0.0019	-2.5 to 2.5	Pass
				0	3.85	3.934	0.0021	-2.5 to 2.5	Pass
				10	3.85	1.001	0.0005	-2.5 to 2.5	Pass
				30	3.85	9.327	0.0050	-2.5 to 2.5	Pass
				40	3.85	-0.429	-0.0002	-2.5 to 2.5	Pass
				50	3.85	6.280	0.0033	-2.5 to 2.5	Pass

	1905	50	0	20	3.27	4.950	0.0026	-2.5 to 2.5	Pass
					3.85	6.223	0.0033	-2.5 to 2.5	Pass
					4.43	2.775	0.0015	-2.5 to 2.5	Pass
				-30	3.85	10.958	0.0058	-2.5 to 2.5	Pass
				-20	3.85	10.800	0.0057	-2.5 to 2.5	Pass
				-10	3.85	9.384	0.0049	-2.5 to 2.5	Pass
				0	3.85	3.047	0.0016	-2.5 to 2.5	Pass
				10	3.85	8.168	0.0043	-2.5 to 2.5	Pass
				30	3.85	1.888	0.0010	-2.5 to 2.5	Pass
				40	3.85	-1.616	-0.0008	-2.5 to 2.5	Pass
				50	3.85	6.838	0.0036	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	0.129	0.0001	-2.5 to 2.5	Pass
					3.85	2.432	0.0013	-2.5 to 2.5	Pass
					4.43	1.302	0.0007	-2.5 to 2.5	Pass
				-30	3.85	1.488	0.0008	-2.5 to 2.5	Pass
				-20	3.85	2.689	0.0014	-2.5 to 2.5	Pass
				-10	3.85	-2.475	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-1.717	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-0.057	0.0000	-2.5 to 2.5	Pass
				30	3.85	-0.772	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				50	3.85	3.748	0.0020	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	2.475	0.0013	-2.5 to 2.5	Pass
					3.85	9.470	0.0050	-2.5 to 2.5	Pass
					4.43	7.968	0.0042	-2.5 to 2.5	Pass
				-30	3.85	-0.758	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	3.948	0.0021	-2.5 to 2.5	Pass
				-10	3.85	8.841	0.0047	-2.5 to 2.5	Pass
				0	3.85	1.731	0.0009	-2.5 to 2.5	Pass
				10	3.85	4.792	0.0025	-2.5 to 2.5	Pass
				30	3.85	4.091	0.0022	-2.5 to 2.5	Pass
				40	3.85	2.875	0.0015	-2.5 to 2.5	Pass
				50	3.85	1.202	0.0006	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	7.210	0.0038	-2.5 to 2.5	Pass
					3.85	-1.645	-0.0009	-2.5 to 2.5	Pass
					4.43	4.678	0.0025	-2.5 to 2.5	Pass
				-30	3.85	2.003	0.0011	-2.5 to 2.5	Pass
				-20	3.85	4.091	0.0022	-2.5 to 2.5	Pass
				-10	3.85	1.416	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.558	0.0003	-2.5 to 2.5	Pass
				10	3.85	4.749	0.0025	-2.5 to 2.5	Pass
				30	3.85	5.937	0.0031	-2.5 to 2.5	Pass
				40	3.85	4.563	0.0024	-2.5 to 2.5	Pass
				50	3.85	7.582	0.0040	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.27	-0.229	-0.0001	-2.5 to 2.5	Pass
					3.85	0.472	0.0003	-2.5 to 2.5	Pass
					4.43	-0.916	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	3.119	0.0017	-2.5 to 2.5	Pass
				-20	3.85	-2.074	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	5.178	0.0028	-2.5 to 2.5	Pass
				0	3.85	-2.332	-0.0013	-2.5 to 2.5	Pass
				10	3.85	1.760	0.0009	-2.5 to 2.5	Pass

	1880	75	0	30	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				40	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				50	3.85	-2.003	-0.0011	-2.5 to 2.5	Pass
				20	3.27	4.463	0.0024	-2.5 to 2.5	Pass
					3.85	-4.735	-0.0025	-2.5 to 2.5	Pass
					4.43	4.091	0.0022	-2.5 to 2.5	Pass
				-30	3.85	4.835	0.0026	-2.5 to 2.5	Pass
				-20	3.85	-0.243	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	2.890	0.0015	-2.5 to 2.5	Pass
	1902.5	75	0	0	3.85	2.303	0.0012	-2.5 to 2.5	Pass
				10	3.85	4.320	0.0023	-2.5 to 2.5	Pass
				30	3.85	4.077	0.0022	-2.5 to 2.5	Pass
				40	3.85	2.174	0.0012	-2.5 to 2.5	Pass
				50	3.85	3.419	0.0018	-2.5 to 2.5	Pass
				20	3.27	5.007	0.0026	-2.5 to 2.5	Pass
					3.85	2.804	0.0015	-2.5 to 2.5	Pass
					4.43	0.587	0.0003	-2.5 to 2.5	Pass
				-30	3.85	7.067	0.0037	-2.5 to 2.5	Pass
				-20	3.85	5.107	0.0027	-2.5 to 2.5	Pass
				-10	3.85	1.931	0.0010	-2.5 to 2.5	Pass
				0	3.85	3.505	0.0018	-2.5 to 2.5	Pass
				10	3.85	0.687	0.0004	-2.5 to 2.5	Pass
				30	3.85	3.777	0.0020	-2.5 to 2.5	Pass
				40	3.85	5.980	0.0031	-2.5 to 2.5	Pass
				50	3.85	-1.602	-0.0008	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	6.523	0.0035	-2.5 to 2.5	Pass
					3.85	3.977	0.0021	-2.5 to 2.5	Pass
					4.43	2.389	0.0013	-2.5 to 2.5	Pass
				-30	3.85	0.401	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-2.303	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-2.832	-0.0015	-2.5 to 2.5	Pass
				0	3.85	3.419	0.0018	-2.5 to 2.5	Pass
				10	3.85	2.003	0.0011	-2.5 to 2.5	Pass
				30	3.85	-3.033	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-5.622	-0.0030	-2.5 to 2.5	Pass
	1880	100	0	50	3.85	5.307	0.0029	-2.5 to 2.5	Pass
				20	3.27	3.247	0.0017	-2.5 to 2.5	Pass
					3.85	3.676	0.0020	-2.5 to 2.5	Pass
					4.43	3.619	0.0019	-2.5 to 2.5	Pass
				-30	3.85	3.777	0.0020	-2.5 to 2.5	Pass
				-20	3.85	3.262	0.0017	-2.5 to 2.5	Pass
				-10	3.85	3.448	0.0018	-2.5 to 2.5	Pass
				0	3.85	3.605	0.0019	-2.5 to 2.5	Pass
				10	3.85	8.740	0.0046	-2.5 to 2.5	Pass
				30	3.85	5.150	0.0027	-2.5 to 2.5	Pass
	1900	100	0	40	3.85	6.680	0.0036	-2.5 to 2.5	Pass
				50	3.85	4.721	0.0025	-2.5 to 2.5	Pass
				20	3.27	-1.616	-0.0009	-2.5 to 2.5	Pass
					3.85	3.691	0.0019	-2.5 to 2.5	Pass
					4.43	0.200	0.0001	-2.5 to 2.5	Pass
				-30	3.85	5.765	0.0030	-2.5 to 2.5	Pass
				-20	3.85	1.745	0.0009	-2.5 to 2.5	Pass

16QAM	1860	100	0	-10	3.85	1.016	0.0005	-2.5 to 2.5	Pass
				0	3.85	5.708	0.0030	-2.5 to 2.5	Pass
				10	3.85	1.202	0.0006	-2.5 to 2.5	Pass
				30	3.85	3.877	0.0020	-2.5 to 2.5	Pass
				40	3.85	4.220	0.0022	-2.5 to 2.5	Pass
	1880	100	0	50	3.85	-0.315	-0.0002	-2.5 to 2.5	Pass
				20	3.27	2.346	0.0013	-2.5 to 2.5	Pass
					3.85	-1.202	-0.0006	-2.5 to 2.5	Pass
					4.43	6.309	0.0034	-2.5 to 2.5	Pass
				-30	3.85	1.674	0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.515	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	3.576	0.0019	-2.5 to 2.5	Pass
				0	3.85	5.937	0.0032	-2.5 to 2.5	Pass
				10	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				30	3.85	2.360	0.0013	-2.5 to 2.5	Pass
				40	3.85	2.446	0.0013	-2.5 to 2.5	Pass
				50	3.85	0.844	0.0005	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	6.723	0.0036	-2.5 to 2.5	Pass
					3.85	-1.245	-0.0007	-2.5 to 2.5	Pass
					4.43	4.535	0.0024	-2.5 to 2.5	Pass
				-30	3.85	2.718	0.0014	-2.5 to 2.5	Pass
				-20	3.85	7.310	0.0039	-2.5 to 2.5	Pass
				-10	3.85	2.289	0.0012	-2.5 to 2.5	Pass
				0	3.85	6.137	0.0033	-2.5 to 2.5	Pass
				10	3.85	1.817	0.0010	-2.5 to 2.5	Pass
				30	3.85	6.938	0.0037	-2.5 to 2.5	Pass
				40	3.85	6.580	0.0035	-2.5 to 2.5	Pass
				50	3.85	2.131	0.0011	-2.5 to 2.5	Pass
				20	3.27	5.450	0.0029	-2.5 to 2.5	Pass
					3.85	8.197	0.0043	-2.5 to 2.5	Pass
					4.43	4.678	0.0025	-2.5 to 2.5	Pass
				-30	3.85	2.232	0.0012	-2.5 to 2.5	Pass
				-20	3.85	-2.017	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	4.563	0.0024	-2.5 to 2.5	Pass
				0	3.85	2.460	0.0013	-2.5 to 2.5	Pass
				10	3.85	6.108	0.0032	-2.5 to 2.5	Pass
				30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
				50	3.85	1.416	0.0007	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV					
----------------------------------	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.119	/	Pass
		1880	6	0	1.118	/	Pass
		1909.3	6	0	1.113	/	Pass
	16QAM	1850.7	6	0	1.111	/	Pass
		1880	6	0	1.111	/	Pass
		1909.3	6	0	1.114	/	Pass
3	QPSK	1851.5	15	0	2.731	/	Pass
		1880	15	0	2.722	/	Pass
		1908.5	15	0	2.736	/	Pass
	16QAM	1851.5	15	0	2.720	/	Pass
		1880	15	0	2.731	/	Pass
		1908.5	15	0	2.728	/	Pass
5	QPSK	1852.5	25	0	4.553	/	Pass
		1880	25	0	4.554	/	Pass
		1907.5	25	0	4.541	/	Pass
	16QAM	1852.5	25	0	4.537	/	Pass
		1880	25	0	4.532	/	Pass
		1907.5	25	0	4.560	/	Pass
10	QPSK	1855	50	0	9.053	/	Pass
		1880	50	0	9.057	/	Pass
		1905	50	0	9.063	/	Pass
	16QAM	1855	50	0	9.052	/	Pass
		1880	50	0	9.058	/	Pass
		1905	50	0	9.074	/	Pass
15	QPSK	1857.5	75	0	13.632	/	Pass
		1880	75	0	13.587	/	Pass
		1902.5	75	0	13.553	/	Pass
	16QAM	1857.5	75	0	13.589	/	Pass
		1880	75	0	13.620	/	Pass
		1902.5	75	0	13.586	/	Pass
20	QPSK	1860	100	0	18.089	/	Pass
		1880	100	0	18.155	/	Pass
		1900	100	0	18.101	/	Pass
	16QAM	1860	100	0	18.039	/	Pass
		1880	100	0	18.126	/	Pass
		1900	100	0	18.119	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.305	/	Pass
		1880	6	0	1.341	/	Pass
		1909.3	6	0	1.342	/	Pass


	16QAM	1850.7	6	0	1.312	/	Pass
		1880	6	0	1.314	/	Pass
		1909.3	6	0	1.337	/	Pass
3	QPSK	1851.5	15	0	3.018	/	Pass
		1880	15	0	3.012	/	Pass
		1908.5	15	0	3.003	/	Pass
	16QAM	1851.5	15	0	3.016	/	Pass
		1880	15	0	3.036	/	Pass
		1908.5	15	0	2.992	/	Pass
5	QPSK	1852.5	25	0	5.084	/	Pass
		1880	25	0	5.043	/	Pass
		1907.5	25	0	5.035	/	Pass
	16QAM	1852.5	25	0	5.064	/	Pass
		1880	25	0	5.099	/	Pass
		1907.5	25	0	5.093	/	Pass
10	QPSK	1855	50	0	9.955	/	Pass
		1880	50	0	9.951	/	Pass
		1905	50	0	10.023	/	Pass
	16QAM	1855	50	0	9.998	/	Pass
		1880	50	0	9.951	/	Pass
		1905	50	0	10.002	/	Pass
15	QPSK	1857.5	75	0	15.025	/	Pass
		1880	75	0	14.901	/	Pass
		1902.5	75	0	14.869	/	Pass
	16QAM	1857.5	75	0	14.891	/	Pass
		1880	75	0	14.926	/	Pass
		1902.5	75	0	14.956	/	Pass
20	QPSK	1860	100	0	19.746	/	Pass
		1880	100	0	19.679	/	Pass
		1900	100	0	19.579	/	Pass
	16QAM	1860	100	0	19.656	/	Pass
		1880	100	0	19.874	/	Pass
		1900	100	0	19.754	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




4.2.2 Band2_XDB


Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.74	<=13	Pass
	1880	6	0	5.83	<=13	Pass
	1909.3	6	0	5.42	<=13	Pass
16QAM	1850.7	6	0	6.59	<=13	Pass
	1880	6	0	6.61	<=13	Pass
	1909.3	6	0	6.29	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.95	<=13	Pass
	1880	15	0	5.92	<=13	Pass
	1908.5	15	0	5.63	<=13	Pass
16QAM	1851.5	15	0	6.77	<=13	Pass
	1880	15	0	6.74	<=13	Pass
	1908.5	15	0	6.50	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.89	<=13	Pass
	1880	25	0	5.93	<=13	Pass
	1907.5	25	0	5.78	<=13	Pass
16QAM	1852.5	25	0	6.66	<=13	Pass
	1880	25	0	6.64	<=13	Pass
	1907.5	25	0	6.47	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.85	<=13	Pass
	1880	50	0	5.86	<=13	Pass
	1905	50	0	5.75	<=13	Pass
16QAM	1855	50	0	6.66	<=13	Pass
	1880	50	0	6.67	<=13	Pass
	1905	50	0	6.49	<=13	Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.30	<=13	Pass
	1880	75	0	5.33	<=13	Pass
	1902.5	75	0	5.32	<=13	Pass
16QAM	1857.5	75	0	6.38	<=13	Pass
	1880	75	0	6.44	<=13	Pass
	1902.5	75	0	6.32	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.65	<=13	Pass
	1880	100	0	5.68	<=13	Pass
	1900	100	0	5.60	<=13	Pass
16QAM	1860	100	0	6.67	<=13	Pass
	1880	100	0	6.70	<=13	Pass
	1900	100	0	6.68	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV



Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




5.2.2 B2_3MHz


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV



Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




5.2.3 B2_5MHz


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




5.2.4 B2_10MHz


Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




5.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV



Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




5.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100_0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100_0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	1850.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1909.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1851.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1908.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
16QAM	1851.5	1	0	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1908.5	1	0	Refer To Test Graph	Pass
			14	Refer To Test Graph	Pass
		15	0	Refer To Test Graph	Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	1880	1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	1852.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

	1880	1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1880	1	0	Refer To Test Graph	Pass	
	1905	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
16QAM	1855	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1880	1	0	Refer To Test Graph	Pass	
	1905	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1900	1	0	Refer To Test Graph	
	99			Refer To Test Graph		Pass
	100		0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1900	1	0	Refer To Test Graph	
	99			Refer To Test Graph		Pass




		100	0	Refer To Test Graph	Pass
--	--	-----	---	---------------------	------

6.2 Test Graph


6.2.1 B2_1.4MHz

Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.562	-62.77	-13	Pass
1849	1850	0.003	/	2	1849.995	-31.66	-13	Pass
1850	1851.5	0.003	/	/	/	/	/	/


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.965	-45.70	-13	Pass
1849	1850	0.013	/	2	1849.991	-32.03	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-31.17	-13	Pass
1911	1911.5	1	/	2	1911.338	-63.60	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.013	/	/	/	/	/	/
1910	1911	0.013	/	1	1910.003	-30.93	-13	Pass
1911	1911.5	1	/	2	1911.008	-45.17	-13	Pass

Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.635	-64.37	-13	Pass
1849	1850	0.003	/	2	1849.995	-33.08	-13	Pass
1850	1851.5	0.003	/	/	/	/	/	/


Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.899	-46.87	-13	Pass
1849	1850	0.013	/	2	1849.994	-32.91	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM MCH 1880MHz RB 1 0 NTV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 5 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.007	-34.00	-13	Pass
1911	1911.5	1	/	2	1911.006	-64.02	-13	Pass


Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.013	/	/	/	/	/	/
1910	1911	0.013	/	1	1910.006	-31.77	-13	Pass
1911	1911.5	1	/	2	1911.230	-46.54	-13	Pass

6.2.2 B2_3MHz


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.00	-13	Pass
1849	1850	0.03	/	2	1849.994	-32.31	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-32.36	-13	Pass
1911	1913	1	CHP	2	1911.001	-37.83	-13	Pass

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.018	-31.33	-13	Pass
1911	1913	1	CHP	2	1911.002	-21.49	-13	Pass


Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-25.93	-13	Pass
1849	1850	0.03	/	2	1849.994	-32.78	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-32.42	-13	Pass
1911	1913	1	CHP	2	1911.001	-38.92	-13	Pass


Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.012	-32.44	-13	Pass
1911	1913	1	CHP	2	1911.002	-22.21	-13	Pass


6.2.3 B2_5MHz

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.498	-42.03	-13	Pass
1849	1850	0.003	/	2	1849.988	-33.30	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-26.34	-13	Pass
1849	1850	0.051	/	2	1849.990	-30.63	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.014	-33.14	-13	Pass
1911	1915	1	CHP	2	1911.001	-39.43	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	/	/	/	/	/	/
1910	1911	0.051	/	1	1910.040	-30.60	-13	Pass
1911	1915	1	CHP	2	1911.010	-22.13	-13	Pass


Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-26.01	-13	Pass
1849	1850	0.051	/	2	1849.980	-32.37	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-34.71	-13	Pass
1911	1915	1	CHP	2	1911.001	-39.89	-13	Pass


Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	/	/	/	/	/	/
1910	1911	0.051	/	1	1910.050	-32.28	-13	Pass
1911	1915	1	CHP	2	1911.010	-23.38	-13	Pass


6.2.4 B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.498	-44.05	-13	Pass
1849	1850	0.003	/	2	1849.989	-39.79	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.380	-28.46	-13	Pass
1849	1850	0.1	/	2	1849.960	-34.53	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.120	-28.80	-13	Pass
1849	1850	0.1	/	2	1849.980	-35.65	-13	Pass
1850	1860	0.1	/	/	/	/	/	/


Band2_10MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_16QAM_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.001	-38.82	-13	Pass
1911	1920	1	CHP	2	1911.001	-41.89	-13	Pass


Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.420	-33.49	-13	Pass
1911	1920	1	CHP	2	1911.260	-25.80	-13	Pass


6.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1844.508	-43.01	-13	Pass
1849	1850	0.003	/	2	1849.997	-42.62	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-29.82	-13	Pass
1849	1850	0.15	/	2	1849.670	-35.79	-13	Pass
1850	1865	0.15	/	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-42.76	-13	Pass
1911	1925	1	CHP	2	1911.001	-41.37	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.15	/	/	/	/	/	/
1910	1911	0.15	/	1	1910.270	-31.57	-13	Pass
1911	1925	1	CHP	2	1911.020	-26.05	-13	Pass


Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.210	-29.89	-13	Pass
1849	1850	0.15	/	2	1849.490	-36.62	-13	Pass
1850	1865	0.15	/	/	/	/	/	/


Band2_15MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-43.66	-13	Pass
1911	1925	1	CHP	2	1911.001	-41.74	-13	Pass


Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.15	/	/	/	/	/	/
1910	1911	0.15	/	1	1910.510	-33.47	-13	Pass
1911	1925	1	CHP	2	1911.020	-27.61	-13	Pass


6.2.6 B2_20MHz

Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.500	-44.47	-13	Pass
1849	1850	0.003	/	2	1849.955	-46.71	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.320	-31.89	-13	Pass
1849	1850	0.2	/	2	1849.720	-35.99	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1_99 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-46.49	-13	Pass
1911	1930	1	CHP	2	1911.001	-41.71	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100_0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.040	-35.33	-13	Pass
1911	1930	1	CHP	2	1911.280	-29.63	-13	Pass


Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-32.16	-13	Pass
1849	1850	0.2	/	2	1849.200	-35.58	-13	Pass
1850	1870	0.2	/	/	/	/	/	/


Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 1 0 NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.020	-46.71	-13	Pass
1911	1930	1	CHP	2	1911.001	-42.40	-13	Pass

Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.2	/	/	/	/	/	/
1910	1911	0.2	/	1	1910.760	-36.40	-13	Pass
1911	1930	1	CHP	2	1911.040	-30.65	-13	Pass