

Appendix Test Data

Report No:	1812C50133012506	Test Sample NO:	1-2-2
Start Test Date:	2025-04-02	Finish Test Date:	2025-04-24
Test Engineer:	<i>Joker Huang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	24.3°C	Relative Humidity:	56%
Pressure:	101 kPa		

Appendix A:Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	21.96	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	21.81	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	22.10	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	21.84	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	21.79	PASS
Band12	1.4MHz	QPSK	23017	3RB#3	21.85	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	21.00	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	20.74	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	20.87	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	21.09	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	20.90	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	20.85	PASS
Band12	1.4MHz	16QAM	23017	3RB#3	20.82	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	19.66	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	22.01	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	22.04	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	21.84	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.11	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	21.99	PASS
Band12	1.4MHz	QPSK	23095	3RB#3	21.95	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	21.06	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	21.20	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Band12	1.4MHz	16QAM	23095	1RB#2	21.00	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	21.44	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	20.91	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	20.59	PASS
Band12	1.4MHz	16QAM	23095	3RB#3	20.82	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	20.10	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	22.10	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	22.07	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	22.11	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	21.82	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	21.91	PASS
Band12	1.4MHz	QPSK	23173	3RB#3	21.97	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	20.95	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	20.93	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	21.24	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	21.13	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	20.78	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	20.76	PASS
Band12	1.4MHz	16QAM	23173	3RB#3	20.83	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	20.02	PASS
Band12	3MHz	QPSK	23025	1RB#0	21.74	PASS
Band12	3MHz	QPSK	23025	1RB#8	21.73	PASS
Band12	3MHz	QPSK	23025	1RB#14	21.64	PASS
Band12	3MHz	QPSK	23025	8RB#0	20.86	PASS
Band12	3MHz	QPSK	23025	8RB#4	20.78	PASS
Band12	3MHz	QPSK	23025	8RB#7	20.90	PASS
Band12	3MHz	QPSK	23025	15RB#0	20.79	PASS
Band12	3MHz	16QAM	23025	1RB#0	20.88	PASS
Band12	3MHz	16QAM	23025	1RB#8	20.91	PASS
Band12	3MHz	16QAM	23025	1RB#14	20.77	PASS
Band12	3MHz	16QAM	23025	8RB#0	19.93	PASS
Band12	3MHz	16QAM	23025	8RB#4	19.95	PASS
Band12	3MHz	16QAM	23025	8RB#7	19.96	PASS
Band12	3MHz	16QAM	23025	15RB#0	19.95	PASS
Band12	3MHz	QPSK	23095	1RB#0	22.22	PASS
Band12	3MHz	QPSK	23095	1RB#8	22.18	PASS
Band12	3MHz	QPSK	23095	1RB#14	22.10	PASS
Band12	3MHz	QPSK	23095	8RB#0	21.09	PASS
Band12	3MHz	QPSK	23095	8RB#4	21.12	PASS
Band12	3MHz	QPSK	23095	8RB#7	20.99	PASS
Band12	3MHz	QPSK	23095	15RB#0	21.12	PASS
Band12	3MHz	16QAM	23095	1RB#0	21.06	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band12	3MHz	16QAM	23095	1RB#8	20.67	PASS
Band12	3MHz	16QAM	23095	1RB#14	21.05	PASS
Band12	3MHz	16QAM	23095	8RB#0	19.94	PASS
Band12	3MHz	16QAM	23095	8RB#4	19.95	PASS
Band12	3MHz	16QAM	23095	8RB#7	19.82	PASS
Band12	3MHz	16QAM	23095	15RB#0	19.97	PASS
Band12	3MHz	QPSK	23165	1RB#0	22.25	PASS
Band12	3MHz	QPSK	23165	1RB#8	21.95	PASS
Band12	3MHz	QPSK	23165	1RB#14	21.96	PASS
Band12	3MHz	QPSK	23165	8RB#0	21.25	PASS
Band12	3MHz	QPSK	23165	8RB#4	21.09	PASS
Band12	3MHz	QPSK	23165	8RB#7	20.93	PASS
Band12	3MHz	QPSK	23165	15RB#0	20.96	PASS
Band12	3MHz	16QAM	23165	1RB#0	21.37	PASS
Band12	3MHz	16QAM	23165	1RB#8	21.29	PASS
Band12	3MHz	16QAM	23165	1RB#14	21.36	PASS
Band12	3MHz	16QAM	23165	8RB#0	19.96	PASS
Band12	3MHz	16QAM	23165	8RB#4	19.98	PASS
Band12	3MHz	16QAM	23165	8RB#7	20.07	PASS
Band12	3MHz	16QAM	23165	15RB#0	19.95	PASS
Band12	5MHz	QPSK	23035	1RB#0	21.80	PASS
Band12	5MHz	QPSK	23035	1RB#12	21.96	PASS
Band12	5MHz	QPSK	23035	1RB#24	21.88	PASS
Band12	5MHz	QPSK	23035	12RB#0	20.88	PASS
Band12	5MHz	QPSK	23035	12RB#6	20.89	PASS
Band12	5MHz	QPSK	23035	12RB#13	20.81	PASS
Band12	5MHz	QPSK	23035	25RB#0	20.90	PASS
Band12	5MHz	16QAM	23035	1RB#0	20.69	PASS
Band12	5MHz	16QAM	23035	1RB#12	20.72	PASS
Band12	5MHz	16QAM	23035	1RB#24	20.72	PASS
Band12	5MHz	16QAM	23035	12RB#0	19.90	PASS
Band12	5MHz	16QAM	23035	12RB#6	19.70	PASS
Band12	5MHz	16QAM	23035	12RB#13	19.72	PASS
Band12	5MHz	16QAM	23035	25RB#0	19.84	PASS
Band12	5MHz	QPSK	23095	1RB#0	22.14	PASS
Band12	5MHz	QPSK	23095	1RB#12	22.18	PASS
Band12	5MHz	QPSK	23095	1RB#24	21.88	PASS
Band12	5MHz	QPSK	23095	12RB#0	20.99	PASS
Band12	5MHz	QPSK	23095	12RB#6	21.01	PASS
Band12	5MHz	QPSK	23095	12RB#13	20.97	PASS
Band12	5MHz	QPSK	23095	25RB#0	20.99	PASS
Band12	5MHz	16QAM	23095	1RB#0	20.76	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band12	5MHz	16QAM	23095	1RB#12	20.85	PASS
Band12	5MHz	16QAM	23095	1RB#24	20.96	PASS
Band12	5MHz	16QAM	23095	12RB#0	19.99	PASS
Band12	5MHz	16QAM	23095	12RB#6	20.00	PASS
Band12	5MHz	16QAM	23095	12RB#13	20.07	PASS
Band12	5MHz	16QAM	23095	25RB#0	19.99	PASS
Band12	5MHz	QPSK	23155	1RB#0	22.00	PASS
Band12	5MHz	QPSK	23155	1RB#12	21.99	PASS
Band12	5MHz	QPSK	23155	1RB#24	21.65	PASS
Band12	5MHz	QPSK	23155	12RB#0	21.06	PASS
Band12	5MHz	QPSK	23155	12RB#6	21.07	PASS
Band12	5MHz	QPSK	23155	12RB#13	20.96	PASS
Band12	5MHz	QPSK	23155	25RB#0	20.91	PASS
Band12	5MHz	16QAM	23155	1RB#0	20.75	PASS
Band12	5MHz	16QAM	23155	1RB#12	21.02	PASS
Band12	5MHz	16QAM	23155	1RB#24	20.85	PASS
Band12	5MHz	16QAM	23155	12RB#0	19.90	PASS
Band12	5MHz	16QAM	23155	12RB#6	19.93	PASS
Band12	5MHz	16QAM	23155	12RB#13	19.85	PASS
Band12	5MHz	16QAM	23155	25RB#0	20.00	PASS
Band12	10MHz	QPSK	23060	1RB#0	21.51	PASS
Band12	10MHz	QPSK	23060	1RB#24	22.08	PASS
Band12	10MHz	QPSK	23060	1RB#49	21.88	PASS
Band12	10MHz	QPSK	23060	25RB#0	20.87	PASS
Band12	10MHz	QPSK	23060	25RB#12	20.88	PASS
Band12	10MHz	QPSK	23060	25RB#25	21.05	PASS
Band12	10MHz	QPSK	23060	50RB#0	20.88	PASS
Band12	10MHz	16QAM	23060	1RB#0	20.68	PASS
Band12	10MHz	16QAM	23060	1RB#24	21.30	PASS
Band12	10MHz	16QAM	23060	1RB#49	20.91	PASS
Band12	10MHz	16QAM	23060	25RB#0	19.88	PASS
Band12	10MHz	16QAM	23060	25RB#12	19.96	PASS
Band12	10MHz	16QAM	23060	25RB#25	19.84	PASS
Band12	10MHz	16QAM	23060	50RB#0	20.02	PASS
Band12	10MHz	QPSK	23095	1RB#0	21.80	PASS
Band12	10MHz	QPSK	23095	1RB#24	22.27	PASS
Band12	10MHz	QPSK	23095	1RB#49	21.74	PASS
Band12	10MHz	QPSK	23095	25RB#0	20.99	PASS
Band12	10MHz	QPSK	23095	25RB#12	20.98	PASS
Band12	10MHz	QPSK	23095	25RB#25	20.98	PASS
Band12	10MHz	QPSK	23095	50RB#0	20.92	PASS
Band12	10MHz	16QAM	23095	1RB#0	20.94	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band12	10MHz	16QAM	23095	1RB#24	21.25	PASS
Band12	10MHz	16QAM	23095	1RB#49	20.49	PASS
Band12	10MHz	16QAM	23095	25RB#0	20.04	PASS
Band12	10MHz	16QAM	23095	25RB#12	20.02	PASS
Band12	10MHz	16QAM	23095	25RB#25	20.12	PASS
Band12	10MHz	16QAM	23095	50RB#0	19.96	PASS
Band12	10MHz	QPSK	23130	1RB#0	22.14	PASS
Band12	10MHz	QPSK	23130	1RB#24	22.28	PASS
Band12	10MHz	QPSK	23130	1RB#49	21.77	PASS
Band12	10MHz	QPSK	23130	25RB#0	20.95	PASS
Band12	10MHz	QPSK	23130	25RB#12	20.98	PASS
Band12	10MHz	QPSK	23130	25RB#25	21.03	PASS
Band12	10MHz	QPSK	23130	50RB#0	21.06	PASS
Band12	10MHz	16QAM	23130	1RB#0	21.41	PASS
Band12	10MHz	16QAM	23130	1RB#24	21.56	PASS
Band12	10MHz	16QAM	23130	1RB#49	21.30	PASS
Band12	10MHz	16QAM	23130	25RB#0	20.03	PASS
Band12	10MHz	16QAM	23130	25RB#12	20.04	PASS
Band12	10MHz	16QAM	23130	25RB#25	20.09	PASS
Band12	10MHz	16QAM	23130	50RB#0	20.10	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	4.85	13	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	5.49	13	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	5.93	13	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	6.42	13	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	4.89	13	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	5.46	13	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	5.98	13	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	6.38	13	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	4.79	13	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	5.38	13	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	5.85	13	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	6.28	13	PASS
Band12	3MHz	QPSK	23025	1RB#0	4.90	13	PASS
Band12	3MHz	QPSK	23025	15RB#0	5.37	13	PASS
Band12	3MHz	16QAM	23025	1RB#0	5.98	13	PASS
Band12	3MHz	16QAM	23025	15RB#0	6.31	13	PASS
Band12	3MHz	QPSK	23095	1RB#0	4.96	13	PASS
Band12	3MHz	QPSK	23095	15RB#0	5.41	13	PASS
Band12	3MHz	16QAM	23095	1RB#0	5.88	13	PASS
Band12	3MHz	16QAM	23095	15RB#0	6.29	13	PASS
Band12	3MHz	QPSK	23165	1RB#0	4.86	13	PASS
Band12	3MHz	QPSK	23165	15RB#0	5.40	13	PASS
Band12	3MHz	16QAM	23165	1RB#0	5.86	13	PASS
Band12	3MHz	16QAM	23165	15RB#0	6.23	13	PASS
Band12	5MHz	QPSK	23035	1RB#0	4.84	13	PASS
Band12	5MHz	QPSK	23035	25RB#0	5.38	13	PASS
Band12	5MHz	16QAM	23035	1RB#0	5.77	13	PASS
Band12	5MHz	16QAM	23035	25RB#0	6.23	13	PASS
Band12	5MHz	QPSK	23095	1RB#0	4.86	13	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.37	13	PASS
Band12	5MHz	16QAM	23095	1RB#0	5.83	13	PASS
Band12	5MHz	16QAM	23095	25RB#0	6.23	13	PASS
Band12	5MHz	QPSK	23155	1RB#0	4.83	13	PASS
Band12	5MHz	QPSK	23155	25RB#0	5.32	13	PASS
Band12	5MHz	16QAM	23155	1RB#0	5.72	13	PASS
Band12	5MHz	16QAM	23155	25RB#0	6.16	13	PASS

Band12	10MHz	QPSK	23060	1RB#0	4.81	13	PASS
Band12	10MHz	QPSK	23060	50RB#0	5.32	13	PASS
Band12	10MHz	16QAM	23060	1RB#0	5.68	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	6.18	13	PASS
Band12	10MHz	QPSK	23095	1RB#0	4.75	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.27	13	PASS
Band12	10MHz	16QAM	23095	1RB#0	5.82	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.18	13	PASS
Band12	10MHz	QPSK	23130	1RB#0	4.83	13	PASS
Band12	10MHz	QPSK	23130	50RB#0	5.31	13	PASS
Band12	10MHz	16QAM	23130	1RB#0	5.85	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	6.19	13	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com




Hotline
400-003-0500
www.anbotek.com

Test Graphs





Band12-3MHz-QPSK-23025-1RB#0-PASS




Band12-3MHz-QPSK-23025-15RB#0-PASS




Band12-3MHz-16QAM-23025-1RB#0-PASS



Band12-3MHz-16QAM-23025-15RB#0-PASS



Band12-3MHz-QPSK-23095-1RB#0-PASS





Band12-3MHz-QPSK-23095-15RB#0-PASS




Band12-3MHz-16QAM-23095-1RB#0-PASS

Band12-3MHz-16QAM-23095-15RB#0-PASS











Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band12	1.4MHz	QPSK	23017	6RB#0	1.0959	1.275	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.0998	1.286	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0960	1.299	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0909	1.276	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0909	1.297	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0996	1.291	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.6971	2.967	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.6889	2.972	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.6985	2.958	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6927	2.951	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.7050	2.969	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6971	2.978	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.5009	5.005	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.4970	4.957	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.4999	4.965	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.5115	4.988	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.5045	4.980	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.5078	5.011	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.9615	9.895	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9666	9.816	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.9765	9.918	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.9572	9.826	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9567	9.850	PASS
Band12	10MHz	16QAM	23130	50RB#0	8.9452	9.844	PASS

Test Graphs









Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	-32.20	19.20	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	-52.96	39.96	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	-33.48	20.48	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	-33.01	20.01	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	-53.56	40.56	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	-33.66	20.66	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	-47.81	34.81	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	-31.34	18.34	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	-34.72	21.72	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	-49.41	36.41	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	-33.53	20.53	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	-34.81	21.81	PASS
Band12	3MHz	QPSK	23025	1RB#0	-31.97	18.97	PASS
Band12	3MHz	QPSK	23025	1RB#14	-51.05	38.05	PASS
Band12	3MHz	QPSK	23025	15RB#0	-35.84	22.84	PASS
Band12	3MHz	16QAM	23025	1RB#0	-32.71	19.71	PASS
Band12	3MHz	16QAM	23025	1RB#14	-51.70	38.70	PASS
Band12	3MHz	16QAM	23025	15RB#0	-37.07	24.07	PASS
Band12	3MHz	QPSK	23165	1RB#0	-50.72	37.72	PASS
Band12	3MHz	QPSK	23165	1RB#14	-31.79	18.79	PASS
Band12	3MHz	QPSK	23165	15RB#0	-38.01	25.01	PASS
Band12	3MHz	16QAM	23165	1RB#0	-51.31	38.31	PASS
Band12	3MHz	16QAM	23165	1RB#14	-33.77	20.77	PASS
Band12	3MHz	16QAM	23165	15RB#0	-38.87	25.87	PASS
Band12	5MHz	QPSK	23035	1RB#0	-36.52	23.52	PASS
Band12	5MHz	QPSK	23035	1RB#24	-58.13	45.13	PASS
Band12	5MHz	QPSK	23035	25RB#0	-38.74	25.74	PASS
Band12	5MHz	16QAM	23035	1RB#0	-37.45	24.45	PASS
Band12	5MHz	16QAM	23035	1RB#24	-58.05	45.05	PASS
Band12	5MHz	16QAM	23035	25RB#0	-38.98	25.98	PASS
Band12	5MHz	QPSK	23155	1RB#0	-58.14	45.14	PASS
Band12	5MHz	QPSK	23155	1RB#24	-35.62	22.62	PASS
Band12	5MHz	QPSK	23155	25RB#0	-41.04	28.04	PASS
Band12	5MHz	16QAM	23155	1RB#0	-58.14	45.14	PASS
Band12	5MHz	16QAM	23155	1RB#24	-37.27	24.27	PASS
Band12	5MHz	16QAM	23155	25RB#0	-41.58	28.58	PASS

Band12	10MHz	QPSK	23060	1RB#0	-49.24	36.24	PASS
Band12	10MHz	QPSK	23060	1RB#49	-58.03	45.03	PASS
Band12	10MHz	QPSK	23060	50RB#0	-42.41	29.41	PASS
Band12	10MHz	16QAM	23060	1RB#0	-50.05	37.05	PASS
Band12	10MHz	16QAM	23060	1RB#49	-58.14	45.14	PASS
Band12	10MHz	16QAM	23060	50RB#0	-42.96	29.96	PASS
Band12	10MHz	QPSK	23130	1RB#0	-57.85	44.85	PASS
Band12	10MHz	QPSK	23130	1RB#49	-49.45	36.45	PASS
Band12	10MHz	QPSK	23130	50RB#0	-44.37	31.37	PASS
Band12	10MHz	16QAM	23130	1RB#0	-58.06	45.06	PASS
Band12	10MHz	16QAM	23130	1RB#49	-50.37	37.37	PASS
Band12	10MHz	16QAM	23130	50RB#0	-44.25	31.25	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com





Hotline
400-003-0500
www.anbotek.com


Test Graphs

















Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	0.009~0.15	-49.54	-33.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	0.15~30	-56.23	-23.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	30~1000	-56.60	-13.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	1000~3000	-42.97	-13.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	3000~10000	-44.46	-13.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	0.009~0.15	-48.69	-33.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	0.15~30	-55.82	-23.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	30~1000	-55.59	-13.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	1000~3000	-46.43	-13.0	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	3000~10000	-44.22	-13.0	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	0.009~0.15	-48.46	-33.0	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	0.15~30	-54.77	-23.0	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	30~1000	-53.19	-13.0	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	1000~3000	-46.70	-13.0	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	3000~10000	-44.92	-13.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	0.009~0.15	-47.38	-33.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	0.15~30	-55.12	-23.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	30~1000	-56.57	-13.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	1000~3000	-43.29	-13.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	3000~10000	-44.54	-13.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	0.009~0.15	-49.23	-33.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	0.15~30	-56.22	-23.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	30~1000	-57.21	-13.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	1000~3000	-42.91	-13.0	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	3000~10000	-44.79	-13.0	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	0.009~0.15	-48.40	-33.0	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	0.15~30	-56.78	-23.0	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	30~1000	-54.64	-13.0	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1000~3000	-46.77	-13.0	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	3000~10000	-43.31	-13.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	0.009~0.15	-50.41	-33.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	0.15~30	-57.69	-23.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	30~1000	-55.38	-13.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	1000~3000	-43.00	-13.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	3000~10000	-44.70	-13.0	PASS

Band12	1.4MHz	QPSK	23095	1RB#5	0.009~0.15	-50.54	-33.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	0.15~30	-55.15	-23.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	30~1000	-55.92	-13.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	1000~3000	-46.70	-13.0	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	3000~10000	-44.75	-13.0	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	0.009~0.15	-45.65	-33.0	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	0.15~30	-54.91	-23.0	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	30~1000	-53.12	-13.0	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1000~3000	-46.99	-13.0	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	3000~10000	-44.95	-13.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	0.009~0.15	-48.02	-33.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	0.15~30	-55.51	-23.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	30~1000	-57.10	-13.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	1000~3000	-43.01	-13.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	3000~10000	-44.49	-13.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	0.009~0.15	-48.63	-33.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	0.15~30	-56.07	-23.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	30~1000	-56.30	-13.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	1000~3000	-46.89	-13.0	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	3000~10000	-44.78	-13.0	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	0.009~0.15	-49.08	-33.0	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	0.15~30	-54.83	-23.0	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	30~1000	-56.53	-13.0	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1000~3000	-46.60	-13.0	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	3000~10000	-44.77	-13.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	0.009~0.15	-48.91	-33.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	0.15~30	-57.66	-23.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	30~1000	-55.02	-13.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	1000~3000	-46.40	-13.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	3000~10000	-40.41	-13.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	0.009~0.15	-47.09	-33.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	0.15~30	-55.46	-23.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	30~1000	-56.36	-13.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	1000~3000	-46.77	-13.0	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	3000~10000	-44.36	-13.0	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	0.009~0.15	-48.38	-33.0	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	0.15~30	-54.19	-23.0	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	30~1000	-53.02	-13.0	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1000~3000	-46.67	-13.0	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	3000~10000	-44.88	-13.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	0.009~0.15	-49.35	-33.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	0.15~30	-56.56	-23.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	1.4MHz	16QAM	23173	1RB#0	30~1000	-56.60	-13.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	1000~3000	-46.67	-13.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	3000~10000	-44.68	-13.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	0.009~0.15	-48.57	-33.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	0.15~30	-56.76	-23.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	30~1000	-57.83	-13.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	1000~3000	-46.70	-13.0	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	3000~10000	-44.78	-13.0	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	0.009~0.15	-49.30	-33.0	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	0.15~30	-55.88	-23.0	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	30~1000	-56.00	-13.0	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1000~3000	-46.64	-13.0	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	3000~10000	-44.84	-13.0	PASS
Band12	3MHz	QPSK	23025	1RB#0	0.009~0.15	-49.34	-33.0	PASS
Band12	3MHz	QPSK	23025	1RB#0	0.15~30	-57.12	-23.0	PASS
Band12	3MHz	QPSK	23025	1RB#0	30~1000	-60.65	-13.0	PASS
Band12	3MHz	QPSK	23025	1RB#0	1000~3000	-46.94	-13.0	PASS
Band12	3MHz	QPSK	23025	1RB#0	3000~10000	-44.49	-13.0	PASS
Band12	3MHz	QPSK	23025	1RB#14	0.009~0.15	-49.13	-33.0	PASS
Band12	3MHz	QPSK	23025	1RB#14	0.15~30	-55.25	-23.0	PASS
Band12	3MHz	QPSK	23025	1RB#14	30~1000	-60.53	-13.0	PASS
Band12	3MHz	QPSK	23025	1RB#14	1000~3000	-46.78	-13.0	PASS
Band12	3MHz	QPSK	23025	1RB#14	3000~10000	-44.58	-13.0	PASS
Band12	3MHz	QPSK	23025	15RB#0	0.009~0.15	-48.04	-33.0	PASS
Band12	3MHz	QPSK	23025	15RB#0	0.15~30	-55.77	-23.0	PASS
Band12	3MHz	QPSK	23025	15RB#0	30~1000	-53.16	-13.0	PASS
Band12	3MHz	QPSK	23025	15RB#0	1000~3000	-43.20	-13.0	PASS
Band12	3MHz	QPSK	23025	15RB#0	3000~10000	-44.75	-13.0	PASS
Band12	3MHz	16QAM	23025	1RB#0	0.009~0.15	-49.15	-33.0	PASS
Band12	3MHz	16QAM	23025	1RB#0	0.15~30	-57.72	-23.0	PASS
Band12	3MHz	16QAM	23025	1RB#0	30~1000	-60.63	-13.0	PASS
Band12	3MHz	16QAM	23025	1RB#0	1000~3000	-42.79	-13.0	PASS
Band12	3MHz	16QAM	23025	1RB#0	3000~10000	-44.81	-13.0	PASS
Band12	3MHz	16QAM	23025	1RB#14	0.009~0.15	-49.51	-33.0	PASS
Band12	3MHz	16QAM	23025	1RB#14	0.15~30	-57.97	-23.0	PASS
Band12	3MHz	16QAM	23025	1RB#14	30~1000	-60.41	-13.0	PASS
Band12	3MHz	16QAM	23025	1RB#14	1000~3000	-46.55	-13.0	PASS
Band12	3MHz	16QAM	23025	1RB#14	3000~10000	-44.36	-13.0	PASS
Band12	3MHz	16QAM	23025	15RB#0	0.009~0.15	-49.26	-33.0	PASS
Band12	3MHz	16QAM	23025	15RB#0	0.15~30	-56.05	-23.0	PASS
Band12	3MHz	16QAM	23025	15RB#0	30~1000	-54.15	-13.0	PASS
Band12	3MHz	16QAM	23025	15RB#0	1000~3000	-46.74	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	3MHz	16QAM	23025	15RB#0	3000~10000	-44.82	-13.0	PASS
Band12	3MHz	QPSK	23095	1RB#0	0.009~0.15	-48.54	-33.0	PASS
Band12	3MHz	QPSK	23095	1RB#0	0.15~30	-56.03	-23.0	PASS
Band12	3MHz	QPSK	23095	1RB#0	30~1000	-60.35	-13.0	PASS
Band12	3MHz	QPSK	23095	1RB#0	1000~3000	-46.61	-13.0	PASS
Band12	3MHz	QPSK	23095	1RB#0	3000~10000	-44.64	-13.0	PASS
Band12	3MHz	QPSK	23095	1RB#14	0.009~0.15	-47.57	-33.0	PASS
Band12	3MHz	QPSK	23095	1RB#14	0.15~30	-54.75	-23.0	PASS
Band12	3MHz	QPSK	23095	1RB#14	30~1000	-60.43	-13.0	PASS
Band12	3MHz	QPSK	23095	1RB#14	1000~3000	-46.90	-13.0	PASS
Band12	3MHz	QPSK	23095	1RB#14	3000~10000	-42.35	-13.0	PASS
Band12	3MHz	QPSK	23095	15RB#0	0.009~0.15	-48.52	-33.0	PASS
Band12	3MHz	QPSK	23095	15RB#0	0.15~30	-55.84	-23.0	PASS
Band12	3MHz	QPSK	23095	15RB#0	30~1000	-53.01	-13.0	PASS
Band12	3MHz	QPSK	23095	15RB#0	1000~3000	-46.48	-13.0	PASS
Band12	3MHz	QPSK	23095	15RB#0	3000~10000	-44.76	-13.0	PASS
Band12	3MHz	16QAM	23095	1RB#0	0.009~0.15	-48.05	-33.0	PASS
Band12	3MHz	16QAM	23095	1RB#0	0.15~30	-56.39	-23.0	PASS
Band12	3MHz	16QAM	23095	1RB#0	30~1000	-60.73	-13.0	PASS
Band12	3MHz	16QAM	23095	1RB#0	1000~3000	-46.81	-13.0	PASS
Band12	3MHz	16QAM	23095	1RB#0	3000~10000	-44.85	-13.0	PASS
Band12	3MHz	16QAM	23095	1RB#14	0.009~0.15	-47.59	-33.0	PASS
Band12	3MHz	16QAM	23095	1RB#14	0.15~30	-55.33	-23.0	PASS
Band12	3MHz	16QAM	23095	1RB#14	30~1000	-60.52	-13.0	PASS
Band12	3MHz	16QAM	23095	1RB#14	1000~3000	-46.90	-13.0	PASS
Band12	3MHz	16QAM	23095	1RB#14	3000~10000	-44.21	-13.0	PASS
Band12	3MHz	16QAM	23095	15RB#0	0.009~0.15	-45.30	-33.0	PASS
Band12	3MHz	16QAM	23095	15RB#0	0.15~30	-55.67	-23.0	PASS
Band12	3MHz	16QAM	23095	15RB#0	30~1000	-53.92	-13.0	PASS
Band12	3MHz	16QAM	23095	15RB#0	1000~3000	-43.25	-13.0	PASS
Band12	3MHz	16QAM	23095	15RB#0	3000~10000	-44.70	-13.0	PASS
Band12	3MHz	QPSK	23165	1RB#0	0.009~0.15	-48.95	-33.0	PASS
Band12	3MHz	QPSK	23165	1RB#0	0.15~30	-54.71	-23.0	PASS
Band12	3MHz	QPSK	23165	1RB#0	30~1000	-60.61	-13.0	PASS
Band12	3MHz	QPSK	23165	1RB#0	1000~3000	-42.66	-13.0	PASS
Band12	3MHz	QPSK	23165	1RB#0	3000~10000	-44.92	-13.0	PASS
Band12	3MHz	QPSK	23165	1RB#14	0.009~0.15	-46.44	-33.0	PASS
Band12	3MHz	QPSK	23165	1RB#14	0.15~30	-57.16	-23.0	PASS
Band12	3MHz	QPSK	23165	1RB#14	30~1000	-60.49	-13.0	PASS
Band12	3MHz	QPSK	23165	1RB#14	1000~3000	-46.62	-13.0	PASS
Band12	3MHz	QPSK	23165	1RB#14	3000~10000	-44.50	-13.0	PASS
Band12	3MHz	QPSK	23165	15RB#0	0.009~0.15	-46.19	-33.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	3MHz	QPSK	23165	15RB#0	0.15~30	-54.27	-23.0	PASS
Band12	3MHz	QPSK	23165	15RB#0	30~1000	-52.50	-13.0	PASS
Band12	3MHz	QPSK	23165	15RB#0	1000~3000	-42.38	-13.0	PASS
Band12	3MHz	QPSK	23165	15RB#0	3000~10000	-44.55	-13.0	PASS
Band12	3MHz	16QAM	23165	1RB#0	0.009~0.15	-48.89	-33.0	PASS
Band12	3MHz	16QAM	23165	1RB#0	0.15~30	-55.69	-23.0	PASS
Band12	3MHz	16QAM	23165	1RB#0	30~1000	-60.57	-13.0	PASS
Band12	3MHz	16QAM	23165	1RB#0	1000~3000	-46.66	-13.0	PASS
Band12	3MHz	16QAM	23165	1RB#0	3000~10000	-45.01	-13.0	PASS
Band12	3MHz	16QAM	23165	1RB#14	0.009~0.15	-48.91	-33.0	PASS
Band12	3MHz	16QAM	23165	1RB#14	0.15~30	-56.55	-23.0	PASS
Band12	3MHz	16QAM	23165	1RB#14	30~1000	-60.55	-13.0	PASS
Band12	3MHz	16QAM	23165	1RB#14	1000~3000	-46.61	-13.0	PASS
Band12	3MHz	16QAM	23165	1RB#14	3000~10000	-44.62	-13.0	PASS
Band12	3MHz	16QAM	23165	15RB#0	0.009~0.15	-45.81	-33.0	PASS
Band12	3MHz	16QAM	23165	15RB#0	0.15~30	-55.57	-23.0	PASS
Band12	3MHz	16QAM	23165	15RB#0	30~1000	-54.55	-13.0	PASS
Band12	3MHz	16QAM	23165	15RB#0	1000~3000	-46.58	-13.0	PASS
Band12	3MHz	16QAM	23165	15RB#0	3000~10000	-44.43	-13.0	PASS
Band12	5MHz	QPSK	23035	1RB#0	0.009~0.15	-47.34	-33.0	PASS
Band12	5MHz	QPSK	23035	1RB#0	0.15~30	-54.63	-23.0	PASS
Band12	5MHz	QPSK	23035	1RB#0	30~1000	-60.78	-13.0	PASS
Band12	5MHz	QPSK	23035	1RB#0	1000~3000	-46.60	-13.0	PASS
Band12	5MHz	QPSK	23035	1RB#0	3000~10000	-44.66	-13.0	PASS
Band12	5MHz	QPSK	23035	1RB#24	0.009~0.15	-48.69	-33.0	PASS
Band12	5MHz	QPSK	23035	1RB#24	0.15~30	-54.20	-23.0	PASS
Band12	5MHz	QPSK	23035	1RB#24	30~1000	-60.63	-13.0	PASS
Band12	5MHz	QPSK	23035	1RB#24	1000~3000	-46.82	-13.0	PASS
Band12	5MHz	QPSK	23035	1RB#24	3000~10000	-44.41	-13.0	PASS
Band12	5MHz	QPSK	23035	25RB#0	0.009~0.15	-47.25	-33.0	PASS
Band12	5MHz	QPSK	23035	25RB#0	0.15~30	-56.48	-23.0	PASS
Band12	5MHz	QPSK	23035	25RB#0	30~1000	-54.42	-13.0	PASS
Band12	5MHz	QPSK	23035	25RB#0	1000~3000	-46.53	-13.0	PASS
Band12	5MHz	QPSK	23035	25RB#0	3000~10000	-43.63	-13.0	PASS
Band12	5MHz	16QAM	23035	1RB#0	0.009~0.15	-49.17	-33.0	PASS
Band12	5MHz	16QAM	23035	1RB#0	0.15~30	-56.54	-23.0	PASS
Band12	5MHz	16QAM	23035	1RB#0	30~1000	-60.78	-13.0	PASS
Band12	5MHz	16QAM	23035	1RB#0	1000~3000	-45.62	-13.0	PASS
Band12	5MHz	16QAM	23035	1RB#0	3000~10000	-44.65	-13.0	PASS
Band12	5MHz	16QAM	23035	1RB#24	0.009~0.15	-47.66	-33.0	PASS
Band12	5MHz	16QAM	23035	1RB#24	0.15~30	-56.04	-23.0	PASS
Band12	5MHz	16QAM	23035	1RB#24	30~1000	-60.69	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	5MHz	16QAM	23035	1RB#24	1000~3000	-46.84	-13.0	PASS
Band12	5MHz	16QAM	23035	1RB#24	3000~10000	-44.60	-13.0	PASS
Band12	5MHz	16QAM	23035	25RB#0	0.009~0.15	-47.90	-33.0	PASS
Band12	5MHz	16QAM	23035	25RB#0	0.15~30	-55.09	-23.0	PASS
Band12	5MHz	16QAM	23035	25RB#0	30~1000	-56.29	-13.0	PASS
Band12	5MHz	16QAM	23035	25RB#0	1000~3000	-46.77	-13.0	PASS
Band12	5MHz	16QAM	23035	25RB#0	3000~10000	-44.88	-13.0	PASS
Band12	5MHz	QPSK	23095	1RB#0	0.009~0.15	-49.23	-33.0	PASS
Band12	5MHz	QPSK	23095	1RB#0	0.15~30	-55.47	-23.0	PASS
Band12	5MHz	QPSK	23095	1RB#0	30~1000	-60.49	-13.0	PASS
Band12	5MHz	QPSK	23095	1RB#0	1000~3000	-46.88	-13.0	PASS
Band12	5MHz	QPSK	23095	1RB#0	3000~10000	-44.35	-13.0	PASS
Band12	5MHz	QPSK	23095	1RB#24	0.009~0.15	-48.44	-33.0	PASS
Band12	5MHz	QPSK	23095	1RB#24	0.15~30	-56.34	-23.0	PASS
Band12	5MHz	QPSK	23095	1RB#24	30~1000	-60.76	-13.0	PASS
Band12	5MHz	QPSK	23095	1RB#24	1000~3000	-43.13	-13.0	PASS
Band12	5MHz	QPSK	23095	1RB#24	3000~10000	-44.68	-13.0	PASS
Band12	5MHz	QPSK	23095	25RB#0	0.009~0.15	-48.32	-33.0	PASS
Band12	5MHz	QPSK	23095	25RB#0	0.15~30	-54.81	-23.0	PASS
Band12	5MHz	QPSK	23095	25RB#0	30~1000	-56.00	-13.0	PASS
Band12	5MHz	QPSK	23095	25RB#0	1000~3000	-46.97	-13.0	PASS
Band12	5MHz	QPSK	23095	25RB#0	3000~10000	-44.50	-13.0	PASS
Band12	5MHz	16QAM	23095	1RB#0	0.009~0.15	-49.23	-33.0	PASS
Band12	5MHz	16QAM	23095	1RB#0	0.15~30	-54.56	-23.0	PASS
Band12	5MHz	16QAM	23095	1RB#0	30~1000	-60.59	-13.0	PASS
Band12	5MHz	16QAM	23095	1RB#0	1000~3000	-43.03	-13.0	PASS
Band12	5MHz	16QAM	23095	1RB#0	3000~10000	-44.47	-13.0	PASS
Band12	5MHz	16QAM	23095	1RB#24	0.009~0.15	-47.28	-33.0	PASS
Band12	5MHz	16QAM	23095	1RB#24	0.15~30	-55.37	-23.0	PASS
Band12	5MHz	16QAM	23095	1RB#24	30~1000	-60.70	-13.0	PASS
Band12	5MHz	16QAM	23095	1RB#24	1000~3000	-46.45	-13.0	PASS
Band12	5MHz	16QAM	23095	1RB#24	3000~10000	-44.66	-13.0	PASS
Band12	5MHz	16QAM	23095	25RB#0	0.009~0.15	-47.72	-33.0	PASS
Band12	5MHz	16QAM	23095	25RB#0	0.15~30	-54.68	-23.0	PASS
Band12	5MHz	16QAM	23095	25RB#0	30~1000	-57.09	-13.0	PASS
Band12	5MHz	16QAM	23095	25RB#0	1000~3000	-46.56	-13.0	PASS
Band12	5MHz	16QAM	23095	25RB#0	3000~10000	-44.84	-13.0	PASS
Band12	5MHz	QPSK	23155	1RB#0	0.009~0.15	-47.97	-33.0	PASS
Band12	5MHz	QPSK	23155	1RB#0	0.15~30	-56.55	-23.0	PASS
Band12	5MHz	QPSK	23155	1RB#0	30~1000	-60.76	-13.0	PASS
Band12	5MHz	QPSK	23155	1RB#0	1000~3000	-46.73	-13.0	PASS
Band12	5MHz	QPSK	23155	1RB#0	3000~10000	-44.75	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	5MHz	QPSK	23155	1RB#24	0.009~0.15	-49.07	-33.0	PASS
Band12	5MHz	QPSK	23155	1RB#24	0.15~30	-55.98	-23.0	PASS
Band12	5MHz	QPSK	23155	1RB#24	30~1000	-60.87	-13.0	PASS
Band12	5MHz	QPSK	23155	1RB#24	1000~3000	-43.08	-13.0	PASS
Band12	5MHz	QPSK	23155	1RB#24	3000~10000	-44.75	-13.0	PASS
Band12	5MHz	QPSK	23155	25RB#0	0.009~0.15	-48.87	-33.0	PASS
Band12	5MHz	QPSK	23155	25RB#0	0.15~30	-54.48	-23.0	PASS
Band12	5MHz	QPSK	23155	25RB#0	30~1000	-53.76	-13.0	PASS
Band12	5MHz	QPSK	23155	25RB#0	1000~3000	-42.49	-13.0	PASS
Band12	5MHz	QPSK	23155	25RB#0	3000~10000	-44.71	-13.0	PASS
Band12	5MHz	16QAM	23155	1RB#0	0.009~0.15	-47.60	-33.0	PASS
Band12	5MHz	16QAM	23155	1RB#0	0.15~30	-56.74	-23.0	PASS
Band12	5MHz	16QAM	23155	1RB#0	30~1000	-60.52	-13.0	PASS
Band12	5MHz	16QAM	23155	1RB#0	1000~3000	-46.81	-13.0	PASS
Band12	5MHz	16QAM	23155	1RB#0	3000~10000	-44.93	-13.0	PASS
Band12	5MHz	16QAM	23155	1RB#24	0.009~0.15	-48.15	-33.0	PASS
Band12	5MHz	16QAM	23155	1RB#24	0.15~30	-56.55	-23.0	PASS
Band12	5MHz	16QAM	23155	1RB#24	30~1000	-60.54	-13.0	PASS
Band12	5MHz	16QAM	23155	1RB#24	1000~3000	-46.67	-13.0	PASS
Band12	5MHz	16QAM	23155	1RB#24	3000~10000	-44.95	-13.0	PASS
Band12	5MHz	16QAM	23155	25RB#0	0.009~0.15	-49.82	-33.0	PASS
Band12	5MHz	16QAM	23155	25RB#0	0.15~30	-53.91	-23.0	PASS
Band12	5MHz	16QAM	23155	25RB#0	30~1000	-55.61	-13.0	PASS
Band12	5MHz	16QAM	23155	25RB#0	1000~3000	-46.41	-13.0	PASS
Band12	5MHz	16QAM	23155	25RB#0	3000~10000	-44.70	-13.0	PASS
Band12	10MHz	QPSK	23060	1RB#0	0.009~0.15	-50.27	-33.0	PASS
Band12	10MHz	QPSK	23060	1RB#0	0.15~30	-52.87	-23.0	PASS
Band12	10MHz	QPSK	23060	1RB#0	30~1000	-60.27	-13.0	PASS
Band12	10MHz	QPSK	23060	1RB#0	1000~3000	-46.65	-13.0	PASS
Band12	10MHz	QPSK	23060	1RB#0	3000~10000	-44.44	-13.0	PASS
Band12	10MHz	QPSK	23060	1RB#49	0.009~0.15	-48.21	-33.0	PASS
Band12	10MHz	QPSK	23060	1RB#49	0.15~30	-56.40	-23.0	PASS
Band12	10MHz	QPSK	23060	1RB#49	30~1000	-60.61	-13.0	PASS
Band12	10MHz	QPSK	23060	1RB#49	1000~3000	-46.85	-13.0	PASS
Band12	10MHz	QPSK	23060	1RB#49	3000~10000	-44.50	-13.0	PASS
Band12	10MHz	QPSK	23060	50RB#0	0.009~0.15	-48.59	-33.0	PASS
Band12	10MHz	QPSK	23060	50RB#0	0.15~30	-56.76	-23.0	PASS
Band12	10MHz	QPSK	23060	50RB#0	30~1000	-60.65	-13.0	PASS
Band12	10MHz	QPSK	23060	50RB#0	1000~3000	-46.77	-13.0	PASS
Band12	10MHz	QPSK	23060	50RB#0	3000~10000	-44.87	-13.0	PASS
Band12	10MHz	16QAM	23060	1RB#0	0.009~0.15	-49.71	-33.0	PASS
Band12	10MHz	16QAM	23060	1RB#0	0.15~30	-54.55	-23.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	10MHz	16QAM	23060	1RB#0	30~1000	-60.59	-13.0	PASS
Band12	10MHz	16QAM	23060	1RB#0	1000~3000	-46.24	-13.0	PASS
Band12	10MHz	16QAM	23060	1RB#0	3000~10000	-44.67	-13.0	PASS
Band12	10MHz	16QAM	23060	1RB#49	0.009~0.15	-47.93	-33.0	PASS
Band12	10MHz	16QAM	23060	1RB#49	0.15~30	-53.88	-23.0	PASS
Band12	10MHz	16QAM	23060	1RB#49	30~1000	-60.35	-13.0	PASS
Band12	10MHz	16QAM	23060	1RB#49	1000~3000	-46.33	-13.0	PASS
Band12	10MHz	16QAM	23060	1RB#49	3000~10000	-44.89	-13.0	PASS
Band12	10MHz	16QAM	23060	50RB#0	0.009~0.15	-47.12	-33.0	PASS
Band12	10MHz	16QAM	23060	50RB#0	0.15~30	-56.13	-23.0	PASS
Band12	10MHz	16QAM	23060	50RB#0	30~1000	-60.46	-13.0	PASS
Band12	10MHz	16QAM	23060	50RB#0	1000~3000	-46.59	-13.0	PASS
Band12	10MHz	16QAM	23060	50RB#0	3000~10000	-44.55	-13.0	PASS
Band12	10MHz	QPSK	23095	1RB#0	0.009~0.15	-48.44	-33.0	PASS
Band12	10MHz	QPSK	23095	1RB#0	0.15~30	-55.32	-23.0	PASS
Band12	10MHz	QPSK	23095	1RB#0	30~1000	-60.75	-13.0	PASS
Band12	10MHz	QPSK	23095	1RB#0	1000~3000	-42.96	-13.0	PASS
Band12	10MHz	QPSK	23095	1RB#0	3000~10000	-44.60	-13.0	PASS
Band12	10MHz	QPSK	23095	1RB#49	0.009~0.15	-48.01	-33.0	PASS
Band12	10MHz	QPSK	23095	1RB#49	0.15~30	-55.15	-23.0	PASS
Band12	10MHz	QPSK	23095	1RB#49	30~1000	-60.34	-13.0	PASS
Band12	10MHz	QPSK	23095	1RB#49	1000~3000	-46.82	-13.0	PASS
Band12	10MHz	QPSK	23095	1RB#49	3000~10000	-44.94	-13.0	PASS
Band12	10MHz	QPSK	23095	50RB#0	0.009~0.15	-48.57	-33.0	PASS
Band12	10MHz	QPSK	23095	50RB#0	0.15~30	-54.81	-23.0	PASS
Band12	10MHz	QPSK	23095	50RB#0	30~1000	-60.25	-13.0	PASS
Band12	10MHz	QPSK	23095	50RB#0	1000~3000	-46.41	-13.0	PASS
Band12	10MHz	QPSK	23095	50RB#0	3000~10000	-44.79	-13.0	PASS
Band12	10MHz	16QAM	23095	1RB#0	0.009~0.15	-48.42	-33.0	PASS
Band12	10MHz	16QAM	23095	1RB#0	0.15~30	-56.28	-23.0	PASS
Band12	10MHz	16QAM	23095	1RB#0	30~1000	-60.87	-13.0	PASS
Band12	10MHz	16QAM	23095	1RB#0	1000~3000	-46.49	-13.0	PASS
Band12	10MHz	16QAM	23095	1RB#0	3000~10000	-44.33	-13.0	PASS
Band12	10MHz	16QAM	23095	1RB#49	0.009~0.15	-48.69	-33.0	PASS
Band12	10MHz	16QAM	23095	1RB#49	0.15~30	-56.33	-23.0	PASS
Band12	10MHz	16QAM	23095	1RB#49	30~1000	-60.37	-13.0	PASS
Band12	10MHz	16QAM	23095	1RB#49	1000~3000	-46.97	-13.0	PASS
Band12	10MHz	16QAM	23095	1RB#49	3000~10000	-44.70	-13.0	PASS
Band12	10MHz	16QAM	23095	50RB#0	0.009~0.15	-48.67	-33.0	PASS
Band12	10MHz	16QAM	23095	50RB#0	0.15~30	-56.10	-23.0	PASS
Band12	10MHz	16QAM	23095	50RB#0	30~1000	-60.28	-13.0	PASS
Band12	10MHz	16QAM	23095	50RB#0	1000~3000	-46.64	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Band12	10MHz	16QAM	23095	50RB#0	3000~10000	-44.68	-13.0	PASS
Band12	10MHz	QPSK	23130	1RB#0	0.009~0.15	-47.49	-33.0	PASS
Band12	10MHz	QPSK	23130	1RB#0	0.15~30	-55.49	-23.0	PASS
Band12	10MHz	QPSK	23130	1RB#0	30~1000	-60.63	-13.0	PASS
Band12	10MHz	QPSK	23130	1RB#0	1000~3000	-46.76	-13.0	PASS
Band12	10MHz	QPSK	23130	1RB#0	3000~10000	-44.48	-13.0	PASS
Band12	10MHz	QPSK	23130	1RB#49	0.009~0.15	-48.11	-33.0	PASS
Band12	10MHz	QPSK	23130	1RB#49	0.15~30	-55.35	-23.0	PASS
Band12	10MHz	QPSK	23130	1RB#49	30~1000	-60.79	-13.0	PASS
Band12	10MHz	QPSK	23130	1RB#49	1000~3000	-46.89	-13.0	PASS
Band12	10MHz	QPSK	23130	1RB#49	3000~10000	-44.69	-13.0	PASS
Band12	10MHz	QPSK	23130	50RB#0	0.009~0.15	-47.20	-33.0	PASS
Band12	10MHz	QPSK	23130	50RB#0	0.15~30	-56.56	-23.0	PASS
Band12	10MHz	QPSK	23130	50RB#0	30~1000	-60.62	-13.0	PASS
Band12	10MHz	QPSK	23130	50RB#0	1000~3000	-46.91	-13.0	PASS
Band12	10MHz	QPSK	23130	50RB#0	3000~10000	-44.39	-13.0	PASS
Band12	10MHz	16QAM	23130	1RB#0	0.009~0.15	-48.22	-33.0	PASS
Band12	10MHz	16QAM	23130	1RB#0	0.15~30	-55.72	-23.0	PASS
Band12	10MHz	16QAM	23130	1RB#0	30~1000	-60.25	-13.0	PASS
Band12	10MHz	16QAM	23130	1RB#0	1000~3000	-46.66	-13.0	PASS
Band12	10MHz	16QAM	23130	1RB#0	3000~10000	-44.64	-13.0	PASS
Band12	10MHz	16QAM	23130	1RB#49	0.009~0.15	-47.24	-33.0	PASS
Band12	10MHz	16QAM	23130	1RB#49	0.15~30	-55.88	-23.0	PASS
Band12	10MHz	16QAM	23130	1RB#49	30~1000	-60.56	-13.0	PASS
Band12	10MHz	16QAM	23130	1RB#49	1000~3000	-43.83	-13.0	PASS
Band12	10MHz	16QAM	23130	1RB#49	3000~10000	-44.52	-13.0	PASS
Band12	10MHz	16QAM	23130	50RB#0	0.009~0.15	-49.51	-33.0	PASS
Band12	10MHz	16QAM	23130	50RB#0	0.15~30	-56.38	-23.0	PASS
Band12	10MHz	16QAM	23130	50RB#0	30~1000	-60.55	-13.0	PASS
Band12	10MHz	16QAM	23130	50RB#0	1000~3000	-47.00	-13.0	PASS
Band12	10MHz	16QAM	23130	50RB#0	3000~10000	-44.87	-13.0	PASS

Test Graphs

