



6.2.3 B48_15MHz




Band48 15MHz QPSK LCH 3557.5MHz RB 75 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.62	/	/	/	/
Adjacent	-15	15.00	-25.17	-45.79	-30	15.79	Pass
Adjacent	15	15.00	-26.71	-47.33	-30	17.33	Pass

Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	22.39	/	/	/	/
Adjacent	-15	15.00	-21.81	-44.20	-30	14.20	Pass
Adjacent	15	15.00	-34.08	-56.47	-30	26.47	Pass

Band48 15MHz QPSK MCH 3625MHz RB 1 74 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	22.50	/	/	/	/
Adjacent	-15	15.00	-33.75	-56.25	-30	26.25	Pass
Adjacent	15	15.00	-22.34	-44.84	-30	14.84	Pass

Band48 15MHz QPSK MCH 3625MHz RB 75 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	21.14	/	/	/	/
Adjacent	-15	15.00	-22.83	-43.97	-30	13.97	Pass
Adjacent	15	15.00	-21.81	-42.95	-30	12.95	Pass


Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTV



Band48 15MHz QPSK HCH 3692.5MHz RB 1 74 NTV




Band48 15MHz QPSK HCH 3692.5MHz RB 75 0 NTNV




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.79	/	/	/	/
Adjacent	-15	15.00	-18.84	-39.63	-30	9.63	Pass
Adjacent	15	15.00	-18.22	-39.01	-30	9.01	Pass

Band48 15MHz 16QAM LCH 3557.5MHz RB 1 0 NTNV




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.55	/	/	/	/
Adjacent	-15	15.00	-22.92	-43.47	-30	13.47	Pass
Adjacent	15	15.00	-36.19	-56.74	-30	26.74	Pass

Band48 15MHz 16QAM LCH 3557.5MHz RB 1 74 NTV




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.56	/	/	/	/
Adjacent	-15	15.00	-35.47	-56.03	-30	26.03	Pass
Adjacent	15	15.00	-23.12	-43.68	-30	13.68	Pass

Band48 15MHz 16QAM LCH 3557.5MHz RB 75 0 NTV




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.69	/	/	/	/
Adjacent	-15	15.00	-27.46	-47.15	-30	17.15	Pass
Adjacent	15	15.00	-28.51	-48.20	-30	18.20	Pass

Band48 15MHz 16QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	21.31	/	/	/	/
Adjacent	-15	15.00	-23.62	-44.93	-30	14.93	Pass
Adjacent	15	15.00	-34.28	-55.59	-30	25.59	Pass

Band48 15MHz 16QAM MCH 3625MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	21.32	/	/	/	/
Adjacent	-15	15.00	-33.90	-55.22	-30	25.22	Pass
Adjacent	15	15.00	-23.24	-44.56	-30	14.56	Pass

Band48 15MHz 16QAM MCH 3625MHz RB 75 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.47	/	/	/	/
Adjacent	-15	15.00	-24.71	-45.18	-30	15.18	Pass
Adjacent	15	15.00	-23.78	-44.25	-30	14.25	Pass

Band48 15MHz 16QAM HCH 3692.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.45	/	/	/	/
Adjacent	-15	15.00	-23.72	-44.17	-30	14.17	Pass
Adjacent	15	15.00	-34.89	-55.34	-30	25.34	Pass

Band48 15MHz 16QAM HCH 3692.5MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.16	/	/	/	/
Adjacent	-15	15.00	-34.28	-54.44	-30	24.44	Pass
Adjacent	15	15.00	-24.02	-44.18	-30	14.18	Pass

Band48 15MHz 16QAM HCH 3692.5MHz RB 75 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.98	/	/	/	/
Adjacent	-15	15.00	-20.39	-40.37	-30	10.37	Pass
Adjacent	15	15.00	-19.51	-39.49	-30	9.49	Pass

Band48 15MHz 64QAM LCH 3557.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.44	/	/	/	/
Adjacent	-15	15.00	-24.31	-43.75	-30	13.75	Pass
Adjacent	15	15.00	-37.32	-56.76	-30	26.76	Pass

Band48 15MHz 64QAM LCH 3557.5MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.65	/	/	/	/
Adjacent	-15	15.00	-36.68	-56.33	-30	26.33	Pass
Adjacent	15	15.00	-25.34	-44.99	-30	14.99	Pass

Band48 15MHz 64QAM LCH 3557.5MHz RB 75 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.58	/	/	/	/
Adjacent	-15	15.00	-30.17	-48.75	-30	18.75	Pass
Adjacent	15	15.00	-31.44	-50.02	-30	20.02	Pass

Band48 15MHz 64QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.20	/	/	/	/
Adjacent	-15	15.00	-25.61	-45.81	-30	15.81	Pass
Adjacent	15	15.00	-35.41	-55.61	-30	25.61	Pass

Band48 15MHz 64QAM MCH 3625MHz RB 1 74 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.67	/	/	/	/
Adjacent	-15	15.00	-34.94	-55.61	-30	25.61	Pass
Adjacent	15	15.00	-24.78	-45.45	-30	15.45	Pass

Band48 15MHz 64QAM MCH 3625MHz RB 75_0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.54	/	/	/	/
Adjacent	-15	15.00	-27.12	-46.66	-30	16.66	Pass
Adjacent	15	15.00	-26.14	-45.68	-30	15.68	Pass

Band48 15MHz 64QAM HCH 3692.5MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.35	/	/	/	/
Adjacent	-15	15.00	-25.58	-44.93	-30	14.93	Pass
Adjacent	15	15.00	-35.87	-55.22	-30	25.22	Pass

Band48 15MHz 64QAM HCH 3692.5MHz RB 1 74 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.90	/	/	/	/
Adjacent	-15	15.00	-35.60	-55.50	-30	25.50	Pass
Adjacent	15	15.00	-25.56	-45.46	-30	15.46	Pass

Band48 15MHz 64QAM HCH 3692.5MHz RB 75 0 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.19	/	/	/	/
Adjacent	-15	15.00	-22.87	-42.06	-30	12.06	Pass
Adjacent	15	15.00	-21.61	-40.80	-30	10.80	Pass

Band48 15MHz 256QAM LCH 3557.5MHz RB 1 0 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.42	/	/	/	/
Adjacent	-15	15.00	-27.81	-44.23	-30	14.23	Pass
Adjacent	15	15.00	-39.32	-55.74	-30	25.74	Pass

Band48 15MHz 256QAM LCH 3557.5MHz RB 1 74 NTN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.85	/	/	/	/
Adjacent	-15	15.00	-38.77	-55.62	-30	25.62	Pass
Adjacent	15	15.00	-26.52	-43.37	-30	13.37	Pass

Band48 15MHz 256QAM LCH 3557.5MHz RB 75 0 NTN




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.58	/	/	/	/
Adjacent	-15	15.00	-32.74	-49.32	-30	19.32	Pass
Adjacent	15	15.00	-32.81	-49.39	-30	19.39	Pass


Band48 15MHz 256QAM MCH 3625MHz RB 1 0 NTN



Band48 15MHz 256QAM MCH 3625MHz RB 1 74 NTN




Band48 15MHz 256QAM MCH 3625MHz RB 75 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.42	/	/	/	/
Adjacent	-15	15.00	-29.51	-46.93	-30	16.93	Pass
Adjacent	15	15.00	-28.60	-46.02	-30	16.02	Pass

Band48 15MHz 256QAM HCH 3692.5MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.85	/	/	/	/
Adjacent	-15	15.00	-24.93	-41.78	-30	11.78	Pass
Adjacent	15	15.00	-37.49	-54.34	-30	24.34	Pass

Band48 15MHz 256QAM HCH 3692.5MHz RB 1 74 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.73	/	/	/	/
Adjacent	-15	15.00	-37.02	-53.75	-30	23.75	Pass
Adjacent	15	15.00	-25.44	-42.17	-30	12.17	Pass

Band48 15MHz 256QAM HCH 3692.5MHz RB 75 0 NTVN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.79	/	/	/	/
Adjacent	-15	15.00	-26.08	-42.87	-30	12.87	Pass
Adjacent	15	15.00	-25.36	-42.15	-30	12.15	Pass

6.2.4 B48_20MHz




Band48 20MHz QPSK LCH 3560MHz RB 100 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.56	/	/	/	/
Adjacent	-20	20.00	-24.46	-46.02	-30	16.02	Pass
Adjacent	20	20.00	-25.45	-47.01	-30	17.01	Pass

Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.94	/	/	/	/
Adjacent	-20	20.00	-24.75	-46.69	-30	16.69	Pass
Adjacent	20	20.00	-33.69	-55.63	-30	25.63	Pass

Band48 20MHz QPSK MCH 3625MHz RB 1 99 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	22.67	/	/	/	/
Adjacent	-20	20.00	-33.01	-55.68	-30	25.68	Pass
Adjacent	20	20.00	-24.12	-46.79	-30	16.79	Pass

Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.30	/	/	/	/
Adjacent	-20	20.00	-23.06	-44.36	-30	14.36	Pass
Adjacent	20	20.00	-21.92	-43.22	-30	13.22	Pass


Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV



Band48 20MHz QPSK HCH 3690MHz RB 1 99 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 100 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.96	/	/	/	/
Adjacent	-20	20.00	-19.09	-40.05	-30	10.05	Pass
Adjacent	20	20.00	-18.08	-39.04	-30	9.04	Pass

Band48 20MHz 16QAM LCH 3560MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.99	/	/	/	/
Adjacent	-20	20.00	-24.49	-46.48	-30	16.48	Pass
Adjacent	20	20.00	-33.62	-55.61	-30	25.61	Pass

Band48 20MHz 16QAM LCH 3560MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.26	/	/	/	/
Adjacent	-20	20.00	-32.55	-53.81	-30	23.81	Pass
Adjacent	20	20.00	-25.45	-46.71	-30	16.71	Pass

Band48 20MHz 16QAM LCH 3560MHz RB 100 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.85	/	/	/	/
Adjacent	-20	20.00	-25.97	-46.82	-30	16.82	Pass
Adjacent	20	20.00	-27.41	-48.26	-30	18.26	Pass

Band48 20MHz 16QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.80	/	/	/	/
Adjacent	-20	20.00	-24.92	-45.72	-30	15.72	Pass
Adjacent	20	20.00	-34.33	-55.13	-30	25.13	Pass

Band48 20MHz 16QAM MCH 3625MHz RB 1 99 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.22	/	/	/	/
Adjacent	-20	20.00	-33.29	-54.51	-30	24.51	Pass
Adjacent	20	20.00	-24.05	-45.27	-30	15.27	Pass

Band48 20MHz 16QAM MCH 3625MHz RB 100 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.54	/	/	/	/
Adjacent	-20	20.00	-24.79	-45.33	-30	15.33	Pass
Adjacent	20	20.00	-23.66	-44.20	-30	14.20	Pass

Band48 20MHz 16QAM HCH 3690MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.32	/	/	/	/
Adjacent	-20	20.00	-25.26	-45.58	-30	15.58	Pass
Adjacent	20	20.00	-34.35	-54.67	-30	24.67	Pass

Band48 20MHz 16QAM HCH 3690MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.15	/	/	/	/
Adjacent	-20	20.00	-33.70	-54.85	-30	24.85	Pass
Adjacent	20	20.00	-25.61	-46.76	-30	16.76	Pass

Band48 20MHz 16QAM HCH 3690MHz RB 100 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.10	/	/	/	/
Adjacent	-20	20.00	-20.43	-40.53	-30	10.53	Pass
Adjacent	20	20.00	-19.20	-39.30	-30	9.30	Pass

Band48 20MHz 64QAM LCH 3560MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.90	/	/	/	/
Adjacent	-20	20.00	-26.65	-47.55	-30	17.55	Pass
Adjacent	20	20.00	-34.53	-55.43	-30	25.43	Pass

Band48 20MHz 64QAM LCH 3560MHz RB 1 99 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.57	/	/	/	/
Adjacent	-20	20.00	-33.20	-53.77	-30	23.77	Pass
Adjacent	20	20.00	-28.69	-49.26	-30	19.26	Pass

Band48 20MHz 64QAM LCH 3560MHz RB 100 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.70	/	/	/	/
Adjacent	-20	20.00	-29.32	-49.02	-30	19.02	Pass
Adjacent	20	20.00	-30.03	-49.73	-30	19.73	Pass

Band48 20MHz 64QAM MCH 3625MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.98	/	/	/	/
Adjacent	-20	20.00	-27.00	-46.98	-30	16.98	Pass
Adjacent	20	20.00	-35.44	-55.42	-30	25.42	Pass

Band48 20MHz 64QAM MCH 3625MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.59	/	/	/	/
Adjacent	-20	20.00	-34.23	-54.82	-30	24.82	Pass
Adjacent	20	20.00	-27.93	-48.52	-30	18.52	Pass

Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.56	/	/	/	/
Adjacent	-20	20.00	-27.75	-47.31	-30	17.31	Pass
Adjacent	20	20.00	-26.19	-45.75	-30	15.75	Pass

Band48 20MHz 64QAM HCH 3690MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.82	/	/	/	/
Adjacent	-20	20.00	-28.00	-47.82	-30	17.82	Pass
Adjacent	20	20.00	-35.60	-55.42	-30	25.42	Pass

Band48 20MHz 64QAM HCH 3690MHz RB 1 99 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.59	/	/	/	/
Adjacent	-20	20.00	-35.23	-54.82	-30	24.82	Pass
Adjacent	20	20.00	-28.63	-48.22	-30	18.22	Pass

Band48 20MHz 64QAM HCH 3690MHz RB 100 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.14	/	/	/	/
Adjacent	-20	20.00	-22.89	-42.03	-30	12.03	Pass
Adjacent	20	20.00	-21.56	-40.70	-30	10.70	Pass

Band48 20MHz 256QAM LCH 3560MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.47	/	/	/	/
Adjacent	-20	20.00	-27.10	-45.57	-30	15.57	Pass
Adjacent	20	20.00	-35.67	-54.14	-30	24.14	Pass

Band48 20MHz 256QAM LCH 3560MHz RB 1 99 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.61	/	/	/	/
Adjacent	-20	20.00	-34.60	-52.21	-30	22.21	Pass
Adjacent	20	20.00	-28.07	-45.68	-30	15.68	Pass

Band48 20MHz 256QAM LCH 3560MHz RB 100 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.86	/	/	/	/
Adjacent	-20	20.00	-31.76	-49.62	-30	19.62	Pass
Adjacent	20	20.00	-31.73	-49.59	-30	19.59	Pass

Band48 20MHz 256QAM MCH 3625MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.23	/	/	/	/
Adjacent	-20	20.00	-26.24	-43.47	-30	13.47	Pass
Adjacent	20	20.00	-36.46	-53.69	-30	23.69	Pass

Band48 20MHz 256QAM MCH 3625MHz RB 1 99 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.85	/	/	/	/
Adjacent	-20	20.00	-35.82	-53.67	-30	23.67	Pass
Adjacent	20	20.00	-27.62	-45.47	-30	15.47	Pass

Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.61	/	/	/	/
Adjacent	-20	20.00	-30.01	-47.62	-30	17.62	Pass
Adjacent	20	20.00	-29.19	-46.80	-30	16.80	Pass

Band48 20MHz 256QAM HCH 3690MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.07	/	/	/	/
Adjacent	-20	20.00	-27.83	-44.90	-30	14.90	Pass
Adjacent	20	20.00	-36.61	-53.68	-30	23.68	Pass

Band48 20MHz 256QAM HCH 3690MHz RB 1 99 NTNV



Band48 20MHz 256QAM HCH 3690MHz RB 100 0 NTNV



7. Field Strength of Spurious Radiation

LTE Band 48-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7102.0	-51.01	-40	-11.01	-57.34	4.92	11.25	Horizontal	Pass
10653.0	-56.18	-40	-16.18	-63.74	5.61	13.17	Horizontal	Pass
14204.0	-55.09	-40	-15.09	-63.09	6.46	14.46	Horizontal	Pass
7102.0	-49.55	-40	-9.55	-55.88	4.92	11.25	Vertical	Pass
10653.0	-55.79	-40	-15.79	-63.35	5.61	13.17	Vertical	Pass
14204.0	-55.07	-40	-15.07	-63.07	6.46	14.46	Vertical	Pass

LTE Band 48-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7232.0	-46.67	-40	-6.67	-53.15	4.93	11.41	Horizontal	Pass
10848.0	-56.55	-40	-16.55	-64.06	5.71	13.22	Horizontal	Pass
14464.0	-54.07	-40	-14.07	-61.88	6.61	14.42	Horizontal	Pass
7232.0	-46.39	-40	-6.39	-52.87	4.93	11.41	Vertical	Pass
10848.0	-56.38	-40	-16.38	-63.89	5.71	13.22	Vertical	Pass
14464.0	-54.35	-40	-14.35	-62.16	6.61	14.42	Vertical	Pass

LTE Band 48-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
7362.0	-52.7	-40	-12.7	-59.34	4.93	11.57	Horizontal	Pass
11043.0	-55.12	-40	-15.12	-62.6	5.79	13.27	Horizontal	Pass
14724.0	-55.35	-40	-15.35	-62.98	6.83	14.46	Horizontal	Pass
7362.0	-49.67	-40	-9.67	-56.31	4.93	11.57	Vertical	Pass
11043.0	-54.99	-40	-14.99	-62.47	5.79	13.27	Vertical	Pass
14724.0	-55.37	-40	-15.37	-63.0	6.83	14.46	Vertical	Pass