

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.30	0.70	23.00	<=33.01	Pass
			2	22.37	0.70	23.07	<=33.01	Pass
			5	22.34	0.70	23.04	<=33.01	Pass
		3	0	22.33	0.70	23.03	<=33.01	Pass
			2	22.29	0.70	22.99	<=33.01	Pass
			3	22.33	0.70	23.03	<=33.01	Pass
		6	0	21.30	0.70	22.00	<=33.01	Pass
	1880	1	0	22.58	0.70	23.28	<=33.01	Pass
			2	22.63	0.70	23.33	<=33.01	Pass
			5	22.64	0.70	23.34	<=33.01	Pass
		3	0	22.64	0.70	23.34	<=33.01	Pass
			2	22.73	0.70	23.43	<=33.01	Pass
			3	22.72	0.70	23.42	<=33.01	Pass
		6	0	21.68	0.70	22.38	<=33.01	Pass
	1909.3	1	0	23.25	0.70	23.95	<=33.01	Pass
			2	23.11	0.70	23.81	<=33.01	Pass
			5	23.18	0.70	23.88	<=33.01	Pass
		3	0	23.19	0.70	23.89	<=33.01	Pass
			2	23.14	0.70	23.84	<=33.01	Pass
			3	23.21	0.70	23.91	<=33.01	Pass
		6	0	22.22	0.70	22.92	<=33.01	Pass
16QAM	1850.7	1	0	21.60	0.70	22.30	<=33.01	Pass
			2	21.55	0.70	22.25	<=33.01	Pass
			5	21.43	0.70	22.13	<=33.01	Pass
		3	0	21.33	0.70	22.03	<=33.01	Pass
			2	21.28	0.70	21.98	<=33.01	Pass
			3	21.35	0.70	22.05	<=33.01	Pass
		6	0	20.47	0.70	21.17	<=33.01	Pass
	1880	1	0	21.83	0.70	22.53	<=33.01	Pass
			2	21.85	0.70	22.55	<=33.01	Pass
			5	21.49	0.70	22.19	<=33.01	Pass
		3	0	21.60	0.70	22.30	<=33.01	Pass
			2	21.59	0.70	22.29	<=33.01	Pass
			3	21.70	0.70	22.40	<=33.01	Pass
		6	0	20.77	0.70	21.47	<=33.01	Pass
	1909.3	1	0	21.99	0.70	22.69	<=33.01	Pass
			2	22.23	0.70	22.93	<=33.01	Pass
			5	22.35	0.70	23.05	<=33.01	Pass
		3	0	22.28	0.70	22.98	<=33.01	Pass
			2	22.08	0.70	22.78	<=33.01	Pass
			3	22.16	0.70	22.86	<=33.01	Pass
		6	0	21.24	0.70	21.94	<=33.01	Pass
64QAM	1850.7	1	0	20.45	0.70	21.15	<=33.01	Pass
			2	20.52	0.70	21.22	<=33.01	Pass
			5	20.53	0.70	21.23	<=33.01	Pass
		3	0	20.48	0.70	21.18	<=33.01	Pass
			2	20.42	0.70	21.12	<=33.01	Pass
			3	20.37	0.70	21.07	<=33.01	Pass
		6	0	19.27	0.70	19.97	<=33.01	Pass

	1880	1	0	20.69	0.70	21.39	<=33.01	Pass
			2	20.75	0.70	21.45	<=33.01	Pass
			5	20.66	0.70	21.36	<=33.01	Pass
		3	0	20.81	0.70	21.51	<=33.01	Pass
			2	20.77	0.70	21.47	<=33.01	Pass
			3	20.81	0.70	21.51	<=33.01	Pass
		6	0	19.59	0.70	20.29	<=33.01	Pass
		2	20.95	0.70	21.65	<=33.01	Pass	
		5	20.94	0.70	21.64	<=33.01	Pass	
	3	0	21.32	0.70	22.02	<=33.01	Pass	
		2	21.22	0.70	21.92	<=33.01	Pass	
		3	21.34	0.70	22.04	<=33.01	Pass	
	6	0	20.21	0.70	20.91	<=33.01	Pass	

256QAM	1850.7	1	0	17.57	0.70	18.27	<=33.01	Pass
			2	17.52	0.70	18.22	<=33.01	Pass
			5	17.54	0.70	18.24	<=33.01	Pass
		3	0	17.62	0.70	18.32	<=33.01	Pass
			2	17.52	0.70	18.22	<=33.01	Pass
			3	17.54	0.70	18.24	<=33.01	Pass
		6	0	17.49	0.70	18.19	<=33.01	Pass
	2	17.82	0.70	18.52	<=33.01	Pass		
	5	17.84	0.70	18.54	<=33.01	Pass		
	3	0	17.81	0.70	18.51	<=33.01	Pass	
		2	17.83	0.70	18.53	<=33.01	Pass	
		3	17.85	0.70	18.55	<=33.01	Pass	
	6	0	17.69	0.70	18.39	<=33.01	Pass	
	2	18.48	0.70	19.18	<=33.01	Pass		
	5	18.60	0.70	19.30	<=33.01	Pass		
	3	0	18.56	0.70	19.26	<=33.01	Pass	
		2	18.59	0.70	19.29	<=33.01	Pass	
		3	18.59	0.70	19.29	<=33.01	Pass	
	6	0	18.48	0.70	19.18	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain								
--	--	--	--	--	--	--	--	--

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.19	0.70	22.89	<=33.01	Pass
			7	22.28	0.70	22.98	<=33.01	Pass
			14	22.30	0.70	23.00	<=33.01	Pass
		8	0	21.31	0.70	22.01	<=33.01	Pass
			4	21.31	0.70	22.01	<=33.01	Pass
			7	21.28	0.70	21.98	<=33.01	Pass
		15	0	21.25	0.70	21.95	<=33.01	Pass
	1880	1	0	22.72	0.70	23.42	<=33.01	Pass
			7	22.76	0.70	23.46	<=33.01	Pass
			14	22.76	0.70	23.46	<=33.01	Pass
		8	0	21.71	0.70	22.41	<=33.01	Pass
			4	21.78	0.70	22.48	<=33.01	Pass
			7	21.77	0.70	22.47	<=33.01	Pass
		15	0	21.75	0.70	22.45	<=33.01	Pass
	1908.5	1	0	23.25	0.70	23.95	<=33.01	Pass

		8	7	23.16	0.70	23.86	<=33.01	Pass
			14	23.19	0.70	23.89	<=33.01	Pass
			0	22.26	0.70	22.96	<=33.01	Pass
			4	22.23	0.70	22.93	<=33.01	Pass
			7	22.25	0.70	22.95	<=33.01	Pass
		15	0	22.27	0.70	22.97	<=33.01	Pass
16QAM	1851.5	1	0	21.50	0.70	22.20	<=33.01	Pass
			7	21.69	0.70	22.39	<=33.01	Pass
			14	21.60	0.70	22.30	<=33.01	Pass
		8	0	20.49	0.70	21.19	<=33.01	Pass
			4	20.44	0.70	21.14	<=33.01	Pass
			7	20.41	0.70	21.11	<=33.01	Pass
		15	0	20.42	0.70	21.12	<=33.01	Pass
	1880	1	0	21.92	0.70	22.62	<=33.01	Pass
			7	21.65	0.70	22.35	<=33.01	Pass
			14	21.87	0.70	22.57	<=33.01	Pass
		8	0	20.82	0.70	21.52	<=33.01	Pass
			4	20.76	0.70	21.46	<=33.01	Pass
			7	20.77	0.70	21.47	<=33.01	Pass
		15	0	20.79	0.70	21.49	<=33.01	Pass
	1908.5	1	0	22.23	0.70	22.93	<=33.01	Pass
			7	22.39	0.70	23.09	<=33.01	Pass
			14	22.28	0.70	22.98	<=33.01	Pass
		8	0	21.19	0.70	21.89	<=33.01	Pass
			4	21.32	0.70	22.02	<=33.01	Pass
			7	21.31	0.70	22.01	<=33.01	Pass
		15	0	21.31	0.70	22.01	<=33.01	Pass
64QAM	1851.5	1	0	20.42	0.70	21.12	<=33.01	Pass
			7	20.47	0.70	21.17	<=33.01	Pass
			14	20.49	0.70	21.19	<=33.01	Pass
		8	0	19.37	0.70	20.07	<=33.01	Pass
			4	19.38	0.70	20.08	<=33.01	Pass
			7	19.42	0.70	20.12	<=33.01	Pass
		15	0	19.37	0.70	20.07	<=33.01	Pass
	1880	1	0	20.81	0.70	21.51	<=33.01	Pass
			7	20.93	0.70	21.63	<=33.01	Pass
			14	20.77	0.70	21.47	<=33.01	Pass
		8	0	19.79	0.70	20.49	<=33.01	Pass
			4	19.81	0.70	20.51	<=33.01	Pass
			7	19.87	0.70	20.57	<=33.01	Pass
		15	0	19.76	0.70	20.46	<=33.01	Pass
	1908.5	1	0	21.06	0.70	21.76	<=33.01	Pass
			7	21.07	0.70	21.77	<=33.01	Pass
			14	21.29	0.70	21.99	<=33.01	Pass
		8	0	20.35	0.70	21.05	<=33.01	Pass
			4	20.31	0.70	21.01	<=33.01	Pass
			7	20.33	0.70	21.03	<=33.01	Pass
		15	0	20.31	0.70	21.01	<=33.01	Pass
256QAM	1851.5	1	0	17.67	0.70	18.37	<=33.01	Pass
			7	17.64	0.70	18.34	<=33.01	Pass
			14	17.63	0.70	18.33	<=33.01	Pass
		8	0	17.62	0.70	18.32	<=33.01	Pass
			4	17.52	0.70	18.22	<=33.01	Pass
			7	17.59	0.70	18.29	<=33.01	Pass
		15	0	17.52	0.70	18.22	<=33.01	Pass
	1880	1	0	17.79	0.70	18.49	<=33.01	Pass
			7	17.88	0.70	18.58	<=33.01	Pass
			14	17.76	0.70	18.46	<=33.01	Pass
		8	0	17.82	0.70	18.52	<=33.01	Pass

			4	17.78	0.70	18.48	<=33.01	Pass
			7	17.80	0.70	18.50	<=33.01	Pass
		15	0	17.58	0.70	18.28	<=33.01	Pass
	1908.5	1	0	18.41	0.70	19.11	<=33.01	Pass
			7	18.58	0.70	19.28	<=33.01	Pass
			14	18.62	0.70	19.32	<=33.01	Pass
		8	0	18.46	0.70	19.16	<=33.01	Pass
			4	18.50	0.70	19.20	<=33.01	Pass
			7	18.55	0.70	19.25	<=33.01	Pass
		15	0	18.51	0.70	19.21	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.41	0.70	23.11	<=33.01	Pass
			13	22.26	0.70	22.96	<=33.01	Pass
			24	22.29	0.70	22.99	<=33.01	Pass
		12	0	21.46	0.70	22.16	<=33.01	Pass
			6	21.41	0.70	22.11	<=33.01	Pass
			13	21.43	0.70	22.13	<=33.01	Pass
		25	0	21.44	0.70	22.14	<=33.01	Pass
	1880	1	0	22.56	0.70	23.26	<=33.01	Pass
			13	22.66	0.70	23.36	<=33.01	Pass
			24	22.83	0.70	23.53	<=33.01	Pass
		12	0	21.77	0.70	22.47	<=33.01	Pass
			6	21.78	0.70	22.48	<=33.01	Pass
			13	21.82	0.70	22.52	<=33.01	Pass
		25	0	21.84	0.70	22.54	<=33.01	Pass
	1907.5	1	0	23.07	0.70	23.77	<=33.01	Pass
			13	23.22	0.70	23.92	<=33.01	Pass
			24	23.36	0.70	24.06	<=33.01	Pass
		12	0	22.32	0.70	23.02	<=33.01	Pass
			6	22.32	0.70	23.02	<=33.01	Pass
			13	22.32	0.70	23.02	<=33.01	Pass
		25	0	22.31	0.70	23.01	<=33.01	Pass
16QAM	1852.5	1	0	21.62	0.70	22.32	<=33.01	Pass
			13	21.59	0.70	22.29	<=33.01	Pass
			24	21.53	0.70	22.23	<=33.01	Pass
		12	0	20.44	0.70	21.14	<=33.01	Pass
			6	20.32	0.70	21.02	<=33.01	Pass
			13	20.42	0.70	21.12	<=33.01	Pass
		25	0	20.32	0.70	21.02	<=33.01	Pass
	1880	1	0	21.82	0.70	22.52	<=33.01	Pass
			13	21.76	0.70	22.46	<=33.01	Pass
			24	21.90	0.70	22.60	<=33.01	Pass
		12	0	20.78	0.70	21.48	<=33.01	Pass
			6	20.71	0.70	21.41	<=33.01	Pass
			13	20.84	0.70	21.54	<=33.01	Pass
		25	0	20.82	0.70	21.52	<=33.01	Pass
	1907.5	1	0	22.26	0.70	22.96	<=33.01	Pass
			13	22.44	0.70	23.14	<=33.01	Pass
			24	22.22	0.70	22.92	<=33.01	Pass
		12	0	21.29	0.70	21.99	<=33.01	Pass
			6	21.27	0.70	21.97	<=33.01	Pass

			13	21.32	0.70	22.02	<=33.01	Pass		
		25	0	21.33	0.70	22.03	<=33.01	Pass		
64QAM	1852.5	1	0	20.45	0.70	21.15	<=33.01	Pass		
			13	20.53	0.70	21.23	<=33.01	Pass		
			24	20.51	0.70	21.21	<=33.01	Pass		
			0	19.47	0.70	20.17	<=33.01	Pass		
		12	6	19.43	0.70	20.13	<=33.01	Pass		
			13	19.48	0.70	20.18	<=33.01	Pass		
			25	0	19.43	0.70	20.13	<=33.01	Pass	
		1880	1	0	20.69	0.70	21.39	<=33.01	Pass	
				13	20.47	0.70	21.17	<=33.01	Pass	
	24			20.68	0.70	21.38	<=33.01	Pass		
	12		0	19.80	0.70	20.50	<=33.01	Pass		
			6	19.84	0.70	20.54	<=33.01	Pass		
			13	19.85	0.70	20.55	<=33.01	Pass		
	25		0	19.78	0.70	20.48	<=33.01	Pass		
	1907.5	1	0	21.12	0.70	21.82	<=33.01	Pass		
			13	21.43	0.70	22.13	<=33.01	Pass		
			24	21.29	0.70	21.99	<=33.01	Pass		
		12	0	20.34	0.70	21.04	<=33.01	Pass		
			6	20.35	0.70	21.05	<=33.01	Pass		
			13	20.29	0.70	20.99	<=33.01	Pass		
		25	0	20.28	0.70	20.98	<=33.01	Pass		
		256QAM	1852.5	1	0	17.41	0.70	18.11	<=33.01	Pass
					13	17.71	0.70	18.41	<=33.01	Pass
24	17.71				0.70	18.41	<=33.01	Pass		
12	0			17.61	0.70	18.31	<=33.01	Pass		
	6			17.49	0.70	18.19	<=33.01	Pass		
	13			17.50	0.70	18.20	<=33.01	Pass		
25	0			17.61	0.70	18.31	<=33.01	Pass		
1880	1		0	17.67	0.70	18.37	<=33.01	Pass		
			13	17.86	0.70	18.56	<=33.01	Pass		
			24	17.82	0.70	18.52	<=33.01	Pass		
	12		0	17.76	0.70	18.46	<=33.01	Pass		
			6	17.75	0.70	18.45	<=33.01	Pass		
			13	17.79	0.70	18.49	<=33.01	Pass		
25	0		17.78	0.70	18.48	<=33.01	Pass			
1907.5	1		0	18.46	0.70	19.16	<=33.01	Pass		
			13	18.59	0.70	19.29	<=33.01	Pass		
			24	18.52	0.70	19.22	<=33.01	Pass		
	12		0	18.38	0.70	19.08	<=33.01	Pass		
			6	18.43	0.70	19.13	<=33.01	Pass		
			13	18.52	0.70	19.22	<=33.01	Pass		
	25		0	18.48	0.70	19.18	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.32	0.70	23.02	<=33.01	Pass
			25	22.56	0.70	23.26	<=33.01	Pass
			49	22.37	0.70	23.07	<=33.01	Pass
		25	0	21.43	0.70	22.13	<=33.01	Pass
			13	21.43	0.70	22.13	<=33.01	Pass
			25	21.44	0.70	22.14	<=33.01	Pass

		50	0	21.45	0.70	22.15	<=33.01	Pass
		1	0	22.77	0.70	23.47	<=33.01	Pass
			25	22.74	0.70	23.44	<=33.01	Pass
			49	22.89	0.70	23.59	<=33.01	Pass
		25	0	21.70	0.70	22.40	<=33.01	Pass
			13	21.80	0.70	22.50	<=33.01	Pass
			25	21.87	0.70	22.57	<=33.01	Pass
		50	0	21.80	0.70	22.50	<=33.01	Pass
		1	0	23.19	0.70	23.89	<=33.01	Pass
			25	23.15	0.70	23.85	<=33.01	Pass
			49	23.19	0.70	23.89	<=33.01	Pass
		25	0	22.22	0.70	22.92	<=33.01	Pass
			13	22.21	0.70	22.91	<=33.01	Pass
			25	22.22	0.70	22.92	<=33.01	Pass
		50	0	22.27	0.70	22.97	<=33.01	Pass
16QAM	1855	1	0	21.62	0.70	22.32	<=33.01	Pass
			25	21.62	0.70	22.32	<=33.01	Pass
			49	21.47	0.70	22.17	<=33.01	Pass
		25	0	20.17	0.70	20.87	<=33.01	Pass
			13	20.27	0.70	20.97	<=33.01	Pass
			25	20.25	0.70	20.95	<=33.01	Pass
		50	0	20.32	0.70	21.02	<=33.01	Pass
	1880	1	0	21.78	0.70	22.48	<=33.01	Pass
			25	21.84	0.70	22.54	<=33.01	Pass
			49	22.17	0.70	22.87	<=33.01	Pass
		25	0	20.69	0.70	21.39	<=33.01	Pass
			13	20.78	0.70	21.48	<=33.01	Pass
			25	20.77	0.70	21.47	<=33.01	Pass
		50	0	20.73	0.70	21.43	<=33.01	Pass
	1905	1	0	22.27	0.70	22.97	<=33.01	Pass
			25	22.24	0.70	22.94	<=33.01	Pass
			49	22.37	0.70	23.07	<=33.01	Pass
		25	0	21.22	0.70	21.92	<=33.01	Pass
			13	21.23	0.70	21.93	<=33.01	Pass
			25	21.20	0.70	21.90	<=33.01	Pass
		50	0	21.25	0.70	21.95	<=33.01	Pass
64QAM	1855	1	0	20.50	0.70	21.20	<=33.01	Pass
			25	20.50	0.70	21.20	<=33.01	Pass
			49	20.11	0.70	20.81	<=33.01	Pass
		25	0	19.41	0.70	20.11	<=33.01	Pass
			13	19.41	0.70	20.11	<=33.01	Pass
			25	19.40	0.70	20.10	<=33.01	Pass
		50	0	19.41	0.70	20.11	<=33.01	Pass
	1880	1	0	20.86	0.70	21.56	<=33.01	Pass
			25	20.87	0.70	21.57	<=33.01	Pass
			49	21.03	0.70	21.73	<=33.01	Pass
		25	0	19.66	0.70	20.36	<=33.01	Pass
			13	19.74	0.70	20.44	<=33.01	Pass
			25	19.83	0.70	20.53	<=33.01	Pass
		50	0	19.71	0.70	20.41	<=33.01	Pass
	1905	1	0	21.09	0.70	21.79	<=33.01	Pass
			25	21.42	0.70	22.12	<=33.01	Pass
			49	21.17	0.70	21.87	<=33.01	Pass
		25	0	20.26	0.70	20.96	<=33.01	Pass
			13	20.26	0.70	20.96	<=33.01	Pass
			25	20.23	0.70	20.93	<=33.01	Pass
		50	0	20.28	0.70	20.98	<=33.01	Pass
256QAM	1855	1	0	17.68	0.70	18.38	<=33.01	Pass
			25	17.72	0.70	18.42	<=33.01	Pass

		25	49	17.83	0.70	18.53	<=33.01	Pass
			0	17.60	0.70	18.30	<=33.01	Pass
			13	17.62	0.70	18.32	<=33.01	Pass
			25	17.64	0.70	18.34	<=33.01	Pass
		50	0	17.60	0.70	18.30	<=33.01	Pass
	1880	1	0	17.77	0.70	18.47	<=33.01	Pass
			25	17.85	0.70	18.55	<=33.01	Pass
			49	17.96	0.70	18.66	<=33.01	Pass
		25	0	17.73	0.70	18.43	<=33.01	Pass
			13	17.75	0.70	18.45	<=33.01	Pass
			25	17.85	0.70	18.55	<=33.01	Pass
		50	0	17.73	0.70	18.43	<=33.01	Pass
		1905	1	0	18.31	0.70	19.01	<=33.01
	25			18.41	0.70	19.11	<=33.01	Pass
	49			18.64	0.70	19.34	<=33.01	Pass
	25		0	18.28	0.70	18.98	<=33.01	Pass
			13	18.31	0.70	19.01	<=33.01	Pass
			25	18.45	0.70	19.15	<=33.01	Pass
	50		0	18.33	0.70	19.03	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.34	0.70	23.04	<=33.01	Pass
			38	22.50	0.70	23.20	<=33.01	Pass
			74	22.35	0.70	23.05	<=33.01	Pass
		36	0	21.31	0.70	22.01	<=33.01	Pass
			18	21.26	0.70	21.96	<=33.01	Pass
			39	21.22	0.70	21.92	<=33.01	Pass
		75	0	21.37	0.70	22.07	<=33.01	Pass
	1880	1	0	22.53	0.70	23.23	<=33.01	Pass
			38	22.94	0.70	23.64	<=33.01	Pass
			74	22.99	0.70	23.69	<=33.01	Pass
		36	0	21.72	0.70	22.42	<=33.01	Pass
			18	21.84	0.70	22.54	<=33.01	Pass
			39	21.91	0.70	22.61	<=33.01	Pass
		75	0	21.83	0.70	22.53	<=33.01	Pass
	1902.5	1	0	23.16	0.70	23.86	<=33.01	Pass
			38	23.23	0.70	23.93	<=33.01	Pass
			74	23.29	0.70	23.99	<=33.01	Pass
		36	0	22.21	0.70	22.91	<=33.01	Pass
			18	22.24	0.70	22.94	<=33.01	Pass
			39	22.22	0.70	22.92	<=33.01	Pass
16QAM	1857.5	1	0	21.56	0.70	22.26	<=33.01	Pass
			38	21.70	0.70	22.40	<=33.01	Pass
			74	21.64	0.70	22.34	<=33.01	Pass
		36	0	20.44	0.70	21.14	<=33.01	Pass
			18	20.44	0.70	21.14	<=33.01	Pass
			39	20.47	0.70	21.17	<=33.01	Pass
		75	0	20.45	0.70	21.15	<=33.01	Pass
	1880	1	0	21.78	0.70	22.48	<=33.01	Pass
			38	22.10	0.70	22.80	<=33.01	Pass
			74	22.16	0.70	22.86	<=33.01	Pass

		36	0	20.71	0.70	21.41	<=33.01	Pass
			18	20.83	0.70	21.53	<=33.01	Pass
			39	20.91	0.70	21.61	<=33.01	Pass
		75	0	20.81	0.70	21.51	<=33.01	Pass
	1902.5	1	0	22.02	0.70	22.72	<=33.01	Pass
			38	22.53	0.70	23.23	<=33.01	Pass
			74	22.39	0.70	23.09	<=33.01	Pass
		36	0	21.23	0.70	21.93	<=33.01	Pass
			18	21.03	0.70	21.73	<=33.01	Pass
			39	21.11	0.70	21.81	<=33.01	Pass
		75	0	21.19	0.70	21.89	<=33.01	Pass
		64QAM	1857.5	1	0	20.47	0.70	21.17
38	20.11				0.70	20.81	<=33.01	Pass
74	20.32				0.70	21.02	<=33.01	Pass
36	0			19.43	0.70	20.13	<=33.01	Pass
	18			19.40	0.70	20.10	<=33.01	Pass
	39			19.41	0.70	20.11	<=33.01	Pass
75	0			19.38	0.70	20.08	<=33.01	Pass
1880	1		0	20.81	0.70	21.51	<=33.01	Pass
			38	21.00	0.70	21.70	<=33.01	Pass
			74	21.01	0.70	21.71	<=33.01	Pass
	36		0	19.51	0.70	20.21	<=33.01	Pass
			18	19.70	0.70	20.40	<=33.01	Pass
			39	19.89	0.70	20.59	<=33.01	Pass
	75		0	19.79	0.70	20.49	<=33.01	Pass
1902.5	1		0	21.34	0.70	22.04	<=33.01	Pass
			38	21.41	0.70	22.11	<=33.01	Pass
			74	21.40	0.70	22.10	<=33.01	Pass
	36		0	20.32	0.70	21.02	<=33.01	Pass
			18	20.21	0.70	20.91	<=33.01	Pass
			39	20.22	0.70	20.92	<=33.01	Pass
	75		0	20.22	0.70	20.92	<=33.01	Pass
256QAM	1857.5	1	0	17.61	0.70	18.31	<=33.01	Pass
			38	17.74	0.70	18.44	<=33.01	Pass
			74	17.75	0.70	18.45	<=33.01	Pass
		36	0	17.49	0.70	18.19	<=33.01	Pass
			18	17.64	0.70	18.34	<=33.01	Pass
			39	17.59	0.70	18.29	<=33.01	Pass
		75	0	17.57	0.70	18.27	<=33.01	Pass
	1880	1	0	17.71	0.70	18.41	<=33.01	Pass
			38	17.92	0.70	18.62	<=33.01	Pass
			74	18.00	0.70	18.70	<=33.01	Pass
		36	0	17.60	0.70	18.30	<=33.01	Pass
			18	17.81	0.70	18.51	<=33.01	Pass
			39	17.85	0.70	18.55	<=33.01	Pass
		75	0	17.74	0.70	18.44	<=33.01	Pass
	1902.5	1	0	18.14	0.70	18.84	<=33.01	Pass
			38	18.35	0.70	19.05	<=33.01	Pass
			74	18.66	0.70	19.36	<=33.01	Pass
		36	0	18.13	0.70	18.83	<=33.01	Pass
			18	18.19	0.70	18.89	<=33.01	Pass
			39	18.32	0.70	19.02	<=33.01	Pass
		75	0	18.25	0.70	18.95	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.17	0.70	22.87	<=33.01	Pass
			50	22.48	0.70	23.18	<=33.01	Pass
			99	22.13	0.70	22.83	<=33.01	Pass
		50	0	21.27	0.70	21.97	<=33.01	Pass
			25	21.28	0.70	21.98	<=33.01	Pass
			50	21.46	0.70	22.16	<=33.01	Pass
		100	0	21.46	0.70	22.16	<=33.01	Pass
	1880	1	0	22.27	0.70	22.97	<=33.01	Pass
			50	22.64	0.70	23.34	<=33.01	Pass
			99	23.08	0.70	23.78	<=33.01	Pass
		50	0	21.68	0.70	22.38	<=33.01	Pass
			25	21.87	0.70	22.57	<=33.01	Pass
			50	21.99	0.70	22.69	<=33.01	Pass
		100	0	21.81	0.70	22.51	<=33.01	Pass
	1900	1	0	23.15	0.70	23.85	<=33.01	Pass
			50	23.20	0.70	23.90	<=33.01	Pass
			99	23.27	0.70	23.97	<=33.01	Pass
		50	0	22.25	0.70	22.95	<=33.01	Pass
			25	22.29	0.70	22.99	<=33.01	Pass
			50	22.33	0.70	23.03	<=33.01	Pass
		100	0	22.30	0.70	23.00	<=33.01	Pass
16QAM	1860	1	0	21.60	0.70	22.30	<=33.01	Pass
			50	21.61	0.70	22.31	<=33.01	Pass
			99	21.52	0.70	22.22	<=33.01	Pass
		50	0	20.46	0.70	21.16	<=33.01	Pass
			25	20.44	0.70	21.14	<=33.01	Pass
			50	20.44	0.70	21.14	<=33.01	Pass
		100	0	20.48	0.70	21.18	<=33.01	Pass
	1880	1	0	21.68	0.70	22.38	<=33.01	Pass
			50	21.68	0.70	22.38	<=33.01	Pass
			99	22.26	0.70	22.96	<=33.01	Pass
		50	0	20.68	0.70	21.38	<=33.01	Pass
			25	20.86	0.70	21.56	<=33.01	Pass
			50	21.00	0.70	21.70	<=33.01	Pass
		100	0	20.83	0.70	21.53	<=33.01	Pass
	1900	1	0	22.38	0.70	23.08	<=33.01	Pass
			50	22.26	0.70	22.96	<=33.01	Pass
			99	22.67	0.70	23.37	<=33.01	Pass
		50	0	21.30	0.70	22.00	<=33.01	Pass
			25	21.36	0.70	22.06	<=33.01	Pass
			50	21.35	0.70	22.05	<=33.01	Pass
		100	0	21.34	0.70	22.04	<=33.01	Pass
64QAM	1860	1	0	20.37	0.70	21.07	<=33.01	Pass
			50	20.53	0.70	21.23	<=33.01	Pass
			99	20.45	0.70	21.15	<=33.01	Pass
		50	0	19.46	0.70	20.16	<=33.01	Pass
			25	19.35	0.70	20.05	<=33.01	Pass
			50	19.48	0.70	20.18	<=33.01	Pass
		100	0	19.47	0.70	20.17	<=33.01	Pass
	1880	1	0	20.57	0.70	21.27	<=33.01	Pass
			50	20.70	0.70	21.40	<=33.01	Pass
			99	21.18	0.70	21.88	<=33.01	Pass
		50	0	19.68	0.70	20.38	<=33.01	Pass
			25	19.88	0.70	20.58	<=33.01	Pass
			50	19.97	0.70	20.67	<=33.01	Pass
		100	0	19.83	0.70	20.53	<=33.01	Pass

	1900	1	0	21.35	0.70	22.05	<=33.01	Pass		
			50	21.43	0.70	22.13	<=33.01	Pass		
			99	21.44	0.70	22.14	<=33.01	Pass		
		50	0	20.30	0.70	21.00	<=33.01	Pass		
			25	20.35	0.70	21.05	<=33.01	Pass		
			50	20.34	0.70	21.04	<=33.01	Pass		
		100	0	20.31	0.70	21.01	<=33.01	Pass		
		256QAM	1860	1	0	17.73	0.70	18.43	<=33.01	Pass
					50	17.65	0.70	18.35	<=33.01	Pass
99	17.66				0.70	18.36	<=33.01	Pass		
50	0			17.64	0.70	18.34	<=33.01	Pass		
	25			17.67	0.70	18.37	<=33.01	Pass		
	50			17.68	0.70	18.38	<=33.01	Pass		
100	0			17.68	0.70	18.38	<=33.01	Pass		
1880	1			0	17.76	0.70	18.46	<=33.01	Pass	
				50	17.84	0.70	18.54	<=33.01	Pass	
			99	17.98	0.70	18.68	<=33.01	Pass		
	50		0	17.73	0.70	18.43	<=33.01	Pass		
			25	17.81	0.70	18.51	<=33.01	Pass		
			50	17.87	0.70	18.57	<=33.01	Pass		
	100		0	17.82	0.70	18.52	<=33.01	Pass		
	1900		1	0	18.17	0.70	18.87	<=33.01	Pass	
				50	18.33	0.70	19.03	<=33.01	Pass	
99				18.66	0.70	19.36	<=33.01	Pass		
50			0	18.16	0.70	18.86	<=33.01	Pass		
			25	18.23	0.70	18.93	<=33.01	Pass		
			50	18.36	0.70	19.06	<=33.01	Pass		
100			0	18.25	0.70	18.95	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	3.8	2.800	0.0015	-2.5 to 2.5	Pass
					4	2.000	0.0011	-2.5 to 2.5	Pass
					4.2	-2.700	-0.0014	-2.5 to 2.5	Pass
				-30	4	0.400	0.0002	-2.5 to 2.5	Pass
				-20	4	-1.000	-0.0005	-2.5 to 2.5	Pass
				-10	4	-0.800	-0.0004	-2.5 to 2.5	Pass
				0	4	1.900	0.0010	-2.5 to 2.5	Pass
				10	4	-4.000	-0.0021	-2.5 to 2.5	Pass
				30	4	-1.600	-0.0009	-2.5 to 2.5	Pass
				40	4	-1.500	-0.0008	-2.5 to 2.5	Pass
				50	4	5.700	0.0030	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.110	/	Pass
	16QAM	1880	6	0	1.117	/	Pass
3	QPSK	1880	15	0	2.720	/	Pass
	16QAM	1880	15	0	2.728	/	Pass
5	QPSK	1880	25	0	4.532	/	Pass
	16QAM	1880	25	0	4.523	/	Pass
10	QPSK	1880	50	0	9.066	/	Pass
	16QAM	1880	50	0	9.021	/	Pass
15	QPSK	1880	75	0	13.564	/	Pass
	16QAM	1880	75	0	13.544	/	Pass
20	QPSK	1880	100	0	18.026	/	Pass
	16QAM	1880	100	0	18.113	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.307	/	Pass
	16QAM	1880	6	0	1.326	/	Pass
3	QPSK	1880	15	0	3.035	/	Pass
	16QAM	1880	15	0	3.009	/	Pass
5	QPSK	1880	25	0	5.047	/	Pass
	16QAM	1880	25	0	5.020	/	Pass
10	QPSK	1880	50	0	9.928	/	Pass
	16QAM	1880	50	0	9.948	/	Pass
15	QPSK	1880	75	0	15.021	/	Pass
	16QAM	1880	75	0	14.911	/	Pass
20	QPSK	1880	100	0	19.765	/	Pass
	16QAM	1880	100	0	19.730	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




3.2.2 Band2_XDB




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTN




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTN




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTN



Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTN



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.20	<=13	Pass
16QAM	1880	100	0	5.97	<=13	Pass
64QAM	1880	100	0	6.26	<=13	Pass
256QAM	1880	100	0	6.53	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-33.28	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-34.74	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.016	-26.70	-13	Pass
1911	1913	1	CHP	2	1911.500	-36.40	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-33.90	-13	Pass
1911	1913	1	CHP	2	1911.500	-32.83	-13	Pass


5.2.2 B2_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTN




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.470	-28.97	-13	Pass
1849	1850	0.03	/	2	1849.994	-31.88	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-27.59	-13	Pass
1911	1913	1	CHP	2	1911.500	-33.20	-13	Pass

Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-32.21	-13	Pass
1911	1913	1	CHP	2	1911.500	-26.17	-13	Pass


5.2.3 B2_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-30.27	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-32.33	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-30.21	-13	Pass
1911	1915	1	CHP	2	1911.500	-36.74	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-32.73	-13	Pass
1911	1915	1	CHP	2	1911.500	-26.15	-13	Pass


5.2.4 B2_10MHz



Band2 10MHz QPSK LCH 1855MHz RB 1 0 NTN




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-30.76	-13	Pass
1849	1850	0.099	CHP	2	1849.992	-36.63	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-34.79	-13	Pass
1911	1920	1	CHP	2	1911.501	-39.19	-13	Pass

Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.099	CHP	/	/	/	/	/
1910	1911	0.099	CHP	1	1910.008	-30.52	-13	Pass
1911	1920	1	CHP	2	1911.508	-24.45	-13	Pass

5.2.5 B2_15MHz

