

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	24.28	1.40	23.53	<=34.77	Pass
			13	24.18	1.40	23.43	<=34.77	Pass
			24	24.22	1.40	23.47	<=34.77	Pass
		12	0	23.23	1.40	22.48	<=34.77	Pass
			6	23.20	1.40	22.45	<=34.77	Pass
			13	23.15	1.40	22.40	<=34.77	Pass
		25	0	23.20	1.40	22.45	<=34.77	Pass
	793	1	0	24.19	1.40	23.44	<=34.77	Pass
			13	24.08	1.40	23.33	<=34.77	Pass
			24	24.12	1.40	23.37	<=34.77	Pass
		12	0	23.19	1.40	22.44	<=34.77	Pass
			6	23.15	1.40	22.40	<=34.77	Pass
			13	23.13	1.40	22.38	<=34.77	Pass
		25	0	23.17	1.40	22.42	<=34.77	Pass
	795.5	1	0	24.24	1.40	23.49	<=34.77	Pass
			13	24.08	1.40	23.33	<=34.77	Pass
			24	24.04	1.40	23.29	<=34.77	Pass
		12	0	23.17	1.40	22.42	<=34.77	Pass
			6	23.12	1.40	22.37	<=34.77	Pass
			13	23.07	1.40	22.32	<=34.77	Pass
		25	0	23.15	1.40	22.40	<=34.77	Pass
16QAM	790.5	1	0	23.22	1.40	22.47	<=34.77	Pass
			13	23.10	1.40	22.35	<=34.77	Pass
			24	22.97	1.40	22.22	<=34.77	Pass
		12	0	22.23	1.40	21.48	<=34.77	Pass
			6	22.17	1.40	21.42	<=34.77	Pass
			13	22.14	1.40	21.39	<=34.77	Pass
		25	0	22.18	1.40	21.43	<=34.77	Pass
	793	1	0	23.13	1.40	22.38	<=34.77	Pass
			13	23.02	1.40	22.27	<=34.77	Pass
			24	23.02	1.40	22.27	<=34.77	Pass
		12	0	22.17	1.40	21.42	<=34.77	Pass
			6	22.14	1.40	21.39	<=34.77	Pass
			13	22.11	1.40	21.36	<=34.77	Pass
		25	0	22.18	1.40	21.43	<=34.77	Pass
	795.5	1	0	23.01	1.40	22.26	<=34.77	Pass
			13	23.05	1.40	22.30	<=34.77	Pass
			24	23.03	1.40	22.28	<=34.77	Pass
		12	0	22.18	1.40	21.43	<=34.77	Pass
			6	22.16	1.40	21.41	<=34.77	Pass
			13	22.12	1.40	21.37	<=34.77	Pass
		25	0	22.15	1.40	21.40	<=34.77	Pass
64QAM	790.5	1	0	21.95	1.40	21.20	<=34.77	Pass
			13	22.28	1.40	21.53	<=34.77	Pass
			24	22.03	1.40	21.28	<=34.77	Pass
		12	0	21.19	1.40	20.44	<=34.77	Pass
			6	21.23	1.40	20.48	<=34.77	Pass
			13	21.19	1.40	20.44	<=34.77	Pass
		25	0	21.18	1.40	20.43	<=34.77	Pass

	793	1	0	22.07	1.40	21.32	<=34.77	Pass	
			13	22.36	1.40	21.61	<=34.77	Pass	
			24	21.67	1.40	20.92	<=34.77	Pass	
		12	0	21.30	1.40	20.55	<=34.77	Pass	
			6	21.26	1.40	20.51	<=34.77	Pass	
			13	21.21	1.40	20.46	<=34.77	Pass	
		25	0	21.23	1.40	20.48	<=34.77	Pass	
		795.5	1	0	22.18	1.40	21.43	<=34.77	Pass
				13	22.07	1.40	21.32	<=34.77	Pass
	24			22.10	1.40	21.35	<=34.77	Pass	
	12		0	21.25	1.40	20.50	<=34.77	Pass	
			6	21.21	1.40	20.46	<=34.77	Pass	
			13	21.21	1.40	20.46	<=34.77	Pass	
	25		0	21.20	1.40	20.45	<=34.77	Pass	

256QAM	790.5	1	0	19.17	1.40	18.42	<=34.77	Pass
			13	19.27	1.40	18.52	<=34.77	Pass
			24	19.25	1.40	18.50	<=34.77	Pass
		12	0	19.12	1.40	18.37	<=34.77	Pass
			6	19.18	1.40	18.43	<=34.77	Pass
			13	19.19	1.40	18.44	<=34.77	Pass
		25	0	19.16	1.40	18.41	<=34.77	Pass
	793	1	0	19.29	1.40	18.54	<=34.77	Pass
			13	19.26	1.40	18.51	<=34.77	Pass
			24	19.29	1.40	18.54	<=34.77	Pass
		12	0	19.22	1.40	18.47	<=34.77	Pass
			6	19.22	1.40	18.47	<=34.77	Pass
			13	19.20	1.40	18.45	<=34.77	Pass
		25	0	19.19	1.40	18.44	<=34.77	Pass
	795.5	1	0	19.28	1.40	18.53	<=34.77	Pass
			13	19.23	1.40	18.48	<=34.77	Pass
			24	19.22	1.40	18.47	<=34.77	Pass
		12	0	19.24	1.40	18.49	<=34.77	Pass
			6	19.13	1.40	18.38	<=34.77	Pass
			13	19.16	1.40	18.41	<=34.77	Pass
		25	0	19.20	1.40	18.45	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15								
--	--	--	--	--	--	--	--	--

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	24.27	1.40	23.52	<=34.77	Pass
			25	24.13	1.40	23.38	<=34.77	Pass
			49	24.10	1.40	23.35	<=34.77	Pass
		25	0	23.21	1.40	22.46	<=34.77	Pass
			13	23.13	1.40	22.38	<=34.77	Pass
			25	23.10	1.40	22.35	<=34.77	Pass
		50	0	23.16	1.40	22.41	<=34.77	Pass
16QAM	793	1	0	23.51	1.40	22.76	<=34.77	Pass
			25	23.07	1.40	22.32	<=34.77	Pass
			49	23.21	1.40	22.46	<=34.77	Pass
		25	0	22.20	1.40	21.45	<=34.77	Pass
			13	22.14	1.40	21.39	<=34.77	Pass
			25	22.12	1.40	21.37	<=34.77	Pass
		50	0	22.14	1.40	21.39	<=34.77	Pass
64QAM	793	1	0	22.13	1.40	21.38	<=34.77	Pass

			25	22.23	1.40	21.48	<=34.77	Pass
			49	22.11	1.40	21.36	<=34.77	Pass
		25	0	21.02	1.40	20.27	<=34.77	Pass
			13	21.08	1.40	20.33	<=34.77	Pass
			25	21.00	1.40	20.25	<=34.77	Pass
		50	0	21.09	1.40	20.34	<=34.77	Pass
256QAM	793	1	0	19.29	1.40	18.54	<=34.77	Pass
			25	19.25	1.40	18.50	<=34.77	Pass
			49	19.20	1.40	18.45	<=34.77	Pass
		25	0	19.16	1.40	18.41	<=34.77	Pass
			13	19.18	1.40	18.43	<=34.77	Pass
			25	19.15	1.40	18.40	<=34.77	Pass
50	0	19.15	1.40	18.40	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	3.8	-1.900	-0.0024	-2.5 to 2.5	Pass
					4	0.200	0.0003	-2.5 to 2.5	Pass
					4.2	-3.800	-0.0048	-2.5 to 2.5	Pass
				-30	4	-4.800	-0.0061	-2.5 to 2.5	Pass
				-20	4	-0.900	-0.0011	-2.5 to 2.5	Pass
				-10	4	-2.600	-0.0033	-2.5 to 2.5	Pass
				0	4	-1.400	-0.0018	-2.5 to 2.5	Pass
				10	4	-5.800	-0.0073	-2.5 to 2.5	Pass
				30	4	-5.100	-0.0064	-2.5 to 2.5	Pass
				40	4	-5.900	-0.0074	-2.5 to 2.5	Pass
				50	4	-0.700	-0.0009	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.536	/	Pass
	16QAM	793	25	0	4.540	/	Pass
10	QPSK	793	50	0	9.091	/	Pass
	16QAM	793	50	0	9.034	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	5.032	/	Pass
	16QAM	793	25	0	5.015	/	Pass
10	QPSK	793	50	0	9.927	/	Pass
	16QAM	793	50	0	9.851	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV




3.2.2 Band14_XDB



Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV



Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.88	<=13	Pass
16QAM	793	50	0	6.43	<=13	Pass
64QAM	793	50	0	6.61	<=13	Pass
256QAM	793	50	0	6.59	<=13	Pass

4.2 Test Graph


4.2.1 B14_10MHz



Band14 10MHz 64QAM MCH 793MHz RB 50 0 NTNV



Band14 10MHz 256QAM MCH 793MHz RB 50 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14 5MHz QPSK LCH 790.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.126	-70.98	-13	Pass
769	775	0.00625	CHP	2	774.747	-81.74	-35	Pass
775	787.9	0.1	CHP	3	787.837	-27.72	-13	Pass
787.9	788	0.03	CHP	4	787.999	-30.44	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14 5MHz QPSK MCH 793MHz RB 1 0 NTNV



Band14 5MHz QPSK HCH 795.5MHz RB 1 0 NTV




Band14 5MHz QPSK HCH 795.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-20.93	-13	Pass
798.1	799	0.1	CHP	2	798.152	-27.14	-13	Pass
799	805	0.00625	CHP	3	799.832	-53.27	-35	Pass
805	810	0.1	CHP	4	806.356	-41.88	-13	Pass

Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-32.29	-13	Pass
798.1	799	0.1	CHP	2	798.152	-30.49	-13	Pass
799	805	0.00625	CHP	3	799.044	-43.62	-35	Pass
805	810	0.1	CHP	4	805.211	-44.65	-13	Pass

5.2.2 B14_10MHz




Band14 10MHz QPSK LCH 793MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.774	-70.54	-13	Pass
769	775	0.00625	CHP	2	773.738	-81.45	-35	Pass
775	787.9	0.1	CHP	3	787.814	-29.94	-13	Pass
787.9	788	0.03	CHP	4	787.999	-34.66	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.004	-37.51	-13	Pass
798.1	799	0.1	CHP	6	798.163	-33.21	-13	Pass
799	803	0.00625	CHP	7	799.053	-45.61	-35	Pass

Band14 10MHz QPSK HCH 793MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.846	-47.60	-13	Pass
787.9	788	0.03	CHP	2	787.985	-53.63	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-26.48	-13	Pass
798.1	799	0.1	CHP	4	798.152	-27.55	-13	Pass
799	805	0.00625	CHP	5	801.832	-53.02	-35	Pass
805	810	0.1	CHP	6	805.052	-56.46	-13	Pass

Band14 10MHz QPSK HCH 793MHz RB 50 0 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.815	-29.97	-13	Pass
787.9	788	0.03	CHP	2	788.000	-34.34	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.005	-37.32	-13	Pass
798.1	799	0.1	CHP	4	798.153	-33.22	-13	Pass
799	805	0.00625	CHP	5	799.562	-45.78	-35	Pass
805	810	0.1	CHP	6	805.216	-38.75	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-67.14	-13	Pass
				778	785.5	-38.19	-13.52	Pass
				785.5	787.95	-18.34	-3.52	Pass
				787.95	793.05	21.48	21.48	Pass
				793.05	795.5	-45.28	-3.52	Pass
				795.5	803	-34.78	-13.52	Pass
			13	803	808	-67.44	-13	Pass
				773	778	-68.74	-13	Pass
				778	785.5	-46.36	-13.39	Pass
				785.5	787.95	-43.92	-3.39	Pass
				787.95	793.05	21.61	21.61	Pass
				793.05	795.5	-43.92	-3.39	Pass
				795.5	803	-50.12	-13.39	Pass
				803	808	-68.53	-13	Pass
			24	773	778	-69.45	-13	Pass
				778	785.5	-38.93	-13.83	Pass
				785.5	787.95	-44.77	-3.83	Pass
				787.95	793.05	21.17	21.17	Pass
				793.05	795.5	-18.68	-3.83	Pass
				795.5	803	-44.45	-13.83	Pass
		12	0	803	808	-68.92	-13	Pass
				773	778	-66.22	-13	Pass
				778	785.5	-37.42	-24.3	Pass
				785.5	787.95	-24.94	-14.3	Pass
				787.95	793.05	10.70	10.7	Pass
				793.05	795.5	-36.55	-14.3	Pass
			6	795.5	803	-43.87	-24.3	Pass
				803	808	-67.73	-13	Pass
				773	778	-67.91	-13	Pass
				778	785.5	-41.32	-24.23	Pass
				785.5	787.95	-29.22	-14.23	Pass
				787.95	793.05	10.77	10.77	Pass
			13	793.05	795.5	-31.23	-14.23	Pass
				795.5	803	-42.72	-24.23	Pass
				803	808	-67.37	-13	Pass
				773	778	-68.13	-13	Pass
				778	785.5	-45.56	-24.21	Pass
				785.5	787.95	-37.10	-14.21	Pass
		25	0	787.95	793.05	10.79	10.79	Pass
				793.05	795.5	-23.80	-14.21	Pass
				795.5	803	-38.68	-24.21	Pass
				803	808	-66.32	-13	Pass
				773	778	-54.08	-13	Pass
				778	785.5	-33.22	-27.3	Pass
				785.5	787.95	-25.50	-17.3	Pass
				787.95	793.05	7.70	7.7	Pass
				793.05	795.5	-26.56	-17.3	Pass

				795.5	803	-32.14	-27.3	Pass
				803	808	-52.74	-13	Pass
				775.5	780.5	-67.08	-13	Pass
				780.5	788	-40.81	-13.75	Pass
				788	790.45	-18.28	-3.75	Pass
				790.45	795.55	21.25	21.25	Pass
				795.55	798	-45.60	-3.75	Pass
				798	805.5	-35.52	-13.75	Pass
				805.5	810.5	-68.28	-13	Pass
			13	775.5	780.5	-69.36	-13	Pass
				780.5	788	-46.80	-13.41	Pass
				788	790.45	-43.76	-3.41	Pass
				790.45	795.55	21.59	21.59	Pass
				795.55	798	-44.36	-3.41	Pass
				798	805.5	-50.40	-13.41	Pass
			24	805.5	810.5	-69.27	-13	Pass
				775.5	780.5	-67.93	-13	Pass
				780.5	788	-37.29	-13.13	Pass
				788	790.45	-44.22	-3.13	Pass
				790.45	795.55	21.87	21.87	Pass
				795.55	798	-16.55	-3.13	Pass
			12	798	805.5	-41.89	-13.13	Pass
				805.5	810.5	-67.59	-13	Pass
				775.5	780.5	-63.53	-13	Pass
				780.5	788	-38.66	-23.95	Pass
				788	790.45	-23.87	-13.95	Pass
				790.45	795.55	11.05	11.05	Pass
				795.55	798	-37.85	-13.95	Pass
				798	805.5	-45.50	-23.95	Pass
				805.5	810.5	-69.43	-13	Pass
				775.5	780.5	-67.52	-13	Pass
				780.5	788	-42.77	-24.33	Pass
				788	790.45	-29.13	-14.33	Pass
			6	790.45	795.55	10.67	10.67	Pass
				795.55	798	-30.75	-14.33	Pass
				798	805.5	-44.96	-24.33	Pass
				805.5	810.5	-67.20	-13	Pass
				775.5	780.5	-69.00	-13	Pass
				780.5	788	-46.21	-24.11	Pass
			13	788	790.45	-38.83	-14.11	Pass
				790.45	795.55	10.89	10.89	Pass
				795.55	798	-24.40	-14.11	Pass
				798	805.5	-39.89	-24.11	Pass
				805.5	810.5	-66.69	-13	Pass
			25	775.5	780.5	-53.26	-13	Pass
				780.5	788	-30.61	-27.22	Pass
				788	790.45	-26.08	-17.22	Pass
				790.45	795.55	7.78	7.78	Pass
				795.55	798	-28.04	-17.22	Pass
				798	805.5	-33.29	-27.22	Pass
			1	805.5	810.5	-54.89	-13	Pass
				778	783	-68.21	-13	Pass
				783	790.5	-40.57	-13.49	Pass
				790.5	792.95	-19.00	-3.49	Pass
				792.95	798.05	21.51	21.51	Pass
				798.05	800.5	-46.08	-3.49	Pass
				800.5	808	-36.05	-13.49	Pass
				808	813	-69.16	-13	Pass
	795.5	1	13	778	783	-68.37	-13	Pass

				783	790.5	-46.17	-13.28	Pass
				790.5	792.95	-44.00	-3.28	Pass
				792.95	798.05	21.72	21.72	Pass
				798.05	800.5	-45.34	-3.28	Pass
				800.5	808	-50.80	-13.28	Pass
				808	813	-69.08	-13	Pass
			24	778	783	-66.39	-13	Pass
				783	790.5	-36.26	-13.35	Pass
				790.5	792.95	-44.50	-3.35	Pass
				792.95	798.05	21.65	21.65	Pass
				798.05	800.5	-16.61	-3.35	Pass
				800.5	808	-42.35	-13.35	Pass
				808	813	-68.87	-13	Pass
		12	0	778	783	-66.90	-13	Pass
				783	790.5	-39.73	-24.31	Pass
				790.5	792.95	-23.80	-14.31	Pass
				792.95	798.05	10.69	10.69	Pass
				798.05	800.5	-38.79	-14.31	Pass
				800.5	808	-45.30	-24.31	Pass
				808	813	-68.34	-13	Pass
			6	778	783	-66.69	-13	Pass
				783	790.5	-42.77	-24.3	Pass
				790.5	792.95	-30.59	-14.3	Pass
				792.95	798.05	10.70	10.7	Pass
				798.05	800.5	-31.75	-14.3	Pass
				800.5	808	-45.57	-24.3	Pass
			13	808	813	-70.38	-13	Pass
				778	783	-67.96	-13	Pass
				783	790.5	-45.15	-24.07	Pass
				790.5	792.95	-39.02	-14.07	Pass
				792.95	798.05	10.93	10.93	Pass
				798.05	800.5	-27.94	-14.07	Pass
				800.5	808	-39.17	-24.07	Pass
				808	813	-68.62	-13	Pass
		25	0	778	783	-52.71	-13	Pass
				783	790.5	-32.31	-27.15	Pass
				790.5	792.95	-27.50	-17.15	Pass
				792.95	798.05	7.85	7.85	Pass
				798.05	800.5	-27.64	-17.15	Pass
				800.5	808	-34.62	-27.15	Pass
16QAM	790.5	1	0	808	813	-55.15	-13	Pass
				773	778	-67.76	-13	Pass
				778	785.5	-38.88	-13.95	Pass
				785.5	787.95	-18.04	-3.95	Pass
				787.95	793.05	21.05	21.05	Pass
				793.05	795.5	-45.56	-3.95	Pass
			13	795.5	803	-34.98	-13.95	Pass
				803	808	-68.77	-13	Pass
				773	778	-68.62	-13	Pass
				778	785.5	-47.67	-14.16	Pass
				785.5	787.95	-43.90	-4.16	Pass
				787.95	793.05	20.84	20.84	Pass
				793.05	795.5	-43.88	-4.16	Pass
				795.5	803	-51.64	-14.16	Pass
				803	808	-67.03	-13	Pass
			24	773	778	-68.44	-13	Pass
				778	785.5	-39.55	-14.63	Pass
				785.5	787.95	-45.47	-4.63	Pass
				787.95	793.05	20.37	20.37	Pass

				793.05	795.5	-20.57	-4.63	Pass
				795.5	803	-45.67	-14.63	Pass
				803	808	-65.93	-13	Pass
		12	0	773	778	-67.49	-13	Pass
				778	785.5	-39.48	-24.97	Pass
				785.5	787.95	-25.96	-14.97	Pass
				787.95	793.05	10.03	10.03	Pass
				793.05	795.5	-37.74	-14.97	Pass
				795.5	803	-46.06	-24.97	Pass
				803	808	-69.45	-13	Pass
			6	773	778	-68.44	-13	Pass
				778	785.5	-45.72	-25.31	Pass
				785.5	787.95	-30.21	-15.31	Pass
				787.95	793.05	9.69	9.69	Pass
				793.05	795.5	-32.76	-15.31	Pass
				795.5	803	-46.00	-25.31	Pass
			13	803	808	-68.34	-13	Pass
				773	778	-69.94	-13	Pass
				778	785.5	-47.26	-25.16	Pass
				785.5	787.95	-37.52	-15.16	Pass
				787.95	793.05	9.84	9.84	Pass
				793.05	795.5	-25.68	-15.16	Pass
				795.5	803	-40.77	-25.16	Pass
				803	808	-67.59	-13	Pass
		25	0	773	778	-56.75	-13	Pass
				778	785.5	-34.78	-28.25	Pass
				785.5	787.95	-28.44	-18.25	Pass
				787.95	793.05	6.75	6.75	Pass
				793.05	795.5	-28.22	-18.25	Pass
				795.5	803	-35.96	-28.25	Pass
	793	1	0	803	808	-54.72	-13	Pass
				775.5	780.5	-64.51	-13	Pass
				780.5	788	-41.63	-14.41	Pass
				788	790.45	-18.84	-4.41	Pass
				790.45	795.55	20.59	20.59	Pass
				795.55	798	-46.42	-4.41	Pass
			13	798	805.5	-36.39	-14.41	Pass
				805.5	810.5	-69.72	-13	Pass
				775.5	780.5	-68.17	-13	Pass
				780.5	788	-47.54	-14.63	Pass
				788	790.45	-44.35	-4.63	Pass
				790.45	795.55	20.37	20.37	Pass
				795.55	798	-44.95	-4.63	Pass
				798	805.5	-51.43	-14.63	Pass
				805.5	810.5	-66.64	-13	Pass
			24	775.5	780.5	-67.89	-13	Pass
				780.5	788	-38.78	-14.42	Pass
				788	790.45	-45.22	-4.42	Pass
				790.45	795.55	20.58	20.58	Pass
				795.55	798	-17.40	-4.42	Pass
				798	805.5	-43.74	-14.42	Pass
		12	0	805.5	810.5	-66.36	-13	Pass
				775.5	780.5	-68.87	-13	Pass
				780.5	788	-41.14	-25.22	Pass
				788	790.45	-26.24	-15.22	Pass
				790.45	795.55	9.78	9.78	Pass
				795.55	798	-38.63	-15.22	Pass
				798	805.5	-45.81	-25.22	Pass
				805.5	810.5	-68.82	-13	Pass

			6	775.5	780.5	-68.00	-13	Pass
				780.5	788	-45.90	-25.28	Pass
				788	790.45	-30.40	-15.28	Pass
				790.45	795.55	9.72	9.72	Pass
				795.55	798	-33.48	-15.28	Pass
				798	805.5	-47.01	-25.28	Pass
				805.5	810.5	-69.14	-13	Pass
			13	775.5	780.5	-68.24	-13	Pass
				780.5	788	-47.08	-25.38	Pass
				788	790.45	-39.72	-15.38	Pass
				790.45	795.55	9.62	9.62	Pass
				795.55	798	-25.55	-15.38	Pass
				798	805.5	-41.95	-25.38	Pass
				805.5	810.5	-68.75	-13	Pass
		25	0	775.5	780.5	-54.97	-13	Pass
				780.5	788	-33.61	-28.23	Pass
				788	790.45	-26.91	-18.23	Pass
				790.45	795.55	6.77	6.77	Pass
				795.55	798	-28.95	-18.23	Pass
		795.5	0	798	805.5	-35.43	-28.23	Pass
				805.5	810.5	-57.33	-13	Pass
				778	783	-67.93	-13	Pass
				783	790.5	-40.58	-13.95	Pass
				790.5	792.95	-18.83	-3.95	Pass
			13	792.95	798.05	21.05	21.05	Pass
				798.05	800.5	-45.99	-3.95	Pass
				800.5	808	-36.81	-13.95	Pass
				808	813	-69.30	-13	Pass
				778	783	-64.92	-13	Pass
			24	783	790.5	-47.64	-14.24	Pass
				790.5	792.95	-44.86	-4.24	Pass
				792.95	798.05	20.76	20.76	Pass
				798.05	800.5	-44.26	-4.24	Pass
				800.5	808	-51.67	-14.24	Pass
		12	0	808	813	-66.23	-13	Pass
				778	783	-66.70	-13	Pass
				783	790.5	-37.36	-14.58	Pass
				790.5	792.95	-45.67	-4.58	Pass
				792.95	798.05	20.42	20.42	Pass
			6	798.05	800.5	-18.00	-4.58	Pass
				800.5	808	-43.47	-14.58	Pass
				808	813	-65.69	-13	Pass
				778	783	-67.75	-13	Pass
				783	790.5	-41.89	-25.38	Pass
			13	790.5	792.95	-25.85	-15.38	Pass
				792.95	798.05	9.62	9.62	Pass
				798.05	800.5	-40.03	-15.38	Pass
				800.5	808	-46.46	-25.38	Pass
				808	813	-70.24	-13	Pass
			6	778	783	-68.79	-13	Pass
				783	790.5	-46.43	-25.12	Pass
				790.5	792.95	-32.59	-15.12	Pass
				792.95	798.05	9.88	9.88	Pass
				798.05	800.5	-34.00	-15.12	Pass
			13	800.5	808	-48.50	-25.12	Pass
				808	813	-69.80	-13	Pass
				778	783	-68.28	-13	Pass
			13	783	790.5	-47.05	-25.28	Pass
				790.5	792.95	-38.92	-15.28	Pass

				792.95	798.05	9.72	9.72	Pass
				798.05	800.5	-27.47	-15.28	Pass
				800.5	808	-41.37	-25.28	Pass
				808	813	-69.79	-13	Pass
		25	0	778	783	-54.02	-13	Pass
				783	790.5	-35.76	-28.15	Pass
				790.5	792.95	-29.72	-18.15	Pass
				792.95	798.05	6.85	6.85	Pass
				798.05	800.5	-29.70	-18.15	Pass
				800.5	808	-37.31	-28.15	Pass
				808	813	-58.71	-13	Pass
64QAM	790.5	1	0	773	778	-63.26	-13	Pass
				778	785.5	-42.21	-15.08	Pass
				785.5	787.95	-19.56	-5.08	Pass
				787.95	793.05	19.92	19.92	Pass
				793.05	795.5	-46.53	-5.08	Pass
				795.5	803	-36.33	-15.08	Pass
			13	803	808	-64.75	-13	Pass
				773	778	-69.65	-13	Pass
				778	785.5	-48.19	-15.58	Pass
				785.5	787.95	-44.95	-5.58	Pass
				787.95	793.05	19.42	19.42	Pass
				793.05	795.5	-45.87	-5.58	Pass
			24	795.5	803	-52.46	-15.58	Pass
				803	808	-65.29	-13	Pass
				773	778	-68.40	-13	Pass
				778	785.5	-40.83	-15.64	Pass
				785.5	787.95	-47.05	-5.64	Pass
				787.95	793.05	19.36	19.36	Pass
		12	0	793.05	795.5	-21.05	-5.64	Pass
				795.5	803	-48.60	-15.64	Pass
				803	808	-65.11	-13	Pass
				773	778	-69.58	-13	Pass
				778	785.5	-42.49	-26.19	Pass
				785.5	787.95	-27.28	-16.19	Pass
			6	787.95	793.05	8.81	8.81	Pass
				793.05	795.5	-40.50	-16.19	Pass
				795.5	803	-45.95	-26.19	Pass
				803	808	-70.65	-13	Pass
				773	778	-69.75	-13	Pass
				778	785.5	-47.75	-26.09	Pass
			13	785.5	787.95	-35.07	-16.09	Pass
				787.95	793.05	8.91	8.91	Pass
				793.05	795.5	-36.54	-16.09	Pass
				795.5	803	-48.42	-26.09	Pass
				803	808	-69.33	-13	Pass
				773	778	-70.77	-13	Pass
		25	0	778	785.5	-48.25	-26.01	Pass
				785.5	787.95	-40.15	-16.01	Pass
				787.95	793.05	8.99	8.99	Pass
				793.05	795.5	-27.07	-16.01	Pass
				795.5	803	-43.31	-26.01	Pass
				803	808	-68.55	-13	Pass
				773	778	-57.53	-13	Pass
				778	785.5	-39.45	-29.28	Pass
				785.5	787.95	-29.08	-19.28	Pass
				787.95	793.05	5.72	5.72	Pass
				793.05	795.5	-31.87	-19.28	Pass
				795.5	803	-38.66	-29.28	Pass

				803	808	-56.65	-13	Pass	
	793	1	0	775.5	780.5	-62.55	-13	Pass	
				780.5	788	-45.50	-15.74	Pass	
				788	790.45	-19.68	-5.74	Pass	
				790.45	795.55	19.26	19.26	Pass	
				795.55	798	-46.54	-5.74	Pass	
				798	805.5	-37.36	-15.74	Pass	
				805.5	810.5	-66.67	-13	Pass	
			13	775.5	780.5	-67.96	-13	Pass	
				780.5	788	-48.54	-15.61	Pass	
				788	790.45	-45.62	-5.61	Pass	
				790.45	795.55	19.39	19.39	Pass	
				795.55	798	-45.93	-5.61	Pass	
				798	805.5	-52.21	-15.61	Pass	
				805.5	810.5	-69.43	-13	Pass	
			24	775.5	780.5	-69.82	-13	Pass	
				780.5	788	-40.21	-15.72	Pass	
				788	790.45	-46.33	-5.72	Pass	
				790.45	795.55	19.28	19.28	Pass	
				795.55	798	-17.58	-5.72	Pass	
				798	805.5	-45.72	-15.72	Pass	
				805.5	810.5	-68.70	-13	Pass	
			12	0	775.5	780.5	-69.44	-13	Pass
					780.5	788	-43.73	-26.13	Pass
					788	790.45	-26.36	-16.13	Pass
					790.45	795.55	8.87	8.87	Pass
					795.55	798	-41.48	-16.13	Pass
					798	805.5	-46.71	-26.13	Pass
					805.5	810.5	-70.13	-13	Pass
				6	775.5	780.5	-69.44	-13	Pass
					780.5	788	-48.99	-26.05	Pass
					788	790.45	-34.99	-16.05	Pass
					790.45	795.55	8.95	8.95	Pass
					795.55	798	-37.38	-16.05	Pass
		798			805.5	-49.49	-26.05	Pass	
		805.5			810.5	-69.73	-13	Pass	
		13		775.5	780.5	-70.17	-13	Pass	
				780.5	788	-47.88	-26.27	Pass	
				788	790.45	-41.35	-16.27	Pass	
				790.45	795.55	8.73	8.73	Pass	
				795.55	798	-25.82	-16.27	Pass	
				798	805.5	-44.05	-26.27	Pass	
				805.5	810.5	-70.27	-13	Pass	
		25	0	775.5	780.5	-56.98	-13	Pass	
				780.5	788	-36.10	-29	Pass	
				788	790.45	-31.28	-19	Pass	
				790.45	795.55	6.00	6	Pass	
				795.55	798	-31.84	-19	Pass	
				798	805.5	-39.57	-29	Pass	
				805.5	810.5	-59.66	-13	Pass	
	795.5	1	0	778	783	-64.56	-13	Pass	
				783	790.5	-44.10	-15	Pass	
				790.5	792.95	-19.48	-5	Pass	
				792.95	798.05	20.00	20	Pass	
				798.05	800.5	-47.64	-5	Pass	
				800.5	808	-37.92	-15	Pass	
				808	813	-69.67	-13	Pass	
			13	778	783	-67.79	-13	Pass	
				783	790.5	-48.34	-14.99	Pass	

				790.5	792.95	-45.12	-4.99	Pass	
				792.95	798.05	20.01	20.01	Pass	
				798.05	800.5	-46.12	-4.99	Pass	
				800.5	808	-52.25	-14.99	Pass	
				808	813	-66.97	-13	Pass	
				24	778	783	-64.85	-13	Pass
					783	790.5	-38.68	-14.97	Pass
					790.5	792.95	-45.48	-4.97	Pass
					792.95	798.05	20.03	20.03	Pass
					798.05	800.5	-18.41	-4.97	Pass
			800.5	808	-46.98	-14.97	Pass		
			808	813	-68.10	-13	Pass		
			12	0	778	783	-70.55	-13	Pass
					783	790.5	-44.41	-26.31	Pass
					790.5	792.95	-29.09	-16.31	Pass
					792.95	798.05	8.69	8.69	Pass
					798.05	800.5	-41.02	-16.31	Pass
					800.5	808	-47.24	-26.31	Pass
				808	813	-70.32	-13	Pass	
				6	778	783	-68.72	-13	Pass
		783			790.5	-48.71	-26.27	Pass	
		790.5			792.95	-36.11	-16.27	Pass	
		792.95			798.05	8.73	8.73	Pass	
		798.05			800.5	-36.86	-16.27	Pass	
		800.5			808	-50.74	-26.27	Pass	
		808		813	-69.29	-13	Pass		
		13		778	783	-69.00	-13	Pass	
				783	790.5	-47.98	-26.56	Pass	
				790.5	792.95	-41.16	-16.56	Pass	
				792.95	798.05	8.44	8.44	Pass	
				798.05	800.5	-29.33	-16.56	Pass	
				800.5	808	-43.77	-26.56	Pass	
		808	813	-70.11	-13	Pass			
		25	0	778	783	-56.76	-13	Pass	
				783	790.5	-39.81	-29.08	Pass	
				790.5	792.95	-33.31	-19.08	Pass	
				792.95	798.05	5.92	5.92	Pass	
				798.05	800.5	-32.93	-19.08	Pass	
				800.5	808	-39.24	-29.08	Pass	
				808	813	-61.77	-13	Pass	
256QAM	790.5	1	0	773	778	-70.59	-13	Pass	
				778	785.5	-51.50	-18.19	Pass	
				785.5	787.95	-21.55	-8.19	Pass	
				787.95	793.05	16.81	16.81	Pass	
				793.05	795.5	-49.49	-8.19	Pass	
				795.5	803	-37.13	-18.19	Pass	
			803	808	-70.58	-13	Pass		
			13	773	778	-69.97	-13	Pass	
				778	785.5	-51.14	-18.16	Pass	
				785.5	787.95	-48.95	-8.16	Pass	
				787.95	793.05	16.84	16.84	Pass	
				793.05	795.5	-48.01	-8.16	Pass	
				795.5	803	-55.13	-18.16	Pass	
			803	808	-70.29	-13	Pass		
			24	773	778	-68.81	-13	Pass	
				778	785.5	-42.65	-18.22	Pass	
				785.5	787.95	-49.23	-8.22	Pass	
				787.95	793.05	16.78	16.78	Pass	
				793.05	795.5	-21.53	-8.22	Pass	

				795.5	803	-55.60	-18.22	Pass
				803	808	-70.53	-13	Pass
		12	0	773	778	-70.53	-13	Pass
				778	785.5	-46.12	-28.3	Pass
				785.5	787.95	-30.97	-18.3	Pass
				787.95	793.05	6.70	6.7	Pass
				793.05	795.5	-42.50	-18.3	Pass
				795.5	803	-48.88	-28.3	Pass
				803	808	-70.52	-13	Pass
			6	773	778	-70.36	-13	Pass
				778	785.5	-49.96	-28.29	Pass
				785.5	787.95	-39.05	-18.29	Pass
				787.95	793.05	6.71	6.71	Pass
				793.05	795.5	-39.80	-18.29	Pass
				795.5	803	-50.50	-28.29	Pass
				803	808	-71.39	-13	Pass
			13	773	778	-70.14	-13	Pass
				778	785.5	-50.25	-28.1	Pass
				785.5	787.95	-43.69	-18.1	Pass
				787.95	793.05	6.90	6.9	Pass
				793.05	795.5	-31.80	-18.1	Pass
				795.5	803	-45.85	-28.1	Pass
				803	808	-71.28	-13	Pass
		25	0	773	778	-61.43	-13	Pass
				778	785.5	-43.07	-31.31	Pass
				785.5	787.95	-34.35	-21.31	Pass
				787.95	793.05	3.69	3.69	Pass
				793.05	795.5	-33.42	-21.31	Pass
				795.5	803	-42.59	-31.31	Pass
	793	1	0	803	808	-60.30	-13	Pass
				775.5	780.5	-70.79	-13	Pass
				780.5	788	-54.91	-18.22	Pass
				788	790.45	-22.19	-8.22	Pass
				790.45	795.55	16.78	16.78	Pass
				795.55	798	-49.97	-8.22	Pass
			13	798	805.5	-39.65	-18.22	Pass
				805.5	810.5	-70.92	-13	Pass
				775.5	780.5	-69.56	-13	Pass
				780.5	788	-51.84	-18.09	Pass
				788	790.45	-49.29	-8.09	Pass
				790.45	795.55	16.91	16.91	Pass
				795.55	798	-47.97	-8.09	Pass
				798	805.5	-55.22	-18.09	Pass
				805.5	810.5	-71.41	-13	Pass
			24	775.5	780.5	-70.60	-13	Pass
				780.5	788	-42.40	-18.55	Pass
				788	790.45	-48.56	-8.55	Pass
				790.45	795.55	16.45	16.45	Pass
				795.55	798	-21.48	-8.55	Pass
				798	805.5	-54.99	-18.55	Pass
		12	0	805.5	810.5	-70.54	-13	Pass
				775.5	780.5	-70.92	-13	Pass
				780.5	788	-45.86	-27.97	Pass
				788	790.45	-31.84	-17.97	Pass
				790.45	795.55	7.03	7.03	Pass
				795.55	798	-44.18	-17.97	Pass
			6	798	805.5	-49.48	-27.97	Pass
				805.5	810.5	-72.03	-13	Pass
				775.5	780.5	-70.76	-13	Pass

				780.5	788	-50.97	-28.55	Pass
				788	790.45	-40.47	-18.55	Pass
				790.45	795.55	6.45	6.45	Pass
				795.55	798	-40.79	-18.55	Pass
				798	805.5	-52.02	-28.55	Pass
				805.5	810.5	-71.45	-13	Pass
			13	775.5	780.5	-71.03	-13	Pass
				780.5	788	-50.06	-27.88	Pass
				788	790.45	-43.84	-17.88	Pass
				790.45	795.55	7.12	7.12	Pass
				795.55	798	-29.16	-17.88	Pass
				798	805.5	-47.41	-27.88	Pass
				805.5	810.5	-70.39	-13	Pass
		25	0	775.5	780.5	-60.63	-13	Pass
				780.5	788	-44.55	-31.05	Pass
				788	790.45	-35.45	-21.05	Pass
				790.45	795.55	3.95	3.95	Pass
				795.55	798	-34.80	-21.05	Pass
				798	805.5	-41.87	-31.05	Pass
				805.5	810.5	-64.23	-13	Pass
	795.5	1	0	778	783	-69.60	-13	Pass
				783	790.5	-45.30	-18.57	Pass
				790.5	792.95	-21.57	-8.57	Pass
				792.95	798.05	16.43	16.43	Pass
				798.05	800.5	-50.77	-8.57	Pass
				800.5	808	-35.88	-18.57	Pass
				808	813	-71.12	-13	Pass
			13	778	783	-70.03	-13	Pass
				783	790.5	-51.48	-18.26	Pass
				790.5	792.95	-48.40	-8.26	Pass
				792.95	798.05	16.74	16.74	Pass
				798.05	800.5	-49.25	-8.26	Pass
				800.5	808	-55.31	-18.26	Pass
				808	813	-71.66	-13	Pass
			24	778	783	-69.19	-13	Pass
				783	790.5	-42.06	-18.07	Pass
				790.5	792.95	-49.11	-8.07	Pass
				792.95	798.05	16.93	16.93	Pass
				798.05	800.5	-22.46	-8.07	Pass
				800.5	808	-54.36	-18.07	Pass
				808	813	-70.65	-13	Pass
		12	0	778	783	-69.73	-13	Pass
				783	790.5	-47.38	-28.29	Pass
				790.5	792.95	-32.13	-18.29	Pass
				792.95	798.05	6.71	6.71	Pass
				798.05	800.5	-44.43	-18.29	Pass
				800.5	808	-49.70	-28.29	Pass
				808	813	-70.73	-13	Pass
			6	778	783	-69.95	-13	Pass
				783	790.5	-51.09	-27.93	Pass
				790.5	792.95	-40.32	-17.93	Pass
				792.95	798.05	7.07	7.07	Pass
				798.05	800.5	-40.69	-17.93	Pass
				800.5	808	-53.48	-27.93	Pass
				808	813	-70.00	-13	Pass
			13	778	783	-70.71	-13	Pass
				783	790.5	-50.22	-28.31	Pass
				790.5	792.95	-44.26	-18.31	Pass
				792.95	798.05	6.69	6.69	Pass

				798.05	800.5	-30.60	-18.31	Pass
				800.5	808	-47.40	-28.31	Pass
				808	813	-71.78	-13	Pass
		25	0	778	783	-61.27	-13	Pass
				783	790.5	-44.85	-31.16	Pass
				790.5	792.95	-32.86	-21.16	Pass
				792.95	798.05	3.84	3.84	Pass
				798.05	800.5	-32.74	-21.16	Pass
				800.5	808	-41.40	-31.16	Pass
				808	813	-66.89	-13	Pass

6.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-65.10	-13	Pass
				768	783	-50.82	-13.36	Pass
				783	787.95	-23.48	-3.36	Pass
				787.95	798.05	21.64	21.64	Pass
				798.05	803	-47.20	-3.36	Pass
				803	818	-33.65	-13.36	Pass
				818	828	-71.19	-13	Pass
			25	758	768	-66.94	-13	Pass
				768	783	-56.85	-13.43	Pass
				783	787.95	-47.64	-3.43	Pass
				787.95	798.05	21.57	21.57	Pass
				798.05	803	-48.78	-3.43	Pass
				803	818	-57.16	-13.43	Pass
				818	828	-71.26	-13	Pass
			49	758	768	-67.37	-13	Pass
				768	783	-30.95	-13.84	Pass
				783	787.95	-47.43	-3.84	Pass
				787.95	798.05	21.16	21.16	Pass
				798.05	803	-26.50	-3.84	Pass
				803	818	-43.52	-13.84	Pass
				818	828	-69.79	-13	Pass
		25	0	758	768	-67.25	-13	Pass
				768	783	-41.20	-27.12	Pass
				783	787.95	-27.65	-17.12	Pass
				787.95	798.05	7.88	7.88	Pass
				798.05	803	-38.93	-17.12	Pass
				803	818	-47.30	-27.12	Pass
				818	828	-70.73	-13	Pass
			13	758	768	-66.64	-13	Pass
				768	783	-46.48	-27.26	Pass
				783	787.95	-31.80	-17.26	Pass
				787.95	798.05	7.74	7.74	Pass
				798.05	803	-32.90	-17.26	Pass
				803	818	-45.05	-27.26	Pass
				818	828	-70.83	-13	Pass
			25	758	768	-67.17	-13	Pass
				768	783	-47.38	-27.47	Pass
				783	787.95	-40.29	-17.47	Pass
				787.95	798.05	7.53	7.53	Pass
				798.05	803	-30.91	-17.47	Pass
				803	818	-41.92	-27.47	Pass


		50	0	818	828	-70.83	-13	Pass
				758	768	-67.59	-13	Pass
				768	783	-34.56	-30.37	Pass
				783	787.95	-29.49	-20.37	Pass
				787.95	798.05	4.63	4.63	Pass
				798.05	803	-33.15	-20.37	Pass
				803	818	-37.58	-30.37	Pass
				818	828	-60.01	-13	Pass
16QAM	793	1	0	758	768	-66.96	-13	Pass
				768	783	-51.70	-14.38	Pass
				783	787.95	-20.22	-4.38	Pass
				787.95	798.05	20.62	20.62	Pass
				798.05	803	-47.86	-4.38	Pass
				803	818	-35.17	-14.38	Pass
				818	828	-72.03	-13	Pass
			25	758	768	-67.01	-13	Pass
				768	783	-56.75	-14.53	Pass
				783	787.95	-47.90	-4.53	Pass
				787.95	798.05	20.47	20.47	Pass
				798.05	803	-49.04	-4.53	Pass
				803	818	-57.98	-14.53	Pass
				818	828	-71.75	-13	Pass
			49	758	768	-67.31	-13	Pass
				768	783	-33.60	-14.78	Pass
				783	787.95	-48.57	-4.78	Pass
				787.95	798.05	20.22	20.22	Pass
				798.05	803	-26.62	-4.78	Pass
				803	818	-43.77	-14.78	Pass
				818	828	-71.36	-13	Pass
		25	0	758	768	-67.96	-13	Pass
				768	783	-43.33	-28.16	Pass
				783	787.95	-30.99	-18.16	Pass
				787.95	798.05	6.84	6.84	Pass
				798.05	803	-39.52	-18.16	Pass
				803	818	-48.74	-28.16	Pass
				818	828	-71.97	-13	Pass
			13	758	768	-65.70	-13	Pass
				768	783	-49.96	-28.44	Pass
				783	787.95	-33.90	-18.44	Pass
				787.95	798.05	6.56	6.56	Pass
				798.05	803	-36.23	-18.44	Pass
				803	818	-49.39	-28.44	Pass
				818	828	-70.62	-13	Pass
			25	758	768	-66.72	-13	Pass
				768	783	-48.88	-28.6	Pass
				783	787.95	-42.94	-18.6	Pass
				787.95	798.05	6.40	6.4	Pass
				798.05	803	-32.92	-18.6	Pass
				803	818	-42.96	-28.6	Pass
				818	828	-72.18	-13	Pass
		50	0	758	768	-67.28	-13	Pass
				768	783	-37.20	-31.22	Pass
				783	787.95	-32.12	-21.22	Pass
				787.95	798.05	3.78	3.78	Pass
				798.05	803	-34.53	-21.22	Pass
				803	818	-39.89	-31.22	Pass
				818	828	-62.19	-13	Pass
64QAM	793	1	0	758	768	-67.58	-13	Pass
				768	783	-54.33	-15.9	Pass

				783	787.95	-24.76	-5.9	Pass
				787.95	798.05	19.10	19.1	Pass
				798.05	803	-49.18	-5.9	Pass
				803	818	-36.49	-15.9	Pass
				818	828	-71.95	-13	Pass
			25	758	768	-66.79	-13	Pass
				768	783	-56.54	-15.58	Pass
				783	787.95	-48.34	-5.58	Pass
				787.95	798.05	19.42	19.42	Pass
				798.05	803	-49.49	-5.58	Pass
				803	818	-57.81	-15.58	Pass
				818	828	-70.37	-13	Pass
			49	758	768	-67.69	-13	Pass
				768	783	-34.58	-15.95	Pass
				783	787.95	-49.46	-5.95	Pass
				787.95	798.05	19.05	19.05	Pass
				798.05	803	-26.82	-5.95	Pass
				803	818	-47.23	-15.95	Pass
				818	828	-69.83	-13	Pass
		25	0	758	768	-67.12	-13	Pass
				768	783	-46.16	-29.11	Pass
				783	787.95	-33.43	-19.11	Pass
				787.95	798.05	5.89	5.89	Pass
				798.05	803	-42.91	-19.11	Pass
				803	818	-48.54	-29.11	Pass
				818	828	-71.96	-13	Pass
			13	758	768	-67.33	-13	Pass
				768	783	-51.43	-29.29	Pass
				783	787.95	-37.11	-19.29	Pass
				787.95	798.05	5.71	5.71	Pass
				798.05	803	-39.05	-19.29	Pass
				803	818	-51.56	-29.29	Pass
				818	828	-71.73	-13	Pass
			25	758	768	-67.03	-13	Pass
				768	783	-49.39	-29.23	Pass
				783	787.95	-44.75	-19.23	Pass
				787.95	798.05	5.77	5.77	Pass
				798.05	803	-33.81	-19.23	Pass
				803	818	-47.06	-29.23	Pass
				818	828	-70.38	-13	Pass
		50	0	758	768	-66.25	-13	Pass
				768	783	-39.72	-32.14	Pass
				783	787.95	-35.47	-22.14	Pass
				787.95	798.05	2.86	2.86	Pass
				798.05	803	-37.33	-22.14	Pass
				803	818	-41.71	-32.14	Pass
				818	828	-64.25	-13	Pass
256QAM	793	1	0	758	768	-67.30	-13	Pass
				768	783	-59.20	-18.57	Pass
				783	787.95	-27.85	-8.57	Pass
				787.95	798.05	16.43	16.43	Pass
				798.05	803	-52.48	-8.57	Pass
				803	818	-37.34	-18.57	Pass
				818	828	-71.13	-13	Pass
			25	758	768	-66.46	-13	Pass
				768	783	-60.09	-18.8	Pass
				783	787.95	-52.12	-8.8	Pass
				787.95	798.05	16.20	16.2	Pass
				798.05	803	-52.14	-8.8	Pass


				803	818	-60.49	-18.8	Pass
				818	828	-71.64	-13	Pass
			49	758	768	-67.20	-13	Pass
				768	783	-38.71	-18.47	Pass
				783	787.95	-51.90	-8.47	Pass
				787.95	798.05	16.53	16.53	Pass
				798.05	803	-28.39	-8.47	Pass
				803	818	-55.50	-18.47	Pass
				818	828	-72.20	-13	Pass
				758	768	-66.95	-13	Pass
				768	783	-49.02	-31.29	Pass
		25	0	783	787.95	-37.18	-21.29	Pass
				787.95	798.05	3.71	3.71	Pass
				798.05	803	-45.53	-21.29	Pass
				803	818	-51.87	-31.29	Pass
				818	828	-72.27	-13	Pass
				758	768	-66.92	-13	Pass
			13	768	783	-53.84	-31.32	Pass
				783	787.95	-44.25	-21.32	Pass
				787.95	798.05	3.68	3.68	Pass
				798.05	803	-41.80	-21.32	Pass
				803	818	-55.04	-31.32	Pass
				818	828	-72.42	-13	Pass
			25	758	768	-67.40	-13	Pass
				768	783	-52.60	-31.17	Pass
				783	787.95	-47.20	-21.17	Pass
				787.95	798.05	3.83	3.83	Pass
				798.05	803	-36.16	-21.17	Pass
				803	818	-51.19	-31.17	Pass
		50	0	818	828	-71.53	-13	Pass
				758	768	-66.50	-13	Pass
				768	783	-45.47	-34.25	Pass
				783	787.95	-38.50	-24.25	Pass
				787.95	798.05	0.75	0.75	Pass
				798.05	803	-38.73	-24.25	Pass
				803	818	-44.37	-34.25	Pass
				818	828	-67.86	-13	Pass

6.2 Test Graph


6.2.1 B14_5MHz




Band14 5MHz QPSK LCH 790.5MHz RB 1 24 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 12_0 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 12 6 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 12 13 NTNV




Band14 5MHz QPSK LCH 790.5MHz RB 25 0 NTV




Band14 5MHz QPSK MCH 793MHz RB 1 0 NTV




Band14 5MHz QPSK MCH 793MHz RB 1 13 NTNV




Band14 5MHz QPSK MCH 793MHz RB 1 24 NTNV




Band14 5MHz QPSK MCH 793MHz RB 12 0 NTN




Band14 5MHz QPSK MCH 793MHz RB 12 6 NTN




Band14 5MHz QPSK MCH 793MHz RB 12 13 NTV




Band14 5MHz QPSK MCH 793MHz RB 25 0 NTV




Band14 5MHz QPSK HCH 795.5MHz RB 1 0 NTN




Band14 5MHz QPSK HCH 795.5MHz RB 1 13 NTN




Band14 5MHz QPSK HCH 795.5MHz RB 1 24 NTV




Band14 5MHz QPSK HCH 795.5MHz RB 12 0 NTV




Band14 5MHz QPSK HCH 795.5MHz RB 12 6 NTNV




Band14 5MHz QPSK HCH 795.5MHz RB 12 13 NTNV




Band14 5MHz QPSK HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 1 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 1 13 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 1 24 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 12 0 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 12 6 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 12 13 NTNV




Band14 5MHz 16QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 1 0 NTN




Band14 5MHz 16QAM MCH 793MHz RB 1 13 NTN




Band14 5MHz 16QAM MCH 793MHz RB 1 24 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 12 0 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 12 6 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 12 13 NTNV




Band14 5MHz 16QAM MCH 793MHz RB 25 0 NTN




Band14 5MHz 16QAM HCH 795.5MHz RB 1 0 NTN




Band14 5MHz 16QAM HCH 795.5MHz RB 1 13 NTV




Band14 5MHz 16QAM HCH 795.5MHz RB 1 24 NTV




Band14 5MHz 16QAM HCH 795.5MHz RB 12 0 NTV




Band14 5MHz 16QAM HCH 795.5MHz RB 12 6 NTV




Band14 5MHz 16QAM HCH 795.5MHz RB 12 13 NTNV




Band14 5MHz 16QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 1 0 NTN




Band14 5MHz 64QAM LCH 790.5MHz RB 1 13 NTN




Band14 5MHz 64QAM LCH 790.5MHz RB 1 24 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 12 0 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 12 6 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 12 13 NTNV




Band14 5MHz 64QAM LCH 790.5MHz RB 25 0 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 1 0 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 1 13 NTN




Band14 5MHz 64QAM MCH 793MHz RB 1 24 NTN




Band14 5MHz 64QAM MCH 793MHz RB 12 0 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 12 6 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 12 13 NTNV




Band14 5MHz 64QAM MCH 793MHz RB 25_0 NTNV




Band14 5MHz 64QAM HCH 795.5MHz RB 1 0 NTV




Band14 5MHz 64QAM HCH 795.5MHz RB 1 13 NTV




Band14 5MHz 64QAM HCH 795.5MHz RB 1 24 NTV




Band14 5MHz 64QAM HCH 795.5MHz RB 12 0 NTV




Band14 5MHz 64QAM HCH 795.5MHz RB 12 6 NTNV




Band14 5MHz 64QAM HCH 795.5MHz RB 12 13 NTNV




Band14 5MHz 64QAM HCH 795.5MHz RB 25 0 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 1 0 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 1 13 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 1 24 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 12 0 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 12 6 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 12 13 NTNV




Band14 5MHz 256QAM LCH 790.5MHz RB 25_0 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 1 0 NTN




Band14 5MHz 256QAM MCH 793MHz RB 1 13 NTN




Band14 5MHz 256QAM MCH 793MHz RB 1 24 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 12 0 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 12 6 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 12 13 NTNV




Band14 5MHz 256QAM MCH 793MHz RB 25 0 NTV




Band14 5MHz 256QAM HCH 795.5MHz RB 1 0 NTV




Band14 5MHz 256QAM HCH 795.5MHz RB 1 13 NTNV




Band14 5MHz 256QAM HCH 795.5MHz RB 1 24 NTNV




Band14 5MHz 256QAM HCH 795.5MHz RB 12 0 NTN




Band14 5MHz 256QAM HCH 795.5MHz RB 12 6 NTN




Band14 5MHz 256QAM HCH 795.5MHz RB 12 13 NTN




Band14 5MHz 256QAM HCH 795.5MHz RB 25_0 NTN




6.2.2 B14_10MHz




Band14 10MHz QPSK MCH 793MHz RB 1 49 NTNV




Band14 10MHz QPSK MCH 793MHz RB 25_0 NTNV




Band14 10MHz QPSK MCH 793MHz RB 25 13 NTNV




Band14 10MHz QPSK MCH 793MHz RB 25 25 NTNV




Band14 10MHz QPSK MCH 793MHz RB 50 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 1 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 1 25 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 1 49 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 25 0 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 25 13 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 25 25 NTNV




Band14 10MHz 16QAM MCH 793MHz RB 50 0 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 1 0 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 1 25 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 1 49 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 25 0 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 25 13 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 25 25 NTNV




Band14 10MHz 64QAM MCH 793MHz RB 50 0 NTV




Band14 10MHz 256QAM MCH 793MHz RB 1 0 NTV




Band14 10MHz 256QAM MCH 793MHz RB 1 25 NTNV




Band14 10MHz 256QAM MCH 793MHz RB 1 49 NTNV




Band14 10MHz 256QAM MCH 793MHz RB 25 0 NTNV




Band14 10MHz 256QAM MCH 793MHz RB 25 13 NTNV



Band14 10MHz 256QAM MCH 793MHz RB 25 25 NTN



Band14 10MHz 256QAM MCH 793MHz RB 50_0 NTN



7. Field Strength of Spurious Radiation

LTE Band 14-Low channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1576.5	-69.24	-40	-29.24	-72.33	2.6	5.69	Horizontal	Pass
2364.75	-69.47	-13	-56.47	-71.99	2.98	5.5	Horizontal	Pass
3153.0	-67.12	-13	-54.12	-71.19	3.23	7.3	Horizontal	Pass
1576.5	-69.72	-40	-29.72	-72.81	2.6	5.69	Vertical	Pass
2364.75	-69.76	-13	-56.76	-72.28	2.98	5.5	Vertical	Pass
3153.0	-66.91	-13	-53.91	-70.98	3.23	7.3	Vertical	Pass

LTE Band 14-Middle channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1581.5	-69.99	-40	-29.99	-73.06	2.6	5.67	Horizontal	Pass
2372.25	-69.62	-13	-56.62	-72.14	2.99	5.51	Horizontal	Pass
3163.0	-67.13	-13	-54.13	-71.23	3.23	7.33	Horizontal	Pass
1581.5	-70.04	-40	-30.04	-73.11	2.6	5.67	Vertical	Pass
2372.25	-69.17	-13	-56.17	-71.69	2.99	5.51	Vertical	Pass
3163.0	-67.1	-13	-54.1	-71.2	3.23	7.33	Vertical	Pass

LTE Band 14-High channel, Modulation: QPSK, Bandwidth:5MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1586.5	-70.34	-40	-30.34	-73.4	2.6	5.66	Horizontal	Pass
2379.75	-69.67	-13	-56.67	-72.21	2.99	5.53	Horizontal	Pass
3173.0	-66.93	-13	-53.93	-71.04	3.24	7.35	Horizontal	Pass
1586.5	-69.88	-40	-29.88	-72.94	2.6	5.66	Vertical	Pass
2379.75	-69.42	-13	-56.42	-71.96	2.99	5.53	Vertical	Pass
3173.0	-66.82	-13	-53.82	-70.93	3.24	7.35	Vertical	Pass

LTE Band 14-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1577.0	-70.31	-40	-30.31	-73.4	2.6	5.69	Horizontal	Pass
2365.5	-69.57	-13	-56.57	-72.09	2.98	5.5	Horizontal	Pass
3154.0	-67.37	-13	-54.37	-71.44	3.23	7.3	Horizontal	Pass
1577.0	-69.95	-40	-29.95	-73.04	2.6	5.69	Vertical	Pass
2365.5	-69.62	-13	-56.62	-72.14	2.98	5.5	Vertical	Pass
3154.0	-66.86	-13	-53.86	-70.93	3.23	7.3	Vertical	Pass