

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	21.29	2.46	23.75	33.01	PASS
Band38	5	37775	1	#Mid	QPSK	21.26	2.46	23.72	33.01	PASS
Band38	5	37775	1	#Max	QPSK	21.26	2.46	23.72	33.01	PASS
Band38	5	37775	12	#0	QPSK	20.32	2.46	22.78	33.01	PASS
Band38	5	37775	12	#Mid	QPSK	20.28	2.46	22.74	33.01	PASS
Band38	5	37775	12	#Max	QPSK	20.31	2.46	22.77	33.01	PASS
Band38	5	37775	25	#0	QPSK	20.35	2.46	22.81	33.01	PASS
Band38	5	37775	1	#0	QAM16	20.01	2.46	22.47	33.01	PASS
Band38	5	37775	1	#Mid	QAM16	20.05	2.46	22.51	33.01	PASS
Band38	5	37775	1	#Max	QAM16	19.96	2.46	22.42	33.01	PASS
Band38	5	37775	12	#0	QAM16	19.31	2.46	21.77	33.01	PASS
Band38	5	37775	12	#Mid	QAM16	19.25	2.46	21.71	33.01	PASS
Band38	5	37775	12	#Max	QAM16	19.29	2.46	21.75	33.01	PASS
Band38	5	37775	25	#0	QAM16	19.53	2.46	21.99	33.01	PASS
Band38	5	38000	1	#0	QPSK	21.19	2.46	23.65	33.01	PASS
Band38	5	38000	1	#Mid	QPSK	21.14	2.46	23.60	33.01	PASS
Band38	5	38000	1	#Max	QPSK	21.16	2.46	23.62	33.01	PASS
Band38	5	38000	12	#0	QPSK	20.40	2.46	22.86	33.01	PASS
Band38	5	38000	12	#Mid	QPSK	20.36	2.46	22.82	33.01	PASS
Band38	5	38000	12	#Max	QPSK	20.41	2.46	22.87	33.01	PASS
Band38	5	38000	25	#0	QPSK	20.22	2.46	22.68	33.01	PASS
Band38	5	38000	1	#0	QAM16	20.72	2.46	23.18	33.01	PASS
Band38	5	38000	1	#Mid	QAM16	20.59	2.46	23.05	33.01	PASS
Band38	5	38000	1	#Max	QAM16	20.71	2.46	23.17	33.01	PASS
Band38	5	38000	12	#0	QAM16	19.44	2.46	21.90	33.01	PASS
Band38	5	38000	12	#Mid	QAM16	19.39	2.46	21.85	33.01	PASS
Band38	5	38000	12	#Max	QAM16	19.44	2.46	21.90	33.01	PASS
Band38	5	38000	25	#0	QAM16	19.55	2.46	22.01	33.01	PASS
Band38	5	38225	1	#0	QPSK	21.44	2.46	23.90	33.01	PASS
Band38	5	38225	1	#Mid	QPSK	21.43	2.46	23.89	33.01	PASS
Band38	5	38225	1	#Max	QPSK	21.40	2.46	23.86	33.01	PASS
Band38	5	38225	12	#0	QPSK	20.45	2.46	22.91	33.01	PASS
Band38	5	38225	12	#Mid	QPSK	20.39	2.46	22.85	33.01	PASS
Band38	5	38225	12	#Max	QPSK	20.40	2.46	22.86	33.01	PASS
Band38	5	38225	25	#0	QPSK	20.41	2.46	22.87	33.01	PASS
Band38	5	38225	1	#0	QAM16	20.07	2.46	22.53	33.01	PASS
Band38	5	38225	1	#Mid	QAM16	20.07	2.46	22.53	33.01	PASS

Band38	5	38225	1	#Max	QAM16	20.06	2.46	22.52	33.01	PASS
Band38	5	38225	12	#0	QAM16	19.44	2.46	21.90	33.01	PASS
Band38	5	38225	12	#Mid	QAM16	19.41	2.46	21.87	33.01	PASS
Band38	5	38225	12	#Max	QAM16	19.45	2.46	21.91	33.01	PASS
Band38	5	38225	25	#0	QAM16	19.73	2.46	22.19	33.01	PASS
Band38	10	37800	1	#0	QPSK	21.45	2.46	23.91	33.01	PASS
Band38	10	37800	1	#Mid	QPSK	21.38	2.46	23.84	33.01	PASS
Band38	10	37800	1	#Max	QPSK	21.39	2.46	23.85	33.01	PASS
Band38	10	37800	25	#0	QPSK	20.33	2.46	22.79	33.01	PASS
Band38	10	37800	25	#Mid	QPSK	20.27	2.46	22.73	33.01	PASS
Band38	10	37800	25	#Max	QPSK	20.29	2.46	22.75	33.01	PASS
Band38	10	37800	50	#0	QPSK	20.32	2.46	22.78	33.01	PASS
Band38	10	37800	1	#0	QAM16	21.11	2.46	23.57	33.01	PASS
Band38	10	37800	1	#Mid	QAM16	21.02	2.46	23.48	33.01	PASS
Band38	10	37800	1	#Max	QAM16	21.11	2.46	23.57	33.01	PASS
Band38	10	37800	25	#0	QAM16	19.39	2.46	21.85	33.01	PASS
Band38	10	37800	25	#Mid	QAM16	19.25	2.46	21.71	33.01	PASS
Band38	10	37800	25	#Max	QAM16	19.34	2.46	21.80	33.01	PASS
Band38	10	37800	50	#0	QAM16	19.36	2.46	21.82	33.01	PASS
Band38	10	38000	1	#0	QPSK	21.46	2.46	23.92	33.01	PASS
Band38	10	38000	1	#Mid	QPSK	21.47	2.46	23.93	33.01	PASS
Band38	10	38000	1	#Max	QPSK	21.50	2.46	23.96	33.01	PASS
Band38	10	38000	25	#0	QPSK	20.27	2.46	22.73	33.01	PASS
Band38	10	38000	25	#Mid	QPSK	20.33	2.46	22.79	33.01	PASS
Band38	10	38000	25	#Max	QPSK	20.47	2.46	22.93	33.01	PASS
Band38	10	38000	50	#0	QPSK	20.33	2.46	22.79	33.01	PASS
Band38	10	38000	1	#0	QAM16	20.20	2.46	22.66	33.01	PASS
Band38	10	38000	1	#Mid	QAM16	20.07	2.46	22.53	33.01	PASS
Band38	10	38000	1	#Max	QAM16	20.14	2.46	22.60	33.01	PASS
Band38	10	38000	25	#0	QAM16	19.61	2.46	22.07	33.01	PASS
Band38	10	38000	25	#Mid	QAM16	19.50	2.46	21.96	33.01	PASS
Band38	10	38000	25	#Max	QAM16	19.57	2.46	22.03	33.01	PASS
Band38	10	38000	50	#0	QAM16	19.60	2.46	22.06	33.01	PASS
Band38	10	38200	1	#0	QPSK	21.53	2.46	23.99	33.01	PASS
Band38	10	38200	1	#Mid	QPSK	21.54	2.46	24.00	33.01	PASS
Band38	10	38200	1	#Max	QPSK	21.54	2.46	24.00	33.01	PASS
Band38	10	38200	25	#0	QPSK	20.59	2.46	23.05	33.01	PASS
Band38	10	38200	25	#Mid	QPSK	20.65	2.46	23.11	33.01	PASS
Band38	10	38200	25	#Max	QPSK	20.65	2.46	23.11	33.01	PASS
Band38	10	38200	50	#0	QPSK	20.54	2.46	23.00	33.01	PASS
Band38	10	38200	1	#0	QAM16	21.00	2.46	23.46	33.01	PASS
Band38	10	38200	1	#Mid	QAM16	21.15	2.46	23.61	33.01	PASS
Band38	10	38200	1	#Max	QAM16	21.15	2.46	23.61	33.01	PASS
Band38	10	38200	25	#0	QAM16	19.64	2.46	22.10	33.01	PASS

Band38	10	38200	25	#Mid	QAM16	19.66	2.46	22.12	33.01	PASS
Band38	10	38200	25	#Max	QAM16	19.69	2.46	22.15	33.01	PASS
Band38	10	38200	50	#0	QAM16	19.74	2.46	22.20	33.01	PASS
Band38	15	37825	1	#0	QPSK	21.47	2.46	23.93	33.01	PASS
Band38	15	37825	1	#Mid	QPSK	21.44	2.46	23.90	33.01	PASS
Band38	15	37825	1	#Max	QPSK	21.49	2.46	23.95	33.01	PASS
Band38	15	37825	36	#0	QPSK	20.33	2.46	22.79	33.01	PASS
Band38	15	37825	36	#Mid	QPSK	20.32	2.46	22.78	33.01	PASS
Band38	15	37825	36	#Max	QPSK	20.24	2.46	22.70	33.01	PASS
Band38	15	37825	75	#0	QPSK	20.37	2.46	22.83	33.01	PASS
Band38	15	37825	1	#0	QAM16	21.09	2.46	23.55	33.01	PASS
Band38	15	37825	1	#Mid	QAM16	21.07	2.46	23.53	33.01	PASS
Band38	15	37825	1	#Max	QAM16	20.96	2.46	23.42	33.01	PASS
Band38	15	37825	36	#0	QAM16	19.33	2.46	21.79	33.01	PASS
Band38	15	37825	36	#Mid	QAM16	19.48	2.46	21.94	33.01	PASS
Band38	15	37825	36	#Max	QAM16	19.41	2.46	21.87	33.01	PASS
Band38	15	37825	75	#0	QAM16	19.32	2.46	21.78	33.01	PASS
Band38	15	38000	1	#0	QPSK	21.58	2.46	24.04	33.01	PASS
Band38	15	38000	1	#Mid	QPSK	21.61	2.46	24.07	33.01	PASS
Band38	15	38000	1	#Max	QPSK	21.65	2.46	24.11	33.01	PASS
Band38	15	38000	36	#0	QPSK	20.56	2.46	23.02	33.01	PASS
Band38	15	38000	36	#Mid	QPSK	20.47	2.46	22.93	33.01	PASS
Band38	15	38000	36	#Max	QPSK	20.55	2.46	23.01	33.01	PASS
Band38	15	38000	75	#0	QPSK	20.54	2.46	23.00	33.01	PASS
Band38	15	38000	1	#0	QAM16	19.82	2.46	22.28	33.01	PASS
Band38	15	38000	1	#Mid	QAM16	19.75	2.46	22.21	33.01	PASS
Band38	15	38000	1	#Max	QAM16	19.83	2.46	22.29	33.01	PASS
Band38	15	38000	36	#0	QAM16	19.84	2.46	22.30	33.01	PASS
Band38	15	38000	36	#Mid	QAM16	19.89	2.46	22.35	33.01	PASS
Band38	15	38000	36	#Max	QAM16	19.81	2.46	22.27	33.01	PASS
Band38	15	38000	75	#0	QAM16	19.71	2.46	22.17	33.01	PASS
Band38	15	38175	1	#0	QPSK	21.46	2.46	23.92	33.01	PASS
Band38	15	38175	1	#Mid	QPSK	21.40	2.46	23.86	33.01	PASS
Band38	15	38175	1	#Max	QPSK	21.37	2.46	23.83	33.01	PASS
Band38	15	38175	36	#0	QPSK	20.61	2.46	23.07	33.01	PASS
Band38	15	38175	36	#Mid	QPSK	20.52	2.46	22.98	33.01	PASS
Band38	15	38175	36	#Max	QPSK	20.56	2.46	23.02	33.01	PASS
Band38	15	38175	75	#0	QPSK	20.58	2.46	23.04	33.01	PASS
Band38	15	38175	1	#0	QAM16	20.51	2.46	22.97	33.01	PASS
Band38	15	38175	1	#Mid	QAM16	20.53	2.46	22.99	33.01	PASS
Band38	15	38175	1	#Max	QAM16	20.52	2.46	22.98	33.01	PASS
Band38	15	38175	36	#0	QAM16	19.59	2.46	22.05	33.01	PASS
Band38	15	38175	36	#Mid	QAM16	19.49	2.46	21.95	33.01	PASS
Band38	15	38175	36	#Max	QAM16	19.55	2.46	22.01	33.01	PASS

Band38	15	38175	75	#0	QAM16	19.77	2.46	22.23	33.01	PASS
Band38	20	37850	1	#0	QPSK	21.23	2.46	23.69	33.01	PASS
Band38	20	37850	1	#Mid	QPSK	21.25	2.46	23.71	33.01	PASS
Band38	20	37850	1	#Max	QPSK	21.30	2.46	23.76	33.01	PASS
Band38	20	37850	50	#0	QPSK	20.28	2.46	22.74	33.01	PASS
Band38	20	37850	50	#Mid	QPSK	20.36	2.46	22.82	33.01	PASS
Band38	20	37850	50	#Max	QPSK	20.37	2.46	22.83	33.01	PASS
Band38	20	37850	100	#0	QPSK	20.32	2.46	22.78	33.01	PASS
Band38	20	37850	1	#0	QAM16	20.43	2.46	22.89	33.01	PASS
Band38	20	37850	1	#Mid	QAM16	20.44	2.46	22.90	33.01	PASS
Band38	20	37850	1	#Max	QAM16	20.40	2.46	22.86	33.01	PASS
Band38	20	37850	50	#0	QAM16	19.50	2.46	21.96	33.01	PASS
Band38	20	37850	50	#Mid	QAM16	19.59	2.46	22.05	33.01	PASS
Band38	20	37850	50	#Max	QAM16	19.71	2.46	22.17	33.01	PASS
Band38	20	37850	100	#0	QAM16	19.43	2.46	21.89	33.01	PASS
Band38	20	38000	1	#0	QPSK	21.43	2.46	23.89	33.01	PASS
Band38	20	38000	1	#Mid	QPSK	21.40	2.46	23.86	33.01	PASS
Band38	20	38000	1	#Max	QPSK	21.36	2.46	23.82	33.01	PASS
Band38	20	38000	50	#0	QPSK	20.33	2.46	22.79	33.01	PASS
Band38	20	38000	50	#Mid	QPSK	20.36	2.46	22.82	33.01	PASS
Band38	20	38000	50	#Max	QPSK	20.35	2.46	22.81	33.01	PASS
Band38	20	38000	100	#0	QPSK	20.32	2.46	22.78	33.01	PASS
Band38	20	38000	1	#0	QAM16	20.08	2.46	22.54	33.01	PASS
Band38	20	38000	1	#Mid	QAM16	20.19	2.46	22.65	33.01	PASS
Band38	20	38000	1	#Max	QAM16	19.99	2.46	22.45	33.01	PASS
Band38	20	38000	50	#0	QAM16	19.48	2.46	21.94	33.01	PASS
Band38	20	38000	50	#Mid	QAM16	19.43	2.46	21.89	33.01	PASS
Band38	20	38000	50	#Max	QAM16	19.45	2.46	21.91	33.01	PASS
Band38	20	38000	100	#0	QAM16	19.43	2.46	21.89	33.01	PASS
Band38	20	38150	1	#0	QPSK	21.72	2.46	24.18	33.01	PASS
Band38	20	38150	1	#Mid	QPSK	21.63	2.46	24.09	33.01	PASS
Band38	20	38150	1	#Max	QPSK	21.67	2.46	24.13	33.01	PASS
Band38	20	38150	50	#0	QPSK	20.53	2.46	22.99	33.01	PASS
Band38	20	38150	50	#Mid	QPSK	20.58	2.46	23.04	33.01	PASS
Band38	20	38150	50	#Max	QPSK	20.55	2.46	23.01	33.01	PASS
Band38	20	38150	100	#0	QPSK	20.48	2.46	22.94	33.01	PASS
Band38	20	38150	1	#0	QAM16	20.72	2.46	23.18	33.01	PASS
Band38	20	38150	1	#Mid	QAM16	20.71	2.46	23.17	33.01	PASS
Band38	20	38150	1	#Max	QAM16	20.78	2.46	23.24	33.01	PASS
Band38	20	38150	50	#0	QAM16	19.76	2.46	22.22	33.01	PASS
Band38	20	38150	50	#Mid	QAM16	19.64	2.46	22.10	33.01	PASS
Band38	20	38150	50	#Max	QAM16	19.71	2.46	22.17	33.01	PASS
Band38	20	38150	100	#0	QAM16	19.68	2.46	22.14	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	1.37	0.001	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	8.52	0.003	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	14.96	0.006	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	23.48	0.009	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	11.04	0.004	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	21.50	0.008	-2.5	2.5	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	9.13	13	PASS
Band38	5	38000	1	#0	QAM16	9.43	13	PASS
Band38	10	38000	1	#0	QPSK	7.63	13	PASS
Band38	10	38000	1	#0	QAM16	10.44	13	PASS
Band38	15	38000	1	#0	QPSK	9.03	13	PASS
Band38	15	38000	1	#0	QAM16	9.68	13	PASS
Band38	20	38000	1	#0	QPSK	9.13	13	PASS
Band38	20	38000	1	#0	QAM16	9.88	13	PASS

Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0

**Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0**

**Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0****Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0**



**Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0**







4 Occupied bandwidth


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band38	5	37775	25	#0	QPSK	4.506	4.952	PASS
Band38	5	37775	25	#0	QAM16	4.498	4.932	PASS
Band38	5	38000	25	#0	QPSK	4.508	5.065	PASS
Band38	5	38000	25	#0	QAM16	4.488	4.949	PASS
Band38	5	38225	25	#0	QPSK	4.501	4.904	PASS
Band38	5	38225	25	#0	QAM16	4.520	4.938	PASS
Band38	10	37800	50	#0	QPSK	8.997	9.816	PASS
Band38	10	37800	50	#0	QAM16	8.989	9.853	PASS
Band38	10	38000	50	#0	QPSK	8.970	9.752	PASS
Band38	10	38000	50	#0	QAM16	8.983	9.790	PASS
Band38	10	38200	50	#0	QPSK	9.014	9.759	PASS
Band38	10	38200	50	#0	QAM16	9.004	10.156	PASS
Band38	15	37825	75	#0	QPSK	13.472	14.703	PASS
Band38	15	37825	75	#0	QAM16	13.508	15.266	PASS
Band38	15	38000	75	#0	QPSK	13.489	15.256	PASS
Band38	15	38000	75	#0	QAM16	13.441	14.802	PASS
Band38	15	38175	75	#0	QPSK	13.471	15.070	PASS
Band38	15	38175	75	#0	QAM16	13.512	15.931	PASS
Band38	20	37850	100	#0	QPSK	17.972	19.416	PASS
Band38	20	37850	100	#0	QAM16	17.966	20.349	PASS
Band38	20	38000	100	#0	QPSK	17.994	19.445	PASS
Band38	20	38000	100	#0	QAM16	17.942	19.305	PASS
Band38	20	38150	100	#0	QPSK	17.980	19.671	PASS
Band38	20	38150	100	#0	QAM16	17.966	19.505	PASS

Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0


**Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0****Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0**

**Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0****Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0**



**Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0****Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0**




Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0



**Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0****Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0**




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0



**Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0****Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0**







Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0





Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0

**Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0****Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0**

**Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0****Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0**


**Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0****Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0**

**Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0**


5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2569.00	-14.05	-10	PASS
Band38	5	37775	25	#0	QAM16	2563.57	-27.63	-25	PASS
Band38	5	38225	25	#0	QPSK	2626.95	-29.76	-25	PASS
Band38	5	38225	25	#0	QAM16	2627.76	-30.84	-25	PASS
Band38	10	37800	50	#0	QPSK	2558.75	-31.86	-25	PASS
Band38	10	37800	50	#0	QAM16	2558.85	-31.94	-25	PASS
Band38	10	38200	50	#0	QPSK	2630.55	-31.54	-25	PASS
Band38	10	38200	50	#0	QAM16	2631.14	-33.67	-25	PASS
Band38	15	37825	75	#0	QPSK	2554.32	-35.30	-25	PASS
Band38	15	37825	75	#0	QAM16	2553.66	-33.84	-25	PASS
Band38	15	38175	75	#0	QPSK	2636.06	-32.73	-25	PASS
Band38	15	38175	75	#0	QAM16	2637.42	-33.82	-25	PASS
Band38	20	37850	100	#0	QPSK	2547.40	-36.41	-25	PASS
Band38	20	37850	100	#0	QAM16	2549.90	-36.39	-25	PASS
Band38	20	38150	100	#0	QPSK	2643.71	-35.73	-25	PASS
Band38	20	38150	100	#0	QAM16	2641.50	-35.88	-25	PASS


Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0



Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0





6 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	3833.20	-36.81	-25	PASS
Band38	5	37775	25	#0	QAM16	3780.55	-36.60	-25	PASS
Band38	5	38225	25	#0	QPSK	3686.95	-37.22	-25	PASS
Band38	5	38225	25	#0	QAM16	2670.18	-35.16	-25	PASS
Band38	10	37800	50	#0	QPSK	3868.53	-36.54	-25	PASS
Band38	10	37800	50	#0	QAM16	2437.08	-33.93	-25	PASS
Band38	10	38200	50	#0	QPSK	3819.25	-36.48	-25	PASS
Band38	10	38200	50	#0	QAM16	2439.33	-33.65	-25	PASS
Band38	15	37825	75	#0	QPSK	2439.33	-36.28	-25	PASS
Band38	15	37825	75	#0	QAM16	2434.83	-35.62	-25	PASS
Band38	15	38175	75	#0	QPSK	3729.03	-36.62	-25	PASS
Band38	15	38175	75	#0	QAM16	2437.30	-33.04	-25	PASS
Band38	20	37850	100	#0	QPSK	2438.43	-31.15	-25	PASS
Band38	20	37850	100	#0	QAM16	2435.73	-33.90	-25	PASS
Band38	20	38150	100	#0	QPSK	4948.75	-36.08	-25	PASS
Band38	20	38150	100	#0	QAM16	2437.30	-33.22	-25	PASS

Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0


**Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0****Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0**




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0

