

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability7

3 Peak-to-Average Ratio8

4 Occupied bandwidth14

5 Band edge30

6 Out-of-band emissions41

1 Conducted output power

Band	Band width (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4	26797	1	#0	QPSK	22.23	0.79	-2.15	20.87	38.45	PASS
Band26(824-849)	1.4	26797	1	#Mid	QPSK	22.24	0.79	-2.15	20.88	38.45	PASS
Band26(824-849)	1.4	26797	1	#Max	QPSK	22.16	0.79	-2.15	20.80	38.45	PASS
Band26(824-849)	1.4	26797	3	#0	QPSK	22.05	0.79	-2.15	20.69	38.45	PASS
Band26(824-849)	1.4	26797	3	#Mid	QPSK	22.11	0.79	-2.15	20.75	38.45	PASS
Band26(824-849)	1.4	26797	3	#Max	QPSK	22.10	0.79	-2.15	20.74	38.45	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	21.14	0.79	-2.15	19.78	38.45	PASS
Band26(824-849)	1.4	26797	1	#0	QAM16	22.01	0.79	-2.15	20.65	38.45	PASS
Band26(824-849)	1.4	26797	1	#Mid	QAM16	22.01	0.79	-2.15	20.65	38.45	PASS
Band26(824-849)	1.4	26797	1	#Max	QAM16	22.01	0.79	-2.15	20.65	38.45	PASS
Band26(824-849)	1.4	26797	3	#0	QAM16	21.37	0.79	-2.15	20.01	38.45	PASS
Band26(824-849)	1.4	26797	3	#Mid	QAM16	21.35	0.79	-2.15	19.99	38.45	PASS
Band26(824-849)	1.4	26797	3	#Max	QAM16	21.31	0.79	-2.15	19.95	38.45	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	20.32	0.79	-2.15	18.96	38.45	PASS
Band26(824-849)	1.4	26915	1	#0	QPSK	21.23	0.79	-2.15	19.87	38.45	PASS
Band26(824-849)	1.4	26915	1	#Mid	QPSK	21.29	0.79	-2.15	19.93	38.45	PASS
Band26(824-849)	1.4	26915	1	#Max	QPSK	21.27	0.79	-2.15	19.91	38.45	PASS
Band26(824-849)	1.4	26915	3	#0	QPSK	21.43	0.79	-2.15	20.07	38.45	PASS
Band26(824-849)	1.4	26915	3	#Mid	QPSK	21.44	0.79	-2.15	20.08	38.45	PASS
Band26(824-849)	1.4	26915	3	#Max	QPSK	21.31	0.79	-2.15	19.95	38.45	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	20.39	0.79	-2.15	19.03	38.45	PASS
Band26(824-849)	1.4	26915	1	#0	QAM16	20.94	0.79	-2.15	19.58	38.45	PASS
Band26(824-849)	1.4	26915	1	#Mid	QAM16	20.94	0.79	-2.15	19.58	38.45	PASS
Band26(824-849)	1.4	26915	1	#Max	QAM16	20.88	0.79	-2.15	19.52	38.45	PASS
Band26(824-849)	1.4	26915	3	#0	QAM16	20.46	0.79	-2.15	19.10	38.45	PASS
Band26(824-849)	1.4	26915	3	#Mid	QAM16	20.39	0.79	-2.15	19.03	38.45	PASS
Band26(824-849)	1.4	26915	3	#Max	QAM16	20.41	0.79	-2.15	19.05	38.45	PASS
Band26(824-849)	1.4	26915	6	#0	QAM16	19.49	0.79	-2.15	18.13	38.45	PASS
Band26(824-849)	1.4	27033	1	#0	QPSK	21.24	0.79	-2.15	19.88	38.45	PASS
Band26(824-849)	1.4	27033	1	#Mid	QPSK	21.38	0.79	-2.15	20.02	38.45	PASS
Band26(824-849)	1.4	27033	1	#Max	QPSK	21.36	0.79	-2.15	20.00	38.45	PASS
Band26(824-849)	1.4	27033	3	#0	QPSK	21.23	0.79	-2.15	19.87	38.45	PASS
Band26(824-849)	1.4	27033	3	#Mid	QPSK	21.29	0.79	-2.15	19.93	38.45	PASS
Band26(824-849)	1.4	27033	3	#Max	QPSK	21.32	0.79	-2.15	19.96	38.45	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	20.27	0.79	-2.15	18.91	38.45	PASS
Band26(824-849)	1.4	27033	1	#0	QAM16	21.17	0.79	-2.15	19.81	38.45	PASS
Band26(824-849)	1.4	27033	1	#Mid	QAM16	21.24	0.79	-2.15	19.88	38.45	PASS
Band26(824-849)	1.4	27033	1	#Max	QAM16	21.24	0.79	-2.15	19.88	38.45	PASS

Band26(824-849)	1.4	27033	3	#0	QAM16	20.72	0.79	-2.15	19.36	38.45	PASS
Band26(824-849)	1.4	27033	3	#Mid	QAM16	20.76	0.79	-2.15	19.40	38.45	PASS
Band26(824-849)	1.4	27033	3	#Max	QAM16	20.72	0.79	-2.15	19.36	38.45	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	19.62	0.79	-2.15	18.26	38.45	PASS
Band26(824-849)	3	26805	1	#0	QPSK	22.03	0.79	-2.15	20.67	38.45	PASS
Band26(824-849)	3	26805	1	#Mid	QPSK	21.93	0.79	-2.15	20.57	38.45	PASS
Band26(824-849)	3	26805	1	#Max	QPSK	21.98	0.79	-2.15	20.62	38.45	PASS
Band26(824-849)	3	26805	8	#0	QPSK	21.13	0.79	-2.15	19.77	38.45	PASS
Band26(824-849)	3	26805	8	#Mid	QPSK	21.20	0.79	-2.15	19.84	38.45	PASS
Band26(824-849)	3	26805	8	#Max	QPSK	21.09	0.79	-2.15	19.73	38.45	PASS
Band26(824-849)	3	26805	15	#0	QPSK	21.04	0.79	-2.15	19.68	38.45	PASS
Band26(824-849)	3	26805	1	#0	QAM16	21.85	0.79	-2.15	20.49	38.45	PASS
Band26(824-849)	3	26805	1	#Mid	QAM16	21.84	0.79	-2.15	20.48	38.45	PASS
Band26(824-849)	3	26805	1	#Max	QAM16	21.87	0.79	-2.15	20.51	38.45	PASS
Band26(824-849)	3	26805	8	#0	QAM16	20.24	0.79	-2.15	18.88	38.45	PASS
Band26(824-849)	3	26805	8	#Mid	QAM16	20.21	0.79	-2.15	18.85	38.45	PASS
Band26(824-849)	3	26805	8	#Max	QAM16	20.12	0.79	-2.15	18.76	38.45	PASS
Band26(824-849)	3	26805	15	#0	QAM16	20.34	0.79	-2.15	18.98	38.45	PASS
Band26(824-849)	3	26915	1	#0	QPSK	21.39	0.79	-2.15	20.03	38.45	PASS
Band26(824-849)	3	26915	1	#Mid	QPSK	21.26	0.79	-2.15	19.90	38.45	PASS
Band26(824-849)	3	26915	1	#Max	QPSK	21.24	0.79	-2.15	19.88	38.45	PASS
Band26(824-849)	3	26915	8	#0	QPSK	20.51	0.79	-2.15	19.15	38.45	PASS
Band26(824-849)	3	26915	8	#Mid	QPSK	20.33	0.79	-2.15	18.97	38.45	PASS
Band26(824-849)	3	26915	8	#Max	QPSK	20.26	0.79	-2.15	18.90	38.45	PASS
Band26(824-849)	3	26915	15	#0	QPSK	20.33	0.79	-2.15	18.97	38.45	PASS
Band26(824-849)	3	26915	1	#0	QAM16	20.98	0.79	-2.15	19.62	38.45	PASS
Band26(824-849)	3	26915	1	#Mid	QAM16	20.90	0.79	-2.15	19.54	38.45	PASS
Band26(824-849)	3	26915	1	#Max	QAM16	20.82	0.79	-2.15	19.46	38.45	PASS
Band26(824-849)	3	26915	8	#0	QAM16	19.80	0.79	-2.15	18.44	38.45	PASS
Band26(824-849)	3	26915	8	#Mid	QAM16	19.78	0.79	-2.15	18.42	38.45	PASS
Band26(824-849)	3	26915	8	#Max	QAM16	19.72	0.79	-2.15	18.36	38.45	PASS
Band26(824-849)	3	26915	15	#0	QAM16	19.62	0.79	-2.15	18.26	38.45	PASS
Band26(824-849)	3	27025	1	#0	QPSK	21.27	0.79	-2.15	19.91	38.45	PASS
Band26(824-849)	3	27025	1	#Mid	QPSK	21.39	0.79	-2.15	20.03	38.45	PASS
Band26(824-849)	3	27025	1	#Max	QPSK	21.44	0.79	-2.15	20.08	38.45	PASS
Band26(824-849)	3	27025	8	#0	QPSK	20.14	0.79	-2.15	18.78	38.45	PASS
Band26(824-849)	3	27025	8	#Mid	QPSK	20.22	0.79	-2.15	18.86	38.45	PASS
Band26(824-849)	3	27025	8	#Max	QPSK	20.15	0.79	-2.15	18.79	38.45	PASS
Band26(824-849)	3	27025	15	#0	QPSK	20.26	0.79	-2.15	18.90	38.45	PASS
Band26(824-849)	3	27025	1	#0	QAM16	21.10	0.79	-2.15	19.74	38.45	PASS
Band26(824-849)	3	27025	1	#Mid	QAM16	21.06	0.79	-2.15	19.70	38.45	PASS
Band26(824-849)	3	27025	1	#Max	QAM16	21.15	0.79	-2.15	19.79	38.45	PASS
Band26(824-849)	3	27025	8	#0	QAM16	19.34	0.79	-2.15	17.98	38.45	PASS
Band26(824-849)	3	27025	8	#Mid	QAM16	19.40	0.79	-2.15	18.04	38.45	PASS

Band26(824-849)	3	27025	8	#Max	QAM16	19.41	0.79	-2.15	18.05	38.45	PASS
Band26(824-849)	3	27025	15	#0	QAM16	19.39	0.79	-2.15	18.03	38.45	PASS
Band26(824-849)	5	26815	1	#0	QPSK	22.03	0.79	-2.15	20.67	38.45	PASS
Band26(824-849)	5	26815	1	#Mid	QPSK	21.88	0.79	-2.15	20.52	38.45	PASS
Band26(824-849)	5	26815	1	#Max	QPSK	21.80	0.79	-2.15	20.44	38.45	PASS
Band26(824-849)	5	26815	12	#0	QPSK	21.10	0.79	-2.15	19.74	38.45	PASS
Band26(824-849)	5	26815	12	#Mid	QPSK	21.06	0.79	-2.15	19.70	38.45	PASS
Band26(824-849)	5	26815	12	#Max	QPSK	20.93	0.79	-2.15	19.57	38.45	PASS
Band26(824-849)	5	26815	25	#0	QPSK	21.09	0.79	-2.15	19.73	38.45	PASS
Band26(824-849)	5	26815	1	#0	QAM16	21.63	0.79	-2.15	20.27	38.45	PASS
Band26(824-849)	5	26815	1	#Mid	QAM16	21.56	0.79	-2.15	20.20	38.45	PASS
Band26(824-849)	5	26815	1	#Max	QAM16	21.38	0.79	-2.15	20.02	38.45	PASS
Band26(824-849)	5	26815	12	#0	QAM16	20.37	0.79	-2.15	19.01	38.45	PASS
Band26(824-849)	5	26815	12	#Mid	QAM16	20.32	0.79	-2.15	18.96	38.45	PASS
Band26(824-849)	5	26815	12	#Max	QAM16	20.22	0.79	-2.15	18.86	38.45	PASS
Band26(824-849)	5	26815	25	#0	QAM16	20.42	0.79	-2.15	19.06	38.45	PASS
Band26(824-849)	5	26915	1	#0	QPSK	21.46	0.79	-2.15	20.10	38.45	PASS
Band26(824-849)	5	26915	1	#Mid	QPSK	21.31	0.79	-2.15	19.95	38.45	PASS
Band26(824-849)	5	26915	1	#Max	QPSK	21.25	0.79	-2.15	19.89	38.45	PASS
Band26(824-849)	5	26915	12	#0	QPSK	20.52	0.79	-2.15	19.16	38.45	PASS
Band26(824-849)	5	26915	12	#Mid	QPSK	20.27	0.79	-2.15	18.91	38.45	PASS
Band26(824-849)	5	26915	12	#Max	QPSK	20.32	0.79	-2.15	18.96	38.45	PASS
Band26(824-849)	5	26915	25	#0	QPSK	20.44	0.79	-2.15	19.08	38.45	PASS
Band26(824-849)	5	26915	1	#0	QAM16	20.63	0.79	-2.15	19.27	38.45	PASS
Band26(824-849)	5	26915	1	#Mid	QAM16	20.43	0.79	-2.15	19.07	38.45	PASS
Band26(824-849)	5	26915	1	#Max	QAM16	20.36	0.79	-2.15	19.00	38.45	PASS
Band26(824-849)	5	26915	12	#0	QAM16	19.59	0.79	-2.15	18.23	38.45	PASS
Band26(824-849)	5	26915	12	#Mid	QAM16	19.57	0.79	-2.15	18.21	38.45	PASS
Band26(824-849)	5	26915	12	#Max	QAM16	19.42	0.79	-2.15	18.06	38.45	PASS
Band26(824-849)	5	26915	25	#0	QAM16	19.76	0.79	-2.15	18.40	38.45	PASS
Band26(824-849)	5	27015	1	#0	QPSK	21.23	0.79	-2.15	19.87	38.45	PASS
Band26(824-849)	5	27015	1	#Mid	QPSK	21.14	0.79	-2.15	19.78	38.45	PASS
Band26(824-849)	5	27015	1	#Max	QPSK	21.28	0.79	-2.15	19.92	38.45	PASS
Band26(824-849)	5	27015	12	#0	QPSK	20.15	0.79	-2.15	18.79	38.45	PASS
Band26(824-849)	5	27015	12	#Mid	QPSK	20.05	0.79	-2.15	18.69	38.45	PASS
Band26(824-849)	5	27015	12	#Max	QPSK	20.13	0.79	-2.15	18.77	38.45	PASS
Band26(824-849)	5	27015	25	#0	QPSK	20.18	0.79	-2.15	18.82	38.45	PASS
Band26(824-849)	5	27015	1	#0	QAM16	19.91	0.79	-2.15	18.55	38.45	PASS
Band26(824-849)	5	27015	1	#Mid	QAM16	19.85	0.79	-2.15	18.49	38.45	PASS
Band26(824-849)	5	27015	1	#Max	QAM16	20.00	0.79	-2.15	18.64	38.45	PASS
Band26(824-849)	5	27015	12	#0	QAM16	19.22	0.79	-2.15	17.86	38.45	PASS
Band26(824-849)	5	27015	12	#Mid	QAM16	19.27	0.79	-2.15	17.91	38.45	PASS
Band26(824-849)	5	27015	12	#Max	QAM16	19.30	0.79	-2.15	17.94	38.45	PASS
Band26(824-849)	5	27015	25	#0	QAM16	19.45	0.79	-2.15	18.09	38.45	PASS

Band26(824-849)	10	26840	1	#0	QPSK	22.02	0.79	-2.15	20.66	38.45	PASS
Band26(824-849)	10	26840	1	#Mid	QPSK	21.80	0.79	-2.15	20.44	38.45	PASS
Band26(824-849)	10	26840	1	#Max	QPSK	21.54	0.79	-2.15	20.18	38.45	PASS
Band26(824-849)	10	26840	25	#0	QPSK	21.07	0.79	-2.15	19.71	38.45	PASS
Band26(824-849)	10	26840	25	#Mid	QPSK	20.98	0.79	-2.15	19.62	38.45	PASS
Band26(824-849)	10	26840	25	#Max	QPSK	20.77	0.79	-2.15	19.41	38.45	PASS
Band26(824-849)	10	26840	50	#0	QPSK	20.87	0.79	-2.15	19.51	38.45	PASS
Band26(824-849)	10	26840	1	#0	QAM16	22.04	0.79	-2.15	20.68	38.45	PASS
Band26(824-849)	10	26840	1	#Mid	QAM16	21.78	0.79	-2.15	20.42	38.45	PASS
Band26(824-849)	10	26840	1	#Max	QAM16	21.61	0.79	-2.15	20.25	38.45	PASS
Band26(824-849)	10	26840	25	#0	QAM16	20.17	0.79	-2.15	18.81	38.45	PASS
Band26(824-849)	10	26840	25	#Mid	QAM16	20.05	0.79	-2.15	18.69	38.45	PASS
Band26(824-849)	10	26840	25	#Max	QAM16	19.96	0.79	-2.15	18.60	38.45	PASS
Band26(824-849)	10	26840	50	#0	QAM16	20.07	0.79	-2.15	18.71	38.45	PASS
Band26(824-849)	10	26915	1	#0	QPSK	21.68	0.79	-2.15	20.32	38.45	PASS
Band26(824-849)	10	26915	1	#Mid	QPSK	21.40	0.79	-2.15	20.04	38.45	PASS
Band26(824-849)	10	26915	1	#Max	QPSK	21.21	0.79	-2.15	19.85	38.45	PASS
Band26(824-849)	10	26915	25	#0	QPSK	20.55	0.79	-2.15	19.19	38.45	PASS
Band26(824-849)	10	26915	25	#Mid	QPSK	20.26	0.79	-2.15	18.90	38.45	PASS
Band26(824-849)	10	26915	25	#Max	QPSK	20.15	0.79	-2.15	18.79	38.45	PASS
Band26(824-849)	10	26915	50	#0	QPSK	20.29	0.79	-2.15	18.93	38.45	PASS
Band26(824-849)	10	26915	1	#0	QAM16	20.70	0.79	-2.15	19.34	38.45	PASS
Band26(824-849)	10	26915	1	#Mid	QAM16	20.41	0.79	-2.15	19.05	38.45	PASS
Band26(824-849)	10	26915	1	#Max	QAM16	20.25	0.79	-2.15	18.89	38.45	PASS
Band26(824-849)	10	26915	25	#0	QAM16	19.81	0.79	-2.15	18.45	38.45	PASS
Band26(824-849)	10	26915	25	#Mid	QAM16	19.60	0.79	-2.15	18.24	38.45	PASS
Band26(824-849)	10	26915	25	#Max	QAM16	19.47	0.79	-2.15	18.11	38.45	PASS
Band26(824-849)	10	26915	50	#0	QAM16	19.70	0.79	-2.15	18.34	38.45	PASS
Band26(824-849)	10	26990	1	#0	QPSK	21.27	0.79	-2.15	19.91	38.45	PASS
Band26(824-849)	10	26990	1	#Mid	QPSK	21.21	0.79	-2.15	19.85	38.45	PASS
Band26(824-849)	10	26990	1	#Max	QPSK	21.26	0.79	-2.15	19.90	38.45	PASS
Band26(824-849)	10	26990	25	#0	QPSK	20.16	0.79	-2.15	18.80	38.45	PASS
Band26(824-849)	10	26990	25	#Mid	QPSK	20.11	0.79	-2.15	18.75	38.45	PASS
Band26(824-849)	10	26990	25	#Max	QPSK	20.24	0.79	-2.15	18.88	38.45	PASS
Band26(824-849)	10	26990	50	#0	QPSK	20.15	0.79	-2.15	18.79	38.45	PASS
Band26(824-849)	10	26990	1	#0	QAM16	20.19	0.79	-2.15	18.83	38.45	PASS
Band26(824-849)	10	26990	1	#Mid	QAM16	20.06	0.79	-2.15	18.70	38.45	PASS
Band26(824-849)	10	26990	1	#Max	QAM16	20.26	0.79	-2.15	18.90	38.45	PASS
Band26(824-849)	10	26990	25	#0	QAM16	19.39	0.79	-2.15	18.03	38.45	PASS
Band26(824-849)	10	26990	25	#Mid	QAM16	19.40	0.79	-2.15	18.04	38.45	PASS
Band26(824-849)	10	26990	25	#Max	QAM16	19.46	0.79	-2.15	18.10	38.45	PASS
Band26(824-849)	10	26990	50	#0	QAM16	19.38	0.79	-2.15	18.02	38.45	PASS
Band26(824-849)	15	26865	1	#0	QPSK	22.10	0.79	-2.15	20.74	38.45	PASS
Band26(824-849)	15	26865	1	#Mid	QPSK	21.71	0.79	-2.15	20.35	38.45	PASS

Band26(824-849)	15	26865	1	#Max	QPSK	21.29	0.79	-2.15	19.93	38.45	PASS
Band26(824-849)	15	26865	36	#0	QPSK	20.93	0.79	-2.15	19.57	38.45	PASS
Band26(824-849)	15	26865	36	#Mid	QPSK	20.75	0.79	-2.15	19.39	38.45	PASS
Band26(824-849)	15	26865	36	#Max	QPSK	20.50	0.79	-2.15	19.14	38.45	PASS
Band26(824-849)	15	26865	75	#0	QPSK	20.81	0.79	-2.15	19.45	38.45	PASS
Band26(824-849)	15	26865	1	#0	QAM16	22.08	0.79	-2.15	20.72	38.45	PASS
Band26(824-849)	15	26865	1	#Mid	QAM16	21.66	0.79	-2.15	20.30	38.45	PASS
Band26(824-849)	15	26865	1	#Max	QAM16	21.32	0.79	-2.15	19.96	38.45	PASS
Band26(824-849)	15	26865	36	#0	QAM16	20.18	0.79	-2.15	18.82	38.45	PASS
Band26(824-849)	15	26865	36	#Mid	QAM16	20.02	0.79	-2.15	18.66	38.45	PASS
Band26(824-849)	15	26865	36	#Max	QAM16	19.76	0.79	-2.15	18.40	38.45	PASS
Band26(824-849)	15	26865	75	#0	QAM16	20.05	0.79	-2.15	18.69	38.45	PASS
Band26(824-849)	15	26915	1	#0	QPSK	21.85	0.79	-2.15	20.49	38.45	PASS
Band26(824-849)	15	26915	1	#Mid	QPSK	21.43	0.79	-2.15	20.07	38.45	PASS
Band26(824-849)	15	26915	1	#Max	QPSK	21.12	0.79	-2.15	19.76	38.45	PASS
Band26(824-849)	15	26915	36	#0	QPSK	20.60	0.79	-2.15	19.24	38.45	PASS
Band26(824-849)	15	26915	36	#Mid	QPSK	20.31	0.79	-2.15	18.95	38.45	PASS
Band26(824-849)	15	26915	36	#Max	QPSK	20.09	0.79	-2.15	18.73	38.45	PASS
Band26(824-849)	15	26915	75	#0	QPSK	20.38	0.79	-2.15	19.02	38.45	PASS
Band26(824-849)	15	26915	1	#0	QAM16	20.91	0.79	-2.15	19.55	38.45	PASS
Band26(824-849)	15	26915	1	#Mid	QAM16	20.38	0.79	-2.15	19.02	38.45	PASS
Band26(824-849)	15	26915	1	#Max	QAM16	20.15	0.79	-2.15	18.79	38.45	PASS
Band26(824-849)	15	26915	36	#0	QAM16	19.95	0.79	-2.15	18.59	38.45	PASS
Band26(824-849)	15	26915	36	#Mid	QAM16	19.72	0.79	-2.15	18.36	38.45	PASS
Band26(824-849)	15	26915	36	#Max	QAM16	19.55	0.79	-2.15	18.19	38.45	PASS
Band26(824-849)	15	26915	75	#0	QAM16	19.65	0.79	-2.15	18.29	38.45	PASS
Band26(824-849)	15	26965	1	#0	QPSK	21.55	0.79	-2.15	20.19	38.45	PASS
Band26(824-849)	15	26965	1	#Mid	QPSK	21.14	0.79	-2.15	19.78	38.45	PASS
Band26(824-849)	15	26965	1	#Max	QPSK	21.24	0.79	-2.15	19.88	38.45	PASS
Band26(824-849)	15	26965	36	#0	QPSK	20.31	0.79	-2.15	18.95	38.45	PASS
Band26(824-849)	15	26965	36	#Mid	QPSK	20.12	0.79	-2.15	18.76	38.45	PASS
Band26(824-849)	15	26965	36	#Max	QPSK	20.18	0.79	-2.15	18.82	38.45	PASS
Band26(824-849)	15	26965	75	#0	QPSK	20.25	0.79	-2.15	18.89	38.45	PASS
Band26(824-849)	15	26965	1	#0	QAM16	21.04	0.79	-2.15	19.68	38.45	PASS
Band26(824-849)	15	26965	1	#Mid	QAM16	20.72	0.79	-2.15	19.36	38.45	PASS
Band26(824-849)	15	26965	1	#Max	QAM16	20.79	0.79	-2.15	19.43	38.45	PASS
Band26(824-849)	15	26965	36	#0	QAM16	19.53	0.79	-2.15	18.17	38.45	PASS
Band26(824-849)	15	26965	36	#Mid	QAM16	19.35	0.79	-2.15	17.99	38.45	PASS
Band26(824-849)	15	26965	36	#Max	QAM16	19.40	0.79	-2.15	18.04	38.45	PASS
Band26(824-849)	15	26965	75	#0	QAM16	19.52	0.79	-2.15	18.16	38.45	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band26(824-849)	15	26865	75	#0	QPSK	-5.16	-0.006	-2.5	2.5	PASS
Band26(824-849)	15	26865	75	#0	QAM16	-5.14	-0.006	-2.5	2.5	PASS
Band26(824-849)	15	26915	75	#0	QPSK	-9.84	-0.012	-2.5	2.5	PASS
Band26(824-849)	15	26915	75	#0	QAM16	-9.12	-0.011	-2.5	2.5	PASS
Band26(824-849)	15	26965	75	#0	QPSK	-5.04	-0.006	-2.5	2.5	PASS
Band26(824-849)	15	26965	75	#0	QAM16	-4.39	-0.005	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(824-849)	1.4	26915	1	#0	QPSK	5.24	13	PASS
Band26(824-849)	1.4	26915	1	#0	QAM16	5.70	13	PASS
Band26(824-849)	3	26915	1	#0	QPSK	4.82	13	PASS
Band26(824-849)	3	26915	1	#0	QAM16	5.88	13	PASS
Band26(824-849)	5	26915	1	#0	QPSK	4.94	13	PASS
Band26(824-849)	5	26915	1	#0	QAM16	5.74	13	PASS
Band26(824-849)	10	26915	1	#0	QPSK	3.69	13	PASS
Band26(824-849)	10	26915	1	#0	QAM16	4.60	13	PASS
Band26(824-849)	15	26915	1	#0	QPSK	2.99	13	PASS
Band26(824-849)	15	26915	1	#0	QAM16	3.94	13	PASS



Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=1 Position=#0






Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=1 Position=#0

**Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=1 Position=#0**

**Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0**

**Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=1 Position=#0**



**Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0**






4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	1.094	1.249	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	1.111	1.273	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	1.099	1.253	PASS
Band26(824-849)	1.4	26915	6	#0	QAM16	1.090	1.238	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	1.104	1.253	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	1.102	1.253	PASS
Band26(824-849)	3	26805	15	#0	QPSK	2.714	3.074	PASS
Band26(824-849)	3	26805	15	#0	QAM16	2.709	3.030	PASS
Band26(824-849)	3	26915	15	#0	QPSK	2.703	3.008	PASS
Band26(824-849)	3	26915	15	#0	QAM16	2.710	3.046	PASS
Band26(824-849)	3	27025	15	#0	QPSK	2.724	3.066	PASS
Band26(824-849)	3	27025	15	#0	QAM16	2.720	3.048	PASS
Band26(824-849)	5	26815	25	#0	QPSK	4.518	4.977	PASS
Band26(824-849)	5	26815	25	#0	QAM16	4.516	5.004	PASS
Band26(824-849)	5	26915	25	#0	QPSK	4.520	5.018	PASS
Band26(824-849)	5	26915	25	#0	QAM16	4.536	4.948	PASS
Band26(824-849)	5	27015	25	#0	QPSK	4.523	4.991	PASS
Band26(824-849)	5	27015	25	#0	QAM16	4.531	4.963	PASS
Band26(824-849)	10	26840	50	#0	QPSK	8.988	9.873	PASS
Band26(824-849)	10	26840	50	#0	QAM16	9.013	9.976	PASS
Band26(824-849)	10	26915	50	#0	QPSK	9.002	9.874	PASS
Band26(824-849)	10	26915	50	#0	QAM16	9.043	9.890	PASS
Band26(824-849)	10	26990	50	#0	QPSK	9.004	9.754	PASS
Band26(824-849)	10	26990	50	#0	QAM16	8.967	9.836	PASS
Band26(824-849)	15	26865	75	#0	QPSK	13.514	14.793	PASS
Band26(824-849)	15	26865	75	#0	QAM16	13.486	14.809	PASS
Band26(824-849)	15	26915	75	#0	QPSK	13.472	14.918	PASS
Band26(824-849)	15	26915	75	#0	QAM16	13.547	14.857	PASS
Band26(824-849)	15	26965	75	#0	QPSK	13.449	14.839	PASS
Band26(824-849)	15	26965	75	#0	QAM16	13.447	14.836	PASS


Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0

**Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0****Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0**


**Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=75 Position=#0****Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=50 Position=#0**




Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0





Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0


**Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0****Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0**




Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0





Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0






Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0

**Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0****Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0**


**Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0****Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0**




Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0





Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0

**Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0****Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0**




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0



5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	823.97	-27.98	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	823.97	-28.91	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	849.03	-29.01	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	849.03	-30.40	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	823.99	-24.27	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	824.00	-24.82	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	849.01	-25.47	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	849.00	-26.97	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	824.00	-29.96	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	819.31	-54.17	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	849.00	-29.84	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	849.03	-31.44	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	823.96	-28.34	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	823.86	-28.36	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	849.08	-31.02	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	849.00	-31.80	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	823.91	-28.15	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	824.00	-29.39	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	849.00	-29.90	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	849.03	-30.77	-13	PASS

Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0



Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0





Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0






6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	2423.58	-27.08	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	2418.18	-33.54	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	2419.98	-31.73	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	2423.35	-27.29	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	3791.35	-37.30	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	2419.98	-26.55	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	3775.38	-37.27	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	2422.00	-23.51	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	3832.08	-35.95	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	3856.83	-37.08	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	2421.55	-23.06	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	2421.78	-27.79	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	3727.23	-37.07	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	2416.38	-24.01	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	2418.18	-32.34	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	2423.35	-26.88	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	2420.43	-29.16	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	2419.98	-34.34	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	2429.43	-24.85	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	2420.20	-24.85	-13	PASS


Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0

**Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0****Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0**


**Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0****Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0**




Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0





Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0






Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0

**Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0****Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0**

**Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0****Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0**



Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0

