

Band 4

Report No.: BCTC2207600963-2E

Applicant: Soliton Systems K.K.

Product Name: Multi link Unit

Model/Type
reference: IFC-MLU-G-H


Tested Date: 2022-07-26 to 2022-08-26

Issued Date: 2022-12-08

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix1. Conducted output power	3
Appendix2. Frequency stability	9
Appendix3. Peak-to-Average Ratio	15
Appendix4. Occupied bandwidth	34
Appendix5. Band edge.....	53
Appendix6. Out-of-band emissions	66



Appendix1. Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band4	1.4	19957	1	#0	QPSK	23.46	PASS
Band4	1.4	19957	1	#Mid	QPSK	23.55	PASS
Band4	1.4	19957	1	#Max	QPSK	23.35	PASS
Band4	1.4	19957	3	#0	QPSK	23.30	PASS
Band4	1.4	19957	3	#Mid	QPSK	23.31	PASS
Band4	1.4	19957	3	#Max	QPSK	23.22	PASS
Band4	1.4	19957	6	#0	QPSK	22.37	PASS
Band4	1.4	19957	1	#0	QAM16	22.32	PASS
Band4	1.4	19957	1	#Mid	QAM16	22.50	PASS
Band4	1.4	19957	1	#Max	QAM16	22.33	PASS
Band4	1.4	19957	3	#0	QAM16	22.23	PASS
Band4	1.4	19957	3	#Mid	QAM16	22.30	PASS
Band4	1.4	19957	3	#Max	QAM16	22.32	PASS
Band4	1.4	19957	6	#0	QAM16	21.27	PASS
Band4	1.4	20175	1	#0	QPSK	23.45	PASS
Band4	1.4	20175	1	#Mid	QPSK	23.50	PASS
Band4	1.4	20175	1	#Max	QPSK	23.27	PASS
Band4	1.4	20175	3	#0	QPSK	23.24	PASS
Band4	1.4	20175	3	#Mid	QPSK	23.28	PASS
Band4	1.4	20175	3	#Max	QPSK	23.13	PASS
Band4	1.4	20175	6	#0	QPSK	22.32	PASS
Band4	1.4	20175	1	#0	QAM16	22.15	PASS
Band4	1.4	20175	1	#Mid	QAM16	22.34	PASS
Band4	1.4	20175	1	#Max	QAM16	22.05	PASS
Band4	1.4	20175	3	#0	QAM16	22.31	PASS
Band4	1.4	20175	3	#Mid	QAM16	22.31	PASS
Band4	1.4	20175	3	#Max	QAM16	22.19	PASS
Band4	1.4	20175	6	#0	QAM16	21.27	PASS
Band4	1.4	20393	1	#0	QPSK	23.12	PASS
Band4	1.4	20393	1	#Mid	QPSK	23.19	PASS
Band4	1.4	20393	1	#Max	QPSK	22.98	PASS
Band4	1.4	20393	3	#0	QPSK	23.13	PASS
Band4	1.4	20393	3	#Mid	QPSK	23.22	PASS
Band4	1.4	20393	3	#Max	QPSK	23.16	PASS
Band4	1.4	20393	6	#0	QPSK	22.24	PASS
Band4	1.4	20393	1	#0	QAM16	22.02	PASS
Band4	1.4	20393	1	#Mid	QAM16	22.17	PASS
Band4	1.4	20393	1	#Max	QAM16	21.92	PASS
Band4	1.4	20393	3	#0	QAM16	22.20	PASS

Band4	1.4	20393	3	#Mid	QAM16	22.30	PASS
Band4	1.4	20393	3	#Max	QAM16	22.26	PASS
Band4	1.4	20393	6	#0	QAM16	21.14	PASS
Band4	3	19965	1	#0	QPSK	23.44	PASS
Band4	3	19965	1	#Mid	QPSK	23.65	PASS
Band4	3	19965	1	#Max	QPSK	23.45	PASS
Band4	3	19965	8	#0	QPSK	22.37	PASS
Band4	3	19965	8	#Mid	QPSK	22.33	PASS
Band4	3	19965	8	#Max	QPSK	22.39	PASS
Band4	3	19965	15	#0	QPSK	22.37	PASS
Band4	3	19965	1	#0	QAM16	22.18	PASS
Band4	3	19965	1	#Mid	QAM16	22.26	PASS
Band4	3	19965	1	#Max	QAM16	22.34	PASS
Band4	3	19965	8	#0	QAM16	21.32	PASS
Band4	3	19965	8	#Mid	QAM16	21.44	PASS
Band4	3	19965	8	#Max	QAM16	21.30	PASS
Band4	3	19965	15	#0	QAM16	21.33	PASS
Band4	3	20175	1	#0	QPSK	23.09	PASS
Band4	3	20175	1	#Mid	QPSK	23.31	PASS
Band4	3	20175	1	#Max	QPSK	23.08	PASS
Band4	3	20175	8	#0	QPSK	22.29	PASS
Band4	3	20175	8	#Mid	QPSK	22.33	PASS
Band4	3	20175	8	#Max	QPSK	22.23	PASS
Band4	3	20175	15	#0	QPSK	22.30	PASS
Band4	3	20175	1	#0	QAM16	22.01	PASS
Band4	3	20175	1	#Mid	QAM16	22.27	PASS
Band4	3	20175	1	#Max	QAM16	22.00	PASS
Band4	3	20175	8	#0	QAM16	21.24	PASS
Band4	3	20175	8	#Mid	QAM16	21.36	PASS
Band4	3	20175	8	#Max	QAM16	21.22	PASS
Band4	3	20175	15	#0	QAM16	21.31	PASS
Band4	3	20385	1	#0	QPSK	23.25	PASS
Band4	3	20385	1	#Mid	QPSK	23.56	PASS
Band4	3	20385	1	#Max	QPSK	23.41	PASS
Band4	3	20385	8	#0	QPSK	22.18	PASS
Band4	3	20385	8	#Mid	QPSK	22.17	PASS
Band4	3	20385	8	#Max	QPSK	22.30	PASS
Band4	3	20385	15	#0	QPSK	22.17	PASS
Band4	3	20385	1	#0	QAM16	22.13	PASS
Band4	3	20385	1	#Mid	QAM16	22.39	PASS
Band4	3	20385	1	#Max	QAM16	22.32	PASS
Band4	3	20385	8	#0	QAM16	21.18	PASS
Band4	3	20385	8	#Mid	QAM16	21.20	PASS
Band4	3	20385	8	#Max	QAM16	21.29	PASS

Band4	3	20385	15	#0	QAM16	21.21	PASS
Band4	5	19975	1	#0	QPSK	23.21	PASS
Band4	5	19975	1	#Mid	QPSK	23.38	PASS
Band4	5	19975	1	#Max	QPSK	23.18	PASS
Band4	5	19975	12	#0	QPSK	22.36	PASS
Band4	5	19975	12	#Mid	QPSK	22.38	PASS
Band4	5	19975	12	#Max	QPSK	22.33	PASS
Band4	5	19975	25	#0	QPSK	22.35	PASS
Band4	5	19975	1	#0	QAM16	22.03	PASS
Band4	5	19975	1	#Mid	QAM16	22.27	PASS
Band4	5	19975	1	#Max	QAM16	22.13	PASS
Band4	5	19975	12	#0	QAM16	21.24	PASS
Band4	5	19975	12	#Mid	QAM16	21.29	PASS
Band4	5	19975	12	#Max	QAM16	21.26	PASS
Band4	5	19975	25	#0	QAM16	21.33	PASS
Band4	5	20175	1	#0	QPSK	23.07	PASS
Band4	5	20175	1	#Mid	QPSK	23.29	PASS
Band4	5	20175	1	#Max	QPSK	23.21	PASS
Band4	5	20175	12	#0	QPSK	22.34	PASS
Band4	5	20175	12	#Mid	QPSK	22.32	PASS
Band4	5	20175	12	#Max	QPSK	22.21	PASS
Band4	5	20175	25	#0	QPSK	22.37	PASS
Band4	5	20175	1	#0	QAM16	22.01	PASS
Band4	5	20175	1	#Mid	QAM16	22.37	PASS
Band4	5	20175	1	#Max	QAM16	21.94	PASS
Band4	5	20175	12	#0	QAM16	21.24	PASS
Band4	5	20175	12	#Mid	QAM16	21.25	PASS
Band4	5	20175	12	#Max	QAM16	20.99	PASS
Band4	5	20175	25	#0	QAM16	21.33	PASS
Band4	5	20375	1	#0	QPSK	23.20	PASS
Band4	5	20375	1	#Mid	QPSK	23.34	PASS
Band4	5	20375	1	#Max	QPSK	23.35	PASS
Band4	5	20375	12	#0	QPSK	22.38	PASS
Band4	5	20375	12	#Mid	QPSK	22.40	PASS
Band4	5	20375	12	#Max	QPSK	22.37	PASS
Band4	5	20375	25	#0	QPSK	22.41	PASS
Band4	5	20375	1	#0	QAM16	22.13	PASS
Band4	5	20375	1	#Mid	QAM16	22.33	PASS
Band4	5	20375	1	#Max	QAM16	22.19	PASS
Band4	5	20375	12	#0	QAM16	21.19	PASS
Band4	5	20375	12	#Mid	QAM16	21.32	PASS
Band4	5	20375	12	#Max	QAM16	21.38	PASS
Band4	5	20375	25	#0	QAM16	21.34	PASS
Band4	10	20000	1	#0	QPSK	23.41	PASS

Band4	10	20000	1	#Mid	QPSK	23.62	PASS
Band4	10	20000	1	#Max	QPSK	22.95	PASS
Band4	10	20000	25	#0	QPSK	22.48	PASS
Band4	10	20000	25	#Mid	QPSK	22.44	PASS
Band4	10	20000	25	#Max	QPSK	22.43	PASS
Band4	10	20000	50	#0	QPSK	22.45	PASS
Band4	10	20000	1	#0	QAM16	22.42	PASS
Band4	10	20000	1	#Mid	QAM16	22.44	PASS
Band4	10	20000	1	#Max	QAM16	22.37	PASS
Band4	10	20000	25	#0	QAM16	21.44	PASS
Band4	10	20000	25	#Mid	QAM16	21.34	PASS
Band4	10	20000	25	#Max	QAM16	21.39	PASS
Band4	10	20000	50	#0	QAM16	21.42	PASS
Band4	10	20175	1	#0	QPSK	22.16	PASS
Band4	10	20175	1	#Mid	QPSK	23.19	PASS
Band4	10	20175	1	#Max	QPSK	22.44	PASS
Band4	10	20175	25	#0	QPSK	22.59	PASS
Band4	10	20175	25	#Mid	QPSK	22.36	PASS
Band4	10	20175	25	#Max	QPSK	22.39	PASS
Band4	10	20175	50	#0	QPSK	22.40	PASS
Band4	10	20175	1	#0	QAM16	21.65	PASS
Band4	10	20175	1	#Mid	QAM16	22.75	PASS
Band4	10	20175	1	#Max	QAM16	21.92	PASS
Band4	10	20175	25	#0	QAM16	21.36	PASS
Band4	10	20175	25	#Mid	QAM16	21.32	PASS
Band4	10	20175	25	#Max	QAM16	21.35	PASS
Band4	10	20175	50	#0	QAM16	21.37	PASS
Band4	10	20350	1	#0	QPSK	22.80	PASS
Band4	10	20350	1	#Mid	QPSK	23.14	PASS
Band4	10	20350	1	#Max	QPSK	23.70	PASS
Band4	10	20350	25	#0	QPSK	22.45	PASS
Band4	10	20350	25	#Mid	QPSK	22.48	PASS
Band4	10	20350	25	#Max	QPSK	22.40	PASS
Band4	10	20350	50	#0	QPSK	22.42	PASS
Band4	10	20350	1	#0	QAM16	22.09	PASS
Band4	10	20350	1	#Mid	QAM16	22.50	PASS
Band4	10	20350	1	#Max	QAM16	22.36	PASS
Band4	10	20350	25	#0	QAM16	21.41	PASS
Band4	10	20350	25	#Mid	QAM16	21.40	PASS
Band4	10	20350	25	#Max	QAM16	21.39	PASS
Band4	10	20350	50	#0	QAM16	21.43	PASS
Band4	15	20025	1	#0	QPSK	23.27	PASS
Band4	15	20025	1	#Mid	QPSK	23.88	PASS
Band4	15	20025	1	#Max	QPSK	22.23	PASS

Band4	15	20025	36	#0	QPSK	22.47	PASS
Band4	15	20025	36	#Mid	QPSK	22.43	PASS
Band4	15	20025	36	#Max	QPSK	22.41	PASS
Band4	15	20025	75	#0	QPSK	22.42	PASS
Band4	15	20025	1	#0	QAM16	22.47	PASS
Band4	15	20025	1	#Mid	QAM16	22.59	PASS
Band4	15	20025	1	#Max	QAM16	21.65	PASS
Band4	15	20025	36	#0	QAM16	21.41	PASS
Band4	15	20025	36	#Mid	QAM16	21.42	PASS
Band4	15	20025	36	#Max	QAM16	21.36	PASS
Band4	15	20025	75	#0	QAM16	21.44	PASS
Band4	15	20175	1	#0	QPSK	22.08	PASS
Band4	15	20175	1	#Mid	QPSK	23.06	PASS
Band4	15	20175	1	#Max	QPSK	22.27	PASS
Band4	15	20175	36	#0	QPSK	22.67	PASS
Band4	15	20175	36	#Mid	QPSK	22.48	PASS
Band4	15	20175	36	#Max	QPSK	22.38	PASS
Band4	15	20175	75	#0	QPSK	22.43	PASS
Band4	15	20175	1	#0	QAM16	21.56	PASS
Band4	15	20175	1	#Mid	QAM16	22.47	PASS
Band4	15	20175	1	#Max	QAM16	21.76	PASS
Band4	15	20175	36	#0	QAM16	21.60	PASS
Band4	15	20175	36	#Mid	QAM16	21.38	PASS
Band4	15	20175	36	#Max	QAM16	21.40	PASS
Band4	15	20175	75	#0	QAM16	21.38	PASS
Band4	15	20325	1	#0	QPSK	22.25	PASS
Band4	15	20325	1	#Mid	QPSK	23.79	PASS
Band4	15	20325	1	#Max	QPSK	23.49	PASS
Band4	15	20325	36	#0	QPSK	22.41	PASS
Band4	15	20325	36	#Mid	QPSK	22.53	PASS
Band4	15	20325	36	#Max	QPSK	22.48	PASS
Band4	15	20325	75	#0	QPSK	22.47	PASS
Band4	15	20325	1	#0	QAM16	21.65	PASS
Band4	15	20325	1	#Mid	QAM16	23.21	PASS
Band4	15	20325	1	#Max	QAM16	22.54	PASS
Band4	15	20325	36	#0	QAM16	21.43	PASS
Band4	15	20325	36	#Mid	QAM16	21.50	PASS
Band4	15	20325	36	#Max	QAM16	21.42	PASS
Band4	15	20325	75	#0	QAM16	21.46	PASS
Band4	20	20050	1	#0	QPSK	22.99	PASS
Band4	20	20050	1	#Mid	QPSK	23.42	PASS
Band4	20	20050	1	#Max	QPSK	21.71	PASS
Band4	20	20050	50	#0	QPSK	22.55	PASS
Band4	20	20050	50	#Mid	QPSK	22.45	PASS

Band4	20	20050	50	#Max	QPSK	22.42	PASS
Band4	20	20050	100	#0	QPSK	22.49	PASS
Band4	20	20050	1	#0	QAM16	22.44	PASS
Band4	20	20050	1	#Mid	QAM16	22.35	PASS
Band4	20	20050	1	#Max	QAM16	21.37	PASS
Band4	20	20050	50	#0	QAM16	21.48	PASS
Band4	20	20050	50	#Mid	QAM16	21.44	PASS
Band4	20	20050	50	#Max	QAM16	21.45	PASS
Band4	20	20050	100	#0	QAM16	21.40	PASS
Band4	20	20175	1	#0	QPSK	21.93	PASS
Band4	20	20175	1	#Mid	QPSK	22.98	PASS
Band4	20	20175	1	#Max	QPSK	22.11	PASS
Band4	20	20175	50	#0	QPSK	22.52	PASS
Band4	20	20175	50	#Mid	QPSK	22.40	PASS
Band4	20	20175	50	#Max	QPSK	22.31	PASS
Band4	20	20175	100	#0	QPSK	22.33	PASS
Band4	20	20175	1	#0	QAM16	21.30	PASS
Band4	20	20175	1	#Mid	QAM16	22.39	PASS
Band4	20	20175	1	#Max	QAM16	21.58	PASS
Band4	20	20175	50	#0	QAM16	21.51	PASS
Band4	20	20175	50	#Mid	QAM16	21.32	PASS
Band4	20	20175	50	#Max	QAM16	21.34	PASS
Band4	20	20175	100	#0	QAM16	21.29	PASS
Band4	20	20300	1	#0	QPSK	21.88	PASS
Band4	20	20300	1	#Mid	QPSK	23.53	PASS
Band4	20	20300	1	#Max	QPSK	23.25	PASS
Band4	20	20300	50	#0	QPSK	22.46	PASS
Band4	20	20300	50	#Mid	QPSK	22.49	PASS
Band4	20	20300	50	#Max	QPSK	22.43	PASS
Band4	20	20300	100	#0	QPSK	22.38	PASS
Band4	20	20300	1	#0	QAM16	21.34	PASS
Band4	20	20300	1	#Mid	QAM16	23.01	PASS
Band4	20	20300	1	#Max	QAM16	22.39	PASS
Band4	20	20300	50	#0	QAM16	21.47	PASS
Band4	20	20300	50	#Mid	QAM16	21.45	PASS
Band4	20	20300	50	#Max	QAM16	21.39	PASS
Band4	20	20300	100	#0	QAM16	21.41	PASS

Appendix2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
Band 4	1.4	19957	6	#0	QPSK	LV	NT	1.10	0.001	-2.5	2.5	PASS
Band 4	1.4	19957	6	#0	QPSK	NV	NT	1.10	0.001	-2.5	2.5	PASS
Band 4	1.4	19957	6	#0	QPSK	HV	NT	1.63	0.001	-2.5	2.5	PASS
Band 4	1.4	19957	6	#0	QAM16	LV	NT	1.36	0.001	-2.5	2.5	PASS
Band 4	1.4	19957	6	#0	QAM16	NV	NT	1.33	0.001	-2.5	2.5	PASS
Band 4	1.4	19957	6	#0	QAM16	HV	NT	2.70	0.002	-2.5	2.5	PASS
Band 4	1.4	20175	6	#0	QPSK	LV	NT	0.47	0.000	-2.5	2.5	PASS
Band 4	1.4	20175	6	#0	QPSK	NV	NT	0.93	0.001	-2.5	2.5	PASS
Band 4	1.4	20175	6	#0	QPSK	HV	NT	0.79	0.000	-2.5	2.5	PASS
Band 4	1.4	20175	6	#0	QAM16	LV	NT	-0.01	0.000	-2.5	2.5	PASS
Band 4	1.4	20175	6	#0	QAM16	NV	NT	1.12	0.001	-2.5	2.5	PASS
Band 4	1.4	20175	6	#0	QAM16	HV	NT	-0.63	0.000	-2.5	2.5	PASS
Band 4	1.4	20393	6	#0	QPSK	LV	NT	-2.43	-0.001	-2.5	2.5	PASS
Band 4	1.4	20393	6	#0	QPSK	NV	NT	-4.03	-0.002	-2.5	2.5	PASS
Band 4	1.4	20393	6	#0	QPSK	HV	NT	-2.46	-0.001	-2.5	2.5	PASS
Band 4	1.4	20393	6	#0	QAM16	LV	NT	-2.62	-0.001	-2.5	2.5	PASS
Band 4	1.4	20393	6	#0	QAM16	NV	NT	-2.09	-0.001	-2.5	2.5	PASS
Band 4	1.4	20393	6	#0	QAM16	HV	NT	-1.33	-0.001	-2.5	2.5	PASS
Band	3	19965	15	#0	QPSK	LV	NT	0.37	0.000	-2.5	2.5	PASS


4												
Band 4	3	19965	15	#0	QPSK	NV	NT	0.43	0.000	-2.5	2.5	PASS
Band 4	3	19965	15	#0	QPSK	HV	NT	0.76	0.000	-2.5	2.5	PASS
Band 4	3	19965	15	#0	QAM16	LV	NT	0.16	0.000	-2.5	2.5	PASS
Band 4	3	19965	15	#0	QAM16	NV	NT	-0.57	0.000	-2.5	2.5	PASS
Band 4	3	19965	15	#0	QAM16	HV	NT	-0.07	0.000	-2.5	2.5	PASS
Band 4	3	20175	15	#0	QPSK	LV	NT	-0.24	0.000	-2.5	2.5	PASS
Band 4	3	20175	15	#0	QPSK	NV	NT	0.09	0.000	-2.5	2.5	PASS
Band 4	3	20175	15	#0	QPSK	HV	NT	0.80	0.000	-2.5	2.5	PASS
Band 4	3	20175	15	#0	QAM16	LV	NT	0.11	0.000	-2.5	2.5	PASS
Band 4	3	20175	15	#0	QAM16	NV	NT	1.13	0.001	-2.5	2.5	PASS
Band 4	3	20175	15	#0	QAM16	HV	NT	0.84	0.000	-2.5	2.5	PASS
Band 4	3	20385	15	#0	QPSK	LV	NT	1.75	0.001	-2.5	2.5	PASS
Band 4	3	20385	15	#0	QPSK	NV	NT	0.90	0.001	-2.5	2.5	PASS
Band 4	3	20385	15	#0	QPSK	HV	NT	1.03	0.001	-2.5	2.5	PASS
Band 4	3	20385	15	#0	QAM16	LV	NT	-0.60	0.000	-2.5	2.5	PASS
Band 4	3	20385	15	#0	QAM16	NV	NT	1.17	0.001	-2.5	2.5	PASS
Band 4	3	20385	15	#0	QAM16	HV	NT	0.73	0.000	-2.5	2.5	PASS
Band 4	5	19975	25	#0	QPSK	LV	NT	2.78	0.002	-2.5	2.5	PASS
Band 4	5	19975	25	#0	QPSK	NV	NT	1.54	0.001	-2.5	2.5	PASS
Band 4	5	19975	25	#0	QPSK	HV	NT	1.52	0.001	-2.5	2.5	PASS
Band 4	5	19975	25	#0	QAM16	LV	NT	2.65	0.002	-2.5	2.5	PASS
Band 4	5	19975	25	#0	QAM16	NV	NT	1.93	0.001	-2.5	2.5	PASS

4												
Band 4	5	19975	25	#0	QAM16	HV	NT	1.60	0.001	-2.5	2.5	PASS
Band 4	5	20175	25	#0	QPSK	LV	NT	0.10	0.000	-2.5	2.5	PASS
Band 4	5	20175	25	#0	QPSK	NV	NT	0.44	0.000	-2.5	2.5	PASS
Band 4	5	20175	25	#0	QPSK	HV	NT	1.52	0.001	-2.5	2.5	PASS
Band 4	5	20175	25	#0	QAM16	LV	NT	0.36	0.000	-2.5	2.5	PASS
Band 4	5	20175	25	#0	QAM16	NV	NT	1.14	0.001	-2.5	2.5	PASS
Band 4	5	20175	25	#0	QAM16	HV	NT	-0.09	0.000	-2.5	2.5	PASS
Band 4	5	20375	25	#0	QPSK	LV	NT	-2.52	-0.001	-2.5	2.5	PASS
Band 4	5	20375	25	#0	QPSK	NV	NT	-0.07	0.000	-2.5	2.5	PASS
Band 4	5	20375	25	#0	QPSK	HV	NT	-1.30	-0.001	-2.5	2.5	PASS
Band 4	5	20375	25	#0	QAM16	LV	NT	-2.72	-0.002	-2.5	2.5	PASS
Band 4	5	20375	25	#0	QAM16	NV	NT	-1.46	-0.001	-2.5	2.5	PASS
Band 4	5	20375	25	#0	QAM16	HV	NT	-1.33	-0.001	-2.5	2.5	PASS
Band 4	10	20000	50	#0	QPSK	LV	NT	-3.68	-0.002	-2.5	2.5	PASS
Band 4	10	20000	50	#0	QPSK	NV	NT	-2.86	-0.002	-2.5	2.5	PASS
Band 4	10	20000	50	#0	QPSK	HV	NT	-2.82	-0.002	-2.5	2.5	PASS
Band 4	10	20000	50	#0	QAM16	LV	NT	-3.36	-0.002	-2.5	2.5	PASS
Band 4	10	20000	50	#0	QAM16	NV	NT	-2.60	-0.002	-2.5	2.5	PASS
Band 4	10	20000	50	#0	QAM16	HV	NT	-2.12	-0.001	-2.5	2.5	PASS
Band 4	10	20175	50	#0	QPSK	LV	NT	0.14	0.000	-2.5	2.5	PASS
Band 4	10	20175	50	#0	QPSK	NV	NT	0.99	0.001	-2.5	2.5	PASS
Band 4	10	20175	50	#0	QPSK	HV	NT	-0.30	0.000	-2.5	2.5	PASS

4												
Band 4	10	20175	50	#0	QAM16	LV	NT	-0.37	0.000	-2.5	2.5	PASS
Band 4	10	20175	50	#0	QAM16	NV	NT	0.20	0.000	-2.5	2.5	PASS
Band 4	10	20175	50	#0	QAM16	HV	NT	0.16	0.000	-2.5	2.5	PASS
Band 4	10	20350	50	#0	QPSK	LV	NT	3.12	0.002	-2.5	2.5	PASS
Band 4	10	20350	50	#0	QPSK	NV	NT	1.49	0.001	-2.5	2.5	PASS
Band 4	10	20350	50	#0	QPSK	HV	NT	2.12	0.001	-2.5	2.5	PASS
Band 4	10	20350	50	#0	QAM16	LV	NT	1.22	0.001	-2.5	2.5	PASS
Band 4	10	20350	50	#0	QAM16	NV	NT	2.73	0.002	-2.5	2.5	PASS
Band 4	10	20350	50	#0	QAM16	HV	NT	2.96	0.002	-2.5	2.5	PASS
Band 4	15	20025	75	#0	QPSK	LV	NT	-0.66	0.000	-2.5	2.5	PASS
Band 4	15	20025	75	#0	QPSK	NV	NT	-0.44	0.000	-2.5	2.5	PASS
Band 4	15	20025	75	#0	QPSK	HV	NT	0.09	0.000	-2.5	2.5	PASS
Band 4	15	20025	75	#0	QAM16	LV	NT	0.31	0.000	-2.5	2.5	PASS
Band 4	15	20025	75	#0	QAM16	NV	NT	1.76	0.001	-2.5	2.5	PASS
Band 4	15	20025	75	#0	QAM16	HV	NT	-0.07	0.000	-2.5	2.5	PASS
Band 4	15	20175	75	#0	QPSK	LV	NT	1.16	0.001	-2.5	2.5	PASS
Band 4	15	20175	75	#0	QPSK	NV	NT	-0.74	0.000	-2.5	2.5	PASS
Band 4	15	20175	75	#0	QPSK	HV	NT	0.56	0.000	-2.5	2.5	PASS
Band 4	15	20175	75	#0	QAM16	LV	NT	0.04	0.000	-2.5	2.5	PASS
Band 4	15	20175	75	#0	QAM16	NV	NT	0.40	0.000	-2.5	2.5	PASS
Band 4	15	20175	75	#0	QAM16	HV	NT	-0.17	0.000	-2.5	2.5	PASS
Band 4	15	20325	75	#0	QPSK	LV	NT	-0.89	-0.00	-2.5	2.5	PASS

4									1			
Band 4	15	20325	75	#0	QPSK	NV	NT	-0.87	0.000	-2.5	2.5	PASS
Band 4	15	20325	75	#0	QPSK	HV	NT	-0.70	0.000	-2.5	2.5	PASS
Band 4	15	20325	75	#0	QAM16	LV	NT	-1.30	-0.001	-2.5	2.5	PASS
Band 4	15	20325	75	#0	QAM16	NV	NT	1.77	0.001	-2.5	2.5	PASS
Band 4	15	20325	75	#0	QAM16	HV	NT	-0.19	0.000	-2.5	2.5	PASS
Band 4	20	20050	100	#0	QPSK	LV	NT	1.87	0.001	-2.5	2.5	PASS
Band 4	20	20050	100	#0	QPSK	NV	NT	2.59	0.002	-2.5	2.5	PASS
Band 4	20	20050	100	#0	QPSK	HV	NT	0.30	0.000	-2.5	2.5	PASS
Band 4	20	20050	100	#0	QAM16	LV	NT	2.19	0.001	-2.5	2.5	PASS
Band 4	20	20050	100	#0	QAM16	NV	NT	2.03	0.001	-2.5	2.5	PASS
Band 4	20	20050	100	#0	QAM16	HV	NT	2.05	0.001	-2.5	2.5	PASS
Band 4	20	20175	100	#0	QPSK	LV	NT	1.29	0.001	-2.5	2.5	PASS
Band 4	20	20175	100	#0	QPSK	NV	NT	0.21	0.000	-2.5	2.5	PASS
Band 4	20	20175	100	#0	QPSK	HV	NT	0.69	0.000	-2.5	2.5	PASS
Band 4	20	20175	100	#0	QAM16	LV	NT	0.54	0.000	-2.5	2.5	PASS
Band 4	20	20175	100	#0	QAM16	NV	NT	0.67	0.000	-2.5	2.5	PASS
Band 4	20	20175	100	#0	QAM16	HV	NT	-0.34	0.000	-2.5	2.5	PASS
Band 4	20	20300	100	#0	QPSK	LV	NT	-2.03	-0.001	-2.5	2.5	PASS
Band 4	20	20300	100	#0	QPSK	NV	NT	-3.73	-0.002	-2.5	2.5	PASS
Band 4	20	20300	100	#0	QPSK	HV	NT	-2.50	-0.001	-2.5	2.5	PASS
Band 4	20	20300	100	#0	QAM16	LV	NT	-2.13	-0.001	-2.5	2.5	PASS
Band 4	20	20300	100	#0	QAM16	NV	NT	-2.36	-0.001	-2.5	2.5	PASS


4									1			
Band	20	20300	100	#0	QAM16	HV	NT	-1.96	-0.00	-2.5	2.5	PASS
4									1			




Appendix3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band4	1.4	19957	1	#0	QPSK	4.02	13	PASS
Band4	1.4	19957	1	#0	QAM16	4.96	13	PASS
Band4	1.4	20175	1	#0	QPSK	4.91	13	PASS
Band4	1.4	20175	1	#0	QAM16	5.82	13	PASS
Band4	1.4	20393	1	#0	QPSK	4.14	13	PASS
Band4	1.4	20393	1	#0	QAM16	5.02	13	PASS
Band4	3	19965	1	#0	QPSK	3.99	13	PASS
Band4	3	19965	1	#0	QAM16	5.08	13	PASS
Band4	3	20175	1	#0	QPSK	4.98	13	PASS
Band4	3	20175	1	#0	QAM16	5.79	13	PASS
Band4	3	20385	1	#0	QPSK	4.25	13	PASS
Band4	3	20385	1	#0	QAM16	5.12	13	PASS
Band4	5	19975	1	#0	QPSK	4.09	13	PASS
Band4	5	19975	1	#0	QAM16	5.01	13	PASS
Band4	5	20175	1	#0	QPSK	4.99	13	PASS
Band4	5	20175	1	#0	QAM16	5.94	13	PASS
Band4	5	20375	1	#0	QPSK	4.55	13	PASS
Band4	5	20375	1	#0	QAM16	5.35	13	PASS
Band4	10	20000	1	#0	QPSK	4.14	13	PASS
Band4	10	20000	1	#0	QAM16	4.95	13	PASS
Band4	10	20175	1	#0	QPSK	4.96	13	PASS
Band4	10	20175	1	#0	QAM16	5.85	13	PASS
Band4	10	20350	1	#0	QPSK	5.01	13	PASS
Band4	10	20350	1	#0	QAM16	5.85	13	PASS
Band4	15	20025	1	#0	QPSK	4.10	13	PASS
Band4	15	20025	1	#0	QAM16	4.93	13	PASS
Band4	15	20175	1	#0	QPSK	4.92	13	PASS
Band4	15	20175	1	#0	QAM16	5.82	13	PASS
Band4	15	20325	1	#0	QPSK	4.91	13	PASS
Band4	15	20325	1	#0	QAM16	5.80	13	PASS
Band4	20	20050	1	#0	QPSK	4.09	13	PASS
Band4	20	20050	1	#0	QAM16	4.90	13	PASS
Band4	20	20175	1	#0	QPSK	4.79	13	PASS
Band4	20	20175	1	#0	QAM16	5.62	13	PASS
Band4	20	20300	1	#0	QPSK	4.74	13	PASS
Band4	20	20300	1	#0	QAM16	5.49	13	PASS


Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20000 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0




Appendix4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band4	1.4	19957	6	#0	QPSK	1.097	1.280	PASS
Band4	1.4	19957	6	#0	QAM16	1.094	1.277	PASS
Band4	1.4	20175	6	#0	QPSK	1.096	1.282	PASS
Band4	1.4	20175	6	#0	QAM16	1.093	1.284	PASS
Band4	1.4	20393	6	#0	QPSK	1.100	1.354	PASS
Band4	1.4	20393	6	#0	QAM16	1.099	1.310	PASS
Band4	3	19965	15	#0	QPSK	2.701	2.965	PASS
Band4	3	19965	15	#0	QAM16	2.714	3.010	PASS
Band4	3	20175	15	#0	QPSK	2.701	2.993	PASS
Band4	3	20175	15	#0	QAM16	2.700	3.003	PASS
Band4	3	20385	15	#0	QPSK	2.703	2.982	PASS
Band4	3	20385	15	#0	QAM16	2.722	2.979	PASS
Band4	5	19975	25	#0	QPSK	4.504	5.025	PASS
Band4	5	19975	25	#0	QAM16	4.500	5.000	PASS
Band4	5	20175	25	#0	QPSK	4.505	4.933	PASS
Band4	5	20175	25	#0	QAM16	4.522	4.976	PASS
Band4	5	20375	25	#0	QPSK	4.499	4.966	PASS
Band4	5	20375	25	#0	QAM16	4.516	4.930	PASS
Band4	10	20000	50	#0	QPSK	8.958	9.847	PASS
Band4	10	20000	50	#0	QAM16	8.974	9.893	PASS
Band4	10	20175	50	#0	QPSK	8.941	9.917	PASS
Band4	10	20175	50	#0	QAM16	8.963	9.702	PASS
Band4	10	20350	50	#0	QPSK	8.966	9.674	PASS
Band4	10	20350	50	#0	QAM16	8.959	9.686	PASS
Band4	15	20025	75	#0	QPSK	13.460	14.572	PASS
Band4	15	20025	75	#0	QAM16	13.450	14.520	PASS
Band4	15	20175	75	#0	QPSK	13.379	14.713	PASS
Band4	15	20175	75	#0	QAM16	13.359	14.429	PASS
Band4	15	20325	75	#0	QPSK	13.448	14.624	PASS
Band4	15	20325	75	#0	QAM16	13.473	14.575	PASS
Band4	20	20050	100	#0	QPSK	17.969	19.460	PASS
Band4	20	20050	100	#0	QAM16	17.966	19.344	PASS
Band4	20	20175	100	#0	QPSK	17.827	19.325	PASS
Band4	20	20175	100	#0	QAM16	17.898	19.362	PASS
Band4	20	20300	100	#0	QPSK	17.935	19.467	PASS
Band4	20	20300	100	#0	QAM16	17.962	19.260	PASS


Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QAM16 BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QAM16 BW=15MHz Channel=20025 RB Size=75 Position=#0

