

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBi)	EIRP (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	24.93	3.27	28.20	PASS
Band41	5	39675	1	#Mid	QPSK	24.96	3.27	28.23	PASS
Band41	5	39675	1	#Max	QPSK	24.90	3.27	28.17	PASS
Band41	5	39675	12	#0	QPSK	24.07	3.27	27.34	PASS
Band41	5	39675	12	#Mid	QPSK	24.06	3.27	27.33	PASS
Band41	5	39675	12	#Max	QPSK	24.06	3.27	27.33	PASS
Band41	5	39675	25	#0	QPSK	24.03	3.27	27.30	PASS
Band41	5	39675	1	#0	16QAM	24.33	3.27	27.60	PASS
Band41	5	39675	1	#Mid	16QAM	24.31	3.27	27.58	PASS
Band41	5	39675	1	#Max	16QAM	24.30	3.27	27.57	PASS
Band41	5	39675	12	#0	16QAM	24.13	3.27	27.40	PASS
Band41	5	39675	12	#Mid	16QAM	24.10	3.27	27.37	PASS
Band41	5	39675	12	#Max	16QAM	24.11	3.27	27.38	PASS
Band41	5	39675	25	#0	16QAM	24.07	3.27	27.34	PASS
Band41	5	40620	1	#0	QPSK	24.82	3.27	28.09	PASS
Band41	5	40620	1	#Mid	QPSK	24.89	3.27	28.16	PASS
Band41	5	40620	1	#Max	QPSK	24.91	3.27	28.18	PASS
Band41	5	40620	12	#0	QPSK	24.91	3.27	28.18	PASS
Band41	5	40620	12	#Mid	QPSK	24.94	3.27	28.21	PASS
Band41	5	40620	12	#Max	QPSK	24.90	3.27	28.17	PASS
Band41	5	40620	25	#0	QPSK	24.98	3.27	28.25	PASS
Band41	5	40620	1	#0	16QAM	24.19	3.27	27.46	PASS
Band41	5	40620	1	#Mid	16QAM	24.29	3.27	27.56	PASS
Band41	5	40620	1	#Max	16QAM	24.20	3.27	27.47	PASS
Band41	5	40620	12	#0	16QAM	24.07	3.27	27.34	PASS
Band41	5	40620	12	#Mid	16QAM	24.03	3.27	27.30	PASS
Band41	5	40620	12	#Max	16QAM	24.96	3.27	28.23	PASS
Band41	5	40620	25	#0	16QAM	24.99	3.27	28.26	PASS
Band41	5	41565	1	#0	QPSK	24.80	3.27	28.07	PASS
Band41	5	41565	1	#Mid	QPSK	24.88	3.27	28.15	PASS
Band41	5	41565	1	#Max	QPSK	24.81	3.27	28.08	PASS
Band41	5	41565	12	#0	QPSK	24.95	3.27	28.22	PASS
Band41	5	41565	12	#Mid	QPSK	24.94	3.27	28.21	PASS
Band41	5	41565	12	#Max	QPSK	24.89	3.27	28.16	PASS
Band41	5	41565	25	#0	QPSK	24.93	3.27	28.20	PASS
Band41	5	41565	1	#0	16QAM	25.08	3.27	28.35	PASS
Band41	5	41565	1	#Mid	16QAM	25.17	3.27	28.44	PASS
Band41	5	41565	1	#Max	16QAM	25.09	3.27	28.36	PASS

Band41	5	41565	12	#0	16QAM	25.02	3.27	28.29	PASS
Band41	5	41565	12	#Mid	16QAM	25.04	3.27	28.31	PASS
Band41	5	41565	12	#Max	16QAM	24.98	3.27	28.25	PASS
Band41	5	41565	25	#0	16QAM	25.00	3.27	28.27	PASS
Band41	10	39700	1	#0	QPSK	24.94	3.27	28.21	PASS
Band41	10	39700	1	#Mid	QPSK	24.90	3.27	28.17	PASS
Band41	10	39700	1	#Max	QPSK	24.83	3.27	28.10	PASS
Band41	10	39700	25	#0	QPSK	25.08	3.27	28.35	PASS
Band41	10	39700	25	#Mid	QPSK	25.01	3.27	28.28	PASS
Band41	10	39700	25	#Max	QPSK	24.91	3.27	28.18	PASS
Band41	10	39700	50	#0	QPSK	25.01	3.27	28.28	PASS
Band41	10	39700	1	#0	16QAM	24.26	3.27	27.53	PASS
Band41	10	39700	1	#Mid	16QAM	25.19	3.27	28.46	PASS
Band41	10	39700	1	#Max	16QAM	25.18	3.27	28.45	PASS
Band41	10	39700	25	#0	16QAM	25.12	3.27	28.39	PASS
Band41	10	39700	25	#Mid	16QAM	25.02	3.27	28.29	PASS
Band41	10	39700	25	#Max	16QAM	24.97	3.27	28.24	PASS
Band41	10	39700	50	#0	16QAM	25.02	3.27	28.29	PASS
Band41	10	40620	1	#0	QPSK	24.85	3.27	28.12	PASS
Band41	10	40620	1	#Mid	QPSK	24.83	3.27	28.10	PASS
Band41	10	40620	1	#Max	QPSK	24.78	3.27	28.05	PASS
Band41	10	40620	25	#0	QPSK	25.00	3.27	28.27	PASS
Band41	10	40620	25	#Mid	QPSK	25.03	3.27	28.30	PASS
Band41	10	40620	25	#Max	QPSK	24.99	3.27	28.26	PASS
Band41	10	40620	50	#0	QPSK	25.00	3.27	28.27	PASS
Band41	10	40620	1	#0	16QAM	24.19	3.27	27.46	PASS
Band41	10	40620	1	#Mid	16QAM	24.14	3.27	27.41	PASS
Band41	10	40620	1	#Max	16QAM	24.11	3.27	27.38	PASS
Band41	10	40620	25	#0	16QAM	25.01	3.27	28.28	PASS
Band41	10	40620	25	#Mid	16QAM	24.05	3.27	27.32	PASS
Band41	10	40620	25	#Max	16QAM	24.98	3.27	28.25	PASS
Band41	10	40620	50	#0	16QAM	25.00	3.27	28.27	PASS
Band41	10	41540	1	#0	QPSK	24.55	3.27	27.82	PASS
Band41	10	41540	1	#Mid	QPSK	24.77	3.27	28.04	PASS
Band41	10	41540	1	#Max	QPSK	24.45	3.27	27.72	PASS
Band41	10	41540	25	#0	QPSK	24.94	3.27	28.21	PASS
Band41	10	41540	25	#Mid	QPSK	25.00	3.27	28.27	PASS
Band41	10	41540	25	#Max	QPSK	24.86	3.27	28.13	PASS
Band41	10	41540	50	#0	QPSK	24.93	3.27	28.20	PASS
Band41	10	41540	1	#0	16QAM	24.98	3.27	28.25	PASS
Band41	10	41540	1	#Mid	16QAM	24.13	3.27	27.40	PASS
Band41	10	41540	1	#Max	16QAM	24.93	3.27	28.20	PASS

Band41	10	41540	25	#0	16QAM	24.95	3.27	28.22	PASS
Band41	10	41540	25	#Mid	16QAM	25.05	3.27	28.32	PASS
Band41	10	41540	25	#Max	16QAM	24.87	3.27	28.14	PASS
Band41	10	41540	50	#0	16QAM	24.97	3.27	28.24	PASS
Band41	15	39725	1	#0	QPSK	24.84	3.27	28.11	PASS
Band41	15	39725	1	#Mid	QPSK	24.73	3.27	28.00	PASS
Band41	15	39725	1	#Max	QPSK	24.64	3.27	27.91	PASS
Band41	15	39725	36	#0	QPSK	24.94	3.27	28.21	PASS
Band41	15	39725	36	#Mid	QPSK	24.85	3.27	28.12	PASS
Band41	15	39725	36	#Max	QPSK	24.80	3.27	28.07	PASS
Band41	15	39725	75	#0	QPSK	24.87	3.27	28.14	PASS
Band41	15	39725	1	#0	16QAM	25.10	3.27	28.37	PASS
Band41	15	39725	1	#Mid	16QAM	25.02	3.27	28.29	PASS
Band41	15	39725	1	#Max	16QAM	24.91	3.27	28.18	PASS
Band41	15	39725	36	#0	16QAM	24.91	3.27	28.18	PASS
Band41	15	39725	36	#Mid	16QAM	24.82	3.27	28.09	PASS
Band41	15	39725	36	#Max	16QAM	24.75	3.27	28.02	PASS
Band41	15	39725	75	#0	16QAM	24.88	3.27	28.15	PASS
Band41	15	40620	1	#0	QPSK	24.88	3.27	28.15	PASS
Band41	15	40620	1	#Mid	QPSK	24.72	3.27	27.99	PASS
Band41	15	40620	1	#Max	QPSK	24.79	3.27	28.06	PASS
Band41	15	40620	36	#0	QPSK	24.92	3.27	28.19	PASS
Band41	15	40620	36	#Mid	QPSK	24.88	3.27	28.15	PASS
Band41	15	40620	36	#Max	QPSK	24.84	3.27	28.11	PASS
Band41	15	40620	75	#0	QPSK	24.87	3.27	28.14	PASS
Band41	15	40620	1	#0	16QAM	25.06	3.27	28.33	PASS
Band41	15	40620	1	#Mid	16QAM	24.95	3.27	28.22	PASS
Band41	15	40620	1	#Max	16QAM	24.90	3.27	28.17	PASS
Band41	15	40620	36	#0	16QAM	24.88	3.27	28.15	PASS
Band41	15	40620	36	#Mid	16QAM	24.88	3.27	28.15	PASS
Band41	15	40620	36	#Max	16QAM	24.80	3.27	28.07	PASS
Band41	15	40620	75	#0	16QAM	24.92	3.27	28.19	PASS
Band41	15	41515	1	#0	QPSK	24.43	3.27	27.70	PASS
Band41	15	41515	1	#Mid	QPSK	24.70	3.27	27.97	PASS
Band41	15	41515	1	#Max	QPSK	24.65	3.27	27.92	PASS
Band41	15	41515	36	#0	QPSK	24.75	3.27	28.02	PASS
Band41	15	41515	36	#Mid	QPSK	24.88	3.27	28.15	PASS
Band41	15	41515	36	#Max	QPSK	24.76	3.27	28.03	PASS
Band41	15	41515	75	#0	QPSK	24.78	3.27	28.05	PASS
Band41	15	41515	1	#0	16QAM	24.79	3.27	28.06	PASS
Band41	15	41515	1	#Mid	16QAM	25.05	3.27	28.32	PASS
Band41	15	41515	1	#Max	16QAM	25.02	3.27	28.29	PASS

Band41	15	41515	36	#0	16QAM	24.73	3.27	28.00	PASS
Band41	15	41515	36	#Mid	16QAM	24.84	3.27	28.11	PASS
Band41	15	41515	36	#Max	16QAM	24.81	3.27	28.08	PASS
Band41	15	41515	75	#0	16QAM	24.84	3.27	28.11	PASS
Band41	20	39750	1	#0	QPSK	24.81	3.27	28.08	PASS
Band41	20	39750	1	#Mid	QPSK	24.76	3.27	28.03	PASS
Band41	20	39750	1	#Max	QPSK	24.69	3.27	27.96	PASS
Band41	20	39750	50	#0	QPSK	24.95	3.27	28.22	PASS
Band41	20	39750	50	#Mid	QPSK	24.86	3.27	28.13	PASS
Band41	20	39750	50	#Max	QPSK	24.79	3.27	28.06	PASS
Band41	20	39750	100	#0	QPSK	24.83	3.27	28.10	PASS
Band41	20	39750	1	#0	16QAM	25.10	3.27	28.37	PASS
Band41	20	39750	1	#Mid	16QAM	24.96	3.27	28.23	PASS
Band41	20	39750	1	#Max	16QAM	24.95	3.27	28.22	PASS
Band41	20	39750	50	#0	16QAM	24.98	3.27	28.25	PASS
Band41	20	39750	50	#Mid	16QAM	24.86	3.27	28.13	PASS
Band41	20	39750	50	#Max	16QAM	24.84	3.27	28.11	PASS
Band41	20	39750	100	#0	16QAM	24.87	3.27	28.14	PASS
Band41	20	40620	1	#0	QPSK	24.90	3.27	28.17	PASS
Band41	20	40620	1	#Mid	QPSK	25.72	3.27	28.99	PASS
Band41	20	40620	1	#Max	QPSK	24.75	3.27	28.02	PASS
Band41	20	40620	50	#0	QPSK	24.90	3.27	28.17	PASS
Band41	20	40620	50	#Mid	QPSK	24.88	3.27	28.15	PASS
Band41	20	40620	50	#Max	QPSK	24.84	3.27	28.11	PASS
Band41	20	40620	100	#0	QPSK	24.87	3.27	28.14	PASS
Band41	20	40620	1	#0	16QAM	25.07	3.27	28.34	PASS
Band41	20	40620	1	#Mid	16QAM	24.95	3.27	28.22	PASS
Band41	20	40620	1	#Max	16QAM	24.97	3.27	28.24	PASS
Band41	20	40620	50	#0	16QAM	24.96	3.27	28.23	PASS
Band41	20	40620	50	#Mid	16QAM	24.92	3.27	28.19	PASS
Band41	20	40620	50	#Max	16QAM	24.89	3.27	28.16	PASS
Band41	20	40620	100	#0	16QAM	24.92	3.27	28.19	PASS
Band41	20	41490	1	#0	QPSK	24.29	3.27	27.56	PASS
Band41	20	41490	1	#Mid	QPSK	24.63	3.27	27.90	PASS
Band41	20	41490	1	#Max	QPSK	24.58	3.27	27.85	PASS
Band41	20	41490	50	#0	QPSK	24.65	3.27	27.92	PASS
Band41	20	41490	50	#Mid	QPSK	24.85	3.27	28.12	PASS
Band41	20	41490	50	#Max	QPSK	24.78	3.27	28.05	PASS
Band41	20	41490	100	#0	QPSK	24.72	3.27	27.99	PASS
Band41	20	41490	1	#0	16QAM	24.62	3.27	27.89	PASS
Band41	20	41490	1	#Mid	16QAM	25.03	3.27	28.30	PASS
Band41	20	41490	1	#Max	16QAM	25.05	3.27	28.32	PASS

Band41	20	41490	50	#0	16QAM	24.73	3.27	28.00	PASS
Band41	20	41490	50	#Mid	16QAM	24.90	3.27	28.17	PASS
Band41	20	41490	50	#Max	16QAM	24.85	3.27	28.12	PASS
Band41	20	41490	100	#0	16QAM	24.85	3.27	28.12	PASS

2 Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band41	5	39675	25	#0	QPSK	VL	NT	-4.20	-0.002	±2.5	PASS
Band41	5	39675	25	#0	QPSK	VN	NT	-0.10	0.000	±2.5	PASS
Band41	5	39675	25	#0	QPSK	VH	NT	-4.40	-0.002	±2.5	PASS
Band41	5	39675	25	#0	QPSK	NV	-30	-2.20	-0.001	±2.5	PASS
Band41	5	39675	25	#0	QPSK	NV	-20	-3.30	-0.001	±2.5	PASS
Band41	5	39675	25	#0	QPSK	NV	-10	-5.60	-0.002	±2.5	PASS
Band41	5	39675	25	#0	QPSK	NV	0	-5.50	-0.002	±2.5	PASS
Band41	5	39675	25	#0	QPSK	NV	10	-4.10	-0.002	±2.5	PASS
Band41	5	39675	25	#0	QPSK	NV	20	1.00	0.000	±2.5	PASS
Band41	5	39675	25	#0	16QAM	VL	NT	-5.00	-0.002	±2.5	PASS
Band41	5	39675	25	#0	16QAM	VN	NT	-3.20	-0.001	±2.5	PASS
Band41	5	39675	25	#0	16QAM	VH	NT	-6.00	-0.002	±2.5	PASS
Band41	5	39675	25	#0	16QAM	NV	-30	-4.00	-0.002	±2.5	PASS
Band41	5	39675	25	#0	16QAM	NV	-20	-4.20	-0.002	±2.5	PASS
Band41	5	39675	25	#0	16QAM	NV	-10	-4.20	-0.002	±2.5	PASS
Band41	5	39675	25	#0	16QAM	NV	0	-5.10	-0.002	±2.5	PASS
Band41	5	39675	25	#0	16QAM	NV	10	-1.60	-0.001	±2.5	PASS
Band41	5	39675	25	#0	16QAM	NV	20	-2.30	-0.001	±2.5	PASS
Band41	5	40620	25	#0	QPSK	VL	NT	-1.20	0.000	±2.5	PASS
Band41	5	40620	25	#0	QPSK	VN	NT	-2.00	-0.001	±2.5	PASS
Band41	5	40620	25	#0	QPSK	VH	NT	-7.90	-0.003	±2.5	PASS
Band41	5	40620	25	#0	QPSK	NV	-30	-2.30	-0.001	±2.5	PASS
Band41	5	40620	25	#0	QPSK	NV	-20	-1.80	-0.001	±2.5	PASS
Band41	5	40620	25	#0	QPSK	NV	-10	-2.90	-0.001	±2.5	PASS
Band41	5	40620	25	#0	QPSK	NV	0	-3.10	-0.001	±2.5	PASS
Band41	5	40620	25	#0	QPSK	NV	10	-4.60	-0.002	±2.5	PASS
Band41	5	40620	25	#0	QPSK	NV	20	-3.90	-0.002	±2.5	PASS
Band41	5	40620	25	#0	16QAM	VL	NT	-0.20	0.000	±2.5	PASS
Band41	5	40620	25	#0	16QAM	VN	NT	-4.30	-0.002	±2.5	PASS
Band41	5	40620	25	#0	16QAM	VH	NT	-5.70	-0.002	±2.5	PASS
Band41	5	40620	25	#0	16QAM	NV	-30	-7.50	-0.003	±2.5	PASS
Band41	5	40620	25	#0	16QAM	NV	-20	-5.60	-0.002	±2.5	PASS
Band41	5	40620	25	#0	16QAM	NV	-10	-3.70	-0.001	±2.5	PASS
Band41	5	40620	25	#0	16QAM	NV	0	-1.90	-0.001	±2.5	PASS

Band41	5	40620	25	#0	16QAM	NV	10	-7.90	-0.003	±2.5	PASS
Band41	5	40620	25	#0	16QAM	NV	20	-2.20	-0.001	±2.5	PASS
Band41	5	41565	25	#0	QPSK	VL	NT	-2.20	-0.001	±2.5	PASS
Band41	5	41565	25	#0	QPSK	VN	NT	-2.30	-0.001	±2.5	PASS
Band41	5	41565	25	#0	QPSK	VH	NT	2.00	0.001	±2.5	PASS
Band41	5	41565	25	#0	QPSK	NV	-30	-5.20	-0.002	±2.5	PASS
Band41	5	41565	25	#0	QPSK	NV	-20	-0.40	0.000	±2.5	PASS
Band41	5	41565	25	#0	QPSK	NV	-10	0.50	0.000	±2.5	PASS
Band41	5	41565	25	#0	QPSK	NV	0	-2.80	-0.001	±2.5	PASS
Band41	5	41565	25	#0	QPSK	NV	10	-5.80	-0.002	±2.5	PASS
Band41	5	41565	25	#0	QPSK	NV	20	1.00	0.000	±2.5	PASS
Band41	5	41565	25	#0	16QAM	VL	NT	-2.00	-0.001	±2.5	PASS
Band41	5	41565	25	#0	16QAM	VN	NT	-4.60	-0.002	±2.5	PASS
Band41	5	41565	25	#0	16QAM	VH	NT	1.20	0.000	±2.5	PASS
Band41	5	41565	25	#0	16QAM	NV	-30	-4.90	-0.002	±2.5	PASS
Band41	5	41565	25	#0	16QAM	NV	-20	-1.10	0.000	±2.5	PASS
Band41	5	41565	25	#0	16QAM	NV	-10	3.00	0.001	±2.5	PASS
Band41	5	41565	25	#0	16QAM	NV	0	-3.00	-0.001	±2.5	PASS
Band41	5	41565	25	#0	16QAM	NV	10	-0.70	0.000	±2.5	PASS
Band41	5	41565	25	#0	16QAM	NV	20	-1.10	0.000	±2.5	PASS

3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	39675	1	#0	QPSK	7.83	13	PASS
Band41	5	39675	1	#0	16QAM	9.62	13	PASS
Band41	5	40620	1	#0	QPSK	7.88	13	PASS
Band41	5	40620	1	#0	16QAM	9.77	13	PASS
Band41	5	41565	1	#0	QPSK	7.04	13	PASS
Band41	5	41565	1	#0	16QAM	9.10	13	PASS
Band41	10	39700	1	#0	QPSK	7.33	13	PASS
Band41	10	39700	1	#0	16QAM	9.59	13	PASS
Band41	10	40620	1	#0	QPSK	7.83	13	PASS
Band41	10	40620	1	#0	16QAM	9.59	13	PASS
Band41	10	41540	1	#0	QPSK	7.25	13	PASS
Band41	10	41540	1	#0	16QAM	8.93	13	PASS
Band41	15	39725	1	#0	QPSK	7.39	13	PASS
Band41	15	39725	1	#0	16QAM	9.25	13	PASS
Band41	15	40620	1	#0	QPSK	7.86	13	PASS
Band41	15	40620	1	#0	16QAM	9.80	13	PASS
Band41	15	41515	1	#0	QPSK	7.57	13	PASS
Band41	15	41515	1	#0	16QAM	9.16	13	PASS
Band41	20	39750	1	#0	QPSK	7.74	13	PASS

Band41	20	39750	1	#0	16QAM	9.51	13	PASS
Band41	20	40620	1	#0	QPSK	7.86	13	PASS
Band41	20	40620	1	#0	16QAM	9.80	13	PASS
Band41	20	41490	1	#0	QPSK	7.16	13	PASS
Band41	20	41490	1	#0	16QAM	8.81	13	PASS




Date: 25.JUN.2024 15:28:08

Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0




Date: 25.JUN.2024 15:28:15

Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:28:22

Band41 16QAM BW=5MHz Channel=40620 RB Size=1 Position=#0



Date: 25.JUN.2024 15:28:28

Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0




Date: 25.JUN.2024 15:28:35

Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0




Date: 25.JUN.2024 15:28:42

Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0




Date: 25.JUN.2024 15:28:50

Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#0




Date: 25.JUN.2024 15:28:57

Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:04

Band41 16QAM BW=10MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:10

Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:17

Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:24

Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:32

Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:38

Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:45

Band41 16QAM BW=15MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:52

Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0




Date: 25.JUN.2024 15:29:59

Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#0




Date: 25.JUN.2024 15:30:06

Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0




Date: 25.JUN.2024 15:30:14

Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0




Date: 25.JUN.2024 15:30:20

Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:30:27

Band41 16QAM BW=20MHz Channel=40620 RB Size=1 Position=#0




Date: 25.JUN.2024 15:30:34

Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0



Date: 25.JUN.2024 15:30:41

Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0




Date: 25.JUN.2024 15:30:48

4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41	5	39675	25	#0	QPSK	4.494	5.085	PASS
Band41	5	39675	25	#0	16QAM	4.500	5.204	PASS
Band41	5	40620	25	#0	QPSK	4.500	5.119	PASS
Band41	5	40620	25	#0	16QAM	4.494	5.154	PASS
Band41	5	41565	25	#0	QPSK	4.498	5.135	PASS
Band41	5	41565	25	#0	16QAM	4.497	5.211	PASS
Band41	10	39700	50	#0	QPSK	8.974	10.283	PASS
Band41	10	39700	50	#0	16QAM	8.970	10.255	PASS
Band41	10	40620	50	#0	QPSK	8.973	10.394	PASS
Band41	10	40620	50	#0	16QAM	8.968	9.971	PASS
Band41	10	41540	50	#0	QPSK	8.974	10.412	PASS
Band41	10	41540	50	#0	16QAM	8.972	10.128	PASS
Band41	15	39725	75	#0	QPSK	13.451	15.046	PASS
Band41	15	39725	75	#0	16QAM	13.452	14.680	PASS
Band41	15	40620	75	#0	QPSK	13.451	15.464	PASS
Band41	15	40620	75	#0	16QAM	13.462	14.761	PASS
Band41	15	41515	75	#0	QPSK	13.447	16.034	PASS
Band41	15	41515	75	#0	16QAM	13.470	14.846	PASS
Band41	20	39750	100	#0	QPSK	17.977	19.677	PASS


Band41	20	39750	100	#0	16QAM	17.943	20.503	PASS
Band41	20	40620	100	#0	QPSK	17.981	19.740	PASS
Band41	20	40620	100	#0	16QAM	17.971	20.560	PASS
Band41	20	41490	100	#0	QPSK	17.994	20.423	PASS
Band41	20	41490	100	#0	16QAM	17.977	20.624	PASS

Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Date: 25.JUN.2024 15:31:14

Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0




Date: 25.JUN.2024 15:31:31

Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Date: 25.JUN.2024 15:31:48

Band41 16QAM BW=5MHz Channel=40620 RB Size=25 Position=#0




Date: 25.JUN.2024 15:32:05

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Date: 25.JUN.2024 15:32:22

Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0




Date: 25.JUN.2024 15:32:38

Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Date: 25.JUN.2024 15:32:57

Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0




Date: 25.JUN.2024 15:33:14

Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Date: 25.JUN.2024 15:33:33

Band41 16QAM BW=10MHz Channel=40620 RB Size=50 Position=#0




Date: 25.JUN.2024 15:33:51

Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Date: 25.JUN.2024 15:34:09

Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0



Date: 25.JUN.2024 15:34:26

Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Date: 25.JUN.2024 15:34:44