

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Verdict
n2	15	5	370500	25@0	DFT_BPSK	22.21	22.51	PASS
n2	15	5	370500	12@6	DFT_BPSK	23.22	23.52	PASS
n2	15	5	370500	1@1	DFT_BPSK	23.14	23.44	PASS
n2	15	5	370500	1@23	DFT_BPSK	23.00	23.30	PASS
n2	15	5	370500	25@0	DFT_QPSK	22.24	22.54	PASS
n2	15	5	370500	12@6	DFT_QPSK	23.25	23.55	PASS
n2	15	5	370500	1@1	DFT_QPSK	23.14	23.44	PASS
n2	15	5	370500	1@23	DFT_QPSK	22.99	23.29	PASS
n2	15	5	370500	25@0	DFT_16QAM	22.30	22.60	PASS
n2	15	5	370500	12@6	DFT_16QAM	23.24	23.54	PASS
n2	15	5	370500	1@1	DFT_16QAM	23.16	23.46	PASS
n2	15	5	370500	1@23	DFT_16QAM	23.03	23.33	PASS
n2	15	5	370500	25@0	DFT_64QAM	22.24	22.54	PASS
n2	15	5	370500	12@6	DFT_64QAM	23.24	23.54	PASS
n2	15	5	370500	1@1	DFT_64QAM	23.15	23.45	PASS
n2	15	5	370500	1@23	DFT_64QAM	22.03	22.33	PASS
n2	15	5	370500	25@0	DFT_256QAM	22.48	22.78	PASS
n2	15	5	370500	12@6	DFT_256QAM	22.56	22.86	PASS
n2	15	5	370500	1@1	DFT_256QAM	23.52	23.82	PASS
n2	15	5	370500	1@23	DFT_256QAM	23.45	23.75	PASS
n2	15	5	376000	25@0	DFT_BPSK	23.32	23.62	PASS
n2	15	5	376000	12@6	DFT_BPSK	23.42	23.72	PASS
n2	15	5	376000	1@1	DFT_BPSK	23.43	23.73	PASS
n2	15	5	376000	1@23	DFT_BPSK	22.46	22.76	PASS
n2	15	5	376000	25@0	DFT_QPSK	22.48	22.78	PASS
n2	15	5	376000	12@6	DFT_QPSK	22.56	22.86	PASS
n2	15	5	376000	1@1	DFT_QPSK	23.52	23.82	PASS
n2	15	5	376000	1@23	DFT_QPSK	23.45	23.75	PASS
n2	15	5	376000	25@0	DFT_16QAM	23.32	23.62	PASS
n2	15	5	376000	12@6	DFT_16QAM	23.42	23.72	PASS
n2	15	5	376000	1@1	DFT_16QAM	23.43	23.73	PASS
n2	15	5	376000	1@23	DFT_16QAM	22.48	22.78	PASS
n2	15	5	376000	25@0	DFT_64QAM	22.57	22.87	PASS
n2	15	5	376000	12@6	DFT_64QAM	22.55	22.85	PASS
n2	15	5	376000	1@1	DFT_64QAM	23.54	23.84	PASS
n2	15	5	376000	1@23	DFT_64QAM	23.32	23.62	PASS
n2	15	5	376000	25@0	DFT_256QAM	23.60	23.90	PASS
n2	15	5	376000	12@6	DFT_256QAM	23.52	23.82	PASS

n2	15	5	376000	1@1	DFT_256QAM	22.54	22.84	PASS
n2	15	5	376000	1@23	DFT_256QAM	22.52	22.82	PASS
n2	15	5	381500	25@0	DFT_BPSK	23.56	23.86	PASS
n2	15	5	381500	12@6	DFT_BPSK	23.44	23.74	PASS
n2	15	5	381500	1@1	DFT_BPSK	23.39	23.69	PASS
n2	15	5	381500	1@23	DFT_BPSK	23.38	23.68	PASS
n2	15	5	381500	25@0	DFT_QPSK	23.45	23.75	PASS
n2	15	5	381500	12@6	DFT_QPSK	22.51	22.81	PASS
n2	15	5	381500	1@1	DFT_QPSK	22.48	22.78	PASS
n2	15	5	381500	1@23	DFT_QPSK	22.45	22.75	PASS
n2	15	5	381500	25@0	DFT_16QAM	23.44	23.74	PASS
n2	15	5	381500	12@6	DFT_16QAM	23.41	23.71	PASS
n2	15	5	381500	1@1	DFT_16QAM	23.31	23.61	PASS
n2	15	5	381500	1@23	DFT_16QAM	23.40	23.70	PASS
n2	15	5	381500	25@0	DFT_64QAM	23.39	23.69	PASS
n2	15	5	381500	12@6	DFT_64QAM	22.49	22.79	PASS
n2	15	5	381500	1@1	DFT_64QAM	22.70	23.00	PASS
n2	15	5	381500	1@23	DFT_64QAM	23.51	23.81	PASS
n2	15	5	381500	25@0	DFT_256QAM	23.20	23.50	PASS
n2	15	5	381500	12@6	DFT_256QAM	23.28	23.58	PASS
n2	15	5	381500	1@1	DFT_256QAM	23.28	23.58	PASS
n2	15	5	381500	1@23	DFT_256QAM	23.28	23.58	PASS
n2	15	10	371000	50@0	DFT_BPSK	22.46	22.76	PASS
n2	15	10	371000	25@12	DFT_BPSK	22.55	22.85	PASS
n2	15	10	371000	1@1	DFT_BPSK	23.54	23.84	PASS
n2	15	10	371000	1@50	DFT_BPSK	23.56	23.86	PASS
n2	15	10	371000	50@0	DFT_QPSK	23.38	23.68	PASS
n2	15	10	371000	25@12	DFT_QPSK	23.43	23.73	PASS
n2	15	10	371000	1@1	DFT_QPSK	22.76	23.06	PASS
n2	15	10	371000	1@50	DFT_QPSK	22.53	22.83	PASS
n2	15	10	371000	50@0	DFT_16QAM	22.79	23.09	PASS
n2	15	10	371000	25@12	DFT_16QAM	22.93	23.23	PASS
n2	15	10	371000	1@1	DFT_16QAM	22.72	23.02	PASS
n2	15	10	371000	1@50	DFT_16QAM	22.55	22.85	PASS
n2	15	10	371000	50@0	DFT_64QAM	22.78	23.08	PASS
n2	15	10	371000	25@12	DFT_64QAM	22.92	23.22	PASS
n2	15	10	371000	1@1	DFT_64QAM	22.77	23.07	PASS
n2	15	10	371000	1@50	DFT_64QAM	22.53	22.83	PASS
n2	15	10	371000	50@0	DFT_256QAM	22.82	23.12	PASS
n2	15	10	371000	25@12	DFT_256QAM	22.90	23.20	PASS
n2	15	10	371000	1@1	DFT_256QAM	22.72	23.02	PASS
n2	15	10	371000	1@50	DFT_256QAM	22.51	22.81	PASS

n2	15	10	376000	50@0	DFT_BPSK	22.94	23.24	PASS
n2	15	10	376000	25@12	DFT_BPSK	23.04	23.34	PASS
n2	15	10	376000	1@1	DFT_BPSK	22.79	23.09	PASS
n2	15	10	376000	1@50	DFT_BPSK	22.81	23.11	PASS
n2	15	10	376000	50@0	DFT_QPSK	22.94	23.24	PASS
n2	15	10	376000	25@12	DFT_QPSK	23.06	23.36	PASS
n2	15	10	376000	1@1	DFT_QPSK	22.79	23.09	PASS
n2	15	10	376000	1@50	DFT_QPSK	22.79	23.09	PASS
n2	15	10	376000	50@0	DFT_16QAM	22.93	23.23	PASS
n2	15	10	376000	25@12	DFT_16QAM	23.04	23.34	PASS
n2	15	10	376000	1@1	DFT_16QAM	22.80	23.10	PASS
n2	15	10	376000	1@50	DFT_16QAM	22.84	23.14	PASS
n2	15	10	376000	50@0	DFT_64QAM	22.91	23.21	PASS
n2	15	10	376000	25@12	DFT_64QAM	23.03	23.33	PASS
n2	15	10	376000	1@1	DFT_64QAM	22.82	23.12	PASS
n2	15	10	376000	1@50	DFT_64QAM	22.79	23.09	PASS
n2	15	10	376000	50@0	DFT_256QAM	22.94	23.24	PASS
n2	15	10	376000	25@12	DFT_256QAM	23.03	23.33	PASS
n2	15	10	376000	1@1	DFT_256QAM	22.77	23.07	PASS
n2	15	10	376000	1@50	DFT_256QAM	22.80	23.10	PASS
n2	15	10	381000	50@0	DFT_BPSK	22.90	23.20	PASS
n2	15	10	381000	25@12	DFT_BPSK	23.05	23.35	PASS
n2	15	10	381000	1@1	DFT_BPSK	22.80	23.10	PASS
n2	15	10	381000	1@50	DFT_BPSK	22.95	23.25	PASS
n2	15	10	381000	50@0	DFT_QPSK	22.93	23.23	PASS
n2	15	10	381000	25@12	DFT_QPSK	23.03	23.33	PASS
n2	15	10	381000	1@1	DFT_QPSK	22.82	23.12	PASS
n2	15	10	381000	1@50	DFT_QPSK	22.90	23.20	PASS
n2	15	10	381000	50@0	DFT_16QAM	22.94	23.24	PASS
n2	15	10	381000	25@12	DFT_16QAM	23.04	23.34	PASS
n2	15	10	381000	1@1	DFT_16QAM	22.79	23.09	PASS
n2	15	10	381000	1@50	DFT_16QAM	22.94	23.24	PASS
n2	15	10	381000	50@0	DFT_64QAM	22.96	23.26	PASS
n2	15	10	381000	25@12	DFT_64QAM	23.02	23.32	PASS
n2	15	10	381000	1@1	DFT_64QAM	22.86	23.16	PASS
n2	15	10	381000	1@50	DFT_64QAM	22.90	23.20	PASS
n2	15	10	381000	50@0	DFT_256QAM	22.99	23.29	PASS
n2	15	10	381000	25@12	DFT_256QAM	23.00	23.30	PASS
n2	15	10	381000	1@1	DFT_256QAM	22.79	23.09	PASS
n2	15	10	381000	1@50	DFT_256QAM	22.90	23.20	PASS
n2	15	15	371500	75@0	DFT_BPSK	22.76	23.06	PASS
n2	15	15	371500	36@18	DFT_BPSK	22.73	23.03	PASS

n2	15	15	371500	1@1	DFT_BPSK	22.70	23.00	PASS
n2	15	15	371500	1@77	DFT_BPSK	22.60	22.90	PASS
n2	15	15	371500	75@0	DFT_QPSK	22.83	23.13	PASS
n2	15	15	371500	36@18	DFT_QPSK	22.76	23.06	PASS
n2	15	15	371500	1@1	DFT_QPSK	22.68	22.98	PASS
n2	15	15	371500	1@77	DFT_QPSK	22.59	22.89	PASS
n2	15	15	371500	75@0	DFT_16QAM	22.75	23.05	PASS
n2	15	15	371500	36@18	DFT_16QAM	22.71	23.01	PASS
n2	15	15	371500	1@1	DFT_16QAM	22.67	22.97	PASS
n2	15	15	371500	1@77	DFT_16QAM	22.53	22.83	PASS
n2	15	15	371500	75@0	DFT_64QAM	22.78	23.08	PASS
n2	15	15	371500	36@18	DFT_64QAM	22.74	23.04	PASS
n2	15	15	371500	1@1	DFT_64QAM	22.67	22.97	PASS
n2	15	15	371500	1@77	DFT_64QAM	22.53	22.83	PASS
n2	15	15	371500	75@0	DFT_256QAM	22.77	23.07	PASS
n2	15	15	371500	36@18	DFT_256QAM	22.75	23.05	PASS
n2	15	15	371500	1@1	DFT_256QAM	22.65	22.95	PASS
n2	15	15	371500	1@77	DFT_256QAM	22.52	22.82	PASS
n2	15	15	376000	75@0	DFT_BPSK	22.92	23.22	PASS
n2	15	15	376000	36@18	DFT_BPSK	22.89	23.19	PASS
n2	15	15	376000	1@1	DFT_BPSK	22.68	22.98	PASS
n2	15	15	376000	1@77	DFT_BPSK	22.69	22.99	PASS
n2	15	15	376000	75@0	DFT_QPSK	22.93	23.23	PASS
n2	15	15	376000	36@18	DFT_QPSK	22.94	23.24	PASS
n2	15	15	376000	1@1	DFT_QPSK	22.63	22.93	PASS
n2	15	15	376000	1@77	DFT_QPSK	22.70	23.00	PASS
n2	15	15	376000	75@0	DFT_16QAM	22.93	23.23	PASS
n2	15	15	376000	36@18	DFT_16QAM	22.84	23.14	PASS
n2	15	15	376000	1@1	DFT_16QAM	22.59	22.89	PASS
n2	15	15	376000	1@77	DFT_16QAM	22.68	22.98	PASS
n2	15	15	376000	75@0	DFT_64QAM	22.89	23.19	PASS
n2	15	15	376000	36@18	DFT_64QAM	22.85	23.15	PASS
n2	15	15	376000	1@1	DFT_64QAM	22.65	22.95	PASS
n2	15	15	376000	1@77	DFT_64QAM	22.68	22.98	PASS
n2	15	15	376000	75@0	DFT_256QAM	22.98	23.28	PASS
n2	15	15	376000	36@18	DFT_256QAM	22.85	23.15	PASS
n2	15	15	376000	1@1	DFT_256QAM	22.64	22.94	PASS
n2	15	15	376000	1@77	DFT_256QAM	22.70	23.00	PASS
n2	15	15	380500	75@0	DFT_BPSK	21.35	21.65	PASS
n2	15	15	380500	36@18	DFT_BPSK	22.28	22.58	PASS
n2	15	15	380500	1@1	DFT_BPSK	22.16	22.46	PASS
n2	15	15	380500	1@77	DFT_BPSK	22.24	22.54	PASS

n2	15	15	380500	75@0	DFT_QPSK	21.48	21.78	PASS
n2	15	15	380500	36@18	DFT_QPSK	22.32	22.62	PASS
n2	15	15	380500	1@1	DFT_QPSK	22.12	22.42	PASS
n2	15	15	380500	1@77	DFT_QPSK	22.21	22.51	PASS
n2	15	15	380500	75@0	DFT_16QAM	21.44	21.74	PASS
n2	15	15	380500	36@18	DFT_16QAM	22.29	22.59	PASS
n2	15	15	380500	1@1	DFT_16QAM	22.18	22.48	PASS
n2	15	15	380500	1@77	DFT_16QAM	22.28	22.58	PASS
n2	15	15	380500	75@0	DFT_64QAM	21.31	21.61	PASS
n2	15	15	380500	36@18	DFT_64QAM	22.37	22.67	PASS
n2	15	15	380500	1@1	DFT_64QAM	22.06	22.36	PASS
n2	15	15	380500	1@77	DFT_64QAM	22.27	22.57	PASS
n2	15	15	380500	75@0	DFT_256QAM	22.88	23.18	PASS
n2	15	15	380500	36@18	DFT_256QAM	22.86	23.16	PASS
n2	15	15	380500	1@1	DFT_256QAM	22.57	22.87	PASS
n2	15	15	380500	1@77	DFT_256QAM	22.75	23.05	PASS
n2	15	20	372000	100@0	DFT_BPSK	22.98	23.28	PASS
n2	15	20	372000	50@25	DFT_BPSK	22.78	23.08	PASS
n2	15	20	372000	1@1	DFT_BPSK	22.70	23.00	PASS
n2	15	20	372000	1@104	DFT_BPSK	22.68	22.98	PASS
n2	15	20	372000	100@0	DFT_QPSK	22.86	23.16	PASS
n2	15	20	372000	50@25	DFT_QPSK	22.86	23.16	PASS
n2	15	20	372000	1@1	DFT_QPSK	22.87	23.17	PASS
n2	15	20	372000	1@104	DFT_QPSK	22.78	23.08	PASS
n2	15	20	372000	100@0	DFT_16QAM	22.85	23.15	PASS
n2	15	20	372000	50@25	DFT_16QAM	22.86	23.16	PASS
n2	15	20	372000	1@1	DFT_16QAM	22.69	22.99	PASS
n2	15	20	372000	1@104	DFT_16QAM	22.89	23.19	PASS
n2	15	20	372000	100@0	DFT_64QAM	22.85	23.15	PASS
n2	15	20	372000	50@25	DFT_64QAM	22.85	23.15	PASS
n2	15	20	372000	1@1	DFT_64QAM	22.86	23.16	PASS
n2	15	20	372000	1@104	DFT_64QAM	21.79	22.09	PASS
n2	15	20	372000	100@0	DFT_256QAM	22.85	23.15	PASS
n2	15	20	372000	50@25	DFT_256QAM	22.86	23.16	PASS
n2	15	20	372000	1@1	DFT_256QAM	22.73	23.03	PASS
n2	15	20	372000	1@104	DFT_256QAM	22.71	23.01	PASS
n2	15	20	376000	100@0	DFT_BPSK	22.90	23.20	PASS
n2	15	20	376000	50@25	DFT_BPSK	22.96	23.26	PASS
n2	15	20	376000	1@1	DFT_BPSK	22.91	23.21	PASS
n2	15	20	376000	1@104	DFT_BPSK	22.89	23.19	PASS
n2	15	20	376000	100@0	DFT_QPSK	22.89	23.19	PASS
n2	15	20	376000	50@25	DFT_QPSK	22.86	23.16	PASS

n2	15	20	376000	1@1	DFT_QPSK	21.82	22.12	PASS
n2	15	20	376000	1@104	DFT_QPSK	22.63	22.93	PASS
n2	15	20	376000	100@0	DFT_16QAM	22.87	23.17	PASS
n2	15	20	376000	50@25	DFT_16QAM	22.93	23.23	PASS
n2	15	20	376000	1@1	DFT_16QAM	22.78	23.08	PASS
n2	15	20	376000	1@104	DFT_16QAM	22.85	23.15	PASS
n2	15	20	376000	100@0	DFT_64QAM	22.87	23.17	PASS
n2	15	20	376000	50@25	DFT_64QAM	22.84	23.14	PASS
n2	15	20	376000	1@1	DFT_64QAM	22.88	23.18	PASS
n2	15	20	376000	1@104	DFT_64QAM	22.86	23.16	PASS
n2	15	20	376000	100@0	DFT_256QAM	22.90	23.20	PASS
n2	15	20	376000	50@25	DFT_256QAM	22.86	23.16	PASS
n2	15	20	376000	1@1	DFT_256QAM	22.62	22.92	PASS
n2	15	20	376000	1@104	DFT_256QAM	22.65	22.95	PASS
n2	15	20	380000	100@0	DFT_BPSK	22.87	23.17	PASS
n2	15	20	380000	50@25	DFT_BPSK	22.87	23.17	PASS
n2	15	20	380000	1@1	DFT_BPSK	22.79	23.09	PASS
n2	15	20	380000	1@104	DFT_BPSK	22.87	23.17	PASS
n2	15	20	380000	100@0	DFT_QPSK	22.96	23.26	PASS
n2	15	20	380000	50@25	DFT_QPSK	22.87	23.17	PASS
n2	15	20	380000	1@1	DFT_QPSK	22.69	22.99	PASS
n2	15	20	380000	1@104	DFT_QPSK	22.88	23.18	PASS
n2	15	20	380000	100@0	DFT_16QAM	22.94	23.24	PASS
n2	15	20	380000	50@25	DFT_16QAM	22.85	23.15	PASS
n2	15	20	380000	1@1	DFT_16QAM	22.88	23.18	PASS
n2	15	20	380000	1@104	DFT_16QAM	22.91	23.21	PASS
n2	15	20	380000	100@0	DFT_64QAM	22.95	23.25	PASS
n2	15	20	380000	50@25	DFT_64QAM	22.86	23.16	PASS
n2	15	20	380000	1@1	DFT_64QAM	22.85	23.15	PASS
n2	15	20	380000	1@104	DFT_64QAM	22.95	23.25	PASS
n2	15	20	380000	100@0	DFT_256QAM	22.97	23.27	PASS
n2	15	20	380000	50@25	DFT_256QAM	22.87	23.17	PASS
n2	15	20	380000	1@1	DFT_256QAM	22.80	23.10	PASS
n2	15	20	380000	1@104	DFT_256QAM	22.78	23.08	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Voltage (V)	Temperature (°C)	Limit (ppm)	Verdict
n2	15	5	376000	25@0	DFT_BPSK	-5.50	0.00	NV	-30	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-0.40	0.00	NV	-20	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-2.10	0.00	NV	-10	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-2.40	0.00	NV	0	2.5	PASS


n2	15	5	376000	25@0	DFT_BPSK	-2.20	0.00	NV	10	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-3.40	0.00	NV	20	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-3.90	0.00	NV	30	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-2.60	0.00	NV	40	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-3.20	0.00	NV	50	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-4.00	0.00	NV	-30	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-5.70	0.00	NV	-20	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-2.80	0.00	NV	-10	2.5	PASS
n2	15	5	381500	25@0	CP_QPSK	-3.40	0.00	NV	0	2.5	PASS
n2	15	5	381500	25@0	CP_QPSK	-5.30	0.00	NV	10	2.5	PASS
n2	15	5	381500	25@0	CP_QPSK	0.60	0.00	NV	20	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-1.00	0.00	NV	30	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-4.00	0.00	NV	40	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-1.50	0.00	NV	50	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-0.90	0.00	HV	20	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-0.30	0.00	NV	20	2.5	PASS
n2	15	5	376000	25@0	DFT_BPSK	-1.60	0.00	LV	20	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-1.70	0.00	HV	20	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	0.30	0.00	NV	20	2.5	PASS
n2	15	5	376000	25@0	CP_QPSK	-2.70	0.00	LV	20	2.5	PASS

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n2	15	5	370500	25@0	DFT_BPSK	5.77	13	PASS
n2	15	5	370500	25@0	DFT_QPSK	5.74	13	PASS
n2	15	5	370500	25@0	DFT_16QAM	5.71	13	PASS
n2	15	5	370500	25@0	DFT_64QAM	5.71	13	PASS
n2	15	5	370500	25@0	DFT_256QAM	6.87	13	PASS
n2	15	5	376000	25@0	DFT_BPSK	5.80	13	PASS
n2	15	5	376000	25@0	DFT_QPSK	5.39	13	PASS
n2	15	5	376000	25@0	DFT_16QAM	5.65	13	PASS
n2	15	5	376000	25@0	DFT_64QAM	5.65	13	PASS
n2	15	5	376000	25@0	DFT_256QAM	5.62	13	PASS
n2	15	5	381500	25@0	DFT_BPSK	7.07	13	PASS
n2	15	5	381500	25@0	DFT_QPSK	7.07	13	PASS
n2	15	5	381500	25@0	DFT_16QAM	7.07	13	PASS
n2	15	5	381500	25@0	DFT_64QAM	7.07	13	PASS
n2	15	5	381500	25@0	DFT_256QAM	6.75	13	PASS
n2	15	10	371000	50@0	DFT_BPSK	6.90	13	PASS
n2	15	10	371000	50@0	DFT_QPSK	7.16	13	PASS
n2	15	10	371000	50@0	DFT_16QAM	6.87	13	PASS


n2	15	10	371000	50@0	DFT_64QAM	7.16	13	PASS
n2	15	10	371000	50@0	DFT_256QAM	7.04	13	PASS
n2	15	10	376000	50@0	DFT_BPSK	6.99	13	PASS
n2	15	10	376000	50@0	DFT_QPSK	6.99	13	PASS
n2	15	10	376000	50@0	DFT_16QAM	7.22	13	PASS
n2	15	10	376000	50@0	DFT_64QAM	7.22	13	PASS
n2	15	10	376000	50@0	DFT_256QAM	7.07	13	PASS
n2	15	10	381000	50@0	DFT_BPSK	6.99	13	PASS
n2	15	10	381000	50@0	DFT_QPSK	6.99	13	PASS
n2	15	10	381000	50@0	DFT_16QAM	6.72	13	PASS
n2	15	10	381000	50@0	DFT_64QAM	6.72	13	PASS
n2	15	10	381000	50@0	DFT_256QAM	6.87	13	PASS
n2	15	15	371500	75@0	DFT_BPSK	7.19	13	PASS
n2	15	15	371500	75@0	DFT_QPSK	7.13	13	PASS
n2	15	15	371500	75@0	DFT_16QAM	7.16	13	PASS
n2	15	15	371500	75@0	DFT_64QAM	7.19	13	PASS
n2	15	15	371500	75@0	DFT_256QAM	7.22	13	PASS
n2	15	15	376000	75@0	DFT_BPSK	7.10	13	PASS
n2	15	15	376000	75@0	DFT_QPSK	6.84	13	PASS
n2	15	15	376000	75@0	DFT_16QAM	6.84	13	PASS
n2	15	15	376000	75@0	DFT_64QAM	7.10	13	PASS
n2	15	15	376000	75@0	DFT_256QAM	7.16	13	PASS
n2	15	15	380500	75@0	DFT_BPSK	6.90	13	PASS
n2	15	15	380500	75@0	DFT_QPSK	6.84	13	PASS
n2	15	15	380500	75@0	DFT_16QAM	6.93	13	PASS
n2	15	15	380500	75@0	DFT_64QAM	6.90	13	PASS
n2	15	15	380500	75@0	DFT_256QAM	6.90	13	PASS
n2	15	20	372000	100@0	DFT_BPSK	6.26	13	PASS
n2	15	20	372000	100@0	DFT_QPSK	6.26	13	PASS
n2	15	20	372000	100@0	DFT_16QAM	6.26	13	PASS
n2	15	20	372000	100@0	DFT_64QAM	6.26	13	PASS
n2	15	20	372000	100@0	DFT_256QAM	6.26	13	PASS
n2	15	20	376000	100@0	DFT_BPSK	5.86	13	PASS
n2	15	20	376000	100@0	DFT_QPSK	5.62	13	PASS
n2	15	20	376000	100@0	DFT_16QAM	5.83	13	PASS
n2	15	20	376000	100@0	DFT_64QAM	5.86	13	PASS
n2	15	20	376000	100@0	DFT_256QAM	5.88	13	PASS
n2	15	20	380000	100@0	DFT_BPSK	6.78	13	PASS
n2	15	20	380000	100@0	DFT_QPSK	6.78	13	PASS
n2	15	20	380000	100@0	DFT_16QAM	6.78	13	PASS
n2	15	20	380000	100@0	DFT_64QAM	6.52	13	PASS
n2	15	20	380000	100@0	DFT_256QAM	6.78	13	PASS

n2 SCS=15kHz DFT_BPSK BW=5MHz Channel=370500 RB=25@0




Date: 4.JUL.2024 18:44:39

n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=370500 RB=25@0




Date: 4.JUL.2024 18:44:44

n2 SCS=15kHz DFT_16QAM BW=5MHz Channel=370500 RB=25@0




Date: 4.JUL.2024 18:44:48

n2 SCS=15kHz DFT_64QAM BW=5MHz Channel=370500 RB=25@0




Date: 4.JUL.2024 18:44:53

n2 SCS=15kHz DFT_256QAM BW=5MHz Channel=370500 RB=25@0




Date: 4.JUL.2024 18:45:03

n2 SCS=15kHz DFT_BPSK BW=5MHz Channel=376000 RB=25@0




Date: 4.JUL.2024 18:52:12

n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=376000 RB=25@0




Date: 4.JUL.2024 18:52:18

n2 SCS=15kHz DFT_16QAM BW=5MHz Channel=376000 RB=25@0




Date: 4.JUL.2024 18:52:24

n2 SCS=15kHz DFT_64QAM BW=5MHz Channel=376000 RB=25@0




Date: 4.JUL.2024 18:52:30

n2 SCS=15kHz DFT_256QAM BW=5MHz Channel=376000 RB=25@0




Date: 4.JUL.2024 18:52:36

n2 SCS=15kHz DFT_BPSK BW=5MHz Channel=381500 RB=25@0




Date: 4.JUL.2024 18:56:39

n2 SCS=15kHz DFT_QPSK BW=5MHz Channel=381500 RB=25@0




Date: 4.JUL.2024 18:56:44

n2 SCS=15kHz DFT_16QAM BW=5MHz Channel=381500 RB=25@0




Date: 4.JUL.2024 18:56:50

n2 SCS=15kHz DFT_64QAM BW=5MHz Channel=381500 RB=25@0




Date: 4.JUL.2024 18:56:56

n2 SCS=15kHz DFT_256QAM BW=5MHz Channel=381500 RB=25@0




Date: 4.JUL.2024 18:57:03

n2 SCS=15kHz DFT_BPSK BW=10MHz Channel=371000 RB=50@0




Date: 4.JUL.2024 19:01:23

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=371000 RB=50@0




Date: 4.JUL.2024 19:01:29

n2 SCS=15kHz DFT_16QAM BW=10MHz Channel=371000 RB=50@0




Date: 4.JUL.2024 19:01:35

n2 SCS=15kHz DFT_64QAM BW=10MHz Channel=371000 RB=50@0




Date: 4.JUL.2024 19:01:40

n2 SCS=15kHz DFT_256QAM BW=10MHz Channel=371000 RB=50@0




Date: 4.JUL.2024 19:01:47

n2 SCS=15kHz DFT_BPSK BW=10MHz Channel=376000 RB=50@0




Date: 4.JUL.2024 19:01:56

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=376000 RB=50@0




Date: 4.JUL.2024 19:02:01

n2 SCS=15kHz DFT_16QAM BW=10MHz Channel=376000 RB=50@0




Date: 4.JUL.2024 19:02:07

n2 SCS=15kHz DFT_64QAM BW=10MHz Channel=376000 RB=50@0




Date: 4.JUL.2024 19:02:13

n2 SCS=15kHz DFT_256QAM BW=10MHz Channel=376000 RB=50@0




Date: 4.JUL.2024 19:02:20

n2 SCS=15kHz DFT_BPSK BW=10MHz Channel=381000 RB=50@0




Date: 4.JUL.2024 19:02:29

n2 SCS=15kHz DFT_QPSK BW=10MHz Channel=381000 RB=50@0




Date: 4.JUL.2024 19:02:34

n2 SCS=15kHz DFT_16QAM BW=10MHz Channel=381000 RB=50@0




Date: 4.JUL.2024 19:02:40

n2 SCS=15kHz DFT_64QAM BW=10MHz Channel=381000 RB=50@0




Date: 4.JUL.2024 19:02:46

n2 SCS=15kHz DFT_256QAM BW=10MHz Channel=381000 RB=50@0




Date: 4.JUL.2024 19:02:53

n2 SCS=15kHz DFT_BPSK BW=15MHz Channel=371500 RB=75@0




Date: 4.JUL.2024 19:03:08

n2 SCS=15kHz DFT_QPSK BW=15MHz Channel=371500 RB=75@0




Date: 4.JUL.2024 19:03:14

n2 SCS=15kHz DFT_16QAM BW=15MHz Channel=371500 RB=75@0



Date: 4.JUL.2024 19:03:19

n2 SCS=15kHz DFT_64QAM BW=15MHz Channel=371500 RB=75@0



Date: 4.JUL.2024 19:03:25