

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	21.21	21.99	PASS
n66	15	5	342500	12@6	DFT_BPSK	22.21	22.99	PASS
n66	15	5	342500	1@1	DFT_BPSK	22.06	22.84	PASS
n66	15	5	342500	1@23	DFT_BPSK	22.18	22.96	PASS
n66	15	5	342500	25@0	DFT_QPSK	21.16	21.94	PASS
n66	15	5	342500	12@6	DFT_QPSK	22.19	22.97	PASS
n66	15	5	342500	1@1	DFT_QPSK	22.04	22.82	PASS
n66	15	5	342500	1@23	DFT_QPSK	22.12	22.90	PASS
n66	15	5	342500	25@0	DFT_16QAM	21.18	21.96	PASS
n66	15	5	342500	12@6	DFT_16QAM	22.18	22.96	PASS
n66	15	5	342500	1@1	DFT_16QAM	22.04	22.82	PASS
n66	15	5	342500	1@23	DFT_16QAM	22.16	22.94	PASS
n66	15	5	342500	25@0	DFT_64QAM	21.22	22.00	PASS
n66	15	5	342500	12@6	DFT_64QAM	22.19	22.97	PASS
n66	15	5	342500	1@1	DFT_64QAM	22.02	22.80	PASS
n66	15	5	342500	1@23	DFT_64QAM	22.15	22.93	PASS
n66	15	5	342500	25@0	DFT_256QAM	21.21	21.99	PASS
n66	15	5	342500	12@6	DFT_256QAM	22.21	22.99	PASS
n66	15	5	342500	1@1	DFT_256QAM	22.06	22.84	PASS
n66	15	5	342500	1@23	DFT_256QAM	22.18	22.96	PASS
n66	15	5	349000	25@0	DFT_BPSK	21.16	21.94	PASS
n66	15	5	349000	12@6	DFT_BPSK	22.19	22.97	PASS
n66	15	5	349000	1@1	DFT_BPSK	22.04	22.82	PASS
n66	15	5	349000	1@23	DFT_BPSK	22.12	22.90	PASS
n66	15	5	349000	25@0	DFT_QPSK	21.18	21.96	PASS
n66	15	5	349000	12@6	DFT_QPSK	22.18	22.96	PASS
n66	15	5	349000	1@1	DFT_QPSK	22.04	22.82	PASS
n66	15	5	349000	1@23	DFT_QPSK	22.16	22.94	PASS
n66	15	5	349000	25@0	DFT_16QAM	21.22	22.00	PASS
n66	15	5	349000	12@6	DFT_16QAM	22.19	22.97	PASS
n66	15	5	349000	1@1	DFT_16QAM	22.02	22.80	PASS
n66	15	5	349000	1@23	DFT_16QAM	22.15	22.93	PASS
n66	15	5	349000	25@0	DFT_64QAM	21.81	22.59	PASS
n66	15	5	349000	12@6	DFT_64QAM	21.78	22.56	PASS
n66	15	5	349000	1@1	DFT_64QAM	21.44	22.22	PASS
n66	15	5	349000	1@23	DFT_64QAM	21.53	22.31	PASS
n66	15	5	349000	25@0	DFT_256QAM	22.13	22.91	PASS
n66	15	5	349000	12@6	DFT_256QAM	22.13	22.91	PASS

n66	15	5	349000	1@1	DFT_256QAM	21.76	22.54	PASS
n66	15	5	349000	1@23	DFT_256QAM	21.84	22.62	PASS
n66	15	5	355500	25@0	DFT_BPSK	22.14	22.92	PASS
n66	15	5	355500	12@6	DFT_BPSK	22.12	22.90	PASS
n66	15	5	355500	1@1	DFT_BPSK	21.78	22.56	PASS
n66	15	5	355500	1@23	DFT_BPSK	21.84	22.62	PASS
n66	15	5	355500	25@0	DFT_QPSK	22.15	22.93	PASS
n66	15	5	355500	12@6	DFT_QPSK	22.10	22.88	PASS
n66	15	5	355500	1@1	DFT_QPSK	21.77	22.55	PASS
n66	15	5	355500	1@23	DFT_QPSK	21.85	22.63	PASS
n66	15	5	355500	25@0	DFT_16QAM	22.11	22.89	PASS
n66	15	5	355500	12@6	DFT_16QAM	22.11	22.89	PASS
n66	15	5	355500	1@1	DFT_16QAM	21.81	22.59	PASS
n66	15	5	355500	1@23	DFT_16QAM	21.86	22.64	PASS
n66	15	5	355500	25@0	DFT_64QAM	22.12	22.90	PASS
n66	15	5	355500	12@6	DFT_64QAM	22.06	22.84	PASS
n66	15	5	355500	1@1	DFT_64QAM	21.78	22.56	PASS
n66	15	5	355500	1@23	DFT_64QAM	21.89	22.67	PASS
n66	15	5	355500	25@0	DFT_256QAM	22.28	23.06	PASS
n66	15	5	355500	12@6	DFT_256QAM	22.30	23.08	PASS
n66	15	5	355500	1@1	DFT_256QAM	22.00	22.78	PASS
n66	15	5	355500	1@23	DFT_256QAM	22.06	22.84	PASS
n66	15	10	343000	50@0	DFT_BPSK	22.30	23.08	PASS
n66	15	10	343000	25@12	DFT_BPSK	22.23	23.01	PASS
n66	15	10	343000	1@1	DFT_BPSK	21.93	22.71	PASS
n66	15	10	343000	1@50	DFT_BPSK	22.05	22.83	PASS
n66	15	10	343000	50@0	DFT_QPSK	22.21	22.99	PASS
n66	15	10	343000	25@12	DFT_QPSK	22.28	23.06	PASS
n66	15	10	343000	1@1	DFT_QPSK	21.93	22.71	PASS
n66	15	10	343000	1@50	DFT_QPSK	22.10	22.88	PASS
n66	15	10	343000	50@0	DFT_16QAM	22.28	23.06	PASS
n66	15	10	343000	25@12	DFT_16QAM	22.28	23.06	PASS
n66	15	10	343000	1@1	DFT_16QAM	21.87	22.65	PASS
n66	15	10	343000	1@50	DFT_16QAM	22.06	22.84	PASS
n66	15	10	343000	50@0	DFT_64QAM	22.27	23.05	PASS
n66	15	10	343000	25@12	DFT_64QAM	22.17	22.95	PASS
n66	15	10	343000	1@1	DFT_64QAM	21.96	22.74	PASS
n66	15	10	343000	1@50	DFT_64QAM	22.06	22.84	PASS
n66	15	10	343000	50@0	DFT_256QAM	21.70	22.48	PASS
n66	15	10	343000	25@12	DFT_256QAM	21.83	22.61	PASS
n66	15	10	343000	1@1	DFT_256QAM	21.52	22.30	PASS
n66	15	10	343000	1@50	DFT_256QAM	21.61	22.39	PASS

n66	15	10	349000	50@0	DFT_BPSK	21.70	22.48	PASS
n66	15	10	349000	25@12	DFT_BPSK	21.75	22.53	PASS
n66	15	10	349000	1@1	DFT_BPSK	21.54	22.32	PASS
n66	15	10	349000	1@50	DFT_BPSK	21.49	22.27	PASS
n66	15	10	349000	50@0	DFT_QPSK	21.62	22.40	PASS
n66	15	10	349000	25@12	DFT_QPSK	21.85	22.63	PASS
n66	15	10	349000	1@1	DFT_QPSK	21.51	22.29	PASS
n66	15	10	349000	1@50	DFT_QPSK	21.51	22.29	PASS
n66	15	10	349000	50@0	DFT_16QAM	21.65	22.43	PASS
n66	15	10	349000	25@12	DFT_16QAM	21.75	22.53	PASS
n66	15	10	349000	1@1	DFT_16QAM	21.49	22.27	PASS
n66	15	10	349000	1@50	DFT_16QAM	21.48	22.26	PASS
n66	15	10	349000	50@0	DFT_64QAM	21.71	22.49	PASS
n66	15	10	349000	25@12	DFT_64QAM	21.74	22.52	PASS
n66	15	10	349000	1@1	DFT_64QAM	21.46	22.24	PASS
n66	15	10	349000	1@50	DFT_64QAM	21.56	22.34	PASS
n66	15	10	349000	50@0	DFT_256QAM	22.03	22.81	PASS
n66	15	10	349000	25@12	DFT_256QAM	22.11	22.89	PASS
n66	15	10	349000	1@1	DFT_256QAM	21.76	22.54	PASS
n66	15	10	349000	1@50	DFT_256QAM	21.96	22.74	PASS
n66	15	10	355000	50@0	DFT_BPSK	21.96	22.74	PASS
n66	15	10	355000	25@12	DFT_BPSK	22.06	22.84	PASS
n66	15	10	355000	1@1	DFT_BPSK	21.76	22.54	PASS
n66	15	10	355000	1@50	DFT_BPSK	21.91	22.69	PASS
n66	15	10	355000	50@0	DFT_QPSK	21.93	22.71	PASS
n66	15	10	355000	25@12	DFT_QPSK	22.13	22.91	PASS
n66	15	10	355000	1@1	DFT_QPSK	21.76	22.54	PASS
n66	15	10	355000	1@50	DFT_QPSK	21.88	22.66	PASS
n66	15	10	355000	50@0	DFT_16QAM	21.97	22.75	PASS
n66	15	10	355000	25@12	DFT_16QAM	22.06	22.84	PASS
n66	15	10	355000	1@1	DFT_16QAM	21.75	22.53	PASS
n66	15	10	355000	1@50	DFT_16QAM	21.87	22.65	PASS
n66	15	10	355000	50@0	DFT_64QAM	21.98	22.76	PASS
n66	15	10	355000	25@12	DFT_64QAM	22.04	22.82	PASS
n66	15	10	355000	1@1	DFT_64QAM	21.76	22.54	PASS
n66	15	10	355000	1@50	DFT_64QAM	21.87	22.65	PASS
n66	15	10	355000	50@0	DFT_256QAM	22.13	22.91	PASS
n66	15	10	355000	25@12	DFT_256QAM	22.21	22.99	PASS
n66	15	10	355000	1@1	DFT_256QAM	21.92	22.70	PASS
n66	15	10	355000	1@50	DFT_256QAM	22.04	22.82	PASS
n66	15	15	343500	75@0	DFT_BPSK	22.12	22.90	PASS
n66	15	15	343500	36@18	DFT_BPSK	22.21	22.99	PASS

n66	15	15	343500	1@1	DFT_BPSK	21.92	22.70	PASS
n66	15	15	343500	1@77	DFT_BPSK	21.97	22.75	PASS
n66	15	15	343500	75@0	DFT_QPSK	22.11	22.89	PASS
n66	15	15	343500	36@18	DFT_QPSK	22.29	23.07	PASS
n66	15	15	343500	1@1	DFT_QPSK	21.93	22.71	PASS
n66	15	15	343500	1@77	DFT_QPSK	21.97	22.75	PASS
n66	15	15	343500	75@0	DFT_16QAM	22.10	22.88	PASS
n66	15	15	343500	36@18	DFT_16QAM	22.19	22.97	PASS
n66	15	15	343500	1@1	DFT_16QAM	21.90	22.68	PASS
n66	15	15	343500	1@77	DFT_16QAM	22.02	22.80	PASS
n66	15	15	343500	75@0	DFT_64QAM	22.12	22.90	PASS
n66	15	15	343500	36@18	DFT_64QAM	22.19	22.97	PASS
n66	15	15	343500	1@1	DFT_64QAM	21.86	22.64	PASS
n66	15	15	343500	1@77	DFT_64QAM	21.96	22.74	PASS
n66	15	15	343500	75@0	DFT_256QAM	21.75	22.53	PASS
n66	15	15	343500	36@18	DFT_256QAM	21.67	22.45	PASS
n66	15	15	343500	1@1	DFT_256QAM	21.53	22.31	PASS
n66	15	15	343500	1@77	DFT_256QAM	21.43	22.21	PASS
n66	15	15	349000	75@0	DFT_BPSK	21.75	22.53	PASS
n66	15	15	349000	36@18	DFT_BPSK	21.67	22.45	PASS
n66	15	15	349000	1@1	DFT_BPSK	21.49	22.27	PASS
n66	15	15	349000	1@77	DFT_BPSK	21.41	22.19	PASS
n66	15	15	349000	75@0	DFT_QPSK	21.77	22.55	PASS
n66	15	15	349000	36@18	DFT_QPSK	21.72	22.50	PASS
n66	15	15	349000	1@1	DFT_QPSK	21.52	22.30	PASS
n66	15	15	349000	1@77	DFT_QPSK	21.47	22.25	PASS
n66	15	15	349000	75@0	DFT_16QAM	21.75	22.53	PASS
n66	15	15	349000	36@18	DFT_16QAM	21.70	22.48	PASS
n66	15	15	349000	1@1	DFT_16QAM	21.52	22.30	PASS
n66	15	15	349000	1@77	DFT_16QAM	21.44	22.22	PASS
n66	15	15	349000	75@0	DFT_64QAM	21.75	22.53	PASS
n66	15	15	349000	36@18	DFT_64QAM	21.67	22.45	PASS
n66	15	15	349000	1@1	DFT_64QAM	21.41	22.19	PASS
n66	15	15	349000	1@77	DFT_64QAM	21.45	22.23	PASS
n66	15	15	349000	75@0	DFT_256QAM	21.96	22.74	PASS
n66	15	15	349000	36@18	DFT_256QAM	22.04	22.82	PASS
n66	15	15	349000	1@1	DFT_256QAM	21.76	22.54	PASS
n66	15	15	349000	1@77	DFT_256QAM	21.80	22.58	PASS
n66	15	15	354500	75@0	DFT_BPSK	21.97	22.75	PASS
n66	15	15	354500	36@18	DFT_BPSK	21.97	22.75	PASS
n66	15	15	354500	1@1	DFT_BPSK	17.85	18.63	PASS
n66	15	15	354500	1@77	DFT_BPSK	21.81	22.59	PASS

n66	15	15	354500	75@0	DFT_QPSK	21.98	22.76	PASS
n66	15	15	354500	36@18	DFT_QPSK	21.96	22.74	PASS
n66	15	15	354500	1@1	DFT_QPSK	21.78	22.56	PASS
n66	15	15	354500	1@77	DFT_QPSK	21.76	22.54	PASS
n66	15	15	354500	75@0	DFT_16QAM	21.99	22.77	PASS
n66	15	15	354500	36@18	DFT_16QAM	21.96	22.74	PASS
n66	15	15	354500	1@1	DFT_16QAM	21.75	22.53	PASS
n66	15	15	354500	1@77	DFT_16QAM	21.74	22.52	PASS
n66	15	15	354500	75@0	DFT_64QAM	22.07	22.85	PASS
n66	15	15	354500	36@18	DFT_64QAM	21.90	22.68	PASS
n66	15	15	354500	1@1	DFT_64QAM	21.72	22.50	PASS
n66	15	15	354500	1@77	DFT_64QAM	21.78	22.56	PASS
n66	15	15	354500	75@0	DFT_256QAM	22.06	22.84	PASS
n66	15	15	354500	36@18	DFT_256QAM	22.03	22.81	PASS
n66	15	15	354500	1@1	DFT_256QAM	21.86	22.64	PASS
n66	15	15	354500	1@77	DFT_256QAM	21.79	22.57	PASS
n66	15	20	344000	100@0	DFT_BPSK	22.02	22.80	PASS
n66	15	20	344000	50@25	DFT_BPSK	22.03	22.81	PASS
n66	15	20	344000	1@1	DFT_BPSK	21.86	22.64	PASS
n66	15	20	344000	1@104	DFT_BPSK	21.80	22.58	PASS
n66	15	20	344000	100@0	DFT_QPSK	22.01	22.79	PASS
n66	15	20	344000	50@25	DFT_QPSK	22.06	22.84	PASS
n66	15	20	344000	1@1	DFT_QPSK	21.87	22.65	PASS
n66	15	20	344000	1@104	DFT_QPSK	21.80	22.58	PASS
n66	15	20	344000	100@0	DFT_16QAM	22.07	22.85	PASS
n66	15	20	344000	50@25	DFT_16QAM	22.07	22.85	PASS
n66	15	20	344000	1@1	DFT_16QAM	21.85	22.63	PASS
n66	15	20	344000	1@104	DFT_16QAM	21.79	22.57	PASS
n66	15	20	344000	100@0	DFT_64QAM	22.08	22.86	PASS
n66	15	20	344000	50@25	DFT_64QAM	22.01	22.79	PASS
n66	15	20	344000	1@1	DFT_64QAM	21.81	22.59	PASS
n66	15	20	344000	1@104	DFT_64QAM	21.80	22.58	PASS
n66	15	20	344000	100@0	DFT_256QAM	21.72	22.50	PASS
n66	15	20	344000	50@25	DFT_256QAM	21.56	22.34	PASS
n66	15	20	344000	1@1	DFT_256QAM	21.39	22.17	PASS
n66	15	20	344000	1@104	DFT_256QAM	21.51	22.29	PASS
n66	15	20	349000	100@0	DFT_BPSK	21.67	22.45	PASS
n66	15	20	349000	50@25	DFT_BPSK	21.59	22.37	PASS
n66	15	20	349000	1@1	DFT_BPSK	21.38	22.16	PASS
n66	15	20	349000	1@104	DFT_BPSK	21.58	22.36	PASS
n66	15	20	349000	100@0	DFT_QPSK	21.67	22.45	PASS
n66	15	20	349000	50@25	DFT_QPSK	21.57	22.35	PASS

n66	15	20	349000	1@1	DFT_QPSK	21.38	22.16	PASS
n66	15	20	349000	1@104	DFT_QPSK	21.53	22.31	PASS
n66	15	20	349000	100@0	DFT_16QAM	21.72	22.50	PASS
n66	15	20	349000	50@25	DFT_16QAM	21.58	22.36	PASS
n66	15	20	349000	1@1	DFT_16QAM	21.37	22.15	PASS
n66	15	20	349000	1@104	DFT_16QAM	21.49	22.27	PASS
n66	15	20	349000	100@0	DFT_64QAM	21.72	22.50	PASS
n66	15	20	349000	50@25	DFT_64QAM	21.61	22.39	PASS
n66	15	20	349000	1@1	DFT_64QAM	21.31	22.09	PASS
n66	15	20	349000	1@104	DFT_64QAM	21.50	22.28	PASS
n66	15	20	349000	100@0	DFT_256QAM	22.02	22.80	PASS
n66	15	20	349000	50@25	DFT_256QAM	21.85	22.63	PASS
n66	15	20	349000	1@1	DFT_256QAM	21.65	22.43	PASS
n66	15	20	349000	1@104	DFT_256QAM	21.80	22.58	PASS
n66	15	20	354000	100@0	DFT_BPSK	21.92	22.70	PASS
n66	15	20	354000	50@25	DFT_BPSK	21.93	22.71	PASS
n66	15	20	354000	1@1	DFT_BPSK	21.65	22.43	PASS
n66	15	20	354000	1@104	DFT_BPSK	21.80	22.58	PASS
n66	15	20	354000	100@0	DFT_QPSK	21.95	22.73	PASS
n66	15	20	354000	50@25	DFT_QPSK	21.92	22.70	PASS
n66	15	20	354000	1@1	DFT_QPSK	21.61	22.39	PASS
n66	15	20	354000	1@104	DFT_QPSK	21.81	22.59	PASS
n66	15	20	354000	100@0	DFT_16QAM	21.97	22.75	PASS
n66	15	20	354000	50@25	DFT_16QAM	21.91	22.69	PASS
n66	15	20	354000	1@1	DFT_16QAM	21.69	22.47	PASS
n66	15	20	354000	1@104	DFT_16QAM	21.82	22.60	PASS
n66	15	20	354000	100@0	DFT_64QAM	21.97	22.75	PASS
n66	15	20	354000	50@25	DFT_64QAM	21.94	22.72	PASS
n66	15	20	354000	1@1	DFT_64QAM	21.64	22.42	PASS
n66	15	20	354000	1@104	DFT_64QAM	21.78	22.56	PASS
n66	15	20	354000	100@0	DFT_256QAM	22.13	22.91	PASS
n66	15	20	354000	50@25	DFT_256QAM	22.02	22.80	PASS
n66	15	20	354000	1@1	DFT_256QAM	21.85	22.63	PASS
n66	15	20	354000	1@104	DFT_256QAM	21.83	22.61	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Voltage (V)	Temperature (°C)	Limit (ppm)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.70	0.00	NV	-30	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	7.90	0.00	NV	-20	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	10.90	0.01	NV	-10	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	0.80	0.00	NV	0	2.5	PASS


n66	15	5	349000	25@0	DFT_BPSK	1.60	0.00	NV	10	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	2.60	0.00	NV	20	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	-2.29	0.00	NV	30	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	-0.30	0.00	NV	40	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	-0.50	0.00	NV	50	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-1.50	0.00	NV	-30	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-2.60	0.00	NV	-20	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-2.00	0.00	NV	-10	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	1.00	0.00	NV	0	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-0.40	0.00	NV	10	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-2.70	0.00	NV	20	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	7.50	0.00	NV	30	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-2.29	0.00	NV	40	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-2.70	0.00	NV	50	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	-3.00	0.00	HV	20	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	-1.20	0.00	NV	20	2.5	PASS
n66	15	5	349000	25@0	DFT_BPSK	0.70	0.00	LV	20	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	0.30	0.00	HV	20	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	-6.10	0.00	NV	20	2.5	PASS
n66	15	5	349000	25@0	CP_QPSK	1.60	0.00	LV	20	2.5	PASS

3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	5.33	13	PASS
n66	15	5	342500	25@0	DFT_QPSK	5.33	13	PASS
n66	15	5	342500	25@0	DFT_16QAM	5.33	13	PASS
n66	15	5	342500	25@0	DFT_64QAM	5.33	13	PASS
n66	15	5	342500	25@0	DFT_256QAM	6.32	13	PASS
n66	15	5	349000	25@0	DFT_BPSK	6.41	13	PASS
n66	15	5	349000	25@0	DFT_QPSK	6.41	13	PASS
n66	15	5	349000	25@0	DFT_16QAM	6.41	13	PASS
n66	15	5	349000	25@0	DFT_64QAM	6.38	13	PASS
n66	15	5	349000	25@0	DFT_256QAM	6.38	13	PASS
n66	15	5	355500	25@0	DFT_BPSK	6.17	13	PASS
n66	15	5	355500	25@0	DFT_QPSK	6.20	13	PASS
n66	15	5	355500	25@0	DFT_16QAM	6.20	13	PASS
n66	15	5	355500	25@0	DFT_64QAM	6.20	13	PASS
n66	15	5	355500	25@0	DFT_256QAM	6.17	13	PASS
n66	15	10	343000	50@0	DFT_BPSK	6.35	13	PASS
n66	15	10	343000	50@0	DFT_QPSK	6.35	13	PASS
n66	15	10	343000	50@0	DFT_16QAM	6.35	13	PASS
n66	15	10	343000	50@0	DFT_64QAM	6.35	13	PASS


n66	15	10	343000	50@0	DFT_256QAM	6.23	13	PASS
n66	15	10	349000	50@0	DFT_BPSK	6.46	13	PASS
n66	15	10	349000	50@0	DFT_QPSK	6.43	13	PASS
n66	15	10	349000	50@0	DFT_16QAM	6.46	13	PASS
n66	15	10	349000	50@0	DFT_64QAM	6.43	13	PASS
n66	15	10	349000	50@0	DFT_256QAM	6.32	13	PASS
n66	15	10	355000	50@0	DFT_BPSK	6.46	13	PASS
n66	15	10	355000	50@0	DFT_QPSK	6.46	13	PASS
n66	15	10	355000	50@0	DFT_16QAM	6.43	13	PASS
n66	15	10	355000	50@0	DFT_64QAM	6.46	13	PASS
n66	15	10	355000	50@0	DFT_256QAM	6.35	13	PASS
n66	15	15	343500	75@0	DFT_BPSK	6.41	13	PASS
n66	15	15	343500	75@0	DFT_QPSK	6.38	13	PASS
n66	15	15	343500	75@0	DFT_16QAM	6.38	13	PASS
n66	15	15	343500	75@0	DFT_64QAM	6.41	13	PASS
n66	15	15	343500	75@0	DFT_256QAM	6.29	13	PASS
n66	15	15	349000	75@0	DFT_BPSK	6.41	13	PASS
n66	15	15	349000	75@0	DFT_QPSK	6.38	13	PASS
n66	15	15	349000	75@0	DFT_16QAM	6.41	13	PASS
n66	15	15	349000	75@0	DFT_64QAM	6.38	13	PASS
n66	15	15	349000	75@0	DFT_256QAM	6.43	13	PASS
n66	15	15	354500	75@0	DFT_BPSK	6.46	13	PASS
n66	15	15	354500	75@0	DFT_QPSK	6.46	13	PASS
n66	15	15	354500	75@0	DFT_16QAM	6.46	13	PASS
n66	15	15	354500	75@0	DFT_64QAM	6.46	13	PASS
n66	15	15	354500	75@0	DFT_256QAM	6.52	13	PASS
n66	15	20	344000	100@0	DFT_BPSK	6.29	13	PASS
n66	15	20	344000	100@0	DFT_QPSK	6.32	13	PASS
n66	15	20	344000	100@0	DFT_16QAM	6.29	13	PASS
n66	15	20	344000	100@0	DFT_64QAM	6.26	13	PASS
n66	15	20	344000	100@0	DFT_256QAM	6.32	13	PASS
n66	15	20	349000	100@0	DFT_BPSK	6.26	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	6.29	13	PASS
n66	15	20	349000	100@0	DFT_16QAM	6.26	13	PASS
n66	15	20	349000	100@0	DFT_64QAM	6.29	13	PASS
n66	15	20	349000	100@0	DFT_256QAM	6.26	13	PASS
n66	15	20	354000	100@0	DFT_BPSK	6.38	13	PASS
n66	15	20	354000	100@0	DFT_QPSK	6.35	13	PASS
n66	15	20	354000	100@0	DFT_16QAM	6.35	13	PASS
n66	15	20	354000	100@0	DFT_64QAM	6.35	13	PASS
n66	15	20	354000	100@0	DFT_256QAM	6.43	13	PASS

n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=342500 RB=25@0




Date: 5.JUL.2024 15:30:23

n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=342500 RB=25@0




Date: 5.JUL.2024 15:30:28

n66 SCS=15kHz DFT_16QAM BW=5MHz Channel=342500 RB=25@0




Date: 5.JUL.2024 15:30:32

n66 SCS=15kHz DFT_64QAM BW=5MHz Channel=342500 RB=25@0




Date: 5.JUL.2024 15:30:37

n66 SCS=15kHz DFT_256QAM BW=5MHz Channel=342500 RB=25@0




Date: 5.JUL.2024 15:30:47

n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




Date: 5.JUL.2024 15:31:11

n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




Date: 5.JUL.2024 15:31:16

n66 SCS=15kHz DFT_16QAM BW=5MHz Channel=349000 RB=25@0




Date: 5.JUL.2024 15:31:21

n66 SCS=15kHz DFT_64QAM BW=5MHz Channel=349000 RB=25@0




Date: 5.JUL.2024 15:31:26

n66 SCS=15kHz DFT_256QAM BW=5MHz Channel=349000 RB=25@0




Date: 5.JUL.2024 15:31:32

n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=355500 RB=25@0




Date: 5.JUL.2024 15:31:40

n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=355500 RB=25@0




Date: 5.JUL.2024 15:31:45

n66 SCS=15kHz DFT_16QAM BW=5MHz Channel=355500 RB=25@0




Date: 5.JUL.2024 15:31:49

n66 SCS=15kHz DFT_64QAM BW=5MHz Channel=355500 RB=25@0




Date: 5.JUL.2024 15:31:54

n66 SCS=15kHz DFT_256QAM BW=5MHz Channel=355500 RB=25@0




Date: 5.JUL.2024 15:32:00

n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=343000 RB=50@0




Date: 5.JUL.2024 15:32:29

n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=343000 RB=50@0




Date: 5.JUL.2024 15:32:34

n66 SCS=15kHz DFT_16QAM BW=10MHz Channel=343000 RB=50@0




Date: 5.JUL.2024 15:32:39

n66 SCS=15kHz DFT_64QAM BW=10MHz Channel=343000 RB=50@0




Date: 5.JUL.2024 15:32:44

n66 SCS=15kHz DFT_256QAM BW=10MHz Channel=343000 RB=50@0




Date: 5.JUL.2024 15:32:54

n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0




Date: 5.JUL.2024 15:33:03

n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0




Date: 5.JUL.2024 15:33:08

n66 SCS=15kHz DFT_16QAM BW=10MHz Channel=349000 RB=50@0




Date: 5.JUL.2024 15:33:13

n66 SCS=15kHz DFT_64QAM BW=10MHz Channel=349000 RB=50@0




Date: 5.JUL.2024 15:33:18

n66 SCS=15kHz DFT_256QAM BW=10MHz Channel=349000 RB=50@0




Date: 5.JUL.2024 15:33:24

n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=355000 RB=50@0




Date: 5.JUL.2024 15:33:33

n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=355000 RB=50@0




Date: 5.JUL.2024 15:33:38

n66 SCS=15kHz DFT_16QAM BW=10MHz Channel=355000 RB=50@0




Date: 5.JUL.2024 15:33:42

n66 SCS=15kHz DFT_64QAM BW=10MHz Channel=355000 RB=50@0




Date: 5.JUL.2024 15:33:47

n66 SCS=15kHz DFT_256QAM BW=10MHz Channel=355000 RB=50@0




Date: 5.JUL.2024 15:33:53

n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=343500 RB=75@0




Date: 5.JUL.2024 15:34:13

n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=343500 RB=75@0




Date: 5.JUL.2024 15:34:18

n66 SCS=15kHz DFT_16QAM BW=15MHz Channel=343500 RB=75@0



Date: 5.JUL.2024 15:34:23

n66 SCS=15kHz DFT_64QAM BW=15MHz Channel=343500 RB=75@0



Date: 5.JUL.2024 15:34:28