



Appendix T: Test Data for E-UTRA Band 66

Product Name: APOLLO

Test Model: APOLLO 7PRO

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu





T.1 Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	21.89	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	21.89	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	21.88	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	21.69	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	21.63	PASS
Band66	1.4MHz	QPSK	131979	3RB#3	21.63	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	20.72	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	21.93	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	21.85	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	21.95	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	21.72	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	21.76	PASS
Band66	1.4MHz	QPSK	132322	3RB#3	21.68	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	20.75	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	21.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	21.43	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	21.42	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	21.44	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	21.39	PASS
Band66	1.4MHz	QPSK	132665	3RB#3	21.39	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	20.37	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	20.78	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	20.91	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	20.74	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	20.68	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	20.70	PASS
Band66	1.4MHz	16QAM	131979	3RB#3	20.72	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	19.94	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	20.85	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	20.99	PASS





Band66	1.4MHz	16QAM	132322	1RB#5	20.74	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	20.73	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	20.71	PASS
Band66	1.4MHz	16QAM	132322	3RB#3	20.79	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	19.90	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	20.39	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	20.55	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	20.34	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	20.34	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	20.41	PASS
Band66	1.4MHz	16QAM	132665	3RB#3	20.33	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	19.34	PASS
Band66	3MHz	QPSK	131987	1RB#0	21.63	PASS
Band66	3MHz	QPSK	131987	1RB#8	21.61	PASS
Band66	3MHz	QPSK	131987	1RB#14	21.54	PASS
Band66	3MHz	QPSK	131987	8RB#0	20.77	PASS
Band66	3MHz	QPSK	131987	8RB#4	20.78	PASS
Band66	3MHz	QPSK	131987	8RB#7	20.73	PASS
Band66	3MHz	QPSK	131987	15RB#0	20.76	PASS
Band66	3MHz	QPSK	132322	1RB#0	21.64	PASS
Band66	3MHz	QPSK	132322	1RB#8	21.69	PASS
Band66	3MHz	QPSK	132322	1RB#14	21.62	PASS
Band66	3MHz	QPSK	132322	8RB#0	20.84	PASS
Band66	3MHz	QPSK	132322	8RB#4	20.85	PASS
Band66	3MHz	QPSK	132322	8RB#7	20.78	PASS
Band66	3MHz	QPSK	132322	15RB#0	20.78	PASS
Band66	3MHz	QPSK	132657	1RB#0	21.52	PASS
Band66	3MHz	QPSK	132657	1RB#8	21.48	PASS
Band66	3MHz	QPSK	132657	1RB#14	21.48	PASS
Band66	3MHz	QPSK	132657	8RB#0	20.47	PASS
Band66	3MHz	QPSK	132657	8RB#4	20.49	PASS
Band66	3MHz	QPSK	132657	8RB#7	20.45	PASS
Band66	3MHz	QPSK	132657	15RB#0	20.44	PASS
Band66	3MHz	16QAM	131987	1RB#0	21.02	PASS
Band66	3MHz	16QAM	131987	1RB#8	20.91	PASS





Band66	3MHz	16QAM	131987	1RB#14	20.92	PASS
Band66	3MHz	16QAM	131987	8RB#0	19.75	PASS
Band66	3MHz	16QAM	131987	8RB#4	19.87	PASS
Band66	3MHz	16QAM	131987	8RB#7	19.86	PASS
Band66	3MHz	16QAM	131987	15RB#0	19.84	PASS
Band66	3MHz	16QAM	132322	1RB#0	20.99	PASS
Band66	3MHz	16QAM	132322	1RB#8	21.10	PASS
Band66	3MHz	16QAM	132322	1RB#14	20.91	PASS
Band66	3MHz	16QAM	132322	8RB#0	19.90	PASS
Band66	3MHz	16QAM	132322	8RB#4	19.94	PASS
Band66	3MHz	16QAM	132322	8RB#7	19.82	PASS
Band66	3MHz	16QAM	132322	15RB#0	19.88	PASS
Band66	3MHz	16QAM	132657	1RB#0	20.59	PASS
Band66	3MHz	16QAM	132657	1RB#8	20.51	PASS
Band66	3MHz	16QAM	132657	1RB#14	20.45	PASS
Band66	3MHz	16QAM	132657	8RB#0	19.55	PASS
Band66	3MHz	16QAM	132657	8RB#4	19.55	PASS
Band66	3MHz	16QAM	132657	8RB#7	19.53	PASS
Band66	3MHz	16QAM	132657	15RB#0	19.43	PASS
Band66	5MHz	QPSK	131997	1RB#0	21.85	PASS
Band66	5MHz	QPSK	131997	1RB#12	21.75	PASS
Band66	5MHz	QPSK	131997	1RB#24	21.57	PASS
Band66	5MHz	QPSK	131997	12RB#0	20.84	PASS
Band66	5MHz	QPSK	131997	12RB#6	20.81	PASS
Band66	5MHz	QPSK	131997	12RB#13	20.62	PASS
Band66	5MHz	QPSK	131997	25RB#0	20.77	PASS
Band66	5MHz	QPSK	132322	1RB#0	21.86	PASS
Band66	5MHz	QPSK	132322	1RB#12	21.77	PASS
Band66	5MHz	QPSK	132322	1RB#24	21.75	PASS
Band66	5MHz	QPSK	132322	12RB#0	20.84	PASS
Band66	5MHz	QPSK	132322	12RB#6	20.78	PASS
Band66	5MHz	QPSK	132322	12RB#13	20.79	PASS
Band66	5MHz	QPSK	132322	25RB#0	20.81	PASS
Band66	5MHz	QPSK	132647	1RB#0	21.61	PASS
Band66	5MHz	QPSK	132647	1RB#12	21.43	PASS





Band66	5MHz	QPSK	132647	1RB#24	21.42	PASS
Band66	5MHz	QPSK	132647	12RB#0	20.45	PASS
Band66	5MHz	QPSK	132647	12RB#6	20.46	PASS
Band66	5MHz	QPSK	132647	12RB#13	20.39	PASS
Band66	5MHz	QPSK	132647	25RB#0	20.51	PASS
Band66	5MHz	16QAM	131997	1RB#0	20.86	PASS
Band66	5MHz	16QAM	131997	1RB#12	20.84	PASS
Band66	5MHz	16QAM	131997	1RB#24	20.62	PASS
Band66	5MHz	16QAM	131997	12RB#0	20.08	PASS
Band66	5MHz	16QAM	131997	12RB#6	19.94	PASS
Band66	5MHz	16QAM	131997	12RB#13	19.69	PASS
Band66	5MHz	16QAM	131997	25RB#0	19.93	PASS
Band66	5MHz	16QAM	132322	1RB#0	20.85	PASS
Band66	5MHz	16QAM	132322	1RB#12	20.86	PASS
Band66	5MHz	16QAM	132322	1RB#24	20.77	PASS
Band66	5MHz	16QAM	132322	12RB#0	19.88	PASS
Band66	5MHz	16QAM	132322	12RB#6	19.88	PASS
Band66	5MHz	16QAM	132322	12RB#13	19.90	PASS
Band66	5MHz	16QAM	132322	25RB#0	19.91	PASS
Band66	5MHz	16QAM	132647	1RB#0	20.78	PASS
Band66	5MHz	16QAM	132647	1RB#12	20.55	PASS
Band66	5MHz	16QAM	132647	1RB#24	20.51	PASS
Band66	5MHz	16QAM	132647	12RB#0	19.65	PASS
Band66	5MHz	16QAM	132647	12RB#6	19.69	PASS
Band66	5MHz	16QAM	132647	12RB#13	19.60	PASS
Band66	5MHz	16QAM	132647	25RB#0	19.51	PASS
Band66	10MHz	QPSK	132022	1RB#0	21.22	PASS
Band66	10MHz	QPSK	132022	1RB#24	21.91	PASS
Band66	10MHz	QPSK	132022	1RB#49	21.16	PASS
Band66	10MHz	QPSK	132022	25RB#0	20.76	PASS
Band66	10MHz	QPSK	132022	25RB#12	20.82	PASS
Band66	10MHz	QPSK	132022	25RB#25	20.85	PASS
Band66	10MHz	QPSK	132022	50RB#0	20.74	PASS
Band66	10MHz	QPSK	132322	1RB#0	21.04	PASS
Band66	10MHz	QPSK	132322	1RB#24	21.61	PASS





Band66	10MHz	QPSK	132322	1RB#49	21.96	PASS
Band66	10MHz	QPSK	132322	25RB#0	20.76	PASS
Band66	10MHz	QPSK	132322	25RB#12	20.76	PASS
Band66	10MHz	QPSK	132322	25RB#25	20.92	PASS
Band66	10MHz	QPSK	132322	50RB#0	20.86	PASS
Band66	10MHz	QPSK	132622	1RB#0	20.94	PASS
Band66	10MHz	QPSK	132622	1RB#24	21.59	PASS
Band66	10MHz	QPSK	132622	1RB#49	20.79	PASS
Band66	10MHz	QPSK	132622	25RB#0	20.44	PASS
Band66	10MHz	QPSK	132622	25RB#12	20.44	PASS
Band66	10MHz	QPSK	132622	25RB#25	20.63	PASS
Band66	10MHz	QPSK	132622	50RB#0	20.53	PASS
Band66	10MHz	16QAM	132022	1RB#0	20.26	PASS
Band66	10MHz	16QAM	132022	1RB#24	20.65	PASS
Band66	10MHz	16QAM	132022	1RB#49	21.21	PASS
Band66	10MHz	16QAM	132022	25RB#0	19.81	PASS
Band66	10MHz	16QAM	132022	25RB#12	19.79	PASS
Band66	10MHz	16QAM	132022	25RB#25	19.85	PASS
Band66	10MHz	16QAM	132022	50RB#0	19.80	PASS
Band66	10MHz	16QAM	132322	1RB#0	20.39	PASS
Band66	10MHz	16QAM	132322	1RB#24	20.91	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.31	PASS
Band66	10MHz	16QAM	132322	25RB#0	19.75	PASS
Band66	10MHz	16QAM	132322	25RB#12	19.75	PASS
Band66	10MHz	16QAM	132322	25RB#25	19.91	PASS
Band66	10MHz	16QAM	132322	50RB#0	19.93	PASS
Band66	10MHz	16QAM	132622	1RB#0	20.14	PASS
Band66	10MHz	16QAM	132622	1RB#24	20.77	PASS
Band66	10MHz	16QAM	132622	1RB#49	21.05	PASS
Band66	10MHz	16QAM	132622	25RB#0	19.48	PASS
Band66	10MHz	16QAM	132622	25RB#12	19.49	PASS
Band66	10MHz	16QAM	132622	25RB#25	19.60	PASS
Band66	10MHz	16QAM	132622	50RB#0	19.67	PASS
Band66	15MHz	QPSK	132047	1RB#0	21.90	PASS
Band66	15MHz	QPSK	132047	1RB#38	21.56	PASS





Band66	15MHz	QPSK	132047	1RB#74	21.39	PASS
Band66	15MHz	QPSK	132047	38RB#0	20.69	PASS
Band66	15MHz	QPSK	132047	38RB#18	20.69	PASS
Band66	15MHz	QPSK	132047	38RB#37	20.69	PASS
Band66	15MHz	QPSK	132047	75RB#0	20.69	PASS
Band66	15MHz	QPSK	132322	1RB#0	21.85	PASS
Band66	15MHz	QPSK	132322	1RB#38	21.56	PASS
Band66	15MHz	QPSK	132322	1RB#74	21.72	PASS
Band66	15MHz	QPSK	132322	38RB#0	20.76	PASS
Band66	15MHz	QPSK	132322	38RB#18	20.76	PASS
Band66	15MHz	QPSK	132322	38RB#37	20.67	PASS
Band66	15MHz	QPSK	132322	75RB#0	20.70	PASS
Band66	15MHz	QPSK	132597	1RB#0	21.76	PASS
Band66	15MHz	QPSK	132597	1RB#38	21.46	PASS
Band66	15MHz	QPSK	132597	1RB#74	21.62	PASS
Band66	15MHz	QPSK	132597	38RB#0	20.51	PASS
Band66	15MHz	QPSK	132597	38RB#18	20.52	PASS
Band66	15MHz	QPSK	132597	38RB#37	20.50	PASS
Band66	15MHz	QPSK	132597	75RB#0	20.50	PASS
Band66	15MHz	16QAM	132047	1RB#0	21.15	PASS
Band66	15MHz	16QAM	132047	1RB#38	20.81	PASS
Band66	15MHz	16QAM	132047	1RB#74	21.04	PASS
Band66	15MHz	16QAM	132047	38RB#0	20.69	PASS
Band66	15MHz	16QAM	132047	38RB#18	20.69	PASS
Band66	15MHz	16QAM	132047	38RB#37	20.69	PASS
Band66	15MHz	16QAM	132047	75RB#0	19.79	PASS
Band66	15MHz	16QAM	132322	1RB#0	21.19	PASS
Band66	15MHz	16QAM	132322	1RB#38	20.90	PASS
Band66	15MHz	16QAM	132322	1RB#74	20.96	PASS
Band66	15MHz	16QAM	132322	38RB#0	20.71	PASS
Band66	15MHz	16QAM	132322	38RB#18	20.71	PASS
Band66	15MHz	16QAM	132322	38RB#37	20.72	PASS
Band66	15MHz	16QAM	132322	75RB#0	19.73	PASS
Band66	15MHz	16QAM	132597	1RB#0	21.06	PASS
Band66	15MHz	16QAM	132597	1RB#38	21.04	PASS





Band66	15MHz	16QAM	132597	1RB#74	20.88	PASS
Band66	15MHz	16QAM	132597	38RB#0	20.52	PASS
Band66	15MHz	16QAM	132597	38RB#18	20.51	PASS
Band66	15MHz	16QAM	132597	38RB#37	20.50	PASS
Band66	15MHz	16QAM	132597	75RB#0	19.63	PASS
Band66	20MHz	QPSK	132072	1RB#0	21.54	PASS
Band66	20MHz	QPSK	132072	1RB#49	21.55	PASS
Band66	20MHz	QPSK	132072	1RB#99	21.11	PASS
Band66	20MHz	QPSK	132072	50RB#0	20.68	PASS
Band66	20MHz	QPSK	132072	50RB#25	20.71	PASS
Band66	20MHz	QPSK	132072	50RB#50	20.76	PASS
Band66	20MHz	QPSK	132072	100RB#0	20.80	PASS
Band66	20MHz	QPSK	132322	1RB#0	21.74	PASS
Band66	20MHz	QPSK	132322	1RB#49	21.86	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.15	PASS
Band66	20MHz	QPSK	132322	50RB#0	20.68	PASS
Band66	20MHz	QPSK	132322	50RB#25	20.68	PASS
Band66	20MHz	QPSK	132322	50RB#50	20.70	PASS
Band66	20MHz	QPSK	132322	100RB#0	20.78	PASS
Band66	20MHz	QPSK	132572	1RB#0	21.39	PASS
Band66	20MHz	QPSK	132572	1RB#49	21.56	PASS
Band66	20MHz	QPSK	132572	1RB#99	21.91	PASS
Band66	20MHz	QPSK	132572	50RB#0	20.57	PASS
Band66	20MHz	QPSK	132572	50RB#25	20.56	PASS
Band66	20MHz	QPSK	132572	50RB#50	20.63	PASS
Band66	20MHz	QPSK	132572	100RB#0	20.69	PASS
Band66	20MHz	16QAM	132072	1RB#0	20.61	PASS
Band66	20MHz	16QAM	132072	1RB#49	20.68	PASS
Band66	20MHz	16QAM	132072	1RB#99	21.13	PASS
Band66	20MHz	16QAM	132072	50RB#0	19.80	PASS
Band66	20MHz	16QAM	132072	50RB#25	19.75	PASS
Band66	20MHz	16QAM	132072	50RB#50	19.79	PASS
Band66	20MHz	16QAM	132072	100RB#0	19.79	PASS
Band66	20MHz	16QAM	132322	1RB#0	21.06	PASS
Band66	20MHz	16QAM	132322	1RB#49	21.20	PASS





Band66	20MHz	16QAM	132322	1RB#99	21.33	PASS
Band66	20MHz	16QAM	132322	50RB#0	19.70	PASS
Band66	20MHz	16QAM	132322	50RB#25	19.70	PASS
Band66	20MHz	16QAM	132322	50RB#50	19.70	PASS
Band66	20MHz	16QAM	132322	100RB#0	19.85	PASS
Band66	20MHz	16QAM	132572	1RB#0	20.67	PASS
Band66	20MHz	16QAM	132572	1RB#49	20.67	PASS
Band66	20MHz	16QAM	132572	1RB#99	21.10	PASS
Band66	20MHz	16QAM	132572	50RB#0	19.59	PASS
Band66	20MHz	16QAM	132572	50RB#25	19.66	PASS
Band66	20MHz	16QAM	132572	50RB#50	19.68	PASS
Band66	20MHz	16QAM	132572	100RB#0	19.67	PASS





T.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	4.51	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	4.45	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	4.50	13	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	5.34	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	5.29	13	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	5.33	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	4.62	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	4.56	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	4.58	13	PASS
Band66	3MHz	16QAM	131987	15RB#0	5.45	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	5.40	13	PASS
Band66	3MHz	16QAM	132657	15RB#0	5.46	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.55	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.46	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.48	13	PASS
Band66	5MHz	16QAM	131997	25RB#0	5.37	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	5.30	13	PASS
Band66	5MHz	16QAM	132647	25RB#0	5.32	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	4.44	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	4.36	13	PASS
Band66	10MHz	QPSK	132622	50RB#0	4.45	13	PASS
Band66	10MHz	16QAM	132022	50RB#0	5.30	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	5.23	13	PASS
Band66	10MHz	16QAM	132622	50RB#0	5.31	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	4.68	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	4.60	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	4.68	13	PASS
Band66	15MHz	16QAM	132047	75RB#0	5.41	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	5.35	13	PASS
Band66	15MHz	16QAM	132597	75RB#0	5.41	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	4.62	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.52	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	4.79	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	5.44	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.36	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band66	20MHz	16QAM	132572	100RB#0	5.51	13	PASS
--------	-------	-------	--------	---------	------	----	------




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band66-1.4MHz-QPSK-131979-6RB#0




Band66-1.4MHz-QPSK-132322-6RB#0




Band66-1.4MHz-QPSK-132665-6RB#0






Band66-1.4MHz-16QAM-131979-6RB#0




Band66-1.4MHz-16QAM-132322-6RB#0




Band66-1.4MHz-16QAM-132665-6RB#0






Band66-3MHz-QPSK-131987-15RB#0




Band66-3MHz-QPSK-132322-15RB#0




Band66-3MHz-QPSK-132657-15RB#0






Band66-3MHz-16QAM-131987-15RB#0




Band66-3MHz-16QAM-132322-15RB#0




Band66-3MHz-16QAM-132657-15RB#0






Band66-5MHz-QPSK-131997-25RB#0




Band66-5MHz-QPSK-132322-25RB#0




Band66-5MHz-QPSK-132647-25RB#0






Band66-5MHz-16QAM-131997-25RB#0




Band66-5MHz-16QAM-132322-25RB#0




Band66-5MHz-16QAM-132647-25RB#0






Band66-10MHz-QPSK-132022-50RB#0




Band66-10MHz-QPSK-132322-50RB#0




Band66-10MHz-QPSK-132622-50RB#0






Band66-10MHz-16QAM-132022-50RB#0




Band66-10MHz-16QAM-132322-50RB#0




Band66-10MHz-16QAM-132622-50RB#0






Band66-15MHz-QPSK-132047-75RB#0




Band66-15MHz-QPSK-132322-75RB#0




Band66-15MHz-QPSK-132597-75RB#0






Band66-15MHz-16QAM-132047-75RB#0




Band66-15MHz-16QAM-132322-75RB#0




Band66-15MHz-16QAM-132597-75RB#0






Band66-20MHz-QPSK-132072-100RB#0




Band66-20MHz-QPSK-132322-100RB#0




Band66-20MHz-QPSK-132572-100RB#0






Band66-20MHz-16QAM-132072-100RB#0



Band66-20MHz-16QAM-132322-100RB#0



Band66-20MHz-16QAM-132572-100RB#0





Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen,
518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



T.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.0927	1.319	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0952	1.307	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.0911	1.316	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.1013	1.315	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0957	1.314	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.1042	1.311	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.7097	3.002	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6970	2.946	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.6958	2.990	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6954	2.962	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6999	2.987	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.6920	2.999	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5238	4.992	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5126	5.025	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.4937	4.951	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5009	5.010	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.4968	5.003	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5105	5.048	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9766	10.00	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9704	10.000	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.9664	9.885	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9729	9.822	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9891	9.830	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9537	9.916	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.471	14.73	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.477	14.74	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.438	14.84	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.450	14.74	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.475	14.70	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.462	14.72	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.902	19.33	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.904	19.27	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.948	19.58	PASS





Band66	20MHz	16QAM	132072	100RB#0	17.900	19.43	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.920	19.51	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.928	19.54	PASS




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band66-1.4MHz-QPSK-131979-6RB#0




Band66-1.4MHz-QPSK-132322-6RB#0




Band66-1.4MHz-QPSK-132665-6RB#0






Band66-1.4MHz-16QAM-131979-6RB#0




Band66-1.4MHz-16QAM-132322-6RB#0




Band66-1.4MHz-16QAM-132665-6RB#0






Band66-3MHz-QPSK-131987-15RB#0




Band66-3MHz-QPSK-132322-15RB#0




Band66-3MHz-QPSK-132657-15RB#0






Band66-3MHz-16QAM-131987-15RB#0




Band66-3MHz-16QAM-132322-15RB#0




Band66-3MHz-16QAM-132657-15RB#0






Band66-5MHz-QPSK-131997-25RB#0




Band66-5MHz-QPSK-132322-25RB#0




Band66-5MHz-QPSK-132647-25RB#0






Band66-5MHz-16QAM-131997-25RB#0




Band66-5MHz-16QAM-132322-25RB#0




Band66-5MHz-16QAM-132647-25RB#0






Band66-10MHz-QPSK-132022-50RB#0




Band66-10MHz-QPSK-132322-50RB#0




Band66-10MHz-QPSK-132622-50RB#0






Band66-10MHz-16QAM-132022-50RB#0




Band66-10MHz-16QAM-132322-50RB#0




Band66-10MHz-16QAM-132622-50RB#0






Band66-15MHz-QPSK-132047-75RB#0




Band66-15MHz-QPSK-132322-75RB#0




Band66-15MHz-QPSK-132597-75RB#0






Band66-15MHz-16QAM-132047-75RB#0




Band66-15MHz-16QAM-132322-75RB#0




Band66-15MHz-16QAM-132597-75RB#0






Band66-20MHz-QPSK-132072-100RB#0




Band66-20MHz-QPSK-132322-100RB#0




Band66-20MHz-QPSK-132572-100RB#0






Band66-20MHz-16QAM-132072-100RB#0




Band66-20MHz-16QAM-132322-100RB#0



Band66-20MHz-16QAM-132572-100RB#0







T.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	-24.38	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	-23.95	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	-25.55	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	-25.71	PASS
Band66	3MHz	QPSK	131987	15RB#0	-25.10	PASS
Band66	3MHz	QPSK	132657	15RB#0	-25.70	PASS
Band66	3MHz	16QAM	131987	15RB#0	-26.23	PASS
Band66	3MHz	16QAM	132657	15RB#0	-26.57	PASS
Band66	5MHz	QPSK	131997	25RB#0	-26.15	PASS
Band66	5MHz	QPSK	132647	25RB#0	-25.77	PASS
Band66	5MHz	16QAM	131997	25RB#0	-27.39	PASS
Band66	5MHz	16QAM	132647	25RB#0	-27.27	PASS
Band66	10MHz	QPSK	132022	50RB#0	-27.68	PASS
Band66	10MHz	QPSK	132622	50RB#0	-27.09	PASS
Band66	10MHz	16QAM	132022	50RB#0	-29.31	PASS
Band66	10MHz	16QAM	132622	50RB#0	-29.41	PASS
Band66	15MHz	QPSK	132047	75RB#0	-26.62	PASS
Band66	15MHz	QPSK	132597	75RB#0	-26.90	PASS
Band66	15MHz	16QAM	132047	75RB#0	-29.31	PASS
Band66	15MHz	16QAM	132597	75RB#0	-29.52	PASS
Band66	20MHz	QPSK	132072	100RB#0	-27.43	PASS
Band66	20MHz	QPSK	132572	100RB#0	-28.09	PASS
Band66	20MHz	16QAM	132072	100RB#0	-30.36	PASS
Band66	20MHz	16QAM	132572	100RB#0	-29.70	PASS

Test Graphs


Band66-1.4MHz-QPSK-131979-6RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Band66-1.4MHz-QPSK-132665-6RB#0




Band66-1.4MHz-16QAM-131979-6RB#0




Band66-1.4MHz-16QAM-132665-6RB#0






Band66-3MHz-QPSK-131987-15RB#0




Band66-3MHz-QPSK-132657-15RB#0




Band66-3MHz-16QAM-131987-15RB#0






Band66-3MHz-16QAM-132657-15RB#0




Band66-5MHz-QPSK-131997-25RB#0




Band66-5MHz-QPSK-132647-25RB#0






Band66-5MHz-16QAM-131997-25RB#0




Band66-5MHz-16QAM-132647-25RB#0




Band66-10MHz-QPSK-132022-50RB#0






Band66-10MHz-QPSK-132622-50RB#0




Band66-10MHz-16QAM-132022-50RB#0




Band66-10MHz-16QAM-132622-50RB#0






Band66-15MHz-QPSK-132047-75RB#0




Band66-15MHz-QPSK-132597-75RB#0




Band66-15MHz-16QAM-132047-75RB#0






Band66-15MHz-16QAM-132597-75RB#0




Band66-20MHz-QPSK-132072-100RB#0




Band66-20MHz-QPSK-132572-100RB#0






Band66-20MHz-16QAM-132072-100RB#0



Band66-20MHz-16QAM-132572-100RB#0





T.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	Range1:0.009~0.15MHz	-55.44	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range2:0.15~30MHz	-52.51	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range3:30~1000MHz	-42.32	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range4:1000~10000MHz	-39.66	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range5:10000~20000MHz	-33.05	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range1:0.009~0.15MHz	-53.47	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range2:0.15~30MHz	-50.56	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range3:30~1000MHz	-42.07	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range4:1000~10000MHz	-42.53	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range5:10000~20000MHz	-33.07	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range1:0.009~0.15MHz	-54.88	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range2:0.15~30MHz	-50.69	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range3:30~1000MHz	-41.83	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range4:1000~10000MHz	-44.24	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range5:10000~20000MHz	-33.18	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range1:0.009~0.15MHz	-54.38	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range2:0.15~30MHz	-51.21	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range3:30~1000MHz	-41.96	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range4:1000~10000MHz	-40.03	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range5:10000~20000MHz	-33.15	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range1:0.009~0.15MHz	-55.97	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range2:0.15~30MHz	-51.72	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range3:30~1000MHz	-41.12	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range4:1000~10000MHz	-43.29	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range5:10000~20000MHz	-33.12	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range1:0.009~0.15MHz	-55.83	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range2:0.15~30MHz	-50.59	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range3:30~1000MHz	-40.14	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range4:1000~10000MHz	-44.22	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range5:10000~20000MHz	-32.99	PASS
Band66	3MHz	QPSK	131987	1RB#0	Range1:0.009~0.15MHz	-55.51	PASS
Band66	3MHz	QPSK	131987	1RB#0	Range2:0.15~30MHz	-49.66	PASS
Band66	3MHz	QPSK	131987	1RB#0	Range3:30~1000MHz	-42.18	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Band66	3MHz	QPSK	131987	1RB#0	Range4:1000~10000MHz	-39.18	PASS
Band66	3MHz	QPSK	131987	1RB#0	Range5:10000~20000MHz	-33.28	PASS
Band66	3MHz	QPSK	132322	1RB#0	Range1:0.009~0.15MHz	-54.17	PASS
Band66	3MHz	QPSK	132322	1RB#0	Range2:0.15~30MHz	-49.98	PASS
Band66	3MHz	QPSK	132322	1RB#0	Range3:30~1000MHz	-41.63	PASS
Band66	3MHz	QPSK	132322	1RB#0	Range4:1000~10000MHz	-42.39	PASS
Band66	3MHz	QPSK	132322	1RB#0	Range5:10000~20000MHz	-33.13	PASS
Band66	3MHz	QPSK	132657	1RB#0	Range1:0.009~0.15MHz	-56.57	PASS
Band66	3MHz	QPSK	132657	1RB#0	Range2:0.15~30MHz	-50.37	PASS
Band66	3MHz	QPSK	132657	1RB#0	Range3:30~1000MHz	-41.18	PASS
Band66	3MHz	QPSK	132657	1RB#0	Range4:1000~10000MHz	-43.87	PASS
Band66	3MHz	QPSK	132657	1RB#0	Range5:10000~20000MHz	-33.11	PASS
Band66	3MHz	16QAM	131987	1RB#0	Range1:0.009~0.15MHz	-56.23	PASS
Band66	3MHz	16QAM	131987	1RB#0	Range2:0.15~30MHz	-50.88	PASS
Band66	3MHz	16QAM	131987	1RB#0	Range3:30~1000MHz	-42.3	PASS
Band66	3MHz	16QAM	131987	1RB#0	Range4:1000~10000MHz	-39.42	PASS
Band66	3MHz	16QAM	131987	1RB#0	Range5:10000~20000MHz	-33.23	PASS
Band66	3MHz	16QAM	132322	1RB#0	Range1:0.009~0.15MHz	-55.12	PASS
Band66	3MHz	16QAM	132322	1RB#0	Range2:0.15~30MHz	-50.64	PASS
Band66	3MHz	16QAM	132322	1RB#0	Range3:30~1000MHz	-41.7	PASS
Band66	3MHz	16QAM	132322	1RB#0	Range4:1000~10000MHz	-42.42	PASS
Band66	3MHz	16QAM	132322	1RB#0	Range5:10000~20000MHz	-33.05	PASS
Band66	3MHz	16QAM	132657	1RB#0	Range1:0.009~0.15MHz	-56.79	PASS
Band66	3MHz	16QAM	132657	1RB#0	Range2:0.15~30MHz	-52.25	PASS
Band66	3MHz	16QAM	132657	1RB#0	Range3:30~1000MHz	-42.78	PASS
Band66	3MHz	16QAM	132657	1RB#0	Range4:1000~10000MHz	-44.38	PASS
Band66	3MHz	16QAM	132657	1RB#0	Range5:10000~20000MHz	-33.21	PASS
Band66	5MHz	QPSK	131997	1RB#0	Range1:0.009~0.15MHz	-52.18	PASS
Band66	5MHz	QPSK	131997	1RB#0	Range2:0.15~30MHz	-52.28	PASS
Band66	5MHz	QPSK	131997	1RB#0	Range3:30~1000MHz	-42.51	PASS
Band66	5MHz	QPSK	131997	1RB#0	Range4:1000~10000MHz	-39.57	PASS
Band66	5MHz	QPSK	131997	1RB#0	Range5:10000~20000MHz	-33.21	PASS
Band66	5MHz	QPSK	132322	1RB#0	Range1:0.009~0.15MHz	-55.55	PASS
Band66	5MHz	QPSK	132322	1RB#0	Range2:0.15~30MHz	-51.84	PASS
Band66	5MHz	QPSK	132322	1RB#0	Range3:30~1000MHz	-40.41	PASS
Band66	5MHz	QPSK	132322	1RB#0	Range4:1000~10000MHz	-41.84	PASS
Band66	5MHz	QPSK	132322	1RB#0	Range5:10000~20000MHz	-33.2	PASS
Band66	5MHz	QPSK	132647	1RB#0	Range1:0.009~0.15MHz	-56.38	PASS
Band66	5MHz	QPSK	132647	1RB#0	Range2:0.15~30MHz	-50.94	PASS
Band66	5MHz	QPSK	132647	1RB#0	Range3:30~1000MHz	-40.77	PASS





Band66	5MHz	QPSK	132647	1RB#0	Range4:1000~10000MHz	-44.31	PASS
Band66	5MHz	QPSK	132647	1RB#0	Range5:10000~20000MHz	-32.89	PASS
Band66	5MHz	16QAM	131997	1RB#0	Range1:0.009~0.15MHz	-54.26	PASS
Band66	5MHz	16QAM	131997	1RB#0	Range2:0.15~30MHz	-50.66	PASS
Band66	5MHz	16QAM	131997	1RB#0	Range3:30~1000MHz	-41.7	PASS
Band66	5MHz	16QAM	131997	1RB#0	Range4:1000~10000MHz	-39.84	PASS
Band66	5MHz	16QAM	131997	1RB#0	Range5:10000~20000MHz	-33.05	PASS
Band66	5MHz	16QAM	132322	1RB#0	Range1:0.009~0.15MHz	-55.11	PASS
Band66	5MHz	16QAM	132322	1RB#0	Range2:0.15~30MHz	-51.57	PASS
Band66	5MHz	16QAM	132322	1RB#0	Range3:30~1000MHz	-41.17	PASS
Band66	5MHz	16QAM	132322	1RB#0	Range4:1000~10000MHz	-42.11	PASS
Band66	5MHz	16QAM	132322	1RB#0	Range5:10000~20000MHz	-33.22	PASS
Band66	5MHz	16QAM	132647	1RB#0	Range1:0.009~0.15MHz	-53.67	PASS
Band66	5MHz	16QAM	132647	1RB#0	Range2:0.15~30MHz	-50.4	PASS
Band66	5MHz	16QAM	132647	1RB#0	Range3:30~1000MHz	-41.61	PASS
Band66	5MHz	16QAM	132647	1RB#0	Range4:1000~10000MHz	-44.56	PASS
Band66	5MHz	16QAM	132647	1RB#0	Range5:10000~20000MHz	-33.18	PASS
Band66	10MHz	QPSK	132022	1RB#0	Range1:0.009~0.15MHz	-57.46	PASS
Band66	10MHz	QPSK	132022	1RB#0	Range2:0.15~30MHz	-52.27	PASS
Band66	10MHz	QPSK	132022	1RB#0	Range3:30~1000MHz	-41.75	PASS
Band66	10MHz	QPSK	132022	1RB#0	Range4:1000~10000MHz	-39.63	PASS
Band66	10MHz	QPSK	132022	1RB#0	Range5:10000~20000MHz	-33.12	PASS
Band66	10MHz	QPSK	132322	1RB#0	Range1:0.009~0.15MHz	-56.01	PASS
Band66	10MHz	QPSK	132322	1RB#0	Range2:0.15~30MHz	-51.26	PASS
Band66	10MHz	QPSK	132322	1RB#0	Range3:30~1000MHz	-41.02	PASS
Band66	10MHz	QPSK	132322	1RB#0	Range4:1000~10000MHz	-41.91	PASS
Band66	10MHz	QPSK	132322	1RB#0	Range5:10000~20000MHz	-33.22	PASS
Band66	10MHz	QPSK	132622	1RB#0	Range1:0.009~0.15MHz	-52.79	PASS
Band66	10MHz	QPSK	132622	1RB#0	Range2:0.15~30MHz	-51.79	PASS
Band66	10MHz	QPSK	132622	1RB#0	Range3:30~1000MHz	-41.52	PASS
Band66	10MHz	QPSK	132622	1RB#0	Range4:1000~10000MHz	-44.12	PASS
Band66	10MHz	QPSK	132622	1RB#0	Range5:10000~20000MHz	-33.16	PASS
Band66	10MHz	16QAM	132022	1RB#0	Range1:0.009~0.15MHz	-55.34	PASS
Band66	10MHz	16QAM	132022	1RB#0	Range2:0.15~30MHz	-51.8	PASS
Band66	10MHz	16QAM	132022	1RB#0	Range3:30~1000MHz	-41.69	PASS
Band66	10MHz	16QAM	132022	1RB#0	Range4:1000~10000MHz	-39.97	PASS
Band66	10MHz	16QAM	132022	1RB#0	Range5:10000~20000MHz	-33.17	PASS
Band66	10MHz	16QAM	132322	1RB#0	Range1:0.009~0.15MHz	-56.46	PASS
Band66	10MHz	16QAM	132322	1RB#0	Range2:0.15~30MHz	-52.52	PASS
Band66	10MHz	16QAM	132322	1RB#0	Range3:30~1000MHz	-41.53	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band66	10MHz	16QAM	132322	1RB#0	Range4:1000~10000MHz	-42.29	PASS
Band66	10MHz	16QAM	132322	1RB#0	Range5:10000~20000MHz	-33.16	PASS
Band66	10MHz	16QAM	132622	1RB#0	Range1:0.009~0.15MHz	-54.57	PASS
Band66	10MHz	16QAM	132622	1RB#0	Range2:0.15~30MHz	-52.19	PASS
Band66	10MHz	16QAM	132622	1RB#0	Range3:30~1000MHz	-41.7	PASS
Band66	10MHz	16QAM	132622	1RB#0	Range4:1000~10000MHz	-44.98	PASS
Band66	10MHz	16QAM	132622	1RB#0	Range5:10000~20000MHz	-33.28	PASS
Band66	15MHz	QPSK	132047	1RB#0	Range1:0.009~0.15MHz	-55.27	PASS
Band66	15MHz	QPSK	132047	1RB#0	Range2:0.15~30MHz	-52.17	PASS
Band66	15MHz	QPSK	132047	1RB#0	Range3:30~1000MHz	-41.27	PASS
Band66	15MHz	QPSK	132047	1RB#0	Range4:1000~10000MHz	-40.17	PASS
Band66	15MHz	QPSK	132047	1RB#0	Range5:10000~20000MHz	-33.25	PASS
Band66	15MHz	QPSK	132322	1RB#0	Range1:0.009~0.15MHz	-55.96	PASS
Band66	15MHz	QPSK	132322	1RB#0	Range2:0.15~30MHz	-50.53	PASS
Band66	15MHz	QPSK	132322	1RB#0	Range3:30~1000MHz	-42.37	PASS
Band66	15MHz	QPSK	132322	1RB#0	Range4:1000~10000MHz	-41.64	PASS
Band66	15MHz	QPSK	132322	1RB#0	Range5:10000~20000MHz	-33.11	PASS
Band66	15MHz	QPSK	132597	1RB#0	Range1:0.009~0.15MHz	-57.04	PASS
Band66	15MHz	QPSK	132597	1RB#0	Range2:0.15~30MHz	-49.99	PASS
Band66	15MHz	QPSK	132597	1RB#0	Range3:30~1000MHz	-42.26	PASS
Band66	15MHz	QPSK	132597	1RB#0	Range4:1000~10000MHz	-44.32	PASS
Band66	15MHz	QPSK	132597	1RB#0	Range5:10000~20000MHz	-33.14	PASS
Band66	15MHz	16QAM	132047	1RB#0	Range1:0.009~0.15MHz	-54.25	PASS
Band66	15MHz	16QAM	132047	1RB#0	Range2:0.15~30MHz	-49.25	PASS
Band66	15MHz	16QAM	132047	1RB#0	Range3:30~1000MHz	-41.22	PASS
Band66	15MHz	16QAM	132047	1RB#0	Range4:1000~10000MHz	-40.37	PASS
Band66	15MHz	16QAM	132047	1RB#0	Range5:10000~20000MHz	-33.3	PASS
Band66	15MHz	16QAM	132322	1RB#0	Range1:0.009~0.15MHz	-54.91	PASS
Band66	15MHz	16QAM	132322	1RB#0	Range2:0.15~30MHz	-50.28	PASS
Band66	15MHz	16QAM	132322	1RB#0	Range3:30~1000MHz	-41.89	PASS
Band66	15MHz	16QAM	132322	1RB#0	Range4:1000~10000MHz	-41.98	PASS
Band66	15MHz	16QAM	132322	1RB#0	Range5:10000~20000MHz	-33.13	PASS
Band66	15MHz	16QAM	132597	1RB#0	Range1:0.009~0.15MHz	-55.24	PASS
Band66	15MHz	16QAM	132597	1RB#0	Range2:0.15~30MHz	-51.41	PASS
Band66	15MHz	16QAM	132597	1RB#0	Range3:30~1000MHz	-42.03	PASS
Band66	15MHz	16QAM	132597	1RB#0	Range4:1000~10000MHz	-44.35	PASS
Band66	15MHz	16QAM	132597	1RB#0	Range5:10000~20000MHz	-33.16	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range1:0.009~0.15MHz	-55.69	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range2:0.15~30MHz	-52.17	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range3:30~1000MHz	-41.83	PASS






Band66	20MHz	QPSK	132072	1RB#0	Range4:1000~10000MHz	-39.85	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range5:10000~20000MHz	-33.1	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range1:0.009~0.15MHz	-55.42	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range2:0.15~30MHz	-51.51	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range3:30~1000MHz	-42.21	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range4:1000~10000MHz	-41.66	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range5:10000~20000MHz	-33.18	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range1:0.009~0.15MHz	-54.59	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range2:0.15~30MHz	-52.64	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range3:30~1000MHz	-42.11	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range4:1000~10000MHz	-42.71	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range5:10000~20000MHz	-33.18	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range1:0.009~0.15MHz	-55.5	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range2:0.15~30MHz	-51.53	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range3:30~1000MHz	-41.61	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range4:1000~10000MHz	-40.36	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range5:10000~20000MHz	-33.27	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range1:0.009~0.15MHz	-55.44	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range2:0.15~30MHz	-51.78	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range3:30~1000MHz	-42.81	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range4:1000~10000MHz	-41.82	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range5:10000~20000MHz	-33.14	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range1:0.009~0.15MHz	-55.39	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range2:0.15~30MHz	-50.84	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range3:30~1000MHz	-41.38	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range4:1000~10000MHz	-42.87	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range5:10000~20000MHz	-33.27	PASS






Test Graphs

Band66-1.4MHz-QPSK-131979-1RB#0-Range1:0.009~0.15MHz




Band66-1.4MHz-QPSK-131979-1RB#0-Range2:0.15~30MHz




Band66-1.4MHz-QPSK-131979-1RB#0-Range3:30~1000MHz






Band66-1.4MHz-QPSK-131979-1RB#0-Range4:1000~10000MHz




Band66-1.4MHz-QPSK-131979-1RB#0-Range5:10000~20000MHz



Band66-1.4MHz-QPSK-132322-1RB#0-Range1:0.009~0.15MHz






Band66-1.4MHz-QPSK-132322-1RB#0-Range2:0.15~30MHz




Band66-1.4MHz-QPSK-132322-1RB#0-Range3:30~1000MHz




Band66-1.4MHz-QPSK-132322-1RB#0-Range4:1000~10000MHz






Band66-1.4MHz-QPSK-132322-1RB#0-Range5:10000~20000MHz




Band66-1.4MHz-QPSK-132665-1RB#0-Range1:0.009~0.15MHz




Band66-1.4MHz-QPSK-132665-1RB#0-Range2:0.15~30MHz






Band66-1.4MHz-QPSK-132665-1RB#0-Range3:30~1000MHz




Band66-1.4MHz-QPSK-132665-1RB#0-Range4:1000~10000MHz




Band66-1.4MHz-QPSK-132665-1RB#0-Range5:10000~20000MHz






Band66-1.4MHz-16QAM-131979-1RB#0-Range1:0.009~0.15MHz




Band66-1.4MHz-16QAM-131979-1RB#0-Range2:0.15~30MHz




Band66-1.4MHz-16QAM-131979-1RB#0-Range3:30~1000MHz






Band66-1.4MHz-16QAM-131979-1RB#0-Range4:1000~10000MHz




Band66-1.4MHz-16QAM-131979-1RB#0-Range5:10000~20000MHz




Band66-1.4MHz-16QAM-132322-1RB#0-Range1:0.009~0.15MHz






Band66-1.4MHz-16QAM-132322-1RB#0-Range2:0.15~30MHz



Band66-1.4MHz-16QAM-132322-1RB#0-Range3:30~1000MHz



Band66-1.4MHz-16QAM-132322-1RB#0-Range4:1000~10000MHz

