


Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	59.15	68.34	74.00	5.66	Pass	Horizontal
2	5187.9224	34.69	15.45	-40.55	93.38	102.97	74.00	-28.97	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	49.33	58.52	74.00	15.48	Pass	Vertical
2	5187.9224	34.69	15.45	-40.55	82.92	92.51	74.00	-18.51	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	41.41	50.60	54.00	3.40	Pass	Horizontal
2	5204.2178	34.70	15.55	-40.55	80.43	90.13	54.00	-36.13	Pass	Horizontal

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5106.9712	34.61	15.50	-40.53	34.90	44.48	54.00	9.52	Pass	Vertical
2	5204.4806	34.70	15.55	-40.55	70.38	80.08	54.00	-26.08	Pass	Vertical

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	58.62	67.81	74.00	6.19	Pass	Horizontal
2	5191.8023	34.69	15.49	-40.55	90.67	100.30	74.00	-26.30	Pass	Horizontal

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	49.82	59.01	74.00	14.99	Pass	Vertical
2	5191.8023	34.69	15.49	-40.55	79.85	89.48	74.00	-15.48	Pass	Vertical

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	40.65	49.84	54.00	4.16	Pass	Horizontal
2	5226.8461	34.73	15.45	-40.56	74.83	84.45	54.00	-30.45	Pass	Horizontal

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:	AV		

Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	35.94	45.13	54.00	8.87	Pass	Vertical
2	5183.0413	34.68	15.40	-40.54	65.87	75.41	54.00	-21.41	Pass	Vertical

Note:

1) Through Pre-scan transmitting mode with all kind of modulation and data rate, find the MCS0 is the worst case of 802.11a; MCS0 is the worst case of 802.11n(20M)(40M); MCS0 is the worst case of 802.11ac(20M)(40M)(80M); and then Only the worst case is recorded in the report.

2) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading - Correct Factor

Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

3) All modes and antenna are tested, and found the antenna 1 which is worst case for

802.11a/n(20M)(40M)/ac(20M)(40M)(80M),so only the worst case mode is recorded in the report.


Appendix J): Radiated Spurious Emissions in the Restricted Bands (Radiated Emission)

Receiver Setup:	Frequency		Detector	RBW	VBW	Remark
	0.009MHz-0.090MHz		Peak	10kHz	30kHz	Peak
	0.009MHz-0.090MHz		Average	10kHz	30kHz	Average
	0.090MHz-0.110MHz		Quasi-peak	10kHz	30kHz	Quasi-peak
	0.110MHz-0.490MHz		Peak	10kHz	30kHz	Peak
	0.110MHz-0.490MHz		Average	10kHz	30kHz	Average
	0.490MHz -30MHz		Quasi-peak	10kHz	30kHz	Quasi-peak
	30MHz-1GHz		Quasi-peak	120kHz	300kHz	Quasi-peak
	Above 1GHz		Peak	1MHz	3MHz	Peak
			Peak	1MHz	VBW≤RBW/100,but not less than 10 Hz	Average
Test Procedure:						
Below 1GHz test procedure as below: The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable was turned from 0 degrees to 360 degrees to find the maximum reading. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.						
Above 1GHz test procedure as below: Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber and change form table 0.8 metre to 1.5 metre(Above 18GHz the distance is 1 meter and table is 1.5 metre) Test the EUT in the lowest channel ,the middle channel ,the Highest channel The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is worse case. Repeat above procedures until all frequencies measured was complete.						
Limit:	Frequency		Field strength (microvolt/meter)	Limit (dBμV/cm)	Remark	Measurement distance (cm)
	0.009MHz-0.490MHz		2400/F(kHz)	-	-	300
	0.490MHz-1.705MHz		24000/F(kHz)	-	-	30
	1.705MHz-30MHz		30	-	-	30
	30MHz-88MHz		100	40.0	Quasi-peak	3
	88MHz-216MHz		150	43.5	Quasi-peak	3
	216MHz-960MHz		200	46.0	Quasi-peak	3
	960MHz-1GHz		500	54.0	Quasi-peak	3
	Above 1GHz		500	54.0	Average	3
	Note: Unless otherwise specified, for all frequencies greater than 1 GHz, the radiated emission limits for licence-exempt radio apparatus stated in applicable RSSs (including RSS-Gen) are based on measurements using a linear average detector function having a minimum resolution bandwidth of 1 MHz. If an average limit is specified for the EUT, then the peak emission shall also be measured with instrumentation properly adjusted for such factors as pulse desensitization to ensure the peak emission is less than 20 dB above the average limit.					
Test result:		PASS				
Test Ambient:		Temp.: 25°C		Humid.: 51%		Press.: 101kPa

Radiated Spurious Emissions test Data:
Radiated Emission 30MHz-1GHz
WC0PR1601: Antenna 1

Mode:	802.11 a(20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	124.3904	8.54	1.31	-32.04	54.69	32.50	43.50	11.00	Pass	Horizontal
2	146.4116	7.42	1.43	-32.00	58.65	35.50	43.50	8.00	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	55.95	34.54	43.50	8.96	Pass	Horizontal
4	237.1157	11.87	1.83	-31.91	51.72	33.51	46.00	12.49	Pass	Horizontal
5	465.0885	16.44	2.58	-31.86	46.40	33.56	46.00	12.44	Pass	Horizontal
6	600.0290	19.00	2.96	-31.99	42.77	32.74	46.00	13.26	Pass	Horizontal

Mode:	802.11 a(20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	143.5014	7.32	1.41	-31.99	52.86	29.60	43.50	13.90	Pass	Vertical
2	179.9770	9.00	1.58	-31.99	52.25	30.84	43.50	12.66	Pass	Vertical
3	235.6606	11.83	1.82	-31.90	47.82	29.57	46.00	16.43	Pass	Vertical
4	398.8309	15.37	2.38	-31.77	43.17	29.15	46.00	16.85	Pass	Vertical
5	600.9991	19.01	2.96	-32.00	39.41	29.38	46.00	16.62	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	40.18	34.56	46.00	11.44	Pass	Vertical

Mode:	802.11 a(20Mbps) Transmitting	Channel:	5200
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	136.8077	7.36	1.37	-32.00	57.08	33.81	43.50	9.69	Pass	Horizontal
2	144.9565	7.37	1.42	-32.00	58.96	35.75	43.50	7.75	Pass	Horizontal
3	237.1157	11.87	1.83	-31.91	51.20	32.99	46.00	13.01	Pass	Horizontal
4	467.7078	16.48	2.58	-31.86	46.94	34.14	46.00	11.86	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	43.40	33.37	46.00	12.63	Pass	Horizontal
6	720.0300	20.02	3.22	-32.07	41.51	32.68	46.00	13.32	Pass	Horizontal

Mode:	802.11 a(20Mbps) Transmitting	Channel:	5200
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	145.3445	7.39	1.42	-32.00	52.91	29.72	43.50	13.78	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.13	30.52	43.50	12.98	Pass	Vertical
3	199.9610	10.90	1.67	-31.94	51.36	31.99	43.50	11.51	Pass	Vertical
4	399.8980	15.40	2.38	-31.76	43.94	29.96	46.00	16.04	Pass	Vertical
5	839.2549	21.37	3.50	-31.90	35.77	28.74	46.00	17.26	Pass	Vertical
6	995.9256	22.68	3.79	-30.72	42.79	38.54	54.00	15.46	Pass	Vertical

Mode:	802.11 a(20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	144.1804	7.35	1.42	-32.01	58.50	35.26	43.50	8.24	Pass	Horizontal
2	179.9770	9.00	1.58	-31.99	57.07	35.66	43.50	7.84	Pass	Horizontal
3	237.1157	11.87	1.83	-31.91	51.25	33.04	46.00	12.96	Pass	Horizontal
4	464.2154	16.43	2.57	-31.85	47.15	34.30	46.00	11.70	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	43.47	33.44	46.00	12.56	Pass	Horizontal
6	720.0300	20.02	3.22	-32.07	41.93	33.10	46.00	12.90	Pass	Horizontal

Mode:	802.11 a(20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	145.0535	7.38	1.42	-32.00	52.91	29.71	43.50	13.79	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.14	30.53	43.50	12.97	Pass	Vertical
3	199.2819	10.83	1.67	-31.94	50.14	30.70	43.50	12.80	Pass	Vertical
4	237.1157	11.87	1.83	-31.91	47.64	29.43	46.00	16.57	Pass	Vertical
5	600.0290	19.00	2.96	-31.99	38.86	28.83	46.00	17.17	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	38.68	33.06	46.00	12.94	Pass	Vertical

Mode:	802.11 n(20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	137.3897	7.33	1.37	-31.99	57.26	33.97	43.50	9.53	Pass	Horizontal
2	146.4116	7.42	1.43	-32.00	58.76	35.61	43.50	7.89	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	57.06	35.65	43.50	7.85	Pass	Horizontal
4	238.9589	11.91	1.83	-31.89	51.65	33.50	46.00	12.50	Pass	Horizontal
5	464.5065	16.43	2.57	-31.85	46.32	33.47	46.00	12.53	Pass	Horizontal
6	720.0300	20.02	3.22	-32.07	41.46	32.63	46.00	13.37	Pass	Horizontal

Mode:	802.11 n(20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	145.3445	7.39	1.42	-32.00	52.69	29.50	43.50	14.00	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	52.95	30.34	43.50	13.16	Pass	Vertical
3	214.3184	11.27	1.74	-31.95	48.92	29.98	43.50	13.52	Pass	Vertical
4	399.8980	15.40	2.38	-31.76	44.84	30.86	46.00	15.14	Pass	Vertical
5	799.6750	20.90	3.39	-32.03	39.53	31.79	46.00	14.21	Pass	Vertical
6	997.7688	22.69	3.79	-30.69	38.85	34.64	54.00	19.36	Pass	Vertical

Mode:	802.11 n(20Mbps) Transmitting	Channel:	5200
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	124.3904	8.54	1.31	-32.04	54.68	32.49	43.50	11.01	Pass	Horizontal
2	144.9565	7.37	1.42	-32.00	58.75	35.54	43.50	7.96	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	56.09	34.68	43.50	8.82	Pass	Horizontal
4	237.1157	11.87	1.83	-31.91	51.68	33.47	46.00	12.53	Pass	Horizontal
5	462.2752	16.40	2.57	-31.85	46.84	33.96	46.00	12.04	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	39.31	33.69	46.00	12.31	Pass	Horizontal

Mode:	802.11 n(20Mbps) Transmitting	Channel:	5200
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	146.4116	7.42	1.43	-32.00	53.92	30.77	43.50	12.73	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.44	30.83	43.50	12.67	Pass	Vertical
3	199.6700	10.87	1.67	-31.94	51.31	31.91	43.50	11.59	Pass	Vertical
4	290.3740	13.01	2.03	-31.88	47.13	30.29	46.00	15.71	Pass	Vertical
5	600.0290	19.00	2.96	-31.99	39.84	29.81	46.00	16.19	Pass	Vertical
6	996.5077	22.68	3.79	-30.71	40.91	36.67	54.00	17.33	Pass	Vertical

Mode:	802.11 n(20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	146.4116	7.42	1.43	-32.00	58.80	35.65	43.50	7.85	Pass	Horizontal
2	179.9770	9.00	1.58	-31.99	57.02	35.61	43.50	7.89	Pass	Horizontal
3	238.1828	11.89	1.83	-31.90	51.22	33.04	46.00	12.96	Pass	Horizontal
4	463.8274	16.42	2.57	-31.85	47.61	34.75	46.00	11.25	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	42.48	32.45	46.00	13.55	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	39.32	33.70	46.00	12.30	Pass	Horizontal

Mode:	802.11 n(20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	144.9565	7.37	1.42	-32.00	52.80	29.59	43.50	13.91	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.58	30.97	43.50	12.53	Pass	Vertical
3	200.0580	10.90	1.67	-31.94	50.64	31.27	43.50	12.23	Pass	Vertical
4	238.9589	11.91	1.83	-31.89	47.94	29.79	46.00	16.21	Pass	Vertical
5	600.0290	19.00	2.96	-31.99	39.47	29.44	46.00	16.56	Pass	Vertical
6	799.3839	20.89	3.39	-32.02	38.18	30.44	46.00	15.56	Pass	Vertical

Mode:	802.11 n(40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	144.9565	7.37	1.42	-32.00	58.62	35.41	43.50	8.09	Pass	Horizontal
2	179.9770	9.00	1.58	-31.99	56.64	35.23	43.50	8.27	Pass	Horizontal
3	199.9610	10.90	1.67	-31.94	55.36	35.99	43.50	7.51	Pass	Horizontal
4	470.4240	16.53	2.59	-31.88	46.54	33.78	46.00	12.22	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	42.50	32.47	46.00	13.53	Pass	Horizontal
6	720.0300	20.02	3.22	-32.07	41.48	32.65	46.00	13.35	Pass	Horizontal

Mode:	802.11 n(40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	144.9565	7.37	1.42	-32.00	53.74	30.53	43.50	12.97	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.77	31.16	43.50	12.34	Pass	Vertical
3	213.5424	11.25	1.74	-31.95	48.46	29.50	43.50	14.00	Pass	Vertical
4	290.4710	13.01	2.03	-31.88	46.51	29.67	46.00	16.33	Pass	Vertical
5	600.9991	19.01	2.96	-32.00	42.27	32.24	46.00	13.76	Pass	Vertical
6	796.6677	20.86	3.38	-32.01	41.53	33.76	46.00	12.24	Pass	Vertical

Mode:	802.11 n(40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	136.3226	7.38	1.37	-32.00	57.59	34.34	43.50	9.16	Pass	Horizontal
2	144.5685	7.36	1.42	-32.00	58.74	35.52	43.50	7.98	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	56.02	34.61	43.50	8.89	Pass	Horizontal
4	398.2488	15.36	2.37	-31.76	49.84	35.81	46.00	10.19	Pass	Horizontal
5	465.8646	16.45	2.58	-31.86	47.06	34.23	46.00	11.77	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	39.62	34.00	46.00	12.00	Pass	Horizontal

Mode:	802.11 n(40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	144.6655	7.36	1.42	-32.00	52.42	29.20	43.50	14.30	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.26	30.65	43.50	12.85	Pass	Vertical
3	208.8859	11.13	1.71	-31.94	51.53	32.43	43.50	11.07	Pass	Vertical
4	290.1800	13.00	2.03	-31.88	47.16	30.31	46.00	15.69	Pass	Vertical
5	398.8309	15.37	2.38	-31.77	44.66	30.64	46.00	15.36	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	40.33	34.71	46.00	11.29	Pass	Vertical

Mode:	802.11 ac(20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	144.9565	7.37	1.42	-32.00	58.73	35.52	43.50	7.98	Pass	Horizontal
2	179.9770	9.00	1.58	-31.99	56.14	34.73	43.50	8.77	Pass	Horizontal
3	237.1157	11.87	1.83	-31.91	51.13	32.92	46.00	13.08	Pass	Horizontal
4	465.4765	16.45	2.58	-31.86	46.84	34.01	46.00	11.99	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	42.66	32.63	46.00	13.37	Pass	Horizontal
6	716.4406	19.98	3.21	-32.09	40.95	32.05	46.00	13.95	Pass	Horizontal

Mode:	802.11 ac(20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	144.2774	7.35	1.42	-32.00	52.86	29.63	43.50	13.87	Pass	Vertical
2	208.8859	11.13	1.71	-31.94	49.93	30.83	43.50	12.67	Pass	Vertical
3	290.4710	13.01	2.03	-31.88	46.68	29.84	46.00	16.16	Pass	Vertical
4	600.0290	19.00	2.96	-31.99	38.98	28.95	46.00	17.05	Pass	Vertical
5	796.4736	20.86	3.38	-32.01	36.18	28.41	46.00	17.59	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	35.48	29.86	46.00	16.14	Pass	Vertical

Mode:	802.11 ac(20Mbps) Transmitting	Channel:	5200
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	145.0535	7.38	1.42	-32.00	59.75	36.55	43.50	6.95	Pass	Horizontal
2	179.9770	9.00	1.58	-31.99	56.45	35.04	43.50	8.46	Pass	Horizontal
3	238.5709	11.90	1.83	-31.89	51.79	33.63	46.00	12.37	Pass	Horizontal
4	466.5437	16.46	2.58	-31.86	46.77	33.95	46.00	12.05	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	42.16	32.13	46.00	13.87	Pass	Horizontal
6	719.2539	20.01	3.22	-32.08	40.83	31.98	46.00	14.02	Pass	Horizontal

Mode:	802.11 ac(20Mbps) Transmitting	Channel:	5200
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	145.6356	7.40	1.42	-32.00	53.78	30.60	43.50	12.90	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.10	30.49	43.50	13.01	Pass	Vertical
3	179.9770	9.00	1.58	-31.99	51.76	30.35	43.50	13.15	Pass	Vertical
4	208.8859	11.13	1.71	-31.94	50.58	31.48	43.50	12.02	Pass	Vertical
5	238.5709	11.90	1.83	-31.89	47.71	29.55	46.00	16.45	Pass	Vertical
6	600.0290	19.00	2.96	-31.99	39.05	29.02	46.00	16.98	Pass	Vertical

Mode:	802.11 ac(20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	136.3226	7.38	1.37	-32.00	58.31	35.06	43.50	8.44	Pass	Horizontal
2	145.3445	7.39	1.42	-32.00	59.15	35.96	43.50	7.54	Pass	Horizontal
3	180.0740	9.01	1.58	-31.99	55.58	34.18	43.50	9.32	Pass	Horizontal
4	237.1157	11.87	1.83	-31.91	51.35	33.14	46.00	12.86	Pass	Horizontal
5	461.4021	16.38	2.56	-31.83	46.83	33.94	46.00	12.06	Pass	Horizontal
6	600.0290	19.00	2.96	-31.99	43.61	33.58	46.00	12.42	Pass	Horizontal

Mode:	802.11 ac(20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	52.5063	12.80	0.82	-32.10	37.60	19.12	40.00	20.88	Pass	Vertical
2	144.9565	7.37	1.42	-32.00	54.34	31.13	43.50	12.37	Pass	Vertical
3	159.9930	7.90	1.47	-31.98	53.50	30.89	43.50	12.61	Pass	Vertical
4	205.3935	11.04	1.70	-31.95	50.39	31.18	43.50	12.32	Pass	Vertical
5	456.0666	16.30	2.54	-31.86	38.68	25.66	46.00	20.34	Pass	Vertical
6	799.6750	20.90	3.39	-32.03	35.61	27.87	46.00	18.13	Pass	Vertical

Mode:	802.11 ac(40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	146.4116	7.42	1.43	-32.00	59.72	36.57	43.50	6.93	Pass	Horizontal
2	179.9770	9.00	1.58	-31.99	56.19	34.78	43.50	8.72	Pass	Horizontal
3	238.5709	11.90	1.83	-31.89	51.48	33.32	46.00	12.68	Pass	Horizontal
4	290.2770	13.01	2.03	-31.88	47.91	31.07	46.00	14.93	Pass	Horizontal
5	459.9470	16.36	2.56	-31.83	47.02	34.11	46.00	11.89	Pass	Horizontal
6	718.1868	20.00	3.21	-32.08	41.33	32.46	46.00	13.54	Pass	Horizontal

Mode:	802.11 ac(40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	144.2774	7.35	1.42	-32.00	53.93	30.70	43.50	12.80	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.90	31.29	43.50	12.21	Pass	Vertical
3	205.6846	11.05	1.70	-31.95	50.00	30.80	43.50	12.70	Pass	Vertical
4	290.5681	13.01	2.03	-31.88	48.40	31.56	46.00	14.44	Pass	Vertical
5	799.7720	20.90	3.39	-32.03	35.77	28.03	46.00	17.97	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	35.71	30.09	46.00	15.91	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	137.6808	7.32	1.38	-32.00	59.00	35.70	43.50	7.80	Pass	Horizontal
2	145.3445	7.39	1.42	-32.00	59.44	36.25	43.50	7.25	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	55.77	34.36	43.50	9.14	Pass	Horizontal
4	461.4021	16.38	2.56	-31.83	47.02	34.13	46.00	11.87	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	43.44	33.41	46.00	12.59	Pass	Horizontal
6	720.0300	20.02	3.22	-32.07	41.95	33.12	46.00	12.88	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	144.9565	7.37	1.42	-32.00	53.13	29.92	43.50	13.58	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.47	30.86	43.50	12.64	Pass	Vertical
3	208.8859	11.13	1.71	-31.94	51.29	32.19	43.50	11.31	Pass	Vertical
4	290.4710	13.01	2.03	-31.88	47.36	30.52	46.00	15.48	Pass	Vertical
5	600.0290	19.00	2.96	-31.99	39.58	29.55	46.00	16.45	Pass	Vertical
6	892.9983	22.02	3.59	-31.62	38.95	32.94	46.00	13.06	Pass	Vertical

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	136.2256	7.39	1.37	-32.01	58.74	35.49	43.50	8.01	Pass	Horizontal
2	144.9565	7.37	1.42	-32.00	59.35	36.14	43.50	7.36	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	55.66	34.25	43.50	9.25	Pass	Horizontal
4	238.1828	11.89	1.83	-31.90	51.49	33.31	46.00	12.69	Pass	Horizontal
5	460.4320	16.37	2.56	-31.83	46.65	33.75	46.00	12.25	Pass	Horizontal
6	718.1868	20.00	3.21	-32.08	41.78	32.91	46.00	13.09	Pass	Horizontal

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	144.9565	7.37	1.42	-32.00	54.05	30.84	43.50	12.66	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.79	31.18	43.50	12.32	Pass	Vertical
3	205.0055	11.03	1.70	-31.95	50.21	30.99	43.50	12.51	Pass	Vertical
4	236.7277	11.85	1.82	-31.89	47.91	29.69	46.00	16.31	Pass	Vertical
5	354.9825	14.41	2.25	-31.86	43.64	28.44	46.00	17.56	Pass	Vertical
6	600.0290	19.00	2.96	-31.99	38.79	28.76	46.00	17.24	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level[dBμ V/m]	Limit [dBμV/m]	Magin[dB]	Result	Polarity
1	136.4196	7.38	1.37	-32.00	57.30	34.05	43.50	9.45	Pass	Horizontal
2	145.2475	7.38	1.42	-32.00	57.43	34.23	43.50	9.27	Pass	Horizontal
3	159.9930	7.90	1.47	-31.98	56.96	34.35	43.50	9.15	Pass	Horizontal
4	238.5709	11.90	1.83	-31.89	50.34	32.18	46.00	13.82	Pass	Horizontal
5	290.3740	13.01	2.03	-31.88	49.30	32.46	46.00	13.54	Pass	Horizontal
6	469.0659	16.51	2.59	-31.88	46.74	33.96	46.00	12.04	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level[dBμ V/m]	Limit [dBμV/m]	Magin[dB]	Result	Polarity
1	124.9725	8.45	1.31	-32.04	50.66	28.38	43.50	15.12	Pass	Vertical
2	137.3897	7.33	1.37	-31.99	53.98	30.69	43.50	12.81	Pass	Vertical
3	225.7656	11.57	1.78	-31.92	48.94	30.37	46.00	15.63	Pass	Vertical
4	290.1800	13.00	2.03	-31.88	47.58	30.73	46.00	15.27	Pass	Vertical
5	398.3458	15.36	2.38	-31.77	45.25	31.22	46.00	14.78	Pass	Vertical
6	599.9320	19.00	2.96	-31.99	41.25	31.22	46.00	14.78	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	135.5466	7.42	1.36	-32.00	57.05	33.83	43.50	9.67	Pass	Horizontal
2	144.5685	7.36	1.42	-32.00	58.27	35.05	43.50	8.45	Pass	Horizontal
3	236.0486	11.84	1.82	-31.90	50.24	32.00	46.00	14.00	Pass	Horizontal
4	459.9470	16.36	2.56	-31.83	46.74	33.83	46.00	12.17	Pass	Horizontal
5	720.0300	20.02	3.22	-32.07	39.41	30.58	46.00	15.42	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	38.71	33.09	46.00	12.91	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level[dBμ V/m]	Limit [dBμV/m]	Magin[dB]	Result	Polarity
1	137.4867	7.33	1.37	-32.00	53.63	30.33	43.50	13.17	Pass	Vertical
2	144.9565	7.37	1.42	-32.00	53.90	30.69	43.50	12.81	Pass	Vertical
3	199.4759	10.85	1.67	-31.94	51.51	32.09	43.50	11.41	Pass	Vertical
4	398.5399	15.37	2.38	-31.77	46.95	32.93	46.00	13.07	Pass	Vertical
5	597.6038	18.95	2.94	-31.97	40.70	30.62	46.00	15.38	Pass	Vertical
6	997.6718	22.69	3.79	-30.70	41.36	37.14	54.00	16.86	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	135.9346	7.40	1.37	-32.00	57.20	33.97	43.50	9.53	Pass	Horizontal
2	143.8894	7.34	1.41	-32.00	57.14	33.89	43.50	9.61	Pass	Horizontal
3	236.7277	11.85	1.82	-31.89	50.74	32.52	46.00	13.48	Pass	Horizontal
4	466.4466	16.46	2.58	-31.86	46.52	33.70	46.00	12.30	Pass	Horizontal
5	720.0300	20.02	3.22	-32.07	40.33	31.50	46.00	14.50	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	38.58	32.96	46.00	13.04	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level[dBμ V/m]	Limit [dBμV/m]	Magin[dB]	Result	Polarity
1	137.3897	7.33	1.37	-31.99	54.20	30.91	43.50	12.59	Pass	Vertical
2	159.9930	7.90	1.47	-31.98	53.03	30.42	43.50	13.08	Pass	Vertical
3	239.2499	11.92	1.84	-31.90	46.53	28.39	46.00	17.61	Pass	Vertical
4	290.1800	13.00	2.03	-31.88	47.88	31.03	46.00	14.97	Pass	Vertical
5	398.2488	15.36	2.37	-31.76	47.28	33.25	46.00	12.75	Pass	Vertical
6	597.7008	18.95	2.94	-31.97	41.80	31.72	46.00	14.28	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5755
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμ V/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	137.3897	7.33	1.37	-31.99	57.92	34.63	43.50	8.87	Pass	Horizontal
2	144.5685	7.36	1.42	-32.00	57.64	34.42	43.50	9.08	Pass	Horizontal
3	236.3396	11.84	1.82	-31.89	50.66	32.43	46.00	13.57	Pass	Horizontal
4	465.4765	16.45	2.58	-31.86	46.92	34.09	46.00	11.91	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	42.63	32.60	46.00	13.40	Pass	Horizontal
6	898.0428	22.08	3.60	-31.60	48.41	42.49	46.00	3.51	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5755
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level[dBμ V/m]	Limit [dBμV/m]	Magin[dB]	Result	Polarity
1	137.3897	7.33	1.37	-31.99	54.06	30.77	43.50	12.73	Pass	Vertical
2	199.4759	10.85	1.67	-31.94	51.68	32.26	43.50	11.24	Pass	Vertical
3	290.1800	13.00	2.03	-31.88	50.31	33.46	46.00	12.54	Pass	Vertical
4	399.4129	15.39	2.38	-31.77	45.65	31.65	46.00	14.35	Pass	Vertical
5	597.4097	18.95	2.94	-31.97	40.73	30.65	46.00	15.35	Pass	Vertical
6	997.5748	22.69	3.79	-30.70	40.89	36.67	54.00	17.33	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5795
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	137.3897	7.33	1.37	-31.99	56.92	33.63	43.50	9.87	Pass	Horizontal
2	144.6655	7.36	1.42	-32.00	57.02	33.80	43.50	9.70	Pass	Horizontal
3	236.7277	11.85	1.82	-31.89	50.40	32.18	46.00	13.82	Pass	Horizontal
4	463.6334	16.42	2.57	-31.85	46.44	33.58	46.00	12.42	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	42.79	32.76	46.00	13.24	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	38.72	33.10	46.00	12.90	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5795
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμ V/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	137.2927	7.34	1.37	-32.00	53.82	30.53	43.50	12.97	Pass	Vertical
2	146.1206	7.41	1.43	-32.00	53.46	30.30	43.50	13.20	Pass	Vertical
3	199.0879	10.81	1.66	-31.93	48.57	29.11	43.50	14.39	Pass	Vertical
4	399.2189	15.38	2.38	-31.76	45.37	31.37	46.00	14.63	Pass	Vertical
5	598.4768	18.97	2.95	-31.98	40.69	30.63	46.00	15.37	Pass	Vertical
6	906.4826	22.14	3.60	-31.52	43.56	37.78	46.00	8.22	Pass	Vertical

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5775
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	137.2927	7.34	1.37	-32.00	57.43	34.14	43.50	9.36	Pass	Horizontal
2	144.9565	7.37	1.42	-32.00	57.55	34.34	43.50	9.16	Pass	Horizontal
3	179.9770	9.00	1.58	-31.99	54.16	32.75	43.50	10.75	Pass	Horizontal
4	460.4320	16.37	2.56	-31.83	46.89	33.99	46.00	12.01	Pass	Horizontal
5	600.0290	19.00	2.96	-31.99	43.15	33.12	46.00	12.88	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	38.56	32.94	46.00	13.06	Pass	Horizontal

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5775
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	AntFac tor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	137.3897	7.33	1.37	-31.99	54.46	31.17	43.50	12.33	Pass	Vertical
2	199.5730	10.86	1.67	-31.94	49.68	30.27	43.50	13.23	Pass	Vertical
3	290.1800	13.00	2.03	-31.88	48.26	31.41	46.00	14.59	Pass	Vertical
4	399.8980	15.40	2.38	-31.76	49.12	35.14	46.00	10.86	Pass	Vertical
5	600.0290	19.00	2.96	-31.99	40.92	30.89	46.00	15.11	Pass	Vertical
6	995.9256	22.68	3.79	-30.72	40.20	35.95	54.00	18.05	Pass	Vertical

WC0PR1601F: Antenna 1

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	63.3713	10.72	0.91	-32.04	51.38	30.97	40.00	9.03	Pass	Horizontal
2	138.2628	7.29	1.38	-32.00	61.19	37.86	43.50	5.64	Pass	Horizontal
3	207.2367	11.09	1.71	-31.95	58.68	39.53	43.50	3.97	Pass	Horizontal
4	311.2311	13.45	2.09	-31.89	49.18	32.83	46.00	13.17	Pass	Horizontal
5	443.8434	16.10	2.49	-31.88	45.97	32.68	46.00	13.32	Pass	Horizontal
6	750.0060	20.35	3.29	-32.04	42.41	34.01	46.00	11.99	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph



Suspected List


NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	61.9162	11.10	0.91	-32.04	52.00	31.97	40.00	8.03	Pass	Vertical
2	136.0316	7.40	1.37	-32.01	57.98	34.74	43.50	8.76	Pass	Vertical
3	203.7444	11.00	1.69	-31.95	57.41	38.15	43.50	5.35	Pass	Vertical
4	357.9898	14.48	2.26	-31.85	50.08	34.97	46.00	11.03	Pass	Vertical
5	600.0290	19.00	2.96	-31.99	44.65	34.62	46.00	11.38	Pass	Vertical
6	899.9830	22.10	3.60	-31.58	41.43	35.55	46.00	10.45	Pass	Vertical

Radiated Emission 30MHz-1GHz

WC0PR1601: Antenna 2

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	213.8334	11.26	1.74	-31.95	50.30	31.35	43.50	12.15	Pass	Horizontal
2	290.4710	13.01	2.03	-31.88	45.10	28.26	46.00	17.74	Pass	Horizontal
3	355.1765	14.41	2.25	-31.85	43.64	28.45	46.00	17.55	Pass	Horizontal
4	400.1890	15.40	2.38	-31.76	41.64	27.66	46.00	18.34	Pass	Horizontal
5	687.5318	19.70	3.14	-32.06	35.37	26.15	46.00	19.85	Pass	Horizontal
6	797.6378	20.87	3.39	-32.02	35.35	27.59	46.00	18.41	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5180
Remark:			


Test Graph



Suspected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	161.2541	7.97	1.48	-31.98	43.29	20.76	43.50	22.74	Pass	Vertical
2	208.8859	11.13	1.71	-31.94	50.36	31.26	43.50	12.24	Pass	Vertical
3	290.7621	13.02	2.03	-31.88	46.51	29.68	46.00	16.32	Pass	Vertical
4	355.1765	14.41	2.25	-31.85	40.70	25.51	46.00	20.49	Pass	Vertical
5	398.7339	15.37	2.38	-31.77	44.48	30.46	46.00	15.54	Pass	Vertical
6	598.6709	18.97	2.95	-31.98	42.53	32.47	46.00	13.53	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5220
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	200.0580	10.90	1.67	-31.94	51.27	31.90	43.50	11.60	Pass	Horizontal
2	212.1842	11.22	1.73	-31.95	51.25	32.25	43.50	11.25	Pass	Horizontal
3	290.1800	13.00	2.03	-31.88	45.42	28.57	46.00	17.43	Pass	Horizontal
4	354.8855	14.41	2.25	-31.86	43.67	28.47	46.00	17.53	Pass	Horizontal
5	399.0249	15.38	2.38	-31.77	41.27	27.26	46.00	18.74	Pass	Horizontal
6	598.8649	18.98	2.95	-31.98	36.52	26.47	46.00	19.53	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5220
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.2541	7.97	1.48	-31.98	42.84	20.31	43.50	23.19	Pass	Vertical
2	226.0566	11.58	1.78	-31.92	47.60	29.04	46.00	16.96	Pass	Vertical
3	290.3740	13.01	2.03	-31.88	46.46	29.62	46.00	16.38	Pass	Vertical
4	355.0795	14.41	2.25	-31.85	40.96	25.77	46.00	20.23	Pass	Vertical
5	399.0249	15.38	2.38	-31.77	42.46	28.45	46.00	17.55	Pass	Vertical
6	598.1858	18.96	2.95	-31.98	41.36	31.29	46.00	14.71	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	40.76	19.19	43.50	24.31	Pass	Horizontal
2	212.6693	11.23	1.73	-31.95	50.81	31.82	43.50	11.68	Pass	Horizontal
3	290.4710	13.01	2.03	-31.88	45.77	28.93	46.00	17.07	Pass	Horizontal
4	354.6915	14.40	2.25	-31.85	43.56	28.36	46.00	17.64	Pass	Horizontal
5	398.4428	15.37	2.38	-31.78	42.59	28.56	46.00	17.44	Pass	Horizontal
6	599.1559	18.98	2.95	-31.98	37.03	26.98	46.00	19.02	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	43.52	21.00	43.50	22.50	Pass	Vertical
2	225.9596	11.57	1.78	-31.91	47.39	28.83	46.00	17.17	Pass	Vertical
3	290.4710	13.01	2.03	-31.88	46.82	29.98	46.00	16.02	Pass	Vertical
4	354.9825	14.41	2.25	-31.86	41.82	26.62	46.00	19.38	Pass	Vertical
5	399.8010	15.40	2.38	-31.77	44.96	30.97	46.00	15.03	Pass	Vertical
6	598.1858	18.96	2.95	-31.98	39.50	29.43	46.00	16.57	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.1098	11.11	1.71	-31.95	50.54	31.41	43.50	12.09	Pass	Horizontal
2	290.6651	13.01	2.03	-31.87	45.59	28.76	46.00	17.24	Pass	Horizontal
3	354.8855	14.41	2.25	-31.86	44.02	28.82	46.00	17.18	Pass	Horizontal
4	398.8309	15.37	2.38	-31.77	40.12	26.10	46.00	19.90	Pass	Horizontal
5	597.3127	18.95	2.94	-31.97	38.32	28.24	46.00	17.76	Pass	Horizontal
6	798.8019	20.89	3.39	-32.03	36.06	28.31	46.00	17.69	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.2541	7.97	1.48	-31.98	43.07	20.54	43.50	22.96	Pass	Vertical
2	215.4825	11.30	1.75	-31.95	49.37	30.47	43.50	13.03	Pass	Vertical
3	290.6651	13.01	2.03	-31.87	46.34	29.51	46.00	16.49	Pass	Vertical
4	399.3159	15.38	2.38	-31.76	44.58	30.58	46.00	15.42	Pass	Vertical
5	598.5739	18.97	2.95	-31.98	42.66	32.60	46.00	13.40	Pass	Vertical
6	798.4138	20.88	3.39	-32.02	35.19	27.44	46.00	18.56	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5220
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	213.6394	11.25	1.74	-31.95	50.36	31.40	43.50	12.10	Pass	Horizontal
2	290.4710	13.01	2.03	-31.88	45.51	28.67	46.00	17.33	Pass	Horizontal
3	355.0795	14.41	2.25	-31.85	42.99	27.80	46.00	18.20	Pass	Horizontal
4	399.8010	15.40	2.38	-31.77	41.34	27.35	46.00	18.65	Pass	Horizontal
5	599.9320	19.00	2.96	-31.99	36.25	26.22	46.00	19.78	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	37.38	31.76	46.00	14.24	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5220
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	50.49	31.39	43.50	12.11	Pass	Vertical
2	290.2770	13.01	2.03	-31.88	46.98	30.14	46.00	15.86	Pass	Vertical
3	355.4675	14.42	2.25	-31.85	41.61	26.43	46.00	19.57	Pass	Vertical
4	399.3159	15.38	2.38	-31.76	42.03	28.03	46.00	17.97	Pass	Vertical
5	599.7380	18.99	2.96	-31.99	42.75	32.71	46.00	13.29	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	36.69	31.07	46.00	14.93	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	40.04	18.47	43.50	25.03	Pass	Horizontal
2	161.3511	7.97	1.48	-31.97	45.72	23.20	43.50	20.30	Pass	Horizontal
3	211.3111	11.19	1.73	-31.95	49.55	30.52	43.50	12.98	Pass	Horizontal
4	290.4710	13.01	2.03	-31.88	45.78	28.94	46.00	17.06	Pass	Horizontal
5	355.2735	14.42	2.25	-31.86	43.67	28.48	46.00	17.52	Pass	Horizontal
6	399.6070	15.39	2.38	-31.76	45.05	31.06	46.00	14.94	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	48.90	29.80	43.50	13.70	Pass	Vertical
2	290.5681	13.01	2.03	-31.88	45.76	28.92	46.00	17.08	Pass	Vertical
3	398.1518	15.36	2.37	-31.77	47.83	33.79	46.00	12.21	Pass	Vertical
4	534.0624	17.68	2.77	-31.92	38.59	27.12	46.00	18.88	Pass	Vertical
5	599.3499	18.99	2.96	-31.99	38.21	28.17	46.00	17.83	Pass	Vertical
6	796.4736	20.86	3.38	-32.01	36.69	28.92	46.00	17.08	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	209.7590	11.15	1.72	-31.95	50.38	31.30	43.50	12.20	Pass	Horizontal
2	290.5681	13.01	2.03	-31.88	45.21	28.37	46.00	17.63	Pass	Horizontal
3	354.9825	14.41	2.25	-31.86	43.88	28.68	46.00	17.32	Pass	Horizontal
4	399.7040	15.39	2.38	-31.76	38.78	24.79	46.00	21.21	Pass	Horizontal
5	687.5318	19.70	3.14	-32.06	35.61	26.39	46.00	19.61	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	36.28	30.66	46.00	15.34	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	209.4679	11.15	1.72	-31.96	49.20	30.11	43.50	13.39	Pass	Vertical
2	290.4710	13.01	2.03	-31.88	45.94	29.10	46.00	16.90	Pass	Vertical
3	354.9825	14.41	2.25	-31.86	40.58	25.38	46.00	20.62	Pass	Vertical
4	398.8309	15.37	2.38	-31.77	44.52	30.50	46.00	15.50	Pass	Vertical
5	625.0575	19.20	2.97	-31.98	37.75	27.94	46.00	18.06	Pass	Vertical
6	839.1579	21.37	3.50	-31.90	34.36	27.33	46.00	18.67	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5230
Remark:			


Test Graph



Suspected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	38.72	17.15	43.50	26.35	Pass	Horizontal
2	161.2541	7.97	1.48	-31.98	45.63	23.10	43.50	20.40	Pass	Horizontal
3	211.6022	11.20	1.73	-31.95	50.46	31.44	43.50	12.06	Pass	Horizontal
4	290.2770	13.01	2.03	-31.88	45.10	28.26	46.00	17.74	Pass	Horizontal
5	355.0795	14.41	2.25	-31.85	43.39	28.20	46.00	17.80	Pass	Horizontal
6	399.3159	15.38	2.38	-31.76	44.28	30.28	46.00	15.72	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	50.66	31.56	43.50	11.94	Pass	Vertical
2	290.4710	13.01	2.03	-31.88	46.33	29.49	46.00	16.51	Pass	Vertical
3	355.0795	14.41	2.25	-31.85	41.32	26.13	46.00	19.87	Pass	Vertical
4	398.5399	15.37	2.38	-31.77	42.79	28.77	46.00	17.23	Pass	Vertical
5	599.4469	18.99	2.96	-31.99	42.33	32.29	46.00	13.71	Pass	Vertical
6	798.8989	20.89	3.39	-32.03	36.66	28.91	46.00	17.09	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5180
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	39.96	18.39	43.50	25.11	Pass	Horizontal
2	215.7736	11.31	1.75	-31.95	49.07	30.18	43.50	13.32	Pass	Horizontal
3	290.3740	13.01	2.03	-31.88	45.14	28.30	46.00	17.70	Pass	Horizontal
4	354.8855	14.41	2.25	-31.86	43.61	28.41	46.00	17.59	Pass	Horizontal
5	399.8010	15.40	2.38	-31.77	43.00	29.01	46.00	16.99	Pass	Horizontal
6	597.5068	18.95	2.94	-31.97	37.24	27.16	46.00	18.84	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5180
Remark:			


Test Graph



Suspected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	48.69	29.59	43.50	13.91	Pass	Vertical
2	290.2770	13.01	2.03	-31.88	46.15	29.31	46.00	16.69	Pass	Vertical
3	354.7885	14.41	2.25	-31.86	41.88	26.68	46.00	19.32	Pass	Vertical
4	398.7339	15.37	2.38	-31.77	41.36	27.34	46.00	18.66	Pass	Vertical
5	597.7008	18.95	2.94	-31.97	38.91	28.83	46.00	17.17	Pass	Vertical
6	798.3168	20.88	3.39	-32.02	35.39	27.64	46.00	18.36	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5220
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	216.2586	11.32	1.75	-31.95	49.29	30.41	46.00	15.59	Pass	Horizontal
2	290.5681	13.01	2.03	-31.88	44.83	27.99	46.00	18.01	Pass	Horizontal
3	355.0795	14.41	2.25	-31.85	43.23	28.04	46.00	17.96	Pass	Horizontal
4	399.3159	15.38	2.38	-31.76	43.05	29.05	46.00	16.95	Pass	Horizontal
5	599.5440	18.99	2.96	-31.99	36.89	26.85	46.00	19.15	Pass	Horizontal
6	798.6079	20.88	3.39	-32.02	36.53	28.78	46.00	17.22	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5220
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	49.17	30.07	43.50	13.43	Pass	Vertical
2	290.6651	13.01	2.03	-31.87	46.25	29.42	46.00	16.58	Pass	Vertical
3	355.0795	14.41	2.25	-31.85	40.47	25.28	46.00	20.72	Pass	Vertical
4	399.1219	15.38	2.38	-31.77	42.32	28.31	46.00	17.69	Pass	Vertical
5	599.6410	18.99	2.96	-31.99	41.63	31.59	46.00	14.41	Pass	Vertical
6	844.9785	21.44	3.50	-31.82	32.87	25.99	46.00	20.01	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	51.42	32.32	43.50	11.18	Pass	Horizontal
2	290.2770	13.01	2.03	-31.88	45.33	28.49	46.00	17.51	Pass	Horizontal
3	354.9825	14.41	2.25	-31.86	43.29	28.09	46.00	17.91	Pass	Horizontal
4	399.9950	15.40	2.38	-31.76	41.87	27.89	46.00	18.11	Pass	Horizontal
5	599.7380	18.99	2.96	-31.99	34.20	24.16	46.00	21.84	Pass	Horizontal
6	797.7348	20.88	3.39	-32.03	36.02	28.26	46.00	17.74	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5240
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	225.7656	11.57	1.78	-31.92	48.36	29.79	46.00	16.21	Pass	Vertical
2	290.3740	13.01	2.03	-31.88	46.13	29.29	46.00	16.71	Pass	Vertical
3	355.0795	14.41	2.25	-31.85	40.93	25.74	46.00	20.26	Pass	Vertical
4	400.2860	15.40	2.38	-31.76	41.80	27.82	46.00	18.18	Pass	Vertical
5	597.4097	18.95	2.94	-31.97	39.61	29.53	46.00	16.47	Pass	Vertical
6	796.7647	20.86	3.38	-32.01	35.15	27.38	46.00	18.62	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	214.5125	11.28	1.74	-31.95	50.74	31.81	43.50	11.69	Pass	Horizontal
2	290.5681	13.01	2.03	-31.88	44.34	27.50	46.00	18.50	Pass	Horizontal
3	354.9825	14.41	2.25	-31.86	42.70	27.50	46.00	18.50	Pass	Horizontal
4	398.9279	15.38	2.38	-31.77	41.72	27.71	46.00	18.29	Pass	Horizontal
5	599.8350	19.00	2.96	-31.99	36.66	26.63	46.00	19.37	Pass	Horizontal
6	797.3467	20.87	3.38	-32.01	38.03	30.27	46.00	15.73	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5190
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	50.26	31.16	43.50	12.34	Pass	Vertical
2	290.3740	13.01	2.03	-31.88	45.79	28.95	46.00	17.05	Pass	Vertical
3	354.8855	14.41	2.25	-31.86	40.28	25.08	46.00	20.92	Pass	Vertical
4	399.7040	15.39	2.38	-31.76	46.29	32.30	46.00	13.70	Pass	Vertical
5	599.7380	18.99	2.96	-31.99	40.96	30.92	46.00	15.08	Pass	Vertical
6	796.5707	20.86	3.38	-32.01	36.35	28.58	46.00	17.42	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	225.7656	11.57	1.78	-31.92	48.65	30.08	46.00	15.92	Pass	Horizontal
2	290.3740	13.01	2.03	-31.88	45.42	28.58	46.00	17.42	Pass	Horizontal
3	354.8855	14.41	2.25	-31.86	43.71	28.51	46.00	17.49	Pass	Horizontal
4	398.8309	15.37	2.38	-31.77	44.61	30.59	46.00	15.41	Pass	Horizontal
5	687.5318	19.70	3.14	-32.06	34.67	25.45	46.00	20.55	Pass	Horizontal
6	798.8989	20.89	3.39	-32.03	34.14	26.39	46.00	19.61	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5230
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	225.8626	11.57	1.78	-31.92	46.61	28.04	46.00	17.96	Pass	Vertical
2	290.3740	13.01	2.03	-31.88	45.74	28.90	46.00	17.10	Pass	Vertical
3	354.7885	14.41	2.25	-31.86	40.59	25.39	46.00	20.61	Pass	Vertical
4	399.0249	15.38	2.38	-31.77	44.67	30.66	46.00	15.34	Pass	Vertical
5	597.1187	18.94	2.94	-31.97	38.31	28.22	46.00	17.78	Pass	Vertical
6	798.4138	20.88	3.39	-32.02	34.93	27.18	46.00	18.82	Pass	Vertical

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	214.7065	11.28	1.74	-31.94	49.33	30.41	43.50	13.09	Pass	Horizontal
2	290.3740	13.01	2.03	-31.88	44.75	27.91	46.00	18.09	Pass	Horizontal
3	355.1765	14.41	2.25	-31.85	42.86	27.67	46.00	18.33	Pass	Horizontal
4	457.7158	16.32	2.55	-31.84	39.08	26.11	46.00	19.89	Pass	Horizontal
5	597.5068	18.95	2.94	-31.97	38.90	28.82	46.00	17.18	Pass	Horizontal
6	844.9785	21.44	3.50	-31.82	33.66	26.78	46.00	19.22	Pass	Horizontal

Mode:	802.11 ac(HT80Mbps) Transmitting	Channel:	5210
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	225.7656	11.57	1.78	-31.92	48.05	29.48	46.00	16.52	Pass	Vertical
2	290.4710	13.01	2.03	-31.88	46.68	29.84	46.00	16.16	Pass	Vertical
3	354.6915	14.40	2.25	-31.85	40.92	25.72	46.00	20.28	Pass	Vertical
4	399.2189	15.38	2.38	-31.76	45.98	31.98	46.00	14.02	Pass	Vertical
5	625.0575	19.20	2.97	-31.98	37.23	27.42	46.00	18.58	Pass	Vertical
6	799.6750	20.90	3.39	-32.03	34.41	26.67	46.00	19.33	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	40.09	18.52	43.50	24.98	Pass	Horizontal
2	161.4481	7.98	1.48	-31.98	44.36	21.84	43.50	21.66	Pass	Horizontal
3	213.1543	11.24	1.74	-31.95	50.19	31.22	43.50	12.28	Pass	Horizontal
4	290.5681	13.01	2.03	-31.88	44.48	27.64	46.00	18.36	Pass	Horizontal
5	354.7885	14.41	2.25	-31.86	43.20	28.00	46.00	18.00	Pass	Horizontal
6	796.5707	20.86	3.38	-32.01	34.96	27.19	46.00	18.81	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.4481	7.98	1.48	-31.98	43.11	20.59	43.50	22.91	Pass	Vertical
2	208.8859	11.13	1.71	-31.94	47.69	28.59	43.50	14.91	Pass	Vertical
3	290.2770	13.01	2.03	-31.88	46.05	29.21	46.00	16.79	Pass	Vertical
4	354.7885	14.41	2.25	-31.86	40.26	25.06	46.00	20.94	Pass	Vertical
5	399.1219	15.38	2.38	-31.77	43.28	29.27	46.00	16.73	Pass	Vertical
6	625.0575	19.20	2.97	-31.98	37.88	28.07	46.00	17.93	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	40.09	18.52	43.50	24.98	Pass	Horizontal
2	161.3511	7.97	1.48	-31.97	47.11	24.59	43.50	18.91	Pass	Horizontal
3	212.7663	11.23	1.73	-31.94	48.99	30.01	43.50	13.49	Pass	Horizontal
4	290.3740	13.01	2.03	-31.88	44.69	27.85	46.00	18.15	Pass	Horizontal
5	354.8855	14.41	2.25	-31.86	43.23	28.03	46.00	17.97	Pass	Horizontal
6	399.2189	15.38	2.38	-31.76	42.02	28.02	46.00	17.98	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	48.19	29.09	43.50	14.41	Pass	Vertical
2	290.4710	13.01	2.03	-31.88	45.71	28.87	46.00	17.13	Pass	Vertical
3	354.9825	14.41	2.25	-31.86	40.96	25.76	46.00	20.24	Pass	Vertical
4	399.5100	15.39	2.38	-31.76	45.85	31.86	46.00	14.14	Pass	Vertical
5	599.7380	18.99	2.96	-31.99	38.90	28.86	46.00	17.14	Pass	Vertical
6	799.4809	20.89	3.39	-32.02	36.37	28.63	46.00	17.37	Pass	Vertical

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.2541	7.97	1.48	-31.98	46.14	23.61	43.50	19.89	Pass	Horizontal
2	212.5723	11.23	1.73	-31.95	49.33	30.34	43.50	13.16	Pass	Horizontal
3	290.4710	13.01	2.03	-31.88	44.27	27.43	46.00	18.57	Pass	Horizontal
4	354.7885	14.41	2.25	-31.86	43.32	28.12	46.00	17.88	Pass	Horizontal
5	399.0249	15.38	2.38	-31.77	46.57	32.56	46.00	13.44	Pass	Horizontal
6	597.3127	18.95	2.94	-31.97	38.46	28.38	46.00	17.62	Pass	Horizontal

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	43.59	21.07	43.50	22.43	Pass	Vertical
2	208.8859	11.13	1.71	-31.94	48.75	29.65	43.50	13.85	Pass	Vertical
3	290.4710	13.01	2.03	-31.88	45.94	29.10	46.00	16.90	Pass	Vertical
4	400.0920	15.40	2.38	-31.76	42.87	28.89	46.00	17.11	Pass	Vertical
5	625.0575	19.20	2.97	-31.98	38.32	28.51	46.00	17.49	Pass	Vertical
6	797.4437	20.87	3.38	-32.01	35.52	27.76	46.00	18.24	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	215.1915	11.29	1.75	-31.95	49.23	30.32	43.50	13.18	Pass	Horizontal
2	290.3740	13.01	2.03	-31.88	45.13	28.29	46.00	17.71	Pass	Horizontal
3	355.0795	14.41	2.25	-31.85	43.11	27.92	46.00	18.08	Pass	Horizontal
4	399.7040	15.39	2.38	-31.76	46.80	32.81	46.00	13.19	Pass	Horizontal
5	599.0589	18.98	2.95	-31.98	36.00	25.95	46.00	20.05	Pass	Horizontal
6	796.5707	20.86	3.38	-32.01	36.92	29.15	46.00	16.85	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	225.8626	11.57	1.78	-31.92	46.90	28.33	46.00	17.67	Pass	Vertical
2	290.2770	13.01	2.03	-31.88	46.09	29.25	46.00	16.75	Pass	Vertical
3	355.2735	14.42	2.25	-31.86	41.29	26.10	46.00	19.90	Pass	Vertical
4	398.3458	15.36	2.38	-31.77	40.05	26.02	46.00	19.98	Pass	Vertical
5	625.0575	19.20	2.97	-31.98	38.90	29.09	46.00	16.91	Pass	Vertical
6	844.9785	21.44	3.50	-31.82	33.08	26.20	46.00	19.80	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	45.27	22.75	43.50	20.75	Pass	Horizontal
2	199.7670	10.88	1.67	-31.94	52.28	32.89	43.50	10.61	Pass	Horizontal
3	290.2770	13.01	2.03	-31.88	45.38	28.54	46.00	17.46	Pass	Horizontal
4	354.9825	14.41	2.25	-31.86	44.24	29.04	46.00	16.96	Pass	Horizontal
5	457.8128	16.33	2.55	-31.85	38.60	25.63	46.00	20.37	Pass	Horizontal
6	915.5046	22.19	3.63	-31.44	35.50	29.88	46.00	16.12	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	214.2214	11.27	1.74	-31.95	46.36	27.42	43.50	16.08	Pass	Vertical
2	290.3740	13.01	2.03	-31.88	45.97	29.13	46.00	16.87	Pass	Vertical
3	355.0795	14.41	2.25	-31.85	41.34	26.15	46.00	19.85	Pass	Vertical
4	398.8309	15.37	2.38	-31.77	41.54	27.52	46.00	18.48	Pass	Vertical
5	625.0575	19.20	2.97	-31.98	38.27	28.46	46.00	17.54	Pass	Vertical
6	844.9785	21.44	3.50	-31.82	34.18	27.30	46.00	18.70	Pass	Vertical

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	40.65	19.08	43.50	24.42	Pass	Horizontal
2	225.9596	11.57	1.78	-31.91	49.54	30.98	46.00	15.02	Pass	Horizontal
3	290.5681	13.01	2.03	-31.88	45.27	28.43	46.00	17.57	Pass	Horizontal
4	354.7885	14.41	2.25	-31.86	43.41	28.21	46.00	17.79	Pass	Horizontal
5	399.2189	15.38	2.38	-31.76	39.75	25.75	46.00	20.25	Pass	Horizontal
6	687.5318	19.70	3.14	-32.06	34.80	25.58	46.00	20.42	Pass	Horizontal

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.4481	7.98	1.48	-31.98	43.59	21.07	43.50	22.43	Pass	Vertical
2	199.7670	10.88	1.67	-31.94	48.71	29.32	43.50	14.18	Pass	Vertical
3	290.3740	13.01	2.03	-31.88	45.88	29.04	46.00	16.96	Pass	Vertical
4	354.7885	14.41	2.25	-31.86	41.43	26.23	46.00	19.77	Pass	Vertical
5	399.2189	15.38	2.38	-31.76	42.82	28.82	46.00	17.18	Pass	Vertical
6	598.0888	18.96	2.95	-31.98	40.40	30.33	46.00	15.67	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5755
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.2541	7.97	1.48	-31.98	45.77	23.24	43.50	20.26	Pass	Horizontal
2	199.6700	10.87	1.67	-31.94	52.45	33.05	43.50	10.45	Pass	Horizontal
3	290.2770	13.01	2.03	-31.88	44.87	28.03	46.00	17.97	Pass	Horizontal
4	354.8855	14.41	2.25	-31.86	43.17	27.97	46.00	18.03	Pass	Horizontal
5	400.0920	15.40	2.38	-31.76	39.48	25.50	46.00	20.50	Pass	Horizontal
6	602.1632	19.02	2.96	-32.01	34.31	24.28	46.00	21.72	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5755
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	43.48	20.96	43.50	22.54	Pass	Vertical
2	199.1849	10.82	1.67	-31.94	49.35	29.90	43.50	13.60	Pass	Vertical
3	290.4710	13.01	2.03	-31.88	45.87	29.03	46.00	16.97	Pass	Vertical
4	354.9825	14.41	2.25	-31.86	42.04	26.84	46.00	19.16	Pass	Vertical
5	399.2189	15.38	2.38	-31.76	40.47	26.47	46.00	19.53	Pass	Vertical
6	625.0575	19.20	2.97	-31.98	36.99	27.18	46.00	18.82	Pass	Vertical

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5795
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	39.82	18.25	43.50	25.25	Pass	Horizontal
2	215.9676	11.32	1.75	-31.96	49.34	30.45	43.50	13.05	Pass	Horizontal
3	290.0830	13.00	2.03	-31.88	44.25	27.40	46.00	18.60	Pass	Horizontal
4	354.8855	14.41	2.25	-31.86	42.46	27.26	46.00	18.74	Pass	Horizontal
5	399.4129	15.39	2.38	-31.77	38.88	24.88	46.00	21.12	Pass	Horizontal
6	599.0589	18.98	2.95	-31.98	36.67	26.62	46.00	19.38	Pass	Horizontal

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5795
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Magin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	43.55	21.03	43.50	22.47	Pass	Vertical
2	208.8859	11.13	1.71	-31.94	48.94	29.84	43.50	13.66	Pass	Vertical
3	290.5681	13.01	2.03	-31.88	45.62	28.78	46.00	17.22	Pass	Vertical
4	398.9279	15.38	2.38	-31.77	41.71	27.70	46.00	18.30	Pass	Vertical
5	597.6038	18.95	2.94	-31.97	40.85	30.77	46.00	15.23	Pass	Vertical
6	915.5046	22.19	3.63	-31.44	37.01	31.39	46.00	14.61	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	120.0250	9.20	1.30	-32.07	41.01	19.44	43.50	24.06	Pass	Horizontal
2	213.2513	11.24	1.74	-31.95	48.74	29.77	43.50	13.73	Pass	Horizontal
3	290.4710	13.01	2.03	-31.88	45.16	28.32	46.00	17.68	Pass	Horizontal
4	355.2735	14.42	2.25	-31.86	42.22	27.03	46.00	18.97	Pass	Horizontal
5	399.2189	15.38	2.38	-31.76	42.24	28.24	46.00	17.76	Pass	Horizontal
6	598.0888	18.96	2.95	-31.98	35.60	25.53	46.00	20.47	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5745
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	43.44	20.92	43.50	22.58	Pass	Vertical
2	225.9596	11.57	1.78	-31.91	47.39	28.83	46.00	17.17	Pass	Vertical
3	290.3740	13.01	2.03	-31.88	45.89	29.05	46.00	16.95	Pass	Vertical
4	399.3159	15.38	2.38	-31.76	44.84	30.84	46.00	15.16	Pass	Vertical
5	599.8350	19.00	2.96	-31.99	38.27	28.24	46.00	17.76	Pass	Vertical
6	796.6677	20.86	3.38	-32.01	34.34	26.57	46.00	19.43	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	152.5233	7.64	1.46	-32.01	45.69	22.78	43.50	20.72	Pass	Horizontal
2	225.9596	11.57	1.78	-31.91	49.11	30.55	46.00	15.45	Pass	Horizontal
3	290.5681	13.01	2.03	-31.88	45.08	28.24	46.00	17.76	Pass	Horizontal
4	354.7885	14.41	2.25	-31.86	42.65	27.45	46.00	18.55	Pass	Horizontal
5	399.8980	15.40	2.38	-31.76	43.97	29.99	46.00	16.01	Pass	Horizontal
6	799.7720	20.90	3.39	-32.03	39.20	31.46	46.00	14.54	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5785
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	208.8859	11.13	1.71	-31.94	47.69	28.59	43.50	14.91	Pass	Vertical
2	225.9596	11.57	1.78	-31.91	47.34	28.78	46.00	17.22	Pass	Vertical
3	290.3740	13.01	2.03	-31.88	46.62	29.78	46.00	16.22	Pass	Vertical
4	398.3458	15.36	2.38	-31.77	44.70	30.67	46.00	15.33	Pass	Vertical
5	597.8948	18.96	2.95	-31.98	38.43	28.36	46.00	17.64	Pass	Vertical
6	799.7720	20.90	3.39	-32.03	38.24	30.50	46.00	15.50	Pass	Vertical

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5825
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	45.24	22.72	43.50	20.78	Pass	Horizontal
2	216.7437	11.34	1.75	-31.95	49.37	30.51	46.00	15.49	Pass	Horizontal
3	290.3740	13.01	2.03	-31.88	45.38	28.54	46.00	17.46	Pass	Horizontal
4	354.8855	14.41	2.25	-31.86	42.11	26.91	46.00	19.09	Pass	Horizontal
5	398.5399	15.37	2.38	-31.77	41.24	27.22	46.00	18.78	Pass	Horizontal
6	599.5440	18.99	2.96	-31.99	38.26	28.22	46.00	17.78	Pass	Horizontal

Mode:	802.11 ac(HT20Mbps) Transmitting	Channel:	5825
Remark:			


Test Graph



Suspected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	225.8626	11.57	1.78	-31.92	46.70	28.13	46.00	17.87	Pass	Vertical
2	290.6651	13.01	2.03	-31.87	46.27	29.44	46.00	16.56	Pass	Vertical
3	355.2735	14.42	2.25	-31.86	41.18	25.99	46.00	20.01	Pass	Vertical
4	398.6369	15.37	2.38	-31.77	45.37	31.35	46.00	14.65	Pass	Vertical
5	599.4469	18.99	2.96	-31.99	41.16	31.12	46.00	14.88	Pass	Vertical
6	778.5269	20.66	3.34	-32.02	35.47	27.45	46.00	18.55	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5755
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	214.0274	11.26	1.74	-31.95	49.57	30.62	43.50	12.88	Pass	Horizontal
2	290.2770	13.01	2.03	-31.88	45.49	28.65	46.00	17.35	Pass	Horizontal
3	354.9825	14.41	2.25	-31.86	42.95	27.75	46.00	18.25	Pass	Horizontal
4	398.3458	15.36	2.38	-31.77	41.46	27.43	46.00	18.57	Pass	Horizontal
5	597.9918	18.96	2.95	-31.98	37.87	27.80	46.00	18.20	Pass	Horizontal
6	796.3766	20.86	3.38	-32.01	34.97	27.20	46.00	18.80	Pass	Horizontal

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5755
Remark:			

Test Graph




Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	161.3511	7.97	1.48	-31.97	43.24	20.72	43.50	22.78	Pass	Vertical
2	225.6686	11.57	1.78	-31.92	47.30	28.73	46.00	17.27	Pass	Vertical
3	290.6651	13.01	2.03	-31.87	45.70	28.87	46.00	17.13	Pass	Vertical
4	399.8010	15.40	2.38	-31.77	39.99	26.00	46.00	20.00	Pass	Vertical
5	597.5068	18.95	2.94	-31.97	39.22	29.14	46.00	16.86	Pass	Vertical
6	796.6677	20.86	3.38	-32.01	37.27	29.50	46.00	16.50	Pass	Vertical

Mode:	802.11 ac(HT40Mbps) Transmitting	Channel:	5795
Remark:			

Test Graph



Suspected List

NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	152.6203	7.64	1.46	-32.01	44.94	22.03	43.50	21.47	Pass	Horizontal
2	211.3111	11.19	1.73	-31.95	48.39	29.36	43.50	14.14	Pass	Horizontal
3	290.4710	13.01	2.03	-31.88	45.10	28.26	46.00	17.74	Pass	Horizontal
4	354.5945	14.40	2.25	-31.86	43.71	28.50	46.00	17.50	Pass	Horizontal
5	398.2488	15.36	2.37	-31.76	44.02	29.99	46.00	16.01	Pass	Horizontal
6	601.8722	19.01	2.96	-32.00	35.12	25.09	46.00	20.91	Pass	Horizontal