









Mode	9																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5726.48</td><td>64.08</td><td>68.20</td><td>-4.12</td><td>46.68</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>112</td><td>294 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5726.48	64.08	68.20	-4.12	46.68	34.65	12.68	29.93	0.00	112	294 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.65</td><td>-----</td><td>-----</td><td>94.40</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>112</td><td>294 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	111.65	-----	-----	94.40	34.60	12.64	29.99	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5726.48	64.08	68.20	-4.12	46.68	34.65	12.68	29.93	0.00	112	294 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	111.65	-----	-----	94.40	34.60	12.64	29.99	0.00	112	294 PEAK																																																																																			
Avg	Blank																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.82</td><td>-----</td><td>-----</td><td>85.56</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>112</td><td>294 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	102.82	-----	-----	85.56	34.60	12.63	29.97	0.00	112	294 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	102.82	-----	-----	85.56	34.60	12.63	29.97	0.00	112	294 AVERAGE																																																																																			







Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.44</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.46</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>393</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.44	57.86	68.20	-10.34	40.46	34.65	12.68	29.93	0.00	393	20	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.31</td><td>-----</td><td>-----</td><td>88.06</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>393</td><td>20</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.31	-----	-----	88.06	34.60	12.64	29.99	0.00	393	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5727.44	57.86	68.20	-10.34	40.46	34.65	12.68	29.93	0.00	393	20	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	105.31	-----	-----	88.06	34.60	12.64	29.99	0.00	393	20	PEAK																																																																																						
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.44</td><td>-----</td><td>-----</td><td>79.18</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>393</td><td>20</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.44	-----	-----	79.18	34.60	12.63	29.97	0.00	393	20	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	96.44	-----	-----	79.18	34.60	12.63	29.97	0.00	393	20	AVERAGE																																																																																						







Mode	9																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
Pol.	Horizontal																																																																																																
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>63.09</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>64.28</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>54.61</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>64.27</td><td>68.20</td><td>-3.93</td><td>69.32</td><td>41.00</td><td>18.28</td><td>64.33</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7599.81	44.82	74.00	-29.18	63.09	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	53.00	74.00	-21.00	64.28	38.10	14.85	64.23	0.00	100	107	PEAK	3	11400.00	43.33	54.00	-10.67	54.61	38.10	14.85	64.23	0.00	100	107	AVERAGE	4	17100.00	64.27	68.20	-3.93	69.32	41.00	18.28	64.33	0.00	100	105	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7599.81	44.82	74.00	-29.18	63.09	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																					
2	11400.00	53.00	74.00	-21.00	64.28	38.10	14.85	64.23	0.00	100	107	PEAK																																																																																					
3	11400.00	43.33	54.00	-10.67	54.61	38.10	14.85	64.23	0.00	100	107	AVERAGE																																																																																					
4	17100.00	64.27	68.20	-3.93	69.32	41.00	18.28	64.33	0.00	100	105	PEAK																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>60.25</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>70.05</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>58.08</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>63.28</td><td>68.20</td><td>-4.92</td><td>68.33</td><td>41.01</td><td>18.27</td><td>64.33</td><td>0.00</td><td>100</td><td>32</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK	3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE	4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																					
2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK																																																																																					
3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE																																																																																					
4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK																																																																																					





		10																																																				
Mode		Band Edge																																																				
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>64.66</td><td>74.00</td><td>-9.34</td><td>48.40</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>292</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	64.66	74.00	-9.34	48.40	34.10	12.03	29.87	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.85	64.66	74.00	-9.34	48.40	34.10	12.03	29.87	0.00	106	292	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>36.22</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>292</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	52.48	54.00	-1.52	36.22	34.10	12.03	29.87	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.99	52.48	54.00	-1.52	36.22	34.10	12.03	29.87	0.00	106	292	AVERAGE																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.06</td><td>-----</td><td>-----</td><td>95.64</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>292</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.06	-----	-----	95.64	34.24	12.06	29.88	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	112.06	-----	-----	95.64	34.24	12.06	29.88	0.00	106	292	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.85</td><td>-----</td><td>-----</td><td>85.43</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>292</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.85	-----	-----	85.43	34.24	12.06	29.88	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5180.00	101.85	-----	-----	85.43	34.24	12.06	29.88	0.00	106	292	AVERAGE																																										



Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.45</td><td>58.61</td><td>74.00</td><td>-15.39</td><td>42.24</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>385</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.45	58.61	74.00	-15.39	42.24	34.21	12.02	29.86	0.00	385	15	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.47</td><td>-----</td><td>-----</td><td>86.05</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>385</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.47	-----	-----	86.05	34.24	12.06	29.88	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5122.45	58.61	74.00	-15.39	42.24	34.21	12.02	29.86	0.00	385	15	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.47	-----	-----	86.05	34.24	12.06	29.88	0.00	385	15	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.75</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>30.71</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>385</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.75	46.97	54.00	-7.03	30.71	34.10	12.03	29.87	0.00	385	15	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.32</td><td>-----</td><td>-----</td><td>76.90</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>385</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.32	-----	-----	76.90	34.24	12.06	29.88	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.75	46.97	54.00	-7.03	30.71	34.10	12.03	29.87	0.00	385	15	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	93.32	-----	-----	76.90	34.24	12.06	29.88	0.00	385	15	AVERAGE																																																																																																			





Mode	10																																																																																			
	Harmonic																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																			
Pol.	Horizontal																																																																																			
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>69.82</td><td>37.42</td><td>14.13</td><td>65.45</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>60.71</td><td>40.08</td><td>17.52</td><td>64.30</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>50.29</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	55.92	68.20	-12.28	69.82	37.42	14.13	65.45	0.00	100	168	PEAK	2	15540.00	54.01	74.00	-19.99	60.71	40.08	17.52	64.30	0.00	100	148	PEAK	3	15540.00	43.58	54.00	-10.42	50.29	40.08	17.51	64.30	0.00	100	148	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	10360.00	55.92	68.20	-12.28	69.82	37.42	14.13	65.45	0.00	100	168	PEAK																																																																								
2	15540.00	54.01	74.00	-19.99	60.71	40.08	17.52	64.30	0.00	100	148	PEAK																																																																								
3	15540.00	43.58	54.00	-10.42	50.29	40.08	17.51	64.30	0.00	100	148	AVERAGE																																																																								
Vertical																																																																																				
																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>59.63</td><td>68.20</td><td>-8.57</td><td>73.53</td><td>37.42</td><td>14.13</td><td>65.45</td><td>0.00</td><td>109</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>60.67</td><td>40.08</td><td>17.52</td><td>64.30</td><td>0.00</td><td>104</td><td>251</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>50.51</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>104</td><td>251</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	59.63	68.20	-8.57	73.53	37.42	14.13	65.45	0.00	109	88	PEAK	2	15540.00	53.97	74.00	-20.03	60.67	40.08	17.52	64.30	0.00	104	251	PEAK	3	15540.00	43.80	54.00	-10.20	50.51	40.08	17.51	64.30	0.00	104	251	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	10360.00	59.63	68.20	-8.57	73.53	37.42	14.13	65.45	0.00	109	88	PEAK																																																																								
2	15540.00	53.97	74.00	-20.03	60.67	40.08	17.52	64.30	0.00	104	251	PEAK																																																																								
3	15540.00	43.80	54.00	-10.20	50.51	40.08	17.51	64.30	0.00	104	251	AVERAGE																																																																								



		11																																																																																																																																								
Mode		Harmonic																																																																																																																																								
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																																								
Pol.		Horizontal										Vertical																																																																																																																														
Peak Avg																																																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10441.53</td><td>50.95</td><td>68.20</td><td>-17.25</td><td>59.46</td><td>37.54</td><td>17.61</td><td>63.66</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15660.00</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>56.27</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>3 15660.00</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>45.68</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10441.53	50.95	68.20	-17.25	59.46	37.54	17.61	63.66	0.00	--	-- PEAK	2 15660.00	54.16	74.00	-19.84	56.27	40.16	21.74	64.01	0.00	100	244 PEAK	3 15660.00	43.57	54.00	-10.43	45.68	40.16	21.74	64.01	0.00	100	244 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10443.73</td><td>47.07</td><td>68.20</td><td>-21.13</td><td>55.57</td><td>37.54</td><td>17.62</td><td>63.66</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15660.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>48.07</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10443.73	47.07	68.20	-21.13	55.57	37.54	17.62	63.66	0.00	--	-- PEAK	2 15660.00	45.96	74.00	-28.04	48.07	40.16	21.74	64.01	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1 10441.53	50.95	68.20	-17.25	59.46	37.54	17.61	63.66	0.00	--	-- PEAK																																																																																																																																
2 15660.00	54.16	74.00	-19.84	56.27	40.16	21.74	64.01	0.00	100	244 PEAK																																																																																																																																
3 15660.00	43.57	54.00	-10.43	45.68	40.16	21.74	64.01	0.00	100	244 AVERAGE																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1 10443.73	47.07	68.20	-21.13	55.57	37.54	17.62	63.66	0.00	--	-- PEAK																																																																																																																																
2 15660.00	45.96	74.00	-28.04	48.07	40.16	21.74	64.01	0.00	--	-- PEAK																																																																																																																																



		12																																																																																																																																																									
Mode		Harmonic																																																																																																																																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																																																																									
Pol.		Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10401.13</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>58.41</td><td>37.58</td><td>17.65</td><td>63.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>58.15</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>101</td><td>243 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>46.98</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>101</td><td>243 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10401.13	49.91	68.20	-18.29	58.41	37.58	17.65	63.73	0.00	--	PEAK	2	15720.00	56.15	74.00	-17.85	58.15	40.26	21.79	64.05	0.00	101	243 PEAK	3	15720.00	44.98	54.00	-9.02	46.98	40.26	21.79	64.05	0.00	101	243 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10402.60</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>56.40</td><td>37.58</td><td>17.65</td><td>63.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>54.41</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>347</td><td>248 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>41.44</td><td>54.00</td><td>-12.56</td><td>43.43</td><td>40.27</td><td>21.80</td><td>64.06</td><td>0.00</td><td>347</td><td>248 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10402.60	47.90	68.20	-20.30	56.40	37.58	17.65	63.73	0.00	--	PEAK	2	15720.00	52.41	74.00	-21.59	54.41	40.26	21.79	64.05	0.00	347	248 PEAK	3	15720.00	41.44	54.00	-12.56	43.43	40.27	21.80	64.06	0.00	347	248 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	10401.13	49.91	68.20	-18.29	58.41	37.58	17.65	63.73	0.00	--	PEAK																																																																																																																																																
2	15720.00	56.15	74.00	-17.85	58.15	40.26	21.79	64.05	0.00	101	243 PEAK																																																																																																																																																
3	15720.00	44.98	54.00	-9.02	46.98	40.26	21.79	64.05	0.00	101	243 AVERAGE																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	10402.60	47.90	68.20	-20.30	56.40	37.58	17.65	63.73	0.00	--	PEAK																																																																																																																																																
2	15720.00	52.41	74.00	-21.59	54.41	40.26	21.79	64.05	0.00	347	248 PEAK																																																																																																																																																
3	15720.00	41.44	54.00	-12.56	43.43	40.27	21.80	64.06	0.00	347	248 AVERAGE																																																																																																																																																







Mode	13																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10522.93</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>57.47</td><td>37.60</td><td>17.69</td><td>63.66</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2 15780.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>58.04</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100 244 PEAK</td></tr><tr><td>3 15780.00</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>47.05</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100 244 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	-- PEAK	2 15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100 244 PEAK	3 15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100 244 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>56.96</td><td>37.60</td><td>17.69</td><td>63.67</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2 15780.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>55.42</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>334 255 PEAK</td></tr><tr><td>3 15780.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>45.08</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>334 255 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	48.58	68.20	-19.62	56.96	37.60	17.69	63.67	0.00	-- PEAK	2 15780.00	53.60	74.00	-20.40	55.42	40.44	21.84	64.10	0.00	334 255 PEAK	3 15780.00	43.26	54.00	-10.74	45.08	40.44	21.84	64.10	0.00	334 255 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	-- PEAK																																																																																																																									
2 15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100 244 PEAK																																																																																																																									
3 15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100 244 AVERAGE																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 10520.00	48.58	68.20	-19.62	56.96	37.60	17.69	63.67	0.00	-- PEAK																																																																																																																									
2 15780.00	53.60	74.00	-20.40	55.42	40.44	21.84	64.10	0.00	334 255 PEAK																																																																																																																									
3 15780.00	43.26	54.00	-10.74	45.08	40.44	21.84	64.10	0.00	334 255 AVERAGE																																																																																																																									



Mode	14																																																																																																																
	Harmonic																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																																
Pol.	Horizontal																																																																																																																
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7066.49</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>60.83</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>69.53</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>58.54</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr><tr><td>4</td><td>15900.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>59.83</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>49.67</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7066.49	43.55	68.20	-24.65	60.83	35.60	11.54	64.42	0.00	--	--	PEAK	2	10600.00	56.55	74.00	-17.45	69.53	37.90	14.29	65.17	0.00	100	172	PEAK	3	10600.00	45.56	54.00	-8.44	58.54	37.90	14.29	65.17	0.00	100	172	AVERAGE	4	15900.00	54.01	74.00	-19.99	59.83	40.90	17.70	64.42	0.00	100	109	PEAK	5	15900.00	43.86	54.00	-10.14	49.67	40.91	17.70	64.42	0.00	100	109
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	7066.49	43.55	68.20	-24.65	60.83	35.60	11.54	64.42	0.00	--	--	PEAK																																																																																																					
2	10600.00	56.55	74.00	-17.45	69.53	37.90	14.29	65.17	0.00	100	172	PEAK																																																																																																					
3	10600.00	45.56	54.00	-8.44	58.54	37.90	14.29	65.17	0.00	100	172	AVERAGE																																																																																																					
4	15900.00	54.01	74.00	-19.99	59.83	40.90	17.70	64.42	0.00	100	109	PEAK																																																																																																					
5	15900.00	43.86	54.00	-10.14	49.67	40.91	17.70	64.42	0.00	100	109	AVERAGE																																																																																																					
	Vertical																																																																																																																
Peak Avg																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7066.49</td><td>44.12</td><td>68.20</td><td>-24.08</td><td>61.40</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>71.05</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>116</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>59.07</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>116</td><td>89</td><td>AVERAGE</td></tr><tr><td>4</td><td>15900.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>58.53</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>47.88</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>253</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7066.49	44.12	68.20	-24.08	61.40	35.60	11.54	64.42	0.00	--	--	PEAK	2	10600.00	58.07	74.00	-15.93	71.05	37.90	14.29	65.17	0.00	116	89	PEAK	3	10600.00	46.09	54.00	-7.91	59.07	37.90	14.29	65.17	0.00	116	89	AVERAGE	4	15900.00	52.71	74.00	-21.29	58.53	40.90	17.70	64.42	0.00	100	253	PEAK	5	15900.00	42.07	54.00	-11.93	47.88	40.91	17.70	64.42	0.00	100	253
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	7066.49	44.12	68.20	-24.08	61.40	35.60	11.54	64.42	0.00	--	--	PEAK																																																																																																					
2	10600.00	58.07	74.00	-15.93	71.05	37.90	14.29	65.17	0.00	116	89	PEAK																																																																																																					
3	10600.00	46.09	54.00	-7.91	59.07	37.90	14.29	65.17	0.00	116	89	AVERAGE																																																																																																					
4	15900.00	52.71	74.00	-21.29	58.53	40.90	17.70	64.42	0.00	100	253	PEAK																																																																																																					
5	15900.00	42.07	54.00	-11.93	47.88	40.91	17.70	64.42	0.00	100	253	AVERAGE																																																																																																					





		15																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.55</td><td>64.24</td><td>74.00</td><td>-9.76</td><td>47.47</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.55	64.24	74.00	-9.76	47.47	34.40	12.21	29.84	0.00	100	294	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.25</td><td>-----</td><td>-----</td><td>96.58</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.25	-----	-----	96.58	34.40	12.17	29.90	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.55	64.24	74.00	-9.76	47.47	34.40	12.21	29.84	0.00	100	294	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	113.25	-----	-----	96.58	34.40	12.17	29.90	0.00	100	294	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>35.29</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	52.06	54.00	-1.94	35.29	34.40	12.21	29.84	0.00	100	294	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.96</td><td>-----</td><td>-----</td><td>87.29</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.96	-----	-----	87.29	34.40	12.17	29.90	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.05	52.06	54.00	-1.94	35.29	34.40	12.21	29.84	0.00	100	294	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.96	-----	-----	87.29	34.40	12.17	29.90	0.00	100	294	AVERAGE																																																																																							







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.55</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>38.92</td><td>34.58</td><td>12.25</td><td>29.79</td><td>0.00</td><td>366</td><td>14</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.55	55.96	74.00	-18.04	38.92	34.58	12.25	29.79	0.00	366	14	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>104.96</td><td>-----</td><td>-----</td><td>88.27</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>366</td><td>14</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.96	-----	-----	88.27	34.40	12.18	29.89	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5394.55	55.96	74.00	-18.04	38.92	34.58	12.25	29.79	0.00	366	14	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	104.96	-----	-----	88.27	34.40	12.18	29.89	0.00	366	14	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.25</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>29.02</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>366</td><td>14</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	45.79	54.00	-8.21	29.02	34.40	12.21	29.84	0.00	366	14	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>96.33</td><td>-----</td><td>-----</td><td>79.66</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>366</td><td>14</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.33	-----	-----	79.66	34.40	12.17	29.90	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.25	45.79	54.00	-8.21	29.02	34.40	12.21	29.84	0.00	366	14	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	96.33	-----	-----	79.66	34.40	12.17	29.90	0.00	366	14	AVERAGE																																																																																							







Mode	15																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																																																																																																								
Pol.	Horizontal											Vertical																																																																																																																																																																													
Peak Avg																																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>7093.16</td><td>44.30</td><td>68.20</td><td>-23.90</td><td>61.65</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>65.91</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>300</td><td>165</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>55.56</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>300</td><td>165</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>62.61</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>51.19</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7093.16	44.30	68.20	-23.90	61.65	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	52.97	74.00	-21.03	65.91	37.86	14.32	65.12	0.00	300	165	PEAK	3	10640.00	42.62	54.00	-11.38	55.56	37.86	14.32	65.12	0.00	300	165	AVERAGE	4	15960.00	56.92	74.00	-17.08	62.61	41.02	17.73	64.44	0.00	100	100	PEAK	5	15960.00	45.50	54.00	-8.50	51.19	41.02	17.73	64.44	0.00	100	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>7093.16</td><td>43.11</td><td>68.20</td><td>-25.09</td><td>60.46</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>68.51</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>57.66</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>60.17</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>50.26</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7093.16	43.11	68.20	-25.09	60.46	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	55.57	74.00	-18.43	68.51	37.86	14.32	65.12	0.00	100	88	PEAK	3	10640.00	44.72	54.00	-9.28	57.66	37.86	14.32	65.12	0.00	100	88	AVERAGE	4	15960.00	54.48	74.00	-19.52	60.17	41.02	17.73	64.44	0.00	100	252	PEAK	5	15960.00	44.57	54.00	-9.43	50.26	41.02	17.73	64.44	0.00	100	252
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																															
1	7093.16	44.30	68.20	-23.90	61.65	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																																																																																													
2	10640.00	52.97	74.00	-21.03	65.91	37.86	14.32	65.12	0.00	300	165	PEAK																																																																																																																																																																													
3	10640.00	42.62	54.00	-11.38	55.56	37.86	14.32	65.12	0.00	300	165	AVERAGE																																																																																																																																																																													
4	15960.00	56.92	74.00	-17.08	62.61	41.02	17.73	64.44	0.00	100	100	PEAK																																																																																																																																																																													
5	15960.00	45.50	54.00	-8.50	51.19	41.02	17.73	64.44	0.00	100	100	AVERAGE																																																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																															
1	7093.16	43.11	68.20	-25.09	60.46	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																																																																																													
2	10640.00	55.57	74.00	-18.43	68.51	37.86	14.32	65.12	0.00	100	88	PEAK																																																																																																																																																																													
3	10640.00	44.72	54.00	-9.28	57.66	37.86	14.32	65.12	0.00	100	88	AVERAGE																																																																																																																																																																													
4	15960.00	54.48	74.00	-19.52	60.17	41.02	17.73	64.44	0.00	100	252	PEAK																																																																																																																																																																													
5	15960.00	44.57	54.00	-9.43	50.26	41.02	17.73	64.44	0.00	100	252	AVERAGE																																																																																																																																																																													






Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.17</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>40.34</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>102</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>65.47</td><td>68.20</td><td>-2.73</td><td>48.46</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	57.39	74.00	-16.61	40.34	34.59	12.33	29.87	0.00	102	293	PEAK	2	5469.45	65.47	68.20	-2.73	48.46	34.56	12.34	29.89	0.00	102	293	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>112.27</td><td>-----</td><td>-----</td><td>95.32</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>102</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.27	-----	-----	95.32	34.51	12.38	29.94	0.00	102	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.17	57.39	74.00	-16.61	40.34	34.59	12.33	29.87	0.00	102	293	PEAK																																																																																																				
2	5469.45	65.47	68.20	-2.73	48.46	34.56	12.34	29.89	0.00	102	293	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	112.27	-----	-----	95.32	34.51	12.38	29.94	0.00	102	293	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>32.51</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>102</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	49.54	54.00	-4.46	32.51	34.58	12.33	29.88	0.00	102	293	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.91</td><td>-----</td><td>-----</td><td>85.95</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>102</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.91	-----	-----	85.95	34.52	12.37	29.93	0.00	102	293	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	49.54	54.00	-4.46	32.51	34.58	12.33	29.88	0.00	102	293	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	102.91	-----	-----	85.95	34.52	12.37	29.93	0.00	102	293	AVERAGE																																																																																																				






		16																																																																																																																							
Mode		Band Edge																																																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																							
Pol.		Vertical					Fundamental																																																																																																																		
Peak																																																																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.65</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>38.59</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>42.10</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK	2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.96</td><td>-----</td><td>-----</td><td>90.00</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK																																																																																																													
2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19	PEAK																																																																																																													
Avg																																																																																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.69</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>29.17</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>399</td><td>19</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	46.20	54.00	-7.80	29.17	34.58	12.33	29.88	0.00	399	19	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.99</td><td>-----</td><td>-----</td><td>80.03</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>399</td><td>19</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.99	-----	-----	80.03	34.50	12.39	29.93	0.00	399	19	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5459.69	46.20	54.00	-7.80	29.17	34.58	12.33	29.88	0.00	399	19	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5500.00	96.99	-----	-----	80.03	34.50	12.39	29.93	0.00	399	19	AVERAGE																																																																																																													






Mode	16																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
	Vertical																																																																																															
																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>60.46</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>67.02</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>56.23</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>63.22</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	42.62	74.00	-31.38	60.46	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	54.88	74.00	-19.12	67.02	38.00	14.56	64.70	0.00	100	88	PEAK	3	11000.00	44.09	54.00	-9.91	56.23	38.00	14.56	64.70	0.00	100	88	AVERAGE	4	16500.00	58.06	68.20	-10.14	63.22	41.30	17.98	64.44	0.00	100	217	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	42.62	74.00	-31.38	60.46	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	54.88	74.00	-19.12	67.02	38.00	14.56	64.70	0.00	100	88	PEAK																																																																																				
3	11000.00	44.09	54.00	-9.91	56.23	38.00	14.56	64.70	0.00	100	88	AVERAGE																																																																																				
4	16500.00	58.06	68.20	-10.14	63.22	41.30	17.98	64.44	0.00	100	217	PEAK																																																																																				







Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.20</td><td>66.56</td><td>68.20</td><td>-1.64</td><td>49.17</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>111</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	66.56	68.20	-1.64	49.17	34.65	12.68	29.94	0.00	111	296	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.53</td><td>-----</td><td>-----</td><td>94.28</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>111</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	111.53	-----	-----	94.28	34.60	12.64	29.99	0.00	111	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.20	66.56	68.20	-1.64	49.17	34.65	12.68	29.94	0.00	111	296	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	111.53	-----	-----	94.28	34.60	12.64	29.99	0.00	111	296	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.87</td><td>-----</td><td>-----</td><td>84.61</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>111</td><td>296</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.87	-----	-----	84.61	34.60	12.63	29.97	0.00	111	296	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	101.87	-----	-----	84.61	34.60	12.63	29.97	0.00	111	296	AVERAGE																																																																																							



Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.44</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>40.82</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>391</td><td>19</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.44	58.21	68.20	-9.99	40.82	34.65	12.68	29.94	0.00	391	19	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.55</td><td>-----</td><td>-----</td><td>86.30</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>391</td><td>19</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.55	-----	-----	86.30	34.60	12.64	29.99	0.00	391	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.44	58.21	68.20	-9.99	40.82	34.65	12.68	29.94	0.00	391	19	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	103.55	-----	-----	86.30	34.60	12.64	29.99	0.00	391	19	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.52</td><td>-----</td><td>-----</td><td>77.26</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>391</td><td>19</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	94.52	-----	-----	77.26	34.60	12.63	29.97	0.00	391	19	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	94.52	-----	-----	77.26	34.60	12.63	29.97	0.00	391	19	AVERAGE																																																																																							





Mode	18																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>56.99</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100 160 PEAK</td></tr><tr><td>2 11400.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>46.45</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100 160 AVERAGE</td></tr><tr><td>3 17100.00</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>63.40</td><td>41.42</td><td>22.73</td><td>64.16</td><td>0.00</td><td>100 247 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	52.18	74.00	-21.82	56.99	38.00	18.50	61.31	0.00	100 160 PEAK	2 11400.00	41.64	54.00	-12.36	46.45	38.00	18.50	61.31	0.00	100 160 AVERAGE	3 17100.00	63.39	68.20	-4.81	63.40	41.42	22.73	64.16	0.00	100 247 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>56.20</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100 125 PEAK</td></tr><tr><td>2 11400.00</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>45.99</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100 125 AVERAGE</td></tr><tr><td>3 17100.00</td><td>62.05</td><td>68.20</td><td>-6.15</td><td>62.07</td><td>41.40</td><td>22.74</td><td>64.16</td><td>0.00</td><td>316 261 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11400.00	51.39	74.00	-22.61	56.20	38.00	18.50	61.31	0.00	100 125 PEAK	2 11400.00	41.18	54.00	-12.82	45.99	38.00	18.50	61.31	0.00	100 125 AVERAGE	3 17100.00	62.05	68.20	-6.15	62.07	41.40	22.74	64.16	0.00	316 261 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11400.00	52.18	74.00	-21.82	56.99	38.00	18.50	61.31	0.00	100 160 PEAK																																																																																																																	
2 11400.00	41.64	54.00	-12.36	46.45	38.00	18.50	61.31	0.00	100 160 AVERAGE																																																																																																																	
3 17100.00	63.39	68.20	-4.81	63.40	41.42	22.73	64.16	0.00	100 247 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11400.00	51.39	74.00	-22.61	56.20	38.00	18.50	61.31	0.00	100 125 PEAK																																																																																																																	
2 11400.00	41.18	54.00	-12.82	45.99	38.00	18.50	61.31	0.00	100 125 AVERAGE																																																																																																																	
3 17100.00	62.05	68.20	-6.15	62.07	41.40	22.74	64.16	0.00	316 261 PEAK																																																																																																																	







Mode	19																																																													
	Band Edge - L																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																													
Pol.	Horizontal						Fundamental																																																							
Peak																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.53</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>47.60</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5149.53	63.86	74.00	-10.14	47.60	34.10	12.03	29.87	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5149.53	63.86	74.00	-10.14	47.60	34.10	12.03	29.87	0.00	105	287	PEAK																																																		
Avg																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.98</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>36.16</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5149.98	52.42	54.00	-1.58	36.16	34.10	12.03	29.87	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5149.98	52.42	54.00	-1.58	36.16	34.10	12.03	29.87	0.00	105	287	AVERAGE																																																		
Peak																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>101.87</td><td>-----</td><td>-----</td><td>85.47</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5190.00	101.87	-----	-----	85.47	34.22	12.06	29.88	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5190.00	101.87	-----	-----	85.47	34.22	12.06	29.88	0.00	105	287	PEAK																																																		
Avg																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>93.10</td><td>-----</td><td>-----</td><td>76.67</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5190.00	93.10	-----	-----	76.67	34.26	12.06	29.89	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5190.00	93.10	-----	-----	76.67	34.26	12.06	29.89	0.00	105	287	AVERAGE																																																		





Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.15</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>38.96</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.15	56.02	74.00	-17.98	38.96	34.60	12.28	29.82	0.00	105	287	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5423.15	56.02	74.00	-17.98	38.96	34.60	12.28	29.82	0.00	105	287	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.52</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>27.79</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.52	44.83	54.00	-9.17	27.79	34.58	12.33	29.87	0.00	105	287	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5458.52	44.83	54.00	-9.17	27.79	34.58	12.33	29.87	0.00	105	287	AVERAGE																																											





		19																																																				
Mode	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5107.61</td><td>57.78</td><td>74.00</td><td>-16.22</td><td>41.35</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>342</td><td>13 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5107.61	57.78	74.00	-16.22	41.35	34.27	12.01	29.85	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5107.61	57.78	74.00	-16.22	41.35	34.27	12.01	29.85	0.00	342	13 PEAK																																												
Fundamental																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>93.26</td><td>-----</td><td>-----</td><td>76.83</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>342</td><td>13 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	93.26	-----	-----	76.83	34.26	12.06	29.89	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5190.00	93.26	-----	-----	76.83	34.26	12.06	29.89	0.00	342	13 PEAK																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.93</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>30.75</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>342</td><td>13 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5147.93	47.02	54.00	-6.98	30.75	34.11	12.03	29.87	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5147.93	47.02	54.00	-6.98	30.75	34.11	12.03	29.87	0.00	342	13 AVERAGE																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>84.26</td><td>-----</td><td>-----</td><td>67.84</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>342</td><td>13 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	84.26	-----	-----	67.84	34.24	12.06	29.88	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5190.00	84.26	-----	-----	67.84	34.24	12.06	29.88	0.00	342	13 AVERAGE																																												







Mode	19																																																																	
	Band Edge - R																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																	
Pol.	Vertical											Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.33</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>39.22</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>342</td><td>13</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.33	56.28	74.00	-17.72	39.22	34.60	12.29	29.83	0.00	342	13	PEAK	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5432.33	56.28	74.00	-17.72	39.22	34.60	12.29	29.83	0.00	342	13	PEAK																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.69</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>28.59</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>342</td><td>13</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.69	45.65	54.00	-8.35	28.59	34.60	12.32	29.86	0.00	342	13	AVERAGE	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5450.69	45.65	54.00	-8.35	28.59	34.60	12.32	29.86	0.00	342	13	AVERAGE																																																						





Mode	19																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																		
Pol.	Horizontal					Vertical																																																																																																													
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15570.00</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>55.08</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2 15570.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>43.88</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15570.00	52.88	74.00	-21.12	55.08	40.07	21.67	63.94	0.00	100	241 PEAK	2 15570.00	41.68	54.00	-12.32	43.88	40.07	21.67	63.94	0.00	100	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15570.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>48.56</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2 15570.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>38.57</td><td>40.07</td><td>21.68</td><td>63.94</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15570.00	46.36	74.00	-27.64	48.56	40.07	21.67	63.94	0.00	300	360 PEAK	2 15570.00	36.38	54.00	-17.62	38.57	40.07	21.68	63.94	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 15570.00	52.88	74.00	-21.12	55.08	40.07	21.67	63.94	0.00	100	241 PEAK																																																																																																									
2 15570.00	41.68	54.00	-12.32	43.88	40.07	21.67	63.94	0.00	100	241 AVERAGE																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 15570.00	46.36	74.00	-27.64	48.56	40.07	21.67	63.94	0.00	300	360 PEAK																																																																																																									
2 15570.00	36.38	54.00	-17.62	38.57	40.07	21.68	63.94	0.00	300	360 AVERAGE																																																																																																									







Mode	20																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.29</td><td>60.13</td><td>74.00</td><td>-13.87</td><td>43.86</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.29	60.13	74.00	-13.87	43.86	34.11	12.03	29.87	0.00	110	293	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.83</td><td>-----</td><td>-----</td><td>92.29</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.83	-----	-----	92.29	34.34	12.09	29.89	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.29	60.13	74.00	-13.87	43.86	34.11	12.03	29.87	0.00	110	293	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	108.83	-----	-----	92.29	34.34	12.09	29.89	0.00	110	293	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>32.37</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	48.63	54.00	-5.37	32.37	34.10	12.03	29.87	0.00	110	293	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.02</td><td>-----</td><td>-----</td><td>83.46</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.02	-----	-----	83.46	34.36	12.10	29.90	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.98	48.63	54.00	-5.37	32.37	34.10	12.03	29.87	0.00	110	293	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	108.02	-----	-----	83.46	34.36	12.10	29.90	0.00	110	293	AVERAGE																																																																																																			



Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.64</td><td>56.47</td><td>74.00</td><td>-17.53</td><td>39.56</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.64	56.47	74.00	-17.53	39.56	34.49	12.23	29.81	0.00	110	293	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5373.64	56.47	74.00	-17.53	39.56	34.49	12.23	29.81	0.00	110	293	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.80</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>29.11</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.80	46.03	54.00	-7.97	29.11	34.50	12.23	29.81	0.00	110	293	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5375.80	46.03	54.00	-7.97	29.11	34.50	12.23	29.81	0.00	110	293	AVERAGE																																											





Mode	20																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.53</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>40.30</td><td>34.20</td><td>12.02</td><td>29.86</td><td>0.00</td><td>357</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.53	56.66	74.00	-17.34	40.30	34.20	12.02	29.86	0.00	357	15	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>102.09</td><td>-----</td><td>-----</td><td>85.57</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>357</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	102.09	-----	-----	85.57	34.33	12.08	29.89	0.00	357	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5125.53	56.66	74.00	-17.34	40.30	34.20	12.02	29.86	0.00	357	15	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	102.09	-----	-----	85.57	34.33	12.08	29.89	0.00	357	15	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.65</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>30.43</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>357</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.65	46.87	54.00	-7.13	30.43	34.29	12.00	29.85	0.00	357	15	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>93.14</td><td>-----</td><td>-----</td><td>76.62</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>357</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.14	-----	-----	76.62	34.33	12.08	29.89	0.00	357	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5102.65	46.87	54.00	-7.13	30.43	34.29	12.00	29.85	0.00	357	15	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	93.14	-----	-----	76.62	34.33	12.08	29.89	0.00	357	15	AVERAGE																																																																																							







Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.64</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>37.75</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>357</td><td>15</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.64	54.66	74.00	-19.34	37.75	34.49	12.23	29.81	0.00	357	15	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5373.64	54.66	74.00	-19.34	37.75	34.49	12.23	29.81	0.00	357	15	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.92</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>28.33</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>357</td><td>15</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.92	45.40	54.00	-8.60	28.33	34.60	12.25	29.78	0.00	357	15	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5399.92	45.40	54.00	-8.60	28.33	34.60	12.25	29.78	0.00	357	15	AVERAGE																																											





Mode	20																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15690.00</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>54.39</td><td>40.19</td><td>21.77</td><td>64.03</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2 15690.00</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>44.28</td><td>40.20</td><td>21.77</td><td>64.04</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15690.00	52.32	74.00	-21.68	54.39	40.19	21.77	64.03	0.00	100	246	PEAK	2 15690.00	42.21	54.00	-11.79	44.28	40.20	21.77	64.04	0.00	100	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15690.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>48.27</td><td>40.19</td><td>21.77</td><td>64.03</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 15690.00</td><td>36.19</td><td>54.00</td><td>-17.81</td><td>38.25</td><td>40.20</td><td>21.77</td><td>64.03</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15690.00	46.20	74.00	-27.80	48.27	40.19	21.77	64.03	0.00	300	360	PEAK	2 15690.00	36.19	54.00	-17.81	38.25	40.20	21.77	64.03	0.00	300	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 15690.00	52.32	74.00	-21.68	54.39	40.19	21.77	64.03	0.00	100	246	PEAK																																																																																																															
2 15690.00	42.21	54.00	-11.79	44.28	40.20	21.77	64.04	0.00	100	246	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 15690.00	46.20	74.00	-27.80	48.27	40.19	21.77	64.03	0.00	300	360	PEAK																																																																																																															
2 15690.00	36.19	54.00	-17.81	38.25	40.20	21.77	64.03	0.00	300	360	AVERAGE																																																																																																															



Mode	21																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5144.05</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>42.24</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5144.05	58.52	74.00	-15.48	42.24	34.12	12.03	29.87	0.00	100	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>109.99</td><td>-----</td><td>-----</td><td>93.36</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5270.00	109.99	-----	-----	93.36	34.40	12.14	29.91	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5144.05	58.52	74.00	-15.48	42.24	34.12	12.03	29.87	0.00	100	295	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5270.00	109.99	-----	-----	93.36	34.40	12.14	29.91	0.00	100	295	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5087.62</td><td>47.80</td><td>54.00</td><td>-6.20</td><td>31.38</td><td>34.28</td><td>11.99</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5087.62	47.80	54.00	-6.20	31.38	34.28	11.99	29.85	0.00	100	295	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>100.59</td><td>-----</td><td>-----</td><td>83.96</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5270.00	100.59	-----	-----	83.96	34.40	12.14	29.91	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5087.62	47.80	54.00	-6.20	31.38	34.28	11.99	29.85	0.00	100	295	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5270.00	100.59	-----	-----	83.96	34.40	12.14	29.91	0.00	100	295	AVERAGE																																																																																																																	



Mode	21																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.75</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>40.02</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.75	56.80	74.00	-17.20	40.02	34.41	12.21	29.84	0.00	100	295	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.75	56.80	74.00	-17.20	40.02	34.41	12.21	29.84	0.00	100	295	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.23</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>29.61</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.23	46.38	54.00	-7.62	29.61	34.40	12.21	29.84	0.00	100	295	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.23	46.38	54.00	-7.62	29.61	34.40	12.21	29.84	0.00	100	295	AVERAGE																																												







		21																																																				
Mode	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.17</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>40.60</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>373 16 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5105.17	57.03	74.00	-16.97	40.60	34.28	12.00	29.85	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5105.17	57.03	74.00	-16.97	40.60	34.28	12.00	29.85	0.00	373 16 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>102.82</td><td>-----</td><td>-----</td><td>86.19</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>373 16 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	102.82	-----	-----	86.19	34.40	12.14	29.91	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5270.00	102.82	-----	-----	86.19	34.40	12.14	29.91	0.00	373 16 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.83</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>30.58</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>373 16 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5093.83	47.02	54.00	-6.98	30.58	34.29	12.00	29.85	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5093.83	47.02	54.00	-6.98	30.58	34.29	12.00	29.85	0.00	373 16 AVERAGE																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>94.27</td><td>-----</td><td>-----</td><td>77.64</td><td>34.40</td><td>12.13</td><td>29.90</td><td>0.00</td><td>373 16 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	94.27	-----	-----	77.64	34.40	12.13	29.90	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5270.00	94.27	-----	-----	77.64	34.40	12.13	29.90	0.00	373 16 AVERAGE																																												







Mode	21																																																																	
	Band Edge - R																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																	
Pol.	Vertical											Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.55</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>39.46</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.55	56.52	74.00	-17.48	39.46	34.60	12.32	29.86	0.00	373	16	PEAK	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5451.55	56.52	74.00	-17.48	39.46	34.60	12.32	29.86	0.00	373	16	PEAK																																																						
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.19</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>28.65</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.19	45.69	54.00	-8.31	28.65	34.58	12.33	29.87	0.00	373	16	AVERAGE	Blank										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5458.19	45.69	54.00	-8.31	28.65	34.58	12.33	29.87	0.00	373	16	AVERAGE																																																						





Mode	21	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n_HT40_CH54_5270MHz	
Pol.	Horizontal	Vertical
Peak		
Avg		







Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.81</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>40.55</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.81	56.99	74.00	-17.01	40.55	34.29	12.00	29.85	0.00	100	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>105.07</td><td>-----</td><td>-----</td><td>88.40</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.07	-----	-----	88.40	34.40	12.17	29.90	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.81	56.99	74.00	-17.01	40.55	34.29	12.00	29.85	0.00	100	295	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	105.07	-----	-----	88.40	34.40	12.17	29.90	0.00	100	295	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>29.50</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	45.95	54.00	-8.05	29.50	34.30	12.00	29.85	0.00	100	295	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.63</td><td>-----</td><td>-----</td><td>78.96</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.63	-----	-----	78.96	34.40	12.17	29.90	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.00	45.95	54.00	-8.05	29.50	34.30	12.00	29.85	0.00	100	295	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	95.63	-----	-----	78.96	34.40	12.17	29.90	0.00	100	295	AVERAGE																																																																																																			



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.25</td><td>65.58</td><td>74.00</td><td>-8.42</td><td>48.80</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.25	65.58	74.00	-8.42	48.80	34.41	12.21	29.84	0.00	100	295	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.25	65.58	74.00	-8.42	48.80	34.41	12.21	29.84	0.00	100	295	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.24</td><td>54.00</td><td>-1.76</td><td>35.48</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.24	54.00	-1.76	35.48	34.40	12.20	29.84	0.00	100	295	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	52.24	54.00	-1.76	35.48	34.40	12.20	29.84	0.00	100	295	AVERAGE																																											





Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.25</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>40.95</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.25	57.40	74.00	-16.60	40.95	34.30	12.00	29.85	0.00	368	15	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.11</td><td>-----</td><td>-----</td><td>78.47</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.11	-----	-----	78.47	34.40	12.15	29.91	0.00	368	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.25	57.40	74.00	-16.60	40.95	34.30	12.00	29.85	0.00	368	15	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	95.11	-----	-----	78.47	34.40	12.15	29.91	0.00	368	15	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.21</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>30.37</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.21	46.80	54.00	-7.20	30.37	34.28	12.00	29.85	0.00	368	15	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>86.81</td><td>-----</td><td>-----</td><td>70.17</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	86.81	-----	-----	70.17	34.40	12.15	29.91	0.00	368	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5105.21	46.80	54.00	-7.20	30.37	34.28	12.00	29.85	0.00	368	15	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	86.81	-----	-----	70.17	34.40	12.15	29.91	0.00	368	15	AVERAGE																																																																																							







Mode	22																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.95</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>38.42</td><td>34.44</td><td>12.21</td><td>29.83</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.95	55.24	74.00	-18.76	38.42	34.44	12.21	29.83	0.00	368	15	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5359.95	55.24	74.00	-18.76	38.42	34.44	12.21	29.83	0.00	368	15	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.05</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>28.94</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.05	45.71	54.00	-8.29	28.94	34.40	12.21	29.84	0.00	368	15	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5351.05	45.71	54.00	-8.29	28.94	34.40	12.21	29.84	0.00	368	15	AVERAGE																																													




Mode	22																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>57.70</td><td>37.62</td><td>17.79</td><td>63.25</td><td>0.00</td><td>100</td><td>156</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>39.84</td><td>54.00</td><td>-14.16</td><td>47.68</td><td>37.62</td><td>17.79</td><td>63.25</td><td>0.00</td><td>100</td><td>156</td><td>AVERAGE</td></tr><tr><td>3</td><td>15930.00</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>54.21</td><td>40.46</td><td>21.96</td><td>64.21</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>15930.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>44.43</td><td>40.46</td><td>21.97</td><td>64.22</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	49.86	74.00	-24.14	57.70	37.62	17.79	63.25	0.00	100	156	PEAK	2	10620.00	39.84	54.00	-14.16	47.68	37.62	17.79	63.25	0.00	100	156	AVERAGE	3	15930.00	52.42	74.00	-21.58	54.21	40.46	21.96	64.21	0.00	100	244	PEAK	4	15930.00	42.66	54.00	-11.34	44.43	40.46	21.97	64.22	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10620.00	49.86	74.00	-24.14	57.70	37.62	17.79	63.25	0.00	100	156	PEAK																																																																																	
2	10620.00	39.84	54.00	-14.16	47.68	37.62	17.79	63.25	0.00	100	156	AVERAGE																																																																																	
3	15930.00	52.42	74.00	-21.58	54.21	40.46	21.96	64.21	0.00	100	244	PEAK																																																																																	
4	15930.00	42.66	54.00	-11.34	44.43	40.46	21.97	64.22	0.00	100	244	AVERAGE																																																																																	
	Vertical																																																																																												
																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>52.00</td><td>37.62</td><td>17.79</td><td>63.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>52.55</td><td>40.46</td><td>21.96</td><td>64.21</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>40.40</td><td>54.00</td><td>-13.60</td><td>42.17</td><td>40.46</td><td>21.97</td><td>64.22</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	44.16	74.00	-29.84	52.00	37.62	17.79	63.25	0.00	--	--	PEAK	2	15930.00	50.76	74.00	-23.24	52.55	40.46	21.96	64.21	0.00	100	272	PEAK	3	15930.00	40.40	54.00	-13.60	42.17	40.46	21.97	64.22	0.00	100	272	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10620.00	44.16	74.00	-29.84	52.00	37.62	17.79	63.25	0.00	--	--	PEAK																																																																																	
2	15930.00	50.76	74.00	-23.24	52.55	40.46	21.96	64.21	0.00	100	272	PEAK																																																																																	
3	15930.00	40.40	54.00	-13.60	42.17	40.46	21.97	64.22	0.00	100	272	AVERAGE																																																																																	







		23																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																															
Pol.	Horizontal					Fundamental																																																																																																										
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.17</td><td>62.01</td><td>74.00</td><td>-11.99</td><td>44.96</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>66.32</td><td>68.20</td><td>-1.88</td><td>49.31</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.17	62.01	74.00	-11.99	44.96	34.59	12.33	29.87	0.00	100	291 PEAK	2	5469.13	66.32	68.20	-1.88	49.31	34.56	12.34	29.89	0.00	100	291 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.44</td><td>-----</td><td>-----</td><td>87.46</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	104.44	-----	-----	87.46	34.50	12.40	29.92	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5456.17	62.01	74.00	-11.99	44.96	34.59	12.33	29.87	0.00	100	291 PEAK																																																																																																					
2	5469.13	66.32	68.20	-1.88	49.31	34.56	12.34	29.89	0.00	100	291 PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5510.00	104.44	-----	-----	87.46	34.50	12.40	29.92	0.00	100	291 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.97</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>31.98</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.97	49.01	54.00	-4.99	31.98	34.58	12.33	29.88	0.00	100	291 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>95.10</td><td>-----</td><td>-----</td><td>78.12</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	95.10	-----	-----	78.12	34.50	12.40	29.92	0.00	100	291 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5459.97	49.01	54.00	-4.99	31.98	34.58	12.33	29.88	0.00	100	291 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5510.00	95.10	-----	-----	78.12	34.50	12.40	29.92	0.00	100	291 AVERAGE																																																																																																					




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.28</td><td>56.50</td><td>68.20</td><td>-11.70</td><td>38.94</td><td>34.71</td><td>12.71</td><td>29.86</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.28	56.50	68.20	-11.70	38.94	34.71	12.71	29.86	0.00	100	291	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5755.28	56.50	68.20	-11.70	38.94	34.71	12.71	29.86	0.00	100	291	PEAK																																												





		23																																																																																																																							
Mode		Band Edge - L																																																																																																																							
		U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																							
Pol.		Vertical										Fundamental																																																																																																													
Peak																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>39.31</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td></tr><tr><td>2</td><td>5469.29</td><td>58.72</td><td>68.20</td><td>-9.48</td><td>41.71</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	56.35	74.00	-17.65	39.31	34.58	12.33	29.87	0.00	400	18	PEAK	2	5469.29	58.72	68.20	-9.48	41.71	34.56	12.34	29.89	0.00	400	18	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5512.41</td><td>92.08</td><td>-----</td><td>-----</td><td>75.09</td><td>34.50</td><td>12.40</td><td>29.91</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5512.41	92.08	-----	-----	75.09	34.50	12.40	29.91	0.00	400	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5459.05	56.35	74.00	-17.65	39.31	34.58	12.33	29.87	0.00	400	18	PEAK																																																																																																													
2	5469.29	58.72	68.20	-9.48	41.71	34.56	12.34	29.89	0.00	400	18	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5512.41	92.08	-----	-----	75.09	34.50	12.40	29.91	0.00	400	18	PEAK																																																																																																													
Avg																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>29.38</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>400</td><td>18</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	46.42	54.00	-7.58	29.38	34.58	12.33	29.87	0.00	400	18	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>90.16</td><td>-----</td><td>-----</td><td>73.18</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>400</td><td>18</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.16	-----	-----	73.18	34.50	12.40	29.92	0.00	400	18	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5459.05	46.42	54.00	-7.58	29.38	34.58	12.33	29.87	0.00	400	18	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5510.00	90.16	-----	-----	73.18	34.50	12.40	29.92	0.00	400	18	AVERAGE																																																																																																													





Mode	23																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.64</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>38.81</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>400</td><td>18</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.64	56.22	68.20	-11.98	38.81	34.66	12.68	29.93	0.00	400	18	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5728.64	56.22	68.20	-11.98	38.81	34.66	12.68	29.93	0.00	400	18	PEAK																																		



Mode	23																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>51.05</td><td>37.82</td><td>18.17</td><td>61.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>56.07</td><td>68.20</td><td>-12.13</td><td>56.32</td><td>41.64</td><td>22.36</td><td>64.25</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.44	74.00	-28.56	51.05	37.82	18.17	61.60	0.00	--	PEAK	2	16530.00	56.07	68.20	-12.13	56.32	41.64	22.36	64.25	0.00	100	245 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.66</td><td>37.82</td><td>18.17</td><td>61.60</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>47.48</td><td>41.62</td><td>22.34</td><td>64.26</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.05	74.00	-28.95	50.66	37.82	18.17	61.60	0.00	--	PEAK	2	16530.00	47.18	68.20	-21.02	47.48	41.62	22.34	64.26	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11020.00	45.44	74.00	-28.56	51.05	37.82	18.17	61.60	0.00	--	PEAK																																																																																																														
2	16530.00	56.07	68.20	-12.13	56.32	41.64	22.36	64.25	0.00	100	245 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11020.00	45.05	74.00	-28.95	50.66	37.82	18.17	61.60	0.00	--	PEAK																																																																																																														
2	16530.00	47.18	68.20	-21.02	47.48	41.62	22.34	64.26	0.00	--	PEAK																																																																																																														




Mode	24																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>50.31</td><td>37.90</td><td>18.24</td><td>61.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>57.70</td><td>41.81</td><td>22.43</td><td>64.22</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.91	74.00	-29.09	50.31	37.90	18.24	61.54	0.00	--	--	PEAK	2	16650.00	57.72	68.20	-10.48	57.70	41.81	22.43	64.22	0.00	100	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>51.14</td><td>37.90</td><td>18.24</td><td>61.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>56.13</td><td>41.81</td><td>22.43</td><td>64.22</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	45.74	74.00	-28.26	51.14	37.90	18.24	61.54	0.00	--	--	PEAK	2	16650.00	56.15	68.20	-12.05	56.13	41.81	22.43	64.22	0.00	100	107	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11100.00	44.91	74.00	-29.09	50.31	37.90	18.24	61.54	0.00	--	--	PEAK																																																																																																																		
2	16650.00	57.72	68.20	-10.48	57.70	41.81	22.43	64.22	0.00	100	244	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11100.00	45.74	74.00	-28.26	51.14	37.90	18.24	61.54	0.00	--	--	PEAK																																																																																																																		
2	16650.00	56.15	68.20	-12.05	56.13	41.81	22.43	64.22	0.00	100	107	PEAK																																																																																																																		







Mode	25																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.45</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>39.42</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5462.25</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>38.83</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.45	56.46	74.00	-17.54	39.42	34.59	12.32	29.87	0.00	100	295	PEAK	2	5462.25	55.86	68.20	-12.34	38.83	34.58	12.33	29.88	0.00	100	295	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5453.45	56.46	74.00	-17.54	39.42	34.59	12.32	29.87	0.00	100	295	PEAK																																																									
2	5462.25	55.86	68.20	-12.34	38.83	34.58	12.33	29.88	0.00	100	295	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.21</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>29.11</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	46.15	54.00	-7.85	29.11	34.58	12.33	29.87	0.00	100	295	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.21	46.15	54.00	-7.85	29.11	34.58	12.33	29.87	0.00	100	295	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>109.43</td><td>-----</td><td>-----</td><td>92.13</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.43	-----	-----	92.13	34.60	12.59	29.89	0.00	100	295	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5670.00	109.43	-----	-----	92.13	34.60	12.59	29.89	0.00	100	295	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.62</td><td>-----</td><td>-----</td><td>83.30</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.62	-----	-----	83.30	34.60	12.59	29.87	0.00	100	295	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5670.00	100.62	-----	-----	83.30	34.60	12.59	29.87	0.00	100	295	AVERAGE																																																									




Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>/MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.04</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>47.57</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		/MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.04	64.96	68.20	-3.24	47.57	34.65	12.68	29.94	0.00	100	295	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	/MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.04	64.96	68.20	-3.24	47.57	34.65	12.68	29.94	0.00	100	295	PEAK																																												





Mode	25																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.49</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>39.29</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr><tr><td>2</td><td>5460.17</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>39.26</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.49	56.35	74.00	-17.65	39.29	34.60	12.29	29.83	0.00	399	20	PEAK	2	5460.17	56.29	68.20	-11.91	39.26	34.58	12.33	29.88	0.00	399	20	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.53</td><td>-----</td><td>-----</td><td>86.21</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.53	-----	-----	86.21	34.60	12.59	29.87	0.00	399	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5428.49	56.35	74.00	-17.65	39.29	34.60	12.29	29.83	0.00	399	20	PEAK																																																																																																																
2	5460.17	56.29	68.20	-11.91	39.26	34.58	12.33	29.88	0.00	399	20	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	103.53	-----	-----	86.21	34.60	12.59	29.87	0.00	399	20	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.18</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>27.82</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>399</td><td>20</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.18	44.86	54.00	-9.14	27.82	34.58	12.33	29.87	0.00	399	20	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>94.52</td><td>-----</td><td>-----</td><td>77.20</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>399</td><td>20</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.52	-----	-----	77.20	34.60	12.59	29.87	0.00	399	20	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.18	44.86	54.00	-9.14	27.82	34.58	12.33	29.87	0.00	399	20	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5670.00	94.52	-----	-----	77.20	34.60	12.59	29.87	0.00	399	20	AVERAGE																																																																																																																






Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.52</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>41.40</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>399</td><td>20</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.52	58.81	68.20	-9.39	41.40	34.66	12.68	29.93	0.00	399	20	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5729.52	58.81	68.20	-9.39	41.40	34.66	12.68	29.93	0.00	399	20	PEAK																																		






Mode	25																																																																												
	Harmonic																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11340.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>50.95</td><td>37.94</td><td>18.45</td><td>61.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 17010.00</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>59.86</td><td>41.58</td><td>22.66</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	45.99	74.00	-28.01	50.95	37.94	18.45	61.35	0.00	--	--	PEAK	2 17010.00	59.98	68.20	-8.22	59.86	41.58	22.66	64.12	0.00	--	--	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11340.00	45.99	74.00	-28.01	50.95	37.94	18.45	61.35	0.00	--	--	PEAK																																																																		
2 17010.00	59.98	68.20	-8.22	59.86	41.58	22.66	64.12	0.00	--	--	PEAK																																																																		
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11340.00</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>54.75</td><td>37.94</td><td>18.45</td><td>61.35</td><td>0.00</td><td>317</td><td>81</td><td>PEAK</td></tr><tr><td>2 11340.00</td><td>39.29</td><td>54.00</td><td>-14.71</td><td>44.25</td><td>37.94</td><td>18.45</td><td>61.35</td><td>0.00</td><td>317</td><td>81</td><td>AVERAGE</td></tr><tr><td>3 17010.00</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>57.28</td><td>41.58</td><td>22.66</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	49.79	74.00	-24.21	54.75	37.94	18.45	61.35	0.00	317	81	PEAK	2 11340.00	39.29	54.00	-14.71	44.25	37.94	18.45	61.35	0.00	317	81	AVERAGE	3 17010.00	57.40	68.20	-10.80	57.28	41.58	22.66	64.12	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11340.00	49.79	74.00	-24.21	54.75	37.94	18.45	61.35	0.00	317	81	PEAK																																																																		
2 11340.00	39.29	54.00	-14.71	44.25	37.94	18.45	61.35	0.00	317	81	AVERAGE																																																																		
3 17010.00	57.40	68.20	-10.80	57.28	41.58	22.66	64.12	0.00	--	--	PEAK																																																																		




		26																																																																																																																																																				
Mode	Band Edge																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																					
Pol.	Horizontal																																																																																																																																																					
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal has a prominent peak at 5745 MHz, reaching approximately 113.71 dBuV/m. The limit line is at 113.8 dBuV/m. The plot is labeled 'U-NII-3'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.00</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>39.76</td><td>34.57</td><td>12.56</td><td>29.83</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>57.49</td><td>69.39</td><td>-11.90</td><td>40.18</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5716.80</td><td>70.44</td><td>110.01</td><td>-39.57</td><td>53.10</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>70.78</td><td>112.72</td><td>-41.94</td><td>53.42</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.00	57.06	68.20	-11.14	39.76	34.57	12.56	29.83	0.00	106	295	PEAK	2	5651.60	57.49	69.39	-11.90	40.18	34.60	12.58	29.87	0.00	106	295	PEAK	3	5716.80	70.44	110.01	-39.57	53.10	34.63	12.67	29.96	0.00	106	295	PEAK	4	5720.80	70.78	112.72	-41.94	53.42	34.64	12.67	29.95	0.00	106	295	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal has a prominent peak at 5745 MHz, reaching approximately 113.71 dBuV/m. The limit line is at 113.8 dBuV/m. The plot is labeled 'U-NII-3'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.71</td><td>-----</td><td>-----</td><td>96.17</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>106</td><td>295</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.71	-----	-----	96.17	34.70	12.71	29.87	0.00	106	295	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	5636.00	57.06	68.20	-11.14	39.76	34.57	12.56	29.83	0.00	106	295	PEAK																																																																																																																																										
2	5651.60	57.49	69.39	-11.90	40.18	34.60	12.58	29.87	0.00	106	295	PEAK																																																																																																																																										
3	5716.80	70.44	110.01	-39.57	53.10	34.63	12.67	29.96	0.00	106	295	PEAK																																																																																																																																										
4	5720.80	70.78	112.72	-41.94	53.42	34.64	12.67	29.95	0.00	106	295	PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5745.00	113.71	-----	-----	96.17	34.70	12.71	29.87	0.00	106	295	PEAK																																																																																																																																										
Avg	Blank											 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal has a prominent peak at 5745 MHz, reaching approximately 104.65 dBuV/m. The limit line is at 113.8 dBuV/m. The plot is labeled 'U-NII-3(AVG)'. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.65</td><td>-----</td><td>-----</td><td>87.18</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>106</td><td>295</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.65	-----	-----	87.18	34.68	12.69	29.90	0.00	106	295	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5745.00	104.65	-----	-----	87.18	34.68	12.69	29.90	0.00	106	295	AVERAGE																																																																																																																																										



		26																																																																																													
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5639.20</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>39.78</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.34</td><td>68.50</td><td>-15.16</td><td>36.03</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>60.90</td><td>110.01</td><td>-49.11</td><td>43.56</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.41</td><td>112.72</td><td>-52.31</td><td>43.05</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.20	57.09	68.20	-11.11	39.78	34.58	12.57	29.84	0.00	313	16	PEAK	2	5650.40	53.34	68.50	-15.16	36.03	34.60	12.58	29.87	0.00	313	16	PEAK	3	5716.00	60.90	110.01	-49.11	43.56	34.63	12.67	29.96	0.00	313	16	PEAK	4	5720.00	60.41	112.72	-52.31	43.05	34.64	12.67	29.95	0.00	313	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5639.20	57.09	68.20	-11.11	39.78	34.58	12.57	29.84	0.00	313	16	PEAK																																																																																			
2	5650.40	53.34	68.50	-15.16	36.03	34.60	12.58	29.87	0.00	313	16	PEAK																																																																																			
3	5716.00	60.90	110.01	-49.11	43.56	34.63	12.67	29.96	0.00	313	16	PEAK																																																																																			
4	5720.00	60.41	112.72	-52.31	43.05	34.64	12.67	29.95	0.00	313	16	PEAK																																																																																			
Fundamental																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.75</td><td>-----</td><td>-----</td><td>87.28</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>313</td><td>16</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.75	-----	-----	87.28	34.68	12.69	29.90	0.00	313	16	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	104.75	-----	-----	87.28	34.68	12.69	29.90	0.00	313	16	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.83</td><td>-----</td><td>-----</td><td>78.33</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>313</td><td>16</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.83	-----	-----	78.33	34.69	12.70	29.89	0.00	313	16	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5745.00	95.83	-----	-----	78.33	34.69	12.70	29.89	0.00	313	16	AVERAGE																																																																																			






Mode	26																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
Pol.	Horizontal																																																																																											
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>63.53</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>62.20</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>339</td><td>44 PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>41.07</td><td>54.00</td><td>-12.93</td><td>52.09</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>339</td><td>44 AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>62.89</td><td>68.20</td><td>-5.31</td><td>67.84</td><td>40.90</td><td>18.36</td><td>64.21</td><td>0.00</td><td>100</td><td>107 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	45.34	74.00	-28.66	63.53	35.82	12.01	66.02	0.00	---	PEAK	2	11490.00	51.18	74.00	-22.82	62.20	38.19	14.91	64.12	0.00	339	44 PEAK	3	11490.00	41.07	54.00	-12.93	52.09	38.19	14.91	64.12	0.00	339	44 AVERAGE	4	17235.00	62.89	68.20	-5.31	67.84	40.90	18.36	64.21	0.00	100	107 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7659.81	45.34	74.00	-28.66	63.53	35.82	12.01	66.02	0.00	---	PEAK																																																																																	
2	11490.00	51.18	74.00	-22.82	62.20	38.19	14.91	64.12	0.00	339	44 PEAK																																																																																	
3	11490.00	41.07	54.00	-12.93	52.09	38.19	14.91	64.12	0.00	339	44 AVERAGE																																																																																	
4	17235.00	62.89	68.20	-5.31	67.84	40.90	18.36	64.21	0.00	100	107 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>60.48</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>67.43</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92 PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>56.18</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92 AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>67.95</td><td>40.90</td><td>18.36</td><td>64.22</td><td>0.00</td><td>105</td><td>30 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	PEAK	2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92 PEAK	3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92 AVERAGE	4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30 PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	PEAK																																																																																	
2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92 PEAK																																																																																	
3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92 AVERAGE																																																																																	
4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30 PEAK																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.81</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>60.48</td><td>35.82</td><td>12.01</td><td>66.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>67.43</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92 PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>56.18</td><td>38.19</td><td>14.91</td><td>64.12</td><td>0.00</td><td>118</td><td>92 AVERAGE</td></tr><tr><td>4</td><td>17235.00</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>67.95</td><td>40.90</td><td>18.36</td><td>64.22</td><td>0.00</td><td>105</td><td>30 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	PEAK	2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92 PEAK	3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92 AVERAGE	4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30 PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7659.81	42.29	74.00	-31.71	60.48	35.82	12.01	66.02	0.00	---	PEAK																																																																																	
2	11490.00	56.41	74.00	-17.59	67.43	38.19	14.91	64.12	0.00	118	92 PEAK																																																																																	
3	11490.00	45.16	54.00	-8.84	56.18	38.19	14.91	64.12	0.00	118	92 AVERAGE																																																																																	
4	17235.00	62.99	68.20	-5.21	67.95	40.90	18.36	64.22	0.00	105	30 PEAK																																																																																	






Mode	27																																																																																																																																																																											
	Harmonic																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>62.98</td><td>35.90</td><td>12.06</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>53.19</td><td>74.00</td><td>-20.81</td><td>64.18</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>115</td><td>143</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>53.15</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>115</td><td>143</td><td>AVERAGE</td></tr><tr><td>4</td><td>17355.00</td><td>63.13</td><td>68.20</td><td>-5.07</td><td>67.90</td><td>40.90</td><td>18.44</td><td>64.11</td><td>0.00</td><td>103</td><td>160</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	44.84	74.00	-29.16	62.98	35.90	12.06	66.10	0.00	---	---	PEAK	2	11570.00	53.19	74.00	-20.81	64.18	38.27	14.97	64.23	0.00	115	143	PEAK	3	11570.00	42.16	54.00	-11.84	53.15	38.27	14.97	64.23	0.00	115	143	AVERAGE	4	17355.00	63.13	68.20	-5.07	67.90	40.90	18.44	64.11	0.00	103	160	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.14</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>61.28</td><td>35.90</td><td>12.06</td><td>66.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>63.51</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>42.37</td><td>54.00</td><td>-11.63</td><td>53.36</td><td>38.27</td><td>14.97</td><td>64.23</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr><tr><td>4</td><td>17355.00</td><td>62.28</td><td>68.20</td><td>-5.92</td><td>67.05</td><td>40.90</td><td>18.44</td><td>64.11</td><td>0.00</td><td>338</td><td>225</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.14	43.14	74.00	-30.86	61.28	35.90	12.06	66.10	0.00	---	---	PEAK	2	11570.00	52.52	74.00	-21.48	63.51	38.27	14.97	64.23	0.00	100	83	PEAK	3	11570.00	42.37	54.00	-11.63	53.36	38.27	14.97	64.23	0.00	100	83	AVERAGE	4	17355.00	62.28	68.20	-5.92	67.05	40.90	18.44	64.11	0.00	338	225	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																		
1	7713.14	44.84	74.00	-29.16	62.98	35.90	12.06	66.10	0.00	---	---	PEAK																																																																																																																																																																
2	11570.00	53.19	74.00	-20.81	64.18	38.27	14.97	64.23	0.00	115	143	PEAK																																																																																																																																																																
3	11570.00	42.16	54.00	-11.84	53.15	38.27	14.97	64.23	0.00	115	143	AVERAGE																																																																																																																																																																
4	17355.00	63.13	68.20	-5.07	67.90	40.90	18.44	64.11	0.00	103	160	PEAK																																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																		
1	7713.14	43.14	74.00	-30.86	61.28	35.90	12.06	66.10	0.00	---	---	PEAK																																																																																																																																																																
2	11570.00	52.52	74.00	-21.48	63.51	38.27	14.97	64.23	0.00	100	83	PEAK																																																																																																																																																																
3	11570.00	42.37	54.00	-11.63	53.36	38.27	14.97	64.23	0.00	100	83	AVERAGE																																																																																																																																																																
4	17355.00	62.28	68.20	-5.92	67.05	40.90	18.44	64.11	0.00	338	225	PEAK																																																																																																																																																																
Avg																																																																																																																																																																												



		28																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>64.72</td><td>111.36</td><td>-46.64</td><td>46.85</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>62.47</td><td>110.28</td><td>-47.81</td><td>44.58</td><td>34.04</td><td>12.87</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>55.26</td><td>68.64</td><td>-13.38</td><td>37.03</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5956.00</td><td>60.00</td><td>68.20</td><td>-8.20</td><td>41.68</td><td>35.10</td><td>13.04</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	64.72	111.36	-46.64	46.85	34.83	12.86	29.82	0.00	101	296	PEAK	2	5857.20	62.47	110.28	-47.81	44.58	34.04	12.87	29.82	0.00	101	296	PEAK	3	5924.40	55.26	68.64	-13.38	37.03	35.10	12.98	29.85	0.00	101	296	PEAK	4	5956.00	60.00	68.20	-8.20	41.68	35.10	13.04	29.82	0.00	101	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.00	64.72	111.36	-46.64	46.85	34.83	12.86	29.82	0.00	101	296	PEAK																																																																																	
2	5857.20	62.47	110.28	-47.81	44.58	34.04	12.87	29.82	0.00	101	296	PEAK																																																																																	
3	5924.40	55.26	68.64	-13.38	37.03	35.10	12.98	29.85	0.00	101	296	PEAK																																																																																	
4	5956.00	60.00	68.20	-8.20	41.68	35.10	13.04	29.82	0.00	101	296	PEAK																																																																																	
Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.49</td><td>-----</td><td>-----</td><td>96.66</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.49	-----	-----	96.66	34.80	12.82	29.79	0.00	101	296	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	114.49	-----	-----	96.66	34.80	12.82	29.79	0.00	101	296	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.66</td><td>-----</td><td>-----</td><td>87.83</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>101</td><td>296</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.66	-----	-----	87.83	34.80	12.82	29.79	0.00	101	296	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	105.66	-----	-----	87.83	34.80	12.82	29.79	0.00	101	296	AVERAGE																																																																																	






		28																																																																														
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																															
Pol.	Vertical																																																																															
Peak																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.79</td><td>113.18</td><td>-54.39</td><td>40.92</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.24</td><td>105.58</td><td>-50.34</td><td>37.24</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.09</td><td>68.35</td><td>-14.26</td><td>35.86</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr><tr><td>4</td><td>5964.00</td><td>57.90</td><td>68.20</td><td>-10.30</td><td>39.57</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	58.79	113.18	-54.39	40.92	34.82	12.86	29.81	0.00	392	24 PEAK	2	5874.00	55.24	105.58	-50.34	37.24	34.94	12.90	29.84	0.00	392	24 PEAK	3	5924.00	54.09	68.35	-14.26	35.86	35.10	12.98	29.85	0.00	392	24 PEAK	4	5964.00	57.90	68.20	-10.30	39.57	35.10	13.05	29.82	0.00	392
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5854.00	58.79	113.18	-54.39	40.92	34.82	12.86	29.81	0.00	392	24 PEAK																																																																					
2	5874.00	55.24	105.58	-50.34	37.24	34.94	12.90	29.84	0.00	392	24 PEAK																																																																					
3	5924.00	54.09	68.35	-14.26	35.86	35.10	12.98	29.85	0.00	392	24 PEAK																																																																					
4	5964.00	57.90	68.20	-10.30	39.57	35.10	13.05	29.82	0.00	392	24 PEAK																																																																					
Fundamental																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.41</td><td>-----</td><td>-----</td><td>89.58</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>392</td><td>24 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	107.41	-----	-----	89.58	34.80	12.80	29.77	0.00	392	24 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5825.00	107.41	-----	-----	89.58	34.80	12.80	29.77	0.00	392	24 PEAK																																																																					
Avg	Blank																																																																															
																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.38</td><td>-----</td><td>-----</td><td>80.55</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>392</td><td>24 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	98.38	-----	-----	80.55	34.80	12.82	29.79	0.00	392	24 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5825.00	98.38	-----	-----	80.55	34.80	12.82	29.79	0.00	392	24 AVERAGE																																																																					






		28																																																																																														
Mode		Harmonic																																																																																														
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																														
Pol.		Horizontal																																																																																														
Peak		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.33</td><td>46.89</td><td>68.20</td><td>-21.31</td><td>60.22</td><td>35.83</td><td>14.93</td><td>64.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>53.64</td><td>74.00</td><td>-20.36</td><td>57.87</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>47.34</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr><tr><td>4</td><td>17475.00</td><td>60.77</td><td>68.20</td><td>-7.43</td><td>60.76</td><td>41.28</td><td>23.06</td><td>64.33</td><td>0.00</td><td>100</td><td>282</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.33	46.89	68.20	-21.31	60.22	35.83	14.93	64.09	0.00	--	--	PEAK	2	11650.00	53.64	74.00	-20.36	57.87	38.20	18.72	61.15	0.00	100	159	PEAK	3	11650.00	43.11	54.00	-10.89	47.34	38.20	18.72	61.15	0.00	100	159	AVERAGE	4	17475.00	60.77	68.20	-7.43	60.76	41.28	23.06	64.33	0.00	100	282	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7766.33	46.89	68.20	-21.31	60.22	35.83	14.93	64.09	0.00	--	--	PEAK																																																																																				
2	11650.00	53.64	74.00	-20.36	57.87	38.20	18.72	61.15	0.00	100	159	PEAK																																																																																				
3	11650.00	43.11	54.00	-10.89	47.34	38.20	18.72	61.15	0.00	100	159	AVERAGE																																																																																				
4	17475.00	60.77	68.20	-7.43	60.76	41.28	23.06	64.33	0.00	100	282	PEAK																																																																																				
Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>49.76</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17475.00</td><td>60.02</td><td>68.20</td><td>-8.18</td><td>60.02</td><td>41.28</td><td>23.05</td><td>64.33</td><td>0.00</td><td>337</td><td>257</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.53	74.00	-28.47	49.76	38.20	18.72	61.15	0.00	--	--	PEAK	2	17475.00	60.02	68.20	-8.18	60.02	41.28	23.05	64.33	0.00	337	257	PEAK																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11650.00	45.53	74.00	-28.47	49.76	38.20	18.72	61.15	0.00	--	--	PEAK																																																																																				
2	17475.00	60.02	68.20	-8.18	60.02	41.28	23.05	64.33	0.00	337	257	PEAK																																																																																				



		29																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																									
Pol.	Horizontal										Fundamental																																																																																																																															
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.60</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.57</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.21</td><td>68.20</td><td>-13.99</td><td>36.89</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>72.35</td><td>110.68</td><td>-38.33</td><td>54.99</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>81.63</td><td>121.84</td><td>-40.21</td><td>64.24</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5609.60	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	104	294	PEAK	2	5650.00	54.21	68.20	-13.99	36.89	34.60	12.58	29.86	0.00	104	294	PEAK	3	5719.20	72.35	110.68	-38.33	54.99	34.64	12.67	29.95	0.00	104	294	PEAK	4	5724.00	81.63	121.84	-40.21	64.24	34.65	12.68	29.94	0.00	104	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.52</td><td>-----</td><td>-----</td><td>96.05</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.52	-----	-----	96.05	34.68	12.69	29.90	0.00	104	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5609.60	57.86	68.20	-10.34	40.57	34.52	12.53	29.76	0.00	104	294	PEAK																																																																																																																														
2	5650.00	54.21	68.20	-13.99	36.89	34.60	12.58	29.86	0.00	104	294	PEAK																																																																																																																														
3	5719.20	72.35	110.68	-38.33	54.99	34.64	12.67	29.95	0.00	104	294	PEAK																																																																																																																														
4	5724.00	81.63	121.84	-40.21	64.24	34.65	12.68	29.94	0.00	104	294	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	113.52	-----	-----	96.05	34.68	12.69	29.90	0.00	104	294	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.91</td><td>-----</td><td>-----</td><td>86.44</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>104</td><td>294</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.91	-----	-----	86.44	34.68	12.69	29.90	0.00	104	294	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.91	-----	-----	86.44	34.68	12.69	29.90	0.00	104	294	AVERAGE																																																																																																																														



		29																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																												
Pol.	Vertical																																																																																												
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5619.20</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.97</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.60</td><td>68.50</td><td>-14.90</td><td>36.29</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>62.96</td><td>110.90</td><td>-47.94</td><td>45.60</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>72.96</td><td>117.28</td><td>-44.32</td><td>55.58</td><td>34.65</td><td>12.67</td><td>29.94</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.20	56.27	68.20	-11.93	38.97	34.54	12.54	29.78	0.00	367	17	PEAK	2	5650.40	53.60	68.50	-14.90	36.29	34.60	12.58	29.87	0.00	367	17	PEAK	3	5720.00	62.96	110.90	-47.94	45.60	34.64	12.67	29.95	0.00	367	17	PEAK	4	5722.00	72.96	117.28	-44.32	55.58	34.65	12.67	29.94	0.00	367	17
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5619.20	56.27	68.20	-11.93	38.97	34.54	12.54	29.78	0.00	367	17	PEAK																																																																																	
2	5650.40	53.60	68.50	-14.90	36.29	34.60	12.58	29.87	0.00	367	17	PEAK																																																																																	
3	5720.00	62.96	110.90	-47.94	45.60	34.64	12.67	29.95	0.00	367	17	PEAK																																																																																	
4	5722.00	72.96	117.28	-44.32	55.58	34.65	12.67	29.94	0.00	367	17	PEAK																																																																																	
Fundamental																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.05</td><td>-----</td><td>-----</td><td>87.55</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>367</td><td>17</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.05	-----	-----	87.55	34.69	12.70	29.89	0.00	367	17	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5745.00	105.05	-----	-----	87.55	34.69	12.70	29.89	0.00	367	17	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.15</td><td>-----</td><td>-----</td><td>78.68</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>367</td><td>17</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.15	-----	-----	78.68	34.68	12.69	29.90	0.00	367	17	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5745.00	96.15	-----	-----	78.68	34.68	12.69	29.90	0.00	367	17	AVERAGE																																																																																	



		29																																																																															
Mode		Harmonic																																																																															
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																															
Pol.		Horizontal					Vertical																																																																										
Peak Avg																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>59.45</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>159</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>47.42</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>159</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>60.77</td><td>41.40</td><td>22.84</td><td>64.22</td><td>0.00</td><td>100</td><td>282</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.79	74.00	-19.21	59.45	38.00	18.58	61.24	0.00	100	159	PEAK	2	11490.00	42.76	54.00	-11.24	47.42	38.00	18.58	61.24	0.00	100	159	AVERAGE	3	17235.00	60.79	68.20	-7.41	60.77	41.40	22.84	64.22	0.00	100	282	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	11490.00	54.79	74.00	-19.21	59.45	38.00	18.58	61.24	0.00	100	159	PEAK																																																																					
2	11490.00	42.76	54.00	-11.24	47.42	38.00	18.58	61.24	0.00	100	159	AVERAGE																																																																					
3	17235.00	60.79	68.20	-7.41	60.77	41.40	22.84	64.22	0.00	100	282	PEAK																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>56.83</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>46.56</td><td>38.00</td><td>18.58</td><td>61.24</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>60.27</td><td>68.20</td><td>-7.93</td><td>60.23</td><td>41.42</td><td>22.84</td><td>64.22</td><td>0.00</td><td>300</td><td>257</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	52.17	74.00	-21.83	56.83	38.00	18.58	61.24	0.00	100	123	PEAK	2	11490.00	41.90	54.00	-12.10	46.56	38.00	18.58	61.24	0.00	100	123	AVERAGE	3	17235.00	60.27	68.20	-7.93	60.23	41.42	22.84	64.22	0.00	300	257	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	11490.00	52.17	74.00	-21.83	56.83	38.00	18.58	61.24	0.00	100	123	PEAK																																																																					
2	11490.00	41.90	54.00	-12.10	46.56	38.00	18.58	61.24	0.00	100	123	AVERAGE																																																																					
3	17235.00	60.27	68.20	-7.93	60.23	41.42	22.84	64.22	0.00	300	257	PEAK																																																																					



30

Harmonic

U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz

Pol.

Horizontal

Vertical



Peak

Avg




		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11570.00	53.42	74.00	-20.58	57.89	38.07	18.65	61.19	0.00	100	159	PEAK
2	11570.00	42.86	54.00	-11.14	47.33	38.07	18.65	61.19	0.00	100	159	AVERAGE
3	17355.00	60.89	68.20	-7.31	61.02	41.20	22.95	64.28	0.00	100	154	PEAK

		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11570.00	51.80	74.00	-22.20	56.27	38.07	18.65	61.19	0.00	303	76	PEAK
2	11570.00	41.06	54.00	-12.94	45.53	38.07	18.65	61.19	0.00	303	76	AVERAGE
3	17355.00	59.05	68.20	-9.15	59.18	41.20	22.94	64.27	0.00	100	101	PEAK





		31																																																																																										
Mode		Band Edge																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>65.78</td><td>111.36</td><td>-45.58</td><td>47.91</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>62.03</td><td>109.05</td><td>-47.02</td><td>44.11</td><td>34.87</td><td>12.87</td><td>29.82</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5920.80</td><td>58.18</td><td>71.30</td><td>-13.12</td><td>39.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5937.20</td><td>57.71</td><td>68.20</td><td>-10.49</td><td>39.45</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	65.78	111.36	-45.58	47.91	34.83	12.86	29.82	0.00	101	296	PEAK	2	5861.60	62.03	109.05	-47.02	44.11	34.87	12.87	29.82	0.00	101	296	PEAK	3	5920.80	58.18	71.30	-13.12	39.95	35.10	12.98	29.85	0.00	101	296	PEAK	4	5937.20	57.71	68.20	-10.49	39.45	35.10	13.00	29.84	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	65.78	111.36	-45.58	47.91	34.83	12.86	29.82	0.00	101	296	PEAK																																																																																
2	5861.60	62.03	109.05	-47.02	44.11	34.87	12.87	29.82	0.00	101	296	PEAK																																																																																
3	5920.80	58.18	71.30	-13.12	39.95	35.10	12.98	29.85	0.00	101	296	PEAK																																																																																
4	5937.20	57.71	68.20	-10.49	39.45	35.10	13.00	29.84	0.00	101	296	PEAK																																																																																
Avg	Blank																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.32</td><td>-----</td><td>-----</td><td>96.49</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>101</td><td>296</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.32	-----	-----	96.49	34.80	12.80	29.77	0.00	101	296	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	114.32	-----	-----	96.49	34.80	12.80	29.77	0.00	101	296	PEAK																																																																																



		31																																																																										
Mode	Band Edge																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																											
Pol.	Vertical																																																																											
Peak																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>58.75</td><td>111.36</td><td>-52.61</td><td>40.88</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>392 22 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.67</td><td>105.36</td><td>-49.69</td><td>37.66</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>392 22 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.05</td><td>68.94</td><td>-14.89</td><td>35.82</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>392 22 PEAK</td></tr><tr><td>4</td><td>5980.00</td><td>57.64</td><td>68.20</td><td>-10.56</td><td>39.27</td><td>35.10</td><td>13.00</td><td>29.81</td><td>0.00</td><td>392 22 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	58.75	111.36	-52.61	40.88	34.83	12.86	29.82	0.00	392 22 PEAK	2	5874.00	55.67	105.36	-49.69	37.66	34.95	12.90	29.84	0.00	392 22 PEAK	3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	392 22 PEAK	4	5980.00	57.64	68.20	-10.56	39.27	35.10	13.00	29.81	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5854.00	58.75	111.36	-52.61	40.88	34.83	12.86	29.82	0.00	392 22 PEAK																																																																		
2	5874.00	55.67	105.36	-49.69	37.66	34.95	12.90	29.84	0.00	392 22 PEAK																																																																		
3	5924.00	54.05	68.94	-14.89	35.82	35.10	12.98	29.85	0.00	392 22 PEAK																																																																		
4	5980.00	57.64	68.20	-10.56	39.27	35.10	13.00	29.81	0.00	392 22 PEAK																																																																		
Fundamental																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.62</td><td>-----</td><td>-----</td><td>88.79</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>392 22 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.62	-----	-----	88.79	34.80	12.80	29.77	0.00	392 22 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5825.00	106.62	-----	-----	88.79	34.80	12.80	29.77	0.00	392 22 PEAK																																																																		
Avg	Blank																																																																											
																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.14</td><td>-----</td><td>-----</td><td>79.31</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>392 22 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.14	-----	-----	79.31	34.80	12.82	29.79	0.00	392 22 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5825.00	97.14	-----	-----	79.31	34.80	12.82	29.79	0.00	392 22 AVERAGE																																																																		




		31																																																																																																																																																																			
Mode		Harmonic																																																																																																																																																																			
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																																																			
Pol.		Horizontal											Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>56.77</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>46.72</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>60.46</td><td>68.20</td><td>-7.74</td><td>60.48</td><td>41.27</td><td>23.04</td><td>64.33</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	52.54	74.00	-21.46	56.77	38.20	18.72	61.15	0.00	100	160	PEAK	2	11650.00	42.49	54.00	-11.51	46.72	38.20	18.72	61.15	0.00	100	160	AVERAGE	3	17475.00	60.46	68.20	-7.74	60.48	41.27	23.04	64.33	0.00	100	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>50.43</td><td>38.20</td><td>18.72</td><td>61.15</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>35.51</td><td>54.00</td><td>-18.49</td><td>39.70</td><td>38.22</td><td>18.73</td><td>61.14</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>58.44</td><td>41.28</td><td>23.05</td><td>64.33</td><td>0.00</td><td>300</td><td>254</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.20	74.00	-27.80	50.43	38.20	18.72	61.15	0.00	300	0	PEAK	2	11650.00	35.51	54.00	-18.49	39.70	38.22	18.73	61.14	0.00	300	0	AVERAGE	3	17475.00	58.44	68.20	-9.76	58.44	41.28	23.05	64.33	0.00	300	254	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11650.00	52.54	74.00	-21.46	56.77	38.20	18.72	61.15	0.00	100	160	PEAK																																																																																																																																																									
2	11650.00	42.49	54.00	-11.51	46.72	38.20	18.72	61.15	0.00	100	160	AVERAGE																																																																																																																																																									
3	17475.00	60.46	68.20	-7.74	60.48	41.27	23.04	64.33	0.00	100	145	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11650.00	46.20	74.00	-27.80	50.43	38.20	18.72	61.15	0.00	300	0	PEAK																																																																																																																																																									
2	11650.00	35.51	54.00	-18.49	39.70	38.22	18.73	61.14	0.00	300	0	AVERAGE																																																																																																																																																									
3	17475.00	58.44	68.20	-9.76	58.44	41.28	23.05	64.33	0.00	300	254	PEAK																																																																																																																																																									






Mode	32																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.60</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>41.57</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.34</td><td>68.36</td><td>-12.02</td><td>39.03</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5717.34</td><td>81.37</td><td>110.15</td><td>-28.78</td><td>64.03</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5721.68</td><td>84.08</td><td>114.72</td><td>-30.64</td><td>66.72</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.60	58.89	68.20	-9.31	41.57	34.58	12.57	29.83	0.00	107	294	PEAK	2	5650.22	56.34	68.36	-12.02	39.03	34.60	12.58	29.87	0.00	107	294	PEAK	3	5717.34	81.37	110.15	-28.78	64.03	34.63	12.67	29.96	0.00	107	294	PEAK	4	5721.68	84.08	114.72	-30.64	66.72	34.64	12.67	29.95	0.00	107	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5638.60	58.89	68.20	-9.31	41.57	34.58	12.57	29.83	0.00	107	294	PEAK																																																																																				
2	5650.22	56.34	68.36	-12.02	39.03	34.60	12.58	29.87	0.00	107	294	PEAK																																																																																				
3	5717.34	81.37	110.15	-28.78	64.03	34.63	12.67	29.96	0.00	107	294	PEAK																																																																																				
4	5721.68	84.08	114.72	-30.64	66.72	34.64	12.67	29.95	0.00	107	294	PEAK																																																																																				
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>109.69</td><td>-----</td><td>-----</td><td>92.15</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	109.69	-----	-----	92.15	34.70	12.71	29.87	0.00	107	294	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5755.00	109.69	-----	-----	92.15	34.70	12.71	29.87	0.00	107	294	PEAK																																																																																				
Blank																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>100.40</td><td>-----</td><td>-----</td><td>82.90</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>107</td><td>294</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.40	-----	-----	82.90	34.69	12.70	29.89	0.00	107	294	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5755.00	100.40	-----	-----	82.90	34.69	12.70	29.89	0.00	107	294	AVERAGE																																																																																				




Mode	32																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>55.81</td><td>112.60</td><td>-56.79</td><td>37.94</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>56.41</td><td>105.48</td><td>-49.07</td><td>38.40</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>57.03</td><td>68.75</td><td>-11.72</td><td>38.80</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr><tr><td>4</td><td>5933.04</td><td>57.16</td><td>68.20</td><td>-11.04</td><td>38.90</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>107</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	55.81	112.60	-56.79	37.94	34.83	12.86	29.82	0.00	107	294	PEAK	2	5874.34	56.41	105.48	-49.07	38.40	34.95	12.90	29.84	0.00	107	294	PEAK	3	5924.26	57.03	68.75	-11.72	38.80	35.10	12.98	29.85	0.00	107	294	PEAK	4	5933.04	57.16	68.20	-11.04	38.90	35.10	13.00	29.84	0.00	107	294	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.26	55.81	112.60	-56.79	37.94	34.83	12.86	29.82	0.00	107	294	PEAK																																																																																			
2	5874.34	56.41	105.48	-49.07	38.40	34.95	12.90	29.84	0.00	107	294	PEAK																																																																																			
3	5924.26	57.03	68.75	-11.72	38.80	35.10	12.98	29.85	0.00	107	294	PEAK																																																																																			
4	5933.04	57.16	68.20	-11.04	38.90	35.10	13.00	29.84	0.00	107	294	PEAK																																																																																			





Mode	32																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.04</td><td>57.31</td><td>68.20</td><td>-10.89</td><td>40.01</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>55.26</td><td>68.59</td><td>-13.33</td><td>37.95</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5716.56</td><td>68.25</td><td>109.94</td><td>-41.69</td><td>50.91</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>68.30</td><td>111.54</td><td>-43.24</td><td>50.94</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.04	57.31	68.20	-10.89	40.01	34.53	12.54	29.77	0.00	300	101	PEAK	2	5650.53	55.26	68.59	-13.33	37.95	34.60	12.58	29.87	0.00	300	101	PEAK	3	5716.56	68.25	109.94	-41.69	50.91	34.63	12.67	29.96	0.00	300	101	PEAK	4	5720.28	68.30	111.54	-43.24	50.94	34.64	12.67	29.95	0.00	300	101	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.18</td><td>-----</td><td>-----</td><td>81.71</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.18	-----	-----	81.71	34.68	12.69	29.90	0.00	300	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5615.04	57.31	68.20	-10.89	40.01	34.53	12.54	29.77	0.00	300	101	PEAK																																																																																																																														
2	5650.53	55.26	68.59	-13.33	37.95	34.60	12.58	29.87	0.00	300	101	PEAK																																																																																																																														
3	5716.56	68.25	109.94	-41.69	50.91	34.63	12.67	29.96	0.00	300	101	PEAK																																																																																																																														
4	5720.28	68.30	111.54	-43.24	50.94	34.64	12.67	29.95	0.00	300	101	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	99.18	-----	-----	81.71	34.68	12.69	29.90	0.00	300	101	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.62</td><td>-----</td><td>-----</td><td>73.03</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	90.62	-----	-----	73.03	34.72	12.72	29.85	0.00	300	101	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	90.62	-----	-----	73.03	34.72	12.72	29.85	0.00	300	101	AVERAGE																																																																																																																														






Mode	32																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.65</td><td>111.26</td><td>-56.61</td><td>36.78</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>56.36</td><td>106.08</td><td>-49.72</td><td>38.38</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>54.59</td><td>68.75</td><td>-14.16</td><td>36.36</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5930.70</td><td>58.10</td><td>68.20</td><td>-10.10</td><td>39.86</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	54.65	111.26	-56.61	36.78	34.83	12.86	29.82	0.00	300	101	PEAK	2	5872.20	56.36	106.08	-49.72	38.38	34.93	12.89	29.84	0.00	300	101	PEAK	3	5924.26	54.59	68.75	-14.16	36.36	35.10	12.98	29.85	0.00	300	101	PEAK	4	5930.70	58.10	68.20	-10.10	39.86	35.10	12.99	29.85	0.00	300	101	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	54.65	111.26	-56.61	36.78	34.83	12.86	29.82	0.00	300	101	PEAK																																																																									
2	5872.20	56.36	106.08	-49.72	38.38	34.93	12.89	29.84	0.00	300	101	PEAK																																																																									
3	5924.26	54.59	68.75	-14.16	36.36	35.10	12.98	29.85	0.00	300	101	PEAK																																																																									
4	5930.70	58.10	68.20	-10.10	39.86	35.10	12.99	29.85	0.00	300	101	PEAK																																																																									




		32																																																																																																																																																	
Mode		Harmonic																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																																	
Pol.		Horizontal										Vertical																																																																																																																																							
Peak Avg																																																																																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>51.15</td><td>38.01</td><td>18.60</td><td>61.22</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>36.13</td><td>54.00</td><td>-17.87</td><td>40.77</td><td>38.00</td><td>18.59</td><td>61.23</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>17265.00</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>55.94</td><td>41.30</td><td>22.87</td><td>64.24</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.54	74.00	-27.46	51.15	38.01	18.60	61.22	0.00	100	360	PEAK	2	11510.00	36.13	54.00	-17.87	40.77	38.00	18.59	61.23	0.00	100	360	AVERAGE	3	17265.00	55.87	68.20	-12.33	55.94	41.30	22.87	64.24	0.00	100	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>50.57</td><td>38.01</td><td>18.60</td><td>61.22</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17265.00</td><td>54.06</td><td>68.20</td><td>-14.14</td><td>54.09</td><td>41.34</td><td>22.86</td><td>64.23</td><td>0.00</td><td>328</td><td>260</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.96	74.00	-28.04	50.57	38.01	18.60	61.22	0.00	--	--	PEAK	2	17265.00	54.06	68.20	-14.14	54.09	41.34	22.86	64.23	0.00	328	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	11510.00	46.54	74.00	-27.46	51.15	38.01	18.60	61.22	0.00	100	360	PEAK																																																																																																																																							
2	11510.00	36.13	54.00	-17.87	40.77	38.00	18.59	61.23	0.00	100	360	AVERAGE																																																																																																																																							
3	17265.00	55.87	68.20	-12.33	55.94	41.30	22.87	64.24	0.00	100	149	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	11510.00	45.96	74.00	-28.04	50.57	38.01	18.60	61.22	0.00	--	--	PEAK																																																																																																																																							
2	17265.00	54.06	68.20	-14.14	54.09	41.34	22.86	64.23	0.00	328	260	PEAK																																																																																																																																							







		33																																																																														
Mode	Band Edge - L																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																															
Pol.	Horizontal																																																																															
Peak																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.60</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>39.79</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>57.26</td><td>70.29</td><td>-13.03</td><td>39.94</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>57.27</td><td>106.09</td><td>-48.82</td><td>40.00</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.68</td><td>110.90</td><td>-53.22</td><td>40.32</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5615.60	57.09	68.20	-11.11	39.79	34.53	12.54	29.77	0.00	100	295 PEAK	2	5652.80	57.26	70.29	-13.03	39.94	34.60	12.59	29.87	0.00	100	295 PEAK	3	5702.80	57.27	106.09	-48.82	40.00	34.61	12.65	29.99	0.00	100	295 PEAK	4	5720.00	57.68	110.90	-53.22	40.32	34.64	12.67	29.95	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5615.60	57.09	68.20	-11.11	39.79	34.53	12.54	29.77	0.00	100	295 PEAK																																																																					
2	5652.80	57.26	70.29	-13.03	39.94	34.60	12.59	29.87	0.00	100	295 PEAK																																																																					
3	5702.80	57.27	106.09	-48.82	40.00	34.61	12.65	29.99	0.00	100	295 PEAK																																																																					
4	5720.00	57.68	110.90	-53.22	40.32	34.64	12.67	29.95	0.00	100	295 PEAK																																																																					
Fundamental																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.57</td><td>-----</td><td>-----</td><td>91.75</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>100</td><td>295 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	109.57	-----	-----	91.75	34.80	12.77	29.75	0.00	100	295 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5795.00	109.57	-----	-----	91.75	34.80	12.77	29.75	0.00	100	295 PEAK																																																																					
Avg	Blank																																																																															
																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.25</td><td>-----</td><td>-----</td><td>83.46</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>100</td><td>295 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	101.25	-----	-----	83.46	34.79	12.76	29.76	0.00	100	295 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																						
1	5795.00	101.25	-----	-----	83.46	34.79	12.76	29.76	0.00	100	295 AVERAGE																																																																					




Mode	33																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.53</td><td>111.36</td><td>-53.83</td><td>39.66</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>58.48</td><td>105.92</td><td>-47.44</td><td>40.49</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.66</td><td>69.53</td><td>-12.87</td><td>38.43</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>4</td><td>5967.20</td><td>57.64</td><td>68.20</td><td>-10.56</td><td>39.31</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	57.53	111.36	-53.83	39.66	34.83	12.86	29.82	0.00	100	295	PEAK	2	5872.80	58.48	105.92	-47.44	40.49	34.94	12.89	29.84	0.00	100	295	PEAK	3	5923.20	56.66	69.53	-12.87	38.43	35.10	12.98	29.85	0.00	100	295	PEAK	4	5967.20	57.64	68.20	-10.56	39.31	35.10	13.05	29.82	0.00	100	295	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	57.53	111.36	-53.83	39.66	34.83	12.86	29.82	0.00	100	295	PEAK																																																																									
2	5872.80	58.48	105.92	-47.44	40.49	34.94	12.89	29.84	0.00	100	295	PEAK																																																																									
3	5923.20	56.66	69.53	-12.87	38.43	35.10	12.98	29.85	0.00	100	295	PEAK																																																																									
4	5967.20	57.64	68.20	-10.56	39.31	35.10	13.05	29.82	0.00	100	295	PEAK																																																																									



		33																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																											
Pol.		Vertical																																																																																											
Peak																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.40</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>40.19</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.18</td><td>68.20</td><td>-14.02</td><td>36.86</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>56.57</td><td>106.20</td><td>-49.63</td><td>39.30</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.74</td><td>110.90</td><td>-55.16</td><td>38.38</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.40	57.49	68.20	-10.71	40.19	34.53	12.54	29.77	0.00	322	109	PEAK	2	5650.00	54.18	68.20	-14.02	36.86	34.60	12.58	29.86	0.00	322	109	PEAK	3	5703.20	56.57	106.20	-49.63	39.30	34.61	12.65	29.99	0.00	322	109	PEAK	4	5720.00	55.74	110.90	-55.16	38.38	34.64	12.67	29.95	0.00	322	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5616.40	57.49	68.20	-10.71	40.19	34.53	12.54	29.77	0.00	322	109	PEAK																																																																																	
2	5650.00	54.18	68.20	-14.02	36.86	34.60	12.58	29.86	0.00	322	109	PEAK																																																																																	
3	5703.20	56.57	106.20	-49.63	39.30	34.61	12.65	29.99	0.00	322	109	PEAK																																																																																	
4	5720.00	55.74	110.90	-55.16	38.38	34.64	12.67	29.95	0.00	322	109	PEAK																																																																																	
																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.36</td><td>-----</td><td>-----</td><td>81.65</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.36	-----	-----	81.65	34.76	12.75	29.80	0.00	322	109	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5795.00	99.36	-----	-----	81.65	34.76	12.75	29.80	0.00	322	109	PEAK																																																																																	
Avg																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.56</td><td>-----</td><td>-----</td><td>72.85</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																																																																	
																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.56</td><td>-----</td><td>-----</td><td>72.85</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5795.00	90.56	-----	-----	72.85	34.76	12.75	29.80	0.00	322	109	AVERAGE																																																																																	





Mode	33																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.04</td><td>112.27</td><td>-59.23</td><td>35.17</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>55.02</td><td>106.36</td><td>-51.34</td><td>37.04</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>57.11</td><td>69.83</td><td>-12.72</td><td>38.88</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5992.40</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>39.02</td><td>35.10</td><td>13.10</td><td>29.80</td><td>0.00</td><td>322</td><td>109</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.04	112.27	-59.23	35.17	34.83	12.86	29.82	0.00	322	109	PEAK	2	5871.20	55.02	106.36	-51.34	37.04	34.93	12.89	29.84	0.00	322	109	PEAK	3	5922.80	57.11	69.83	-12.72	38.88	35.10	12.98	29.85	0.00	322	109	PEAK	4	5992.40	57.42	68.20	-10.78	39.02	35.10	13.10	29.80	0.00	322	109	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	53.04	112.27	-59.23	35.17	34.83	12.86	29.82	0.00	322	109	PEAK																																																																									
2	5871.20	55.02	106.36	-51.34	37.04	34.93	12.89	29.84	0.00	322	109	PEAK																																																																									
3	5922.80	57.11	69.83	-12.72	38.88	35.10	12.98	29.85	0.00	322	109	PEAK																																																																									
4	5992.40	57.42	68.20	-10.78	39.02	35.10	13.10	29.80	0.00	322	109	PEAK																																																																									




		33																																																																																					
Mode		Harmonic																																																																																					
		U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																					
Pol.		Horizontal										Vertical																																																																											
Peak Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>51.43</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>36.47</td><td>54.00</td><td>-17.53</td><td>40.89</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>17385.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>56.09</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>101</td><td>152</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK	2	11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE	3	17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	11590.00	47.01	74.00	-26.99	51.43	38.09	18.67	61.18	0.00	100	360	PEAK																																																																											
2	11590.00	36.47	54.00	-17.53	40.89	38.09	18.67	61.18	0.00	100	360	AVERAGE																																																																											
3	17385.00	55.98	68.20	-12.22	56.09	41.20	22.98	64.29	0.00	101	152	PEAK																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>49.55</td><td>38.09</td><td>18.67</td><td>61.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17385.00</td><td>54.12</td><td>68.20</td><td>-14.08</td><td>54.23</td><td>41.20</td><td>22.98</td><td>64.29</td><td>0.00</td><td>100</td><td>102</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.13	74.00	-28.87	49.55	38.09	18.67	61.18	0.00	--	--	PEAK	2	17385.00	54.12	68.20	-14.08	54.23	41.20	22.98	64.29	0.00	100	102	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	11590.00	45.13	74.00	-28.87	49.55	38.09	18.67	61.18	0.00	--	--	PEAK																																																																											
2	17385.00	54.12	68.20	-14.08	54.23	41.20	22.98	64.29	0.00	100	102	PEAK																																																																											





Mode	34																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>58.54</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>163</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>47.72</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>163</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>62.90</td><td>68.20</td><td>-5.30</td><td>62.85</td><td>41.46</td><td>22.78</td><td>64.19</td><td>0.00</td><td>104</td><td>249</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	53.80	74.00	-20.20	58.54	38.00	18.54	61.28	0.00	100	163	PEAK	2	11440.00	42.98	54.00	-11.02	47.72	38.00	18.54	61.28	0.00	100	163	AVERAGE	3	17160.00	62.90	68.20	-5.30	62.85	41.46	22.78	64.19	0.00	104	249	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>57.46</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>46.73</td><td>38.00</td><td>18.54</td><td>61.28</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>60.31</td><td>41.46</td><td>22.78</td><td>64.19</td><td>0.00</td><td>100</td><td>89</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	52.72	74.00	-21.28	57.46	38.00	18.54	61.28	0.00	100	125	PEAK	2	11440.00	41.99	54.00	-12.01	46.73	38.00	18.54	61.28	0.00	100	125	AVERAGE	3	17160.00	60.36	68.20	-7.84	60.31	41.46	22.78	64.19	0.00	100	89	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	11440.00	53.80	74.00	-20.20	58.54	38.00	18.54	61.28	0.00	100	163	PEAK																																																																																																																																		
2	11440.00	42.98	54.00	-11.02	47.72	38.00	18.54	61.28	0.00	100	163	AVERAGE																																																																																																																																		
3	17160.00	62.90	68.20	-5.30	62.85	41.46	22.78	64.19	0.00	104	249	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	11440.00	52.72	74.00	-21.28	57.46	38.00	18.54	61.28	0.00	100	125	PEAK																																																																																																																																		
2	11440.00	41.99	54.00	-12.01	46.73	38.00	18.54	61.28	0.00	100	125	AVERAGE																																																																																																																																		
3	17160.00	60.36	68.20	-7.84	60.31	41.46	22.78	64.19	0.00	100	89	PEAK																																																																																																																																		



Mode	35																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																
Pol.	Horizontal																																																																																																
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>44.82</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>63.90</td><td>68.20</td><td>-4.30</td><td>63.94</td><td>40.95</td><td>18.31</td><td>59.30</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE	4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3	11440.00	36.64	54.00	-17.36	44.82	38.14	14.87	61.19	0.00	300	360	AVERAGE																																																																																					
4	17160.00	63.90	68.20	-4.30	63.94	40.95	18.31	59.30	0.00	100	115	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.48</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>57.96</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>55.30</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK	3																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7626.48	44.79	74.00	-29.21	57.96	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																					
2	11440.00	47.12	74.00	-26.88	55.30	38.14	14.87	61.19	0.00	300	360	PEAK																																																																																					
3																																																																																																	







Mode	36																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																									
Pol.	Horizontal											Vertical																																																																																																																														
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>50.75</td><td>38.00</td><td>18.52</td><td>61.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>57.02</td><td>41.44</td><td>22.76</td><td>64.18</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.98	74.00	-28.02	50.75	38.00	18.52	61.29	0.00	--	--	PEAK	2	17130.00	57.04	68.20	-11.16	57.02	41.44	22.76	64.18	0.00	100	246	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>50.57</td><td>38.00</td><td>18.52</td><td>61.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>57.57</td><td>41.43</td><td>22.76</td><td>64.18</td><td>0.00</td><td>338</td><td>263</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.80	74.00	-28.20	50.57	38.00	18.52	61.29	0.00	--	--	PEAK	2	17130.00	57.58	68.20	-10.62	57.57	41.43	22.76	64.18	0.00	338	263	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11420.00	45.98	74.00	-28.02	50.75	38.00	18.52	61.29	0.00	--	--	PEAK																																																																																																																														
2	17130.00	57.04	68.20	-11.16	57.02	41.44	22.76	64.18	0.00	100	246	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11420.00	45.80	74.00	-28.20	50.57	38.00	18.52	61.29	0.00	--	--	PEAK																																																																																																																														
2	17130.00	57.58	68.20	-10.62	57.57	41.43	22.76	64.18	0.00	338	263	PEAK																																																																																																																														





Mode	37																																																										
	Band Edge																																																										
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.85</td><td>65.27</td><td>74.00</td><td>-8.73</td><td>49.01</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5148.85	65.27	74.00	-8.73	49.01	34.10	12.03	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5148.85	65.27	74.00	-8.73	49.01	34.10	12.03	29.87	0.00	100	287 PEAK																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>111.12</td><td>-----</td><td>-----</td><td>94.76</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	111.12	-----	-----	94.76	34.19	12.05	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5180.00	111.12	-----	-----	94.76	34.19	12.05	29.88	0.00	100	287 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5150.00</td><td>52.65</td><td>54.00</td><td>-1.35</td><td>36.39</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>287 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5150.00	52.65	54.00	-1.35	36.39	34.10	12.03	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5150.00	52.65	54.00	-1.35	36.39	34.10	12.03	29.87	0.00	100	287 AVERAGE																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>102.67</td><td>-----</td><td>-----</td><td>86.25</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>287 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5180.00	102.67	-----	-----	86.25	34.24	12.06	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5180.00	102.67	-----	-----	86.25	34.24	12.06	29.88	0.00	100	287 AVERAGE																																																





Mode	37																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5181.55</td><td>57.84</td><td>74.00</td><td>-16.16</td><td>41.40</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>383</td><td>154</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5181.55	57.84	74.00	-16.16	41.40	34.29	12.00	29.85	0.00	383	154	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.85</td><td>-----</td><td>-----</td><td>85.49</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>383</td><td>154</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.85	-----	-----	85.49	34.19	12.05	29.88	0.00	383	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5181.55	57.84	74.00	-16.16	41.40	34.29	12.00	29.85	0.00	383	154	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.85	-----	-----	85.49	34.19	12.05	29.88	0.00	383	154	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.97</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>30.32</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>383</td><td>154</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	46.58	54.00	-7.42	30.32	34.10	12.03	29.87	0.00	383	154	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.21</td><td>-----</td><td>-----</td><td>76.85</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>383</td><td>154</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.21	-----	-----	76.85	34.19	12.05	29.88	0.00	383	154
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.97	46.58	54.00	-7.42	30.32	34.10	12.03	29.87	0.00	383	154	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	93.21	-----	-----	76.85	34.19	12.05	29.88	0.00	383	154	AVERAGE																																																																																							





		37																																																																																																																																								
Mode		Harmonic																																																																																																																																								
		U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																								
Pol.		Horizontal										Vertical																																																																																																																														
Peak Avg																																																																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>54.19</td><td>68.20</td><td>-14.01</td><td>65.73</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>100</td><td>152 PEAK</td></tr><tr><td>2 15540.00</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>57.41</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr><tr><td>3 15540.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>47.78</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	54.19	68.20	-14.01	65.73	37.46	17.54	66.54	0.00	100	152 PEAK	2 15540.00	52.36	74.00	-21.64	57.41	40.04	21.65	66.74	0.00	100	124 PEAK	3 15540.00	42.73	54.00	-11.27	47.78	40.04	21.65	66.74	0.00	100	124 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>54.20</td><td>68.20</td><td>-14.00</td><td>65.74</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>101</td><td>241 PEAK</td></tr><tr><td>2 15540.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>51.85</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	54.20	68.20	-14.00	65.74	37.46	17.54	66.54	0.00	101	241 PEAK	2 15540.00	46.80	74.00	-27.20	51.85	40.04	21.65	66.74	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1 10360.00	54.19	68.20	-14.01	65.73	37.46	17.54	66.54	0.00	100	152 PEAK																																																																																																																																
2 15540.00	52.36	74.00	-21.64	57.41	40.04	21.65	66.74	0.00	100	124 PEAK																																																																																																																																
3 15540.00	42.73	54.00	-11.27	47.78	40.04	21.65	66.74	0.00	100	124 AVERAGE																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1 10360.00	54.20	68.20	-14.00	65.74	37.46	17.54	66.54	0.00	101	241 PEAK																																																																																																																																
2 15540.00	46.80	74.00	-27.20	51.85	40.04	21.65	66.74	0.00	--	-- PEAK																																																																																																																																





Mode	38																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>66.43</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.36</td><td>74.00</td><td>-19.64</td><td>58.87</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>49.05</td><td>40.16</td><td>21.75</td><td>66.41</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>53.82</td><td>68.20</td><td>-14.38</td><td>65.22</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>54.46</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>44.31</td><td>40.16</td><td>21.75</td><td>66.41</td><td>0.00</td><td>100</td><td>253</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	55.03	68.20	-13.17	66.43	37.54	17.61	66.55	0.00	100	149	PEAK	2	15660.00	54.36	74.00	-19.64	58.87	40.16	21.74	66.41	0.00	100	125	PEAK	3	15660.00	44.55	54.00	-9.45	49.05	40.16	21.75	66.41	0.00	100	125	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	53.82	68.20	-14.38	65.22	37.54	17.61	66.55	0.00	100	253	PEAK	2	15660.00	49.95	74.00	-24.05	54.46	40.16	21.74	66.41	0.00	100	253	PEAK	3	15660.00	39.81	54.00	-14.19	44.31	40.16	21.75	66.41	0.00	100	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10440.00	55.03	68.20	-13.17	66.43	37.54	17.61	66.55	0.00	100	149	PEAK																																																																																																																																											
2	15660.00	54.36	74.00	-19.64	58.87	40.16	21.74	66.41	0.00	100	125	PEAK																																																																																																																																											
3	15660.00	44.55	54.00	-9.45	49.05	40.16	21.75	66.41	0.00	100	125	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10440.00	53.82	68.20	-14.38	65.22	37.54	17.61	66.55	0.00	100	253	PEAK																																																																																																																																											
2	15660.00	49.95	74.00	-24.05	54.46	40.16	21.74	66.41	0.00	100	253	PEAK																																																																																																																																											
3	15660.00	39.81	54.00	-14.19	44.31	40.16	21.75	66.41	0.00	100	253	AVERAGE																																																																																																																																											





		39																																																																																																																																																															
Mode		Harmonic																																																																																																																																																															
		U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																																															
Pol.		Horizontal										Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>66.36</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>61.56</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>46.95</td><td>54.00</td><td>-7.05</td><td>51.14</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	55.03	68.20	-13.17	66.36	37.58	17.65	66.56	0.00	100	148	PEAK	2	15720.00	57.37	74.00	-16.63	61.56	40.26	21.79	66.24	0.00	100	124	PEAK	3	15720.00	46.95	54.00	-7.05	51.14	40.26	21.79	66.24	0.00	100	124	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>47.04</td><td>68.20</td><td>-21.16</td><td>58.37</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>55.83</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>268</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>46.66</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>268</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	47.04	68.20	-21.16	58.37	37.58	17.65	66.56	0.00	--	--	PEAK	2	15720.00	51.64	74.00	-22.36	55.83	40.26	21.79	66.24	0.00	100	268	PEAK	3	15720.00	42.47	54.00	-11.53	46.66	40.26	21.79	66.24	0.00	100	268	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	10400.00	55.03	68.20	-13.17	66.36	37.58	17.65	66.56	0.00	100	148	PEAK																																																																																																																																																					
2	15720.00	57.37	74.00	-16.63	61.56	40.26	21.79	66.24	0.00	100	124	PEAK																																																																																																																																																					
3	15720.00	46.95	54.00	-7.05	51.14	40.26	21.79	66.24	0.00	100	124	AVERAGE																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																							
1	10400.00	47.04	68.20	-21.16	58.37	37.58	17.65	66.56	0.00	--	--	PEAK																																																																																																																																																					
2	15720.00	51.64	74.00	-22.36	55.83	40.26	21.79	66.24	0.00	100	268	PEAK																																																																																																																																																					
3	15720.00	42.47	54.00	-11.53	46.66	40.26	21.79	66.24	0.00	100	268	AVERAGE																																																																																																																																																					



Mode	40																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>56.28</td><td>68.20</td><td>-11.92</td><td>67.53</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>100</td><td>140 PEAK</td></tr><tr><td>2 15780.00</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>61.07</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>101</td><td>123 PEAK</td></tr><tr><td>3 15780.00</td><td>47.47</td><td>54.00</td><td>-6.53</td><td>51.26</td><td>40.44</td><td>21.84</td><td>66.07</td><td>0.00</td><td>101</td><td>123 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	56.28	68.20	-11.92	67.53	37.60	17.69	66.54	0.00	100	140 PEAK	2 15780.00	57.27	74.00	-16.73	61.07	40.44	21.84	66.08	0.00	101	123 PEAK	3 15780.00	47.47	54.00	-6.53	51.26	40.44	21.84	66.07	0.00	101	123 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>58.24</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15780.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>57.03</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>261 PEAK</td></tr><tr><td>3 15780.00</td><td>43.54</td><td>54.00</td><td>-10.46</td><td>47.34</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>261 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10520.00	46.99	68.20	-21.21	58.24	37.60	17.69	66.54	0.00	--	-- PEAK	2 15780.00	53.23	74.00	-20.77	57.03	40.44	21.84	66.08	0.00	100	261 PEAK	3 15780.00	43.54	54.00	-10.46	47.34	40.44	21.84	66.08	0.00	100	261 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1 10520.00	56.28	68.20	-11.92	67.53	37.60	17.69	66.54	0.00	100	140 PEAK																																																																																																																						
2 15780.00	57.27	74.00	-16.73	61.07	40.44	21.84	66.08	0.00	101	123 PEAK																																																																																																																						
3 15780.00	47.47	54.00	-6.53	51.26	40.44	21.84	66.07	0.00	101	123 AVERAGE																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1 10520.00	46.99	68.20	-21.21	58.24	37.60	17.69	66.54	0.00	--	-- PEAK																																																																																																																						
2 15780.00	53.23	74.00	-20.77	57.03	40.44	21.84	66.08	0.00	100	261 PEAK																																																																																																																						
3 15780.00	43.54	54.00	-10.46	47.34	40.44	21.84	66.08	0.00	100	261 AVERAGE																																																																																																																						







Mode	41																																																																																													
	Harmonic																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>65.07</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>145</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>55.37</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>145</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>60.88</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>126</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>51.85</td><td>40.40</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>126</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	53.99	74.00	-20.01	65.07	37.60	17.77	66.45	0.00	100	145	PEAK	2	10600.00	44.29	54.00	-9.71	55.37	37.60	17.77	66.45	0.00	100	145	AVERAGE	3	15900.00	57.47	74.00	-16.53	60.88	40.40	21.94	65.75	0.00	100	126	PEAK	4	15900.00	48.45	54.00	-5.55	51.85	40.40	21.94	65.74	0.00	100	126	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	10600.00	53.99	74.00	-20.01	65.07	37.60	17.77	66.45	0.00	100	145	PEAK																																																																																		
2	10600.00	44.29	54.00	-9.71	55.37	37.60	17.77	66.45	0.00	100	145	AVERAGE																																																																																		
3	15900.00	57.47	74.00	-16.53	60.88	40.40	21.94	65.75	0.00	100	126	PEAK																																																																																		
4	15900.00	48.45	54.00	-5.55	51.85	40.40	21.94	65.74	0.00	100	126	AVERAGE																																																																																		
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>64.46</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>54.35</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>100</td><td>242</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>57.52</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>48.41</td><td>40.40</td><td>21.94</td><td>65.74</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	53.38	74.00	-20.62	64.46	37.60	17.77	66.45	0.00	100	242	PEAK	2	10600.00	43.27	54.00	-10.73	54.35	37.60	17.77	66.45	0.00	100	242	AVERAGE	3	15900.00	54.11	74.00	-19.89	57.52	40.40	21.94	65.75	0.00	100	272	PEAK	4	15900.00	45.01	54.00	-8.99	48.41	40.40	21.94	65.74	0.00	100	272	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	10600.00	53.38	74.00	-20.62	64.46	37.60	17.77	66.45	0.00	100	242	PEAK																																																																																		
2	10600.00	43.27	54.00	-10.73	54.35	37.60	17.77	66.45	0.00	100	242	AVERAGE																																																																																		
3	15900.00	54.11	74.00	-19.89	57.52	40.40	21.94	65.75	0.00	100	272	PEAK																																																																																		
4	15900.00	45.01	54.00	-8.99	48.41	40.40	21.94	65.74	0.00	100	272	AVERAGE																																																																																		






Mode	42																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.55</td><td>68.12</td><td>74.00</td><td>-5.88</td><td>51.33</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.55	68.12	74.00	-5.88	51.33	34.42	12.21	29.84	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.55	68.12	74.00	-5.88	51.33	34.42	12.21	29.84	0.00	100	291	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.89</td><td>-----</td><td>-----</td><td>96.20</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>100</td><td>291</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.89	-----	-----	96.20	34.40	12.18	29.89	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	112.89	-----	-----	96.20	34.40	12.18	29.89	0.00	100	291	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.20</td><td>54.00</td><td>-1.80</td><td>35.44</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.20	54.00	-1.80	35.44	34.40	12.20	29.84	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	52.20	54.00	-1.80	35.44	34.40	12.20	29.84	0.00	100	291	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.40</td><td>-----</td><td>-----</td><td>87.73</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.40	-----	-----	87.73	34.40	12.17	29.90	0.00	100	291
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	104.40	-----	-----	87.73	34.40	12.17	29.90	0.00	100	291	AVERAGE																																											



		42																																																			
Mode	Band Edge																																																				
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																				
Pol.	Vertical					Fundamental																																															
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.55</td><td>56.54</td><td>74.00</td><td>-17.46</td><td>39.69</td><td>34.46</td><td>12.22</td><td>29.83</td><td>0.00</td><td>326</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.55	56.54	74.00	-17.46	39.69	34.46	12.22	29.83	0.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5364.55	56.54	74.00	-17.46	39.69	34.46	12.22	29.83	0.00	326	0 PEAK																																										
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.74</td><td>-----</td><td>-----</td><td>85.04</td><td>34.40</td><td>12.18</td><td>29.88</td><td>0.00</td><td>326</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.74	-----	-----	85.04	34.40	12.18	29.88	0.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5320.00	101.74	-----	-----	85.04	34.40	12.18	29.88	0.00	326	0 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>28.35</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>326</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.11	54.00	-8.89	28.35	34.40	12.20	29.84	0.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5350.00	45.11	54.00	-8.89	28.35	34.40	12.20	29.84	0.00	326	0 AVERAGE																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.02</td><td>-----</td><td>-----</td><td>76.33</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>326</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.02	-----	-----	76.33	34.40	12.18	29.89	0.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5320.00	93.02	-----	-----	76.33	34.40	12.18	29.89	0.00	326	0 AVERAGE																																										



Mode	42																																																																																													
	Harmonic																																																																																													
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>64.48</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.03</td><td>54.00</td><td>-9.97</td><td>54.99</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>154</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>59.66</td><td>74.00</td><td>-14.34</td><td>62.73</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>49.35</td><td>54.00</td><td>-4.65</td><td>52.42</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	53.52	74.00	-20.48	64.48	37.64	17.80	66.40	0.00	100	154	PEAK	2	10640.00	44.03	54.00	-9.97	54.99	37.64	17.80	66.40	0.00	100	154	AVERAGE	3	15960.00	59.66	74.00	-14.34	62.73	40.52	21.99	65.58	0.00	100	123	PEAK	4	15960.00	49.35	54.00	-4.65	52.42	40.52	21.99	65.58	0.00	100	123	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	10640.00	53.52	74.00	-20.48	64.48	37.64	17.80	66.40	0.00	100	154	PEAK																																																																																		
2	10640.00	44.03	54.00	-9.97	54.99	37.64	17.80	66.40	0.00	100	154	AVERAGE																																																																																		
3	15960.00	59.66	74.00	-14.34	62.73	40.52	21.99	65.58	0.00	100	123	PEAK																																																																																		
4	15960.00	49.35	54.00	-4.65	52.42	40.52	21.99	65.58	0.00	100	123	AVERAGE																																																																																		
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>63.70</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>53.94</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>58.43</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>48.99</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>270</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	52.74	74.00	-21.26	63.70	37.64	17.80	66.40	0.00	100	241	PEAK	2	10640.00	42.98	54.00	-11.02	53.94	37.64	17.80	66.40	0.00	100	241	AVERAGE	3	15960.00	55.36	74.00	-18.64	58.43	40.52	21.99	65.58	0.00	100	270	PEAK	4	15960.00	45.92	54.00	-8.08	48.99	40.52	21.99	65.58	0.00	100	270	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	10640.00	52.74	74.00	-21.26	63.70	37.64	17.80	66.40	0.00	100	241	PEAK																																																																																		
2	10640.00	42.98	54.00	-11.02	53.94	37.64	17.80	66.40	0.00	100	241	AVERAGE																																																																																		
3	15960.00	55.36	74.00	-18.64	58.43	40.52	21.99	65.58	0.00	100	270	PEAK																																																																																		
4	15960.00	45.92	54.00	-8.08	48.99	40.52	21.99	65.58	0.00	100	270	AVERAGE																																																																																		





		43									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										



Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5443.85</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>39.53</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>353</td><td>57 PEAK</td></tr><tr><td>2</td><td>5469.93</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>40.62</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>353</td><td>57 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5443.85	56.59	74.00	-17.41	39.53	34.60	12.31	29.85	0.00	353	57 PEAK	2	5469.93	57.63	68.20	-10.57	40.62	34.56	12.34	29.89	0.00	353	57 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5443.85	56.59	74.00	-17.41	39.53	34.60	12.31	29.85	0.00	353	57 PEAK																																																													
2	5469.93	57.63	68.20	-10.57	40.62	34.56	12.34	29.89	0.00	353	57 PEAK																																																													

Peak																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>100.61</td><td>-----</td><td>-----</td><td>83.65</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>353</td><td>57 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	100.61	-----	-----	83.65	34.52	12.37	29.93	0.00	353	57 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5500.00	100.61	-----	-----	83.65	34.52	12.37	29.93	0.00	353	57 PEAK																																																	



Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.21</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>27.89</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>353</td><td>57 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.21	44.93	54.00	-9.07	27.89	34.58	12.33	29.87	0.00	353	57 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5459.21	44.93	54.00	-9.07	27.89	34.58	12.33	29.87	0.00	353	57 AVERAGE																																																	

Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>91.92</td><td>-----</td><td>-----</td><td>74.96</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>353</td><td>57 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	91.92	-----	-----	74.96	34.52	12.37	29.93	0.00	353	57 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5500.00	91.92	-----	-----	74.96	34.52	12.37	29.93	0.00	353	57 AVERAGE																																																	






		43																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																
Pol.		Horizontal																																																																																
Peak																																																																																		
Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>62.62</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>101</td><td>285</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>52.77</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>101</td><td>285</td><td>AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>62.09</td><td>68.20</td><td>-6.11</td><td>63.71</td><td>41.57</td><td>22.33</td><td>65.52</td><td>0.00</td><td>100</td><td>131</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	52.58	74.00	-21.42	62.62	37.00	18.15	65.99	0.00	101	285	PEAK	2	11000.00	42.73	54.00	-11.27	52.77	37.00	18.15	65.99	0.00	101	285	AVERAGE	3	16500.00	62.09	68.20	-6.11	63.71	41.57	22.33	65.52	0.00	100	131	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11000.00	52.58	74.00	-21.42	62.62	37.00	18.15	65.99	0.00	101	285	PEAK																																																																						
2	11000.00	42.73	54.00	-11.27	52.77	37.00	18.15	65.99	0.00	101	285	AVERAGE																																																																						
3	16500.00	62.09	68.20	-6.11	63.71	41.57	22.33	65.52	0.00	100	131	PEAK																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>56.68</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16500.00</td><td>56.96</td><td>68.20</td><td>-11.24</td><td>58.54</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>100</td><td>53</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.64	74.00	-27.36	56.68	37.00	18.15	65.99	0.00	--	--	PEAK	2	16500.00	56.96	68.20	-11.24	58.54	41.60	22.34	65.52	0.00	100	53	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11000.00	46.64	74.00	-27.36	56.68	37.00	18.15	65.99	0.00	--	--	PEAK																																																																						
2	16500.00	56.96	68.20	-11.24	58.54	41.60	22.34	65.52	0.00	100	53	PEAK																																																																						







Mode	44																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>53.00</td><td>74.00</td><td>-20.92</td><td>62.20</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>51.96</td><td>37.96</td><td>18.29</td><td>65.36</td><td>0.00</td><td>100</td><td>309</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>63.60</td><td>68.20</td><td>-4.60</td><td>64.59</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>135</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	53.00	74.00	-20.92	62.20	37.96	18.29	65.37	0.00	100	309	PEAK	2	11160.00	42.85	54.00	-11.15	51.96	37.96	18.29	65.36	0.00	100	309	AVERAGE	3	16740.00	63.60	68.20	-4.60	64.59	41.94	22.49	65.42	0.00	100	135	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>60.66</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>100</td><td>348</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>51.24</td><td>37.96</td><td>18.29</td><td>65.36</td><td>0.00</td><td>100</td><td>348</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>62.61</td><td>68.20</td><td>-5.59</td><td>63.60</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>100</td><td>181</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	51.54	74.00	-22.46	60.66	37.96	18.29	65.37	0.00	100	348	PEAK	2	11160.00	42.13	54.00	-11.87	51.24	37.96	18.29	65.36	0.00	100	348	AVERAGE	3	16740.00	62.61	68.20	-5.59	63.60	41.94	22.49	65.42	0.00	100	181	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11160.00	53.00	74.00	-20.92	62.20	37.96	18.29	65.37	0.00	100	309	PEAK																																																																																																																																		
2	11160.00	42.85	54.00	-11.15	51.96	37.96	18.29	65.36	0.00	100	309	AVERAGE																																																																																																																																		
3	16740.00	63.60	68.20	-4.60	64.59	41.94	22.49	65.42	0.00	100	135	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	11160.00	51.54	74.00	-22.46	60.66	37.96	18.29	65.37	0.00	100	348	PEAK																																																																																																																																		
2	11160.00	42.13	54.00	-11.87	51.24	37.96	18.29	65.36	0.00	100	348	AVERAGE																																																																																																																																		
3	16740.00	62.61	68.20	-5.59	63.60	41.94	22.49	65.42	0.00	100	181	PEAK																																																																																																																																		



Mode	45																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.44</td><td>65.38</td><td>68.20</td><td>-2.82</td><td>47.99</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.44	65.38	68.20	-2.82	47.99	34.65	12.68	29.94	0.00	100	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.81</td><td>-----</td><td>-----</td><td>92.56</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	100	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.44	65.38	68.20	-2.82	47.99	34.65	12.68	29.94	0.00	100	270	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	100	270	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.65</td><td>-----</td><td>-----</td><td>84.40</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>100</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.65	-----	-----	84.40	34.60	12.64	29.99	0.00	100	270	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	101.65	-----	-----	84.40	34.60	12.64	29.99	0.00	100	270	AVERAGE																																																																																							



		45																																																					
Mode		Band Edge																																																					
		U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																					
Pol.		Vertical					Fundamental																																																
Peak		 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.20</td><td>57.36</td><td>68.20</td><td>-10.84</td><td>39.97</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>343</td><td>53</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	57.36	68.20	-10.84	39.97	34.65	12.68	29.94	0.00	343	53	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.20	57.36	68.20	-10.84	39.97	34.65	12.68	29.94	0.00	343	53	PEAK																																											
		 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.87</td><td>-----</td><td>-----</td><td>85.62</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>343</td><td>53</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.87	-----	-----	85.62	34.60	12.65	30.00	0.00	343	53	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	102.87	-----	-----	85.62	34.60	12.65	30.00	0.00	343	53	PEAK																																											
Avg		 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.89</td><td>-----</td><td>-----</td><td>76.64</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>343</td><td>53</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.89	-----	-----	76.64	34.60	12.65	30.00	0.00	343	53	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	93.89	-----	-----	76.64	34.60	12.65	30.00	0.00	343	53	AVERAGE																																											
		 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.89</td><td>-----</td><td>-----</td><td>76.64</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>343</td><td>53</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.89	-----	-----	76.64	34.60	12.65	30.00	0.00	343	53	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5700.00	93.89	-----	-----	76.64	34.60	12.65	30.00	0.00	343	53	AVERAGE																																											



45

Harmonic

U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz


Pol.

Horizontal


Vertical

Peak

Avg



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	11400.00	54.19	74.00	-19.81	62.14	38.00	18.50	64.45	0.00	100	315	PEAK
2	11400.00	44.07	54.00	-9.93	52.01	38.00	18.50	64.44	0.00	100	315	AVERAGE
3	17100.00	63.30	68.20	-4.90	64.45	41.40	22.73	65.28	0.00	100	135	PEAK






	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	11400.00	51.87	74.00	-22.13	59.82	38.00	18.50	64.45	0.00	100	246	PEAK
2	11400.00	41.96	54.00	-12.04	49.90	38.00	18.50	64.44	0.00	100	246	AVERAGE
3	17100.00	63.00	68.20	-5.20	64.14	41.41	22.73	65.28	0.00	338	265	PEAK






		46									
Mode	Band Edge										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz										
Pol.	Horizontal										
Peak	</										



Mode	46																																																																																								
	Band Edge																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																								
Pol.	Vertical																																																																																								
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.60</td><td>56.36</td><td>68.20</td><td>-11.84</td><td>39.06</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.98</td><td>68.50</td><td>-13.52</td><td>37.67</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>55.49</td><td>106.31</td><td>-50.82</td><td>38.22</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>63.55</td><td>111.81</td><td>-48.26</td><td>46.19</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.60	56.36	68.20	-11.84	39.06	34.53	12.54	29.77	0.00	337	54 PEAK	2	5650.40	54.98	68.50	-13.52	37.67	34.60	12.58	29.87	0.00	337	54 PEAK	3	5703.60	55.49	106.31	-50.82	38.22	34.61	12.65	29.99	0.00	337	54 PEAK	4	5720.40	63.55	111.81	-48.26	46.19	34.64	12.67	29.95	0.00	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5613.60	56.36	68.20	-11.84	39.06	34.53	12.54	29.77	0.00	337	54 PEAK																																																																														
2	5650.40	54.98	68.50	-13.52	37.67	34.60	12.58	29.87	0.00	337	54 PEAK																																																																														
3	5703.60	55.49	106.31	-50.82	38.22	34.61	12.65	29.99	0.00	337	54 PEAK																																																																														
4	5720.40	63.55	111.81	-48.26	46.19	34.64	12.67	29.95	0.00	337	54 PEAK																																																																														
Fundamental																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.52</td><td>-----</td><td>-----</td><td>85.05</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>337</td><td>54 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.52	-----	-----	85.05	34.68	12.69	29.90	0.00	337	54 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5745.00	102.52	-----	-----	85.05	34.68	12.69	29.90	0.00	337	54 PEAK																																																																														
Avg	Blank																																																																																								
																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.28</td><td>-----</td><td>-----</td><td>76.81</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>337</td><td>54 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.28	-----	-----	76.81	34.68	12.69	29.90	0.00	337	54 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	5745.00	94.28	-----	-----	76.81	34.68	12.69	29.90	0.00	337	54 AVERAGE																																																																														






		46																																																																																																																																																																	
Mode		Harmonic																																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																																																	
Pol.		Horizontal											Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>62.75</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>52.97</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>64.28</td><td>68.20</td><td>-3.92</td><td>65.28</td><td>41.38</td><td>22.85</td><td>65.23</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.23	74.00	-18.77	62.75	38.00	18.58	64.10	0.00	100	314	PEAK	2	11490.00	45.45	54.00	-8.55	52.97	38.00	18.58	64.10	0.00	100	314	AVERAGE	3	17235.00	64.28	68.20	-3.92	65.28	41.38	22.85	65.23	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>61.53</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>396</td><td>47</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>51.90</td><td>38.00</td><td>18.58</td><td>64.09</td><td>0.00</td><td>396</td><td>47</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>62.39</td><td>68.20</td><td>-5.81</td><td>63.36</td><td>41.42</td><td>22.84</td><td>65.23</td><td>0.00</td><td>100</td><td>53</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.01	74.00	-19.99	61.53	38.00	18.58	64.10	0.00	396	47	PEAK	2	11490.00	44.39	54.00	-9.61	51.90	38.00	18.58	64.09	0.00	396	47	AVERAGE	3	17235.00	62.39	68.20	-5.81	63.36	41.42	22.84	65.23	0.00	100	53	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	11490.00	55.23	74.00	-18.77	62.75	38.00	18.58	64.10	0.00	100	314	PEAK																																																																																																																																																							
2	11490.00	45.45	54.00	-8.55	52.97	38.00	18.58	64.10	0.00	100	314	AVERAGE																																																																																																																																																							
3	17235.00	64.28	68.20	-3.92	65.28	41.38	22.85	65.23	0.00	100	118	PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	11490.00	54.01	74.00	-19.99	61.53	38.00	18.58	64.10	0.00	396	47	PEAK																																																																																																																																																							
2	11490.00	44.39	54.00	-9.61	51.90	38.00	18.58	64.09	0.00	396	47	AVERAGE																																																																																																																																																							
3	17235.00	62.39	68.20	-5.81	63.36	41.42	22.84	65.23	0.00	100	53	PEAK																																																																																																																																																							








Mode	47																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>60.52</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>50.67</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>64.22</td><td>68.20</td><td>-3.98</td><td>65.26</td><td>41.20</td><td>22.95</td><td>65.19</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	53.14	74.00	-20.86	60.52	38.07	18.65	64.10	0.00	100	128	PEAK	2	11570.00	43.29	54.00	-10.71	50.67	38.07	18.65	64.10	0.00	100	128	AVERAGE	3	17355.00	64.22	68.20	-3.98	65.26	41.20	22.95	65.19	0.00	100	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>59.31</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>49.07</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>61.14</td><td>68.20</td><td>-7.06</td><td>62.18</td><td>41.20</td><td>22.95</td><td>65.19</td><td>0.00</td><td>100</td><td>58</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	51.93	74.00	-22.07	59.31	38.07	18.65	64.10	0.00	100	239	PEAK	2	11570.00	41.69	54.00	-12.31	49.07	38.07	18.65	64.10	0.00	100	239	AVERAGE	3	17355.00	61.14	68.20	-7.06	62.18	41.20	22.95	65.19	0.00	100	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11570.00	53.14	74.00	-20.86	60.52	38.07	18.65	64.10	0.00	100	128	PEAK																																																																																																																																											
2	11570.00	43.29	54.00	-10.71	50.67	38.07	18.65	64.10	0.00	100	128	AVERAGE																																																																																																																																											
3	17355.00	64.22	68.20	-3.98	65.26	41.20	22.95	65.19	0.00	100	119	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11570.00	51.93	74.00	-22.07	59.31	38.07	18.65	64.10	0.00	100	239	PEAK																																																																																																																																											
2	11570.00	41.69	54.00	-12.31	49.07	38.07	18.65	64.10	0.00	100	239	AVERAGE																																																																																																																																											
3	17355.00	61.14	68.20	-7.06	62.18	41.20	22.95	65.19	0.00	100	58	PEAK																																																																																																																																											





		48																																																																																		
Mode	Band Edge																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																			
Pol.	Horizontal																																																																																			
Peak																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.61</td><td>64.82</td><td>111.78</td><td>-46.96</td><td>46.95</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5855.41</td><td>68.37</td><td>110.78</td><td>-42.41</td><td>50.50</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>56.61</td><td>68.78</td><td>-12.17</td><td>38.38</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr><tr><td>4</td><td>5951.01</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>39.13</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.61	64.82	111.78	-46.96	46.95	34.83	12.86	29.82	0.00	100	298	PEAK	2	5855.41	68.37	110.78	-42.41	50.50	34.83	12.86	29.82	0.00	100	298	PEAK	3	5924.21	56.61	68.78	-12.17	38.38	35.10	12.98	29.85	0.00	100	298	PEAK	4	5951.01	57.43	68.20	-10.77	39.13	35.10	13.03	29.83	0.00	100	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5854.61	64.82	111.78	-46.96	46.95	34.83	12.86	29.82	0.00	100	298	PEAK																																																																								
2	5855.41	68.37	110.78	-42.41	50.50	34.83	12.86	29.82	0.00	100	298	PEAK																																																																								
3	5924.21	56.61	68.78	-12.17	38.38	35.10	12.98	29.85	0.00	100	298	PEAK																																																																								
4	5951.01	57.43	68.20	-10.77	39.13	35.10	13.03	29.83	0.00	100	298	PEAK																																																																								
Fundamental																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>114.58</td><td>-----</td><td>-----</td><td>96.74</td><td>34.80</td><td>12.82</td><td>29.78</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	114.58	-----	-----	96.74	34.80	12.82	29.78	0.00	100	298	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5825.00	114.58	-----	-----	96.74	34.80	12.82	29.78	0.00	100	298	PEAK																																																																								
Avg	Blank																																																																																			
																																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.17</td><td>-----</td><td>-----</td><td>88.34</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.17	-----	-----	88.34	34.80	12.80	29.77	0.00	100	298	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5825.00	106.17	-----	-----	88.34	34.80	12.80	29.77	0.00	100	298	AVERAGE																																																																								





Mode	48																																																																											
	Band Edge																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																											
Pol.	Vertical																																																																											
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.61</td><td>58.17</td><td>111.78</td><td>-53.61</td><td>40.30</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>357 78 PEAK</td></tr><tr><td>2</td><td>5867.41</td><td>56.86</td><td>107.42</td><td>-50.56</td><td>38.91</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>357 78 PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>55.14</td><td>68.49</td><td>-13.35</td><td>36.91</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>357 78 PEAK</td></tr><tr><td>4</td><td>5954.61</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>39.85</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>357 78 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.61	58.17	111.78	-53.61	40.30	34.83	12.86	29.82	0.00	357 78 PEAK	2	5867.41	56.86	107.42	-50.56	38.91	34.90	12.88	29.83	0.00	357 78 PEAK	3	5924.61	55.14	68.49	-13.35	36.91	35.10	12.98	29.85	0.00	357 78 PEAK	4	5954.61	58.15	68.20	-10.05	39.85	35.10	13.03	29.83	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5854.61	58.17	111.78	-53.61	40.30	34.83	12.86	29.82	0.00	357 78 PEAK																																																																		
2	5867.41	56.86	107.42	-50.56	38.91	34.90	12.88	29.83	0.00	357 78 PEAK																																																																		
3	5924.61	55.14	68.49	-13.35	36.91	35.10	12.98	29.85	0.00	357 78 PEAK																																																																		
4	5954.61	58.15	68.20	-10.05	39.85	35.10	13.03	29.83	0.00	357 78 PEAK																																																																		
Fundamental																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.85</td><td>-----</td><td>-----</td><td>89.02</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>357 78 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	106.85	-----	-----	89.02	34.80	12.81	29.78	0.00	357 78 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5825.00	106.85	-----	-----	89.02	34.80	12.81	29.78	0.00	357 78 PEAK																																																																		
Avg	Blank																																																																											
																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.44</td><td>-----</td><td>-----</td><td>79.60</td><td>34.80</td><td>12.82</td><td>29.78</td><td>0.00</td><td>357 78 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	97.44	-----	-----	79.60	34.80	12.82	29.78	0.00	357 78 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5825.00	97.44	-----	-----	79.60	34.80	12.82	29.78	0.00	357 78 AVERAGE																																																																		



		48																																																																																																																																																																			
Mode		Harmonic																																																																																																																																																																			
		U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																																																			
Pol.		Horizontal											Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>54.00</td><td>74.00</td><td>-19.20</td><td>62.02</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.81</td><td>54.00</td><td>-9.19</td><td>52.03</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>64.10</td><td>68.20</td><td>-4.10</td><td>64.92</td><td>41.28</td><td>23.05</td><td>65.15</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	54.00	74.00	-19.20	62.02	38.20	18.72	64.14	0.00	100	124	PEAK	2	11650.00	44.81	54.00	-9.19	52.03	38.20	18.72	64.14	0.00	100	124	AVERAGE	3	17475.00	64.10	68.20	-4.10	64.92	41.28	23.05	65.15	0.00	100	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>58.67</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>103</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>48.05</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>103</td><td>81</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>60.52</td><td>68.20</td><td>-7.68</td><td>61.34</td><td>41.28</td><td>23.05</td><td>65.15</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	51.45	74.00	-22.55	58.67	38.20	18.72	64.14	0.00	103	81	PEAK	2	11650.00	41.63	54.00	-12.37	48.05	38.20	18.72	64.14	0.00	103	81	AVERAGE	3	17475.00	60.52	68.20	-7.68	61.34	41.28	23.05	65.15	0.00	100	59	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11650.00	54.00	74.00	-19.20	62.02	38.20	18.72	64.14	0.00	100	124	PEAK																																																																																																																																																									
2	11650.00	44.81	54.00	-9.19	52.03	38.20	18.72	64.14	0.00	100	124	AVERAGE																																																																																																																																																									
3	17475.00	64.10	68.20	-4.10	64.92	41.28	23.05	65.15	0.00	100	118	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11650.00	51.45	74.00	-22.55	58.67	38.20	18.72	64.14	0.00	103	81	PEAK																																																																																																																																																									
2	11650.00	41.63	54.00	-12.37	48.05	38.20	18.72	64.14	0.00	103	81	AVERAGE																																																																																																																																																									
3	17475.00	60.52	68.20	-7.68	61.34	41.28	23.05	65.15	0.00	100	59	PEAK																																																																																																																																																									




		49																																																																																																																																																																
Mode		Harmonic																																																																																																																																																																
		U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																																																
Pol.		Horizontal											Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>62.18</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>52.37</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>64.20</td><td>68.20</td><td>-4.00</td><td>65.20</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>100</td><td>133</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	54.43	74.00	-19.57	62.18	38.00	18.54	64.29	0.00	100	123	PEAK	2	11440.00	44.62	54.00	-9.38	52.37	38.00	18.54	64.29	0.00	100	123	AVERAGE	3	17160.00	64.20	68.20	-4.00	65.20	41.46	22.79	65.25	0.00	100	133	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>62.36</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>369</td><td>44</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>52.41</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>369</td><td>44</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>63.32</td><td>68.20</td><td>-4.88</td><td>64.32</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>100</td><td>56</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	54.61	74.00	-19.39	62.36	38.00	18.54	64.29	0.00	369	44	PEAK	2	11440.00	44.66	54.00	-9.34	52.41	38.00	18.54	64.29	0.00	369	44	AVERAGE	3	17160.00	63.32	68.20	-4.88	64.32	41.46	22.79	65.25	0.00	100	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	11440.00	54.43	74.00	-19.57	62.18	38.00	18.54	64.29	0.00	100	123	PEAK																																																																																																																																																						
2	11440.00	44.62	54.00	-9.38	52.37	38.00	18.54	64.29	0.00	100	123	AVERAGE																																																																																																																																																						
3	17160.00	64.20	68.20	-4.00	65.20	41.46	22.79	65.25	0.00	100	133	PEAK																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	11440.00	54.61	74.00	-19.39	62.36	38.00	18.54	64.29	0.00	369	44	PEAK																																																																																																																																																						
2	11440.00	44.66	54.00	-9.34	52.41	38.00	18.54	64.29	0.00	369	44	AVERAGE																																																																																																																																																						
3	17160.00	63.32	68.20	-4.88	64.32	41.46	22.79	65.25	0.00	100	56	PEAK																																																																																																																																																						


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz
802.11ax HE20	99.26	-	-	10Hz


802.11a



802.11n HT20



802.11n HT40





802.11ax HE20

