




Band4 15MHz 64QAM LCH 1717.5MHz RB 75 0 NTNV




Band4 15MHz 64QAM MCH 1732.5MHz RB 75 0 NTNV




Band4 15MHz 64QAM HCH 1747.5MHz RB 75 0 NTV




4.2.6 B4_20MHz




Band4_20MHz_QPSK_HCH_1745MHz_RB_100_0_NTNV




Band4_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band4 20MHz 16QAM MCH 1732.5MHz RB 100 0 NTNV




Band4 20MHz 16QAM HCH 1745MHz RB 100 0 NTNV




Band4_20MHz_64QAM_LCH_1720MHz_RB_100_0_NTNV



Band4_20MHz_64QAM_MCH_1732.5MHz_RB_100_0_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 B4_1.4MHz

Band: 4 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
64QAM	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1754.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B4_3MHz

Band: 4 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B4_5MHz

Band: 4 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B4_10MHz

Band: 4 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B4_15MHz

Band: 4 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1747.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass


		75	0	Refer To Test Graph	Pass
16QAM	1717.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1732.5	1	0	Refer To Test Graph	Pass
	1747.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	1717.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1732.5	1	0	Refer To Test Graph	Pass
	1747.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

5.1.6 B4_20MHz


Band: 4 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
64QAM	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B4_1.4MHz



Band4 1.4MHz QPSK LCH 1710.7MHz RB 1 0 NTV




Band4 1.4MHz QPSK LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-31.63	-13	Pass
1709	1710	0.013	CHP	2	1709.995	-32.35	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band4 1.4MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 1.4MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 1.4MHz QPSK HCH 1754.3MHz RB 1 0 NTNV



Band4 1.4MHz QPSK HCH 1754.3MHz RB 1 0 NTNV




Band4 1.4MHz QPSK HCH 1754.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.005	-33.66	-13	Pass
1756	1758	1	CHP	2	1756.500	-37.98	-13	Pass

Band4 1.4MHz QPSK HCH 1754.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.013	CHP	/	/	/	/	/
1755	1756	0.013	CHP	1	1755.005	-34.82	-13	Pass
1756	1758	1	CHP	2	1756.500	-31.18	-13	Pass

Band4 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.498	-36.68	-13	Pass
1709	1710	0.003	/	2	1709.998	-37.46	-13	Pass
1710	1713	0.003	/	/	/	/	/	/


Band4 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTNV



Band4 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTV




Band4 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-33.20	-13	Pass
1709	1710	0.013	CHP	2	1709.975	-32.29	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band4 1.4MHz 16QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 1.4MHz 16QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 1.4MHz 16QAM HCH 1754.3MHz RB 1 0 NTNV



Band4 1.4MHz 16QAM HCH 1754.3MHz RB 1 0 NTNV




Band4 1.4MHz 16QAM HCH 1754.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.006	-35.04	-13	Pass
1756	1758	1	CHP	2	1756.500	-37.84	-13	Pass

Band4 1.4MHz 16QAM HCH 1754.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.013	CHP	/	/	/	/	/
1755	1756	0.013	CHP	1	1755.035	-36.45	-13	Pass
1756	1758	1	CHP	2	1756.500	-33.03	-13	Pass

Band4 1.4MHz 64QAM LCH 1710.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-38.36	-13	Pass
1709	1710	0.003	/	2	1709.984	-39.51	-13	Pass
1710	1713	0.003	/	/	/	/	/	/


Band4 1.4MHz 64QAM LCH 1710.7MHz RB 1 0 NTNV



Band4 1.4MHz 64QAM LCH 1710.7MHz RB 1 0 NTV




Band4 1.4MHz 64QAM LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-33.01	-13	Pass
1709	1710	0.013	CHP	2	1709.965	-33.00	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band4 1.4MHz 64QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 1.4MHz 64QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 1.4MHz 64QAM HCH 1754.3MHz RB 1 0 NTNV



Band4 1.4MHz 64QAM HCH 1754.3MHz RB 1 0 NTNV




Band4 1.4MHz 64QAM HCH 1754.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.015	-44.12	-13	Pass
1756	1758	1	CHP	2	1756.500	-47.36	-13	Pass

Band4 1.4MHz 64QAM HCH 1754.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.013	CHP	/	/	/	/	/
1755	1756	0.013	CHP	1	1755.020	-37.44	-13	Pass
1756	1758	1	CHP	2	1756.500	-33.77	-13	Pass


5.2.2 B4_3MHz



Band4 3MHz QPSK LCH 1711.5MHz RB 1 0 NTN




Band4 3MHz QPSK LCH 1711.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-22.78	-13	Pass
1709	1710	0.031	CHP	2	1709.994	-25.22	-13	Pass
1710	1713	0.031	CHP	/	/	/	/	/


Band4 3MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 3MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 3MHz QPSK HCH 1753.5MHz RB 1 0 NTN



Band4 3MHz QPSK HCH 1753.5MHz RB 1 0 NTN




Band4 3MHz QPSK HCH 1753.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-25.61	-13	Pass
1756	1758	1	CHP	2	1757.103	-37.42	-13	Pass

Band4 3MHz QPSK HCH 1753.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.031	CHP	/	/	/	/	/
1755	1756	0.031	CHP	1	1755.006	-26.45	-13	Pass
1756	1758	1	CHP	2	1756.500	-24.83	-13	Pass

Band4 3MHz 16QAM LCH 1711.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1707.935	-34.30	-13	Pass
1709	1710	0.003	/	2	1709.998	-25.55	-13	Pass
1710	1713	0.003	/	/	/	/	/	/


Band4 3MHz 16QAM LCH 1711.5MHz RB 1 0 NTV



Band4 3MHz 16QAM LCH 1711.5MHz RB 1 0 NTV




Band4_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-23.28	-13	Pass
1709	1710	0.031	CHP	2	1709.994	-26.20	-13	Pass
1710	1713	0.031	CHP	/	/	/	/	/


Band4 3MHz 16QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 3MHz 16QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 3MHz 16QAM HCH 1753.5MHz RB 1 0 NTNV



Band4_3MHz_16QAM_HCH_1753.5MHz_RB_1_0_NTNV




Band4 3MHz 16QAM HCH 1753.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-26.65	-13	Pass
1756	1758	1	CHP	2	1756.971	-37.45	-13	Pass

Band4 3MHz 16QAM HCH 1753.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.031	CHP	/	/	/	/	/
1755	1756	0.031	CHP	1	1755.006	-29.17	-13	Pass
1756	1758	1	CHP	2	1756.500	-26.71	-13	Pass

Band4 3MHz 64QAM LCH 1711.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1707.894	-34.43	-13	Pass
1709	1710	0.003	/	2	1709.998	-27.81	-13	Pass
1710	1713	0.003	/	/	/	/	/	/


Band4 3MHz 64QAM LCH 1711.5MHz RB 1 0 NTV



Band4 3MHz 64QAM LCH 1711.5MHz RB 1 0 NTV




Band4_3MHz_64QAM_LCH_1711.5MHz_RB_15_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-23.53	-13	Pass
1709	1710	0.031	CHP	2	1709.994	-28.58	-13	Pass
1710	1713	0.031	CHP	/	/	/	/	/


Band4 3MHz 64QAM MCH 1732.5MHz RB 1 0 NTNV




Band4_3MHz_64QAM_MCH_1732.5MHz_RB_1_0_NTNV




Band4 3MHz 64QAM HCH 1753.5MHz RB 1 0 NTNV



Band4_3MHz_64QAM_HCH_1753.5MHz_RB_1_0_NTNV




Band4 3MHz 64QAM HCH 1753.5MHz RB 1 14 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-27.48	-13	Pass
1756	1758	1	CHP	2	1757.012	-37.35	-13	Pass


Band4 3MHz 64QAM HCH 1753.5MHz RB 15 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.031	CHP	/	/	/	/	/
1755	1756	0.031	CHP	1	1755.006	-29.26	-13	Pass
1756	1758	1	CHP	2	1756.500	-28.97	-13	Pass


5.2.3 B4_5MHz

Band4_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.498	-38.39	-13	Pass
1709	1710	0.003	/	2	1709.998	-34.41	-13	Pass
1710	1715	0.003	/	/	/	/	/	/


Band4_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV



Band4 5MHz QPSK LCH 1712.5MHz RB 1 0 NTN




Band4 5MHz QPSK LCH 1712.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-23.15	-13	Pass
1709	1710	0.05	CHP	2	1709.990	-30.31	-13	Pass
1710	1715	0.05	CHP	/	/	/	/	/


Band4 5MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN



Band4 5MHz QPSK HCH 1752.5MHz RB 1 0 NTN




Band4 5MHz QPSK HCH 1752.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-34.14	-13	Pass
1756	1760	1	CHP	2	1756.500	-39.38	-13	Pass

Band4 5MHz QPSK HCH 1752.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.051	CHP	/	/	/	/	/
1755	1756	0.051	CHP	1	1755.010	-32.68	-13	Pass
1756	1760	1	CHP	2	1756.500	-24.48	-13	Pass

Band4 5MHz 16QAM LCH 1712.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-39.29	-13	Pass
1709	1710	0.003	/	2	1709.989	-34.49	-13	Pass
1710	1715	0.003	/	/	/	/	/	/


Band4 5MHz 16QAM LCH 1712.5MHz RB 1 0 NTV



Band4 5MHz 16QAM LCH 1712.5MHz RB 1 0 NTNV




Band4_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-23.58	-13	Pass
1709	1710	0.05	CHP	2	1709.990	-32.39	-13	Pass
1710	1715	0.05	CHP	/	/	/	/	/


Band4 5MHz 16QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz 16QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz 16QAM HCH 1752.5MHz RB 1 0 NTNV



Band4_5MHz_16QAM_HCH_1752.5MHz_RB_1_0_NTNV




Band4 5MHz 16QAM HCH 1752.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.003	-34.86	-13	Pass
1756	1760	1	CHP	2	1756.500	-37.18	-13	Pass

Band4 5MHz 16QAM HCH 1752.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.051	CHP	/	/	/	/	/
1755	1756	0.051	CHP	1	1755.010	-32.70	-13	Pass
1756	1760	1	CHP	2	1756.500	-26.14	-13	Pass

Band4 5MHz 64QAM LCH 1712.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.495	-39.37	-13	Pass
1709	1710	0.003	/	2	1709.986	-35.66	-13	Pass
1710	1715	0.003	/	/	/	/	/	/


Band4 5MHz 64QAM LCH 1712.5MHz RB 1 0 NTV



Band4 5MHz 64QAM LCH 1712.5MHz RB 1 0 NTV




Band4_5MHz_64QAM_LCH_1712.5MHz_RB_25_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-23.50	-13	Pass
1709	1710	0.051	CHP	2	1709.990	-30.53	-13	Pass
1710	1715	0.051	CHP	/	/	/	/	/


Band4 5MHz 64QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz 64QAM MCH 1732.5MHz RB 1 0 NTNV




Band4 5MHz 64QAM HCH 1752.5MHz RB 1 0 NTNV



Band4_5MHz_64QAM_HCH_1752.5MHz_RB_1_0_NTNV




Band4 5MHz 64QAM HCH 1752.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-34.66	-13	Pass
1756	1760	1	CHP	2	1756.500	-39.77	-13	Pass

Band4 5MHz 64QAM HCH 1752.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.051	CHP	/	/	/	/	/
1755	1756	0.051	CHP	1	1755.010	-34.61	-13	Pass
1756	1760	1	CHP	2	1756.500	-28.02	-13	Pass


5.2.4 B4_10MHz



Band4 10MHz QPSK LCH 1715MHz RB 1 0 NTNV




Band4 10MHz QPSK LCH 1715MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-25.35	-13	Pass
1709	1710	0.1	/	2	1709.160	-32.22	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band4 10MHz QPSK MCH 1732.5MHz RB 1 0 NTNV




Band4_10MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_10MHz_QPSK_HCH_1750MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_HCH_1750MHz_RB_1_0_NTNV




Band4 10MHz QPSK HCH 1750MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.001	-39.02	-13	Pass
1756	1765	1	CHP	2	1756.501	-39.83	-13	Pass

Band4 10MHz QPSK HCH 1750MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.101	CHP	/	/	/	/	/
1755	1756	0.101	CHP	1	1755.020	-31.22	-13	Pass
1756	1765	1	CHP	2	1756.500	-24.82	-13	Pass

Band4 10MHz 16QAM LCH 1715MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.499	-40.65	-13	Pass
1709	1710	0.003	/	2	1709.986	-40.53	-13	Pass
1710	1720	0.003	/	/	/	/	/	/


Band4 10MHz 16QAM LCH 1715MHz RB 1 0 NTNV



Band4_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band4_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.440	-26.29	-13	Pass
1709	1710	0.101	CHP	2	1709.920	-34.59	-13	Pass
1710	1720	0.101	CHP	/	/	/	/	/