



2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-38.72	-25	Pass	401
2490	2495	1	RMS	2495	-29.87	-13	Pass	6
2495	2496	0.05	RMS	2496	-26.69	-13	Pass	21
2496	2506	0.1	RMS	2496.6	20.63	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488	-30.64	-25	Pass	16
2490	2495	1	RMS	2495	-27.54	-13	Pass	6
2495	2496	0.1	RMS	2495.928	-33.61	-13	Pass	401
2496	2506	0.1	RMS	2498.5	2.9	30	Pass	401



2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.938	-39.89	-25	Pass	401
2490	2495	1	RMS	2495	-31.68	-13	Pass	6
2495	2496	0.05	RMS	2496	-27.2	-13	Pass	21
2496	2506	0.1	RMS	2496.6	19.61	30	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.07	-25	Pass	16
2490	2495	1	RMS	2495	-28.41	-13	Pass	6
2495	2496	0.1	RMS	2495.978	-35.16	-13	Pass	401
2496	2506	0.1	RMS	2496.825	2.03	30	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	20.73	30	Pass	401
2690	2691	0.2	RMS	2690.003	-17.93	-10	Pass	401
2691	2695	1	RMS	2691	-31.41	-10	Pass	5
2695	2700	1	RMS	2695.088	-38.91	-13	Pass	401
2700	2715	1	RMS	2707.088	-37.04	-25	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.8	2.71	30	Pass	401
2690	2691	0.2	RMS	2690.008	-29.25	-10	Pass	401
2691	2695	1	RMS	2691	-24.78	-10	Pass	5
2695	2700	1	RMS	2695.013	-26.9	-13	Pass	401
2700	2715	1	RMS	2700	-35.63	-25	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	19.32	30	Pass	401
2690	2691	0.2	RMS	2690.003	-20.22	-10	Pass	401
2691	2695	1	RMS	2691	-32.02	-10	Pass	5
2695	2700	1	RMS	2695.063	-38.91	-13	Pass	401
2700	2715	1	RMS	2706.975	-39.66	-25	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.275	2.14	30	Pass	401
2690	2691	0.2	RMS	2690.003	-30.7	-10	Pass	401
2691	2695	1	RMS	2691	-25.77	-10	Pass	5
2695	2700	1	RMS	2695	-27.71	-13	Pass	401
2700	2715	1	RMS	2700.113	-35.49	-25	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.03	-25	Pass	401
2490	2495	1	RMS	2495	-31.02	-13	Pass	6
2495	2496	0.15	RMS	2496	-23.32	-13	Pass	401
2496	2511	0.1	RMS	2496.825	20.48	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-29.64	-25	Pass	401
2490	2495	1	RMS	2495	-27.2	-13	Pass	6
2495	2496	0.15	RMS	2495.718	-32.6	-13	Pass	401
2496	2511	0.1	RMS	2498.738	2.02	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-40.01	-25	Pass	401
2490	2495	1	RMS	2495	-32.75	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-24.65	-13	Pass	401
2496	2511	0.1	RMS	2496.825	19.66	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.39	-25	Pass	16
2490	2495	1	RMS	2495	-29.51	-13	Pass	6
2495	2496	0.15	RMS	2495.96	-35.6	-13	Pass	401
2496	2511	0.1	RMS	2497.988	0.38	30	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.39	30	Pass	401
2690	2691	0.3	RMS	2690.005	-20.25	-10	Pass	401
2691	2695	1	RMS	2691	-31.8	-10	Pass	5
2695	2705	1	RMS	2695.175	-38.71	-13	Pass	401
2705	2715	1	RMS	2715	-41.73	-25	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.725	1.05	30	Pass	401
2690	2691	0.3	RMS	2690.443	-27.8	-10	Pass	401
2691	2695	1	RMS	2691	-23.81	-10	Pass	5
2695	2705	1	RMS	2695.125	-26.4	-13	Pass	401
2705	2715	1	RMS	2705	-36.06	-25	Pass	401



2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	18.99	30	Pass	401
2690	2691	0.3	RMS	2690.008	-21.67	-10	Pass	401
2691	2695	1	RMS	2691	-32.32	-10	Pass	5
2695	2705	1	RMS	2695.075	-38.88	-13	Pass	401
2705	2715	1	RMS	2715	-42.89	-25	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.363	0.36	30	Pass	401
2690	2691	0.3	RMS	2690	-30.18	-10	Pass	401
2691	2695	1	RMS	2691	-26.17	-10	Pass	5
2695	2705	1	RMS	2695	-27.62	-13	Pass	401
2705	2715	1	RMS	2705.05	-35.77	-25	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.89	-25	Pass	401
2490	2495	1	RMS	2495	-30.6	-13	Pass	6
2495	2496	0.2	RMS	2496	-25.88	-13	Pass	401
2496	2516	0.1	RMS	2497.05	19.64	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.11	-25	Pass	16
2490	2495	1	RMS	2495	-30.04	-13	Pass	6
2495	2496	0.2	RMS	2495.985	-35.18	-13	Pass	401
2496	2516	0.1	RMS	2501.75	0.16	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.88	-25	Pass	401
2490	2495	1	RMS	2495	-31.17	-13	Pass	6
2495	2496	0.2	RMS	2495.995	-24.95	-13	Pass	401
2496	2516	0.1	RMS	2497.1	19.22	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.97	-25	Pass	16
2490	2495	1	RMS	2494.925	-30.55	-13	Pass	401
2495	2496	0.2	RMS	2495.963	-35.8	-13	Pass	401
2496	2516	0.1	RMS	2500.8	-0.68	30	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.42	30	Pass	401
2690	2691	0.51	RMS	2690	-20.14	-10	Pass	401
2691	2695	1	RMS	2691	-34.3	-10	Pass	5
2695	2710	1	RMS	2695.075	-40.05	-13	Pass	401
2710	2715	1	RMS	2710.463	-44.34	-25	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.2	0.5	30	Pass	401
2690	2691	0.51	RMS	2690.053	-28.2	-10	Pass	401
2691	2695	1	RMS	2691	-27.44	-10	Pass	5
2695	2710	1	RMS	2695.075	-28.68	-13	Pass	401
2710	2715	1	RMS	2710.038	-37.76	-25	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	18.95	30	Pass	401
2690	2691	0.51	RMS	2690.005	-20.11	-10	Pass	401
2691	2695	1	RMS	2691	-33.32	-10	Pass	5
2695	2710	1	RMS	2695.113	-39.18	-13	Pass	401
2710	2715	1	RMS	2710.075	-44.26	-25	Pass	401



2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2673.3	-0.66	30	Pass	401
2690	2691	0.51	RMS	2690	-29.41	-10	Pass	401
2691	2695	1	RMS	2691	-28.22	-10	Pass	5
2695	2710	1	RMS	2695.038	-29.02	-13	Pass	401
2710	2715	1	RMS	2710.013	-38.08	-25	Pass	401



3. LTE_Band5


3.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-46.9	-13	Pass	401
823	824	0.02	RMS	823.998	-22.77	-13	Pass	401
824	826	0.1	RMS	824.255	20.69	30	Pass	401




3.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.21	-13	Pass	401
823	824	0.02	RMS	824	-30.11	-13	Pass	401
824	826	0.1	RMS	824.635	12.33	30	Pass	401




3.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.48	-48.18	-13	Pass	401
823	824	0.02	RMS	824	-23.76	-13	Pass	401
824	826	0.1	RMS	824.26	19.54	30	Pass	401




3.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.58	-13	Pass	401
823	824	0.02	RMS	824	-31.23	-13	Pass	401
824	826	0.1	RMS	824.71	11.47	30	Pass	401




3.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.74	30	Pass	401
849	850	0.02	RMS	849	-20.81	-13	Pass	401
850	860	0.1	RMS	850.55	-46.01	-13	Pass	401




3.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.25	12.39	30	Pass	401
849	850	0.02	RMS	849	-29.51	-13	Pass	401
850	860	0.1	RMS	850	-37.38	-13	Pass	401




3.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	19.64	30	Pass	401
849	850	0.02	RMS	849	-23.55	-13	Pass	401
850	860	0.1	RMS	850.55	-46.99	-13	Pass	401




3.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.175	11.6	30	Pass	401
849	850	0.02	RMS	849	-31.57	-13	Pass	401
850	860	0.1	RMS	850	-38.86	-13	Pass	401




3.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-43.65	-13	Pass	401
823	824	0.03	RMS	824	-21.65	-13	Pass	35
824	827	0.1	RMS	824.233	20.74	30	Pass	401




3.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-32.75	-13	Pass	401
823	824	0.03	RMS	824	-32.29	-13	Pass	401
824	827	0.1	RMS	825.44	8.51	30	Pass	401




3.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-45.39	-13	Pass	401
823	823.985	0.03	RMS	823.985	-24.73	-13	Pass	401
824	827	0.1	RMS	824.248	19.8	30	Pass	401




3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.51	-13	Pass	401
823	824	0.03	RMS	823.998	-34.2	-13	Pass	401
824	827	0.1	RMS	825.26	7.5	30	Pass	401




3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.75	30	Pass	401
849	850	0.03	RMS	849	-19.93	-13	Pass	35
850	860	0.1	RMS	850.025	-45.41	-13	Pass	401




3.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.08	8.73	30	Pass	401
849	850	0.03	RMS	849	-35.65	-13	Pass	401
850	860	0.1	RMS	850.025	-36.53	-13	Pass	401




3.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.67	30	Pass	401
849	850	0.03	RMS	849	-22.84	-13	Pass	35
850	860	0.1	RMS	850	-46.82	-13	Pass	401




3.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.458	7.58	30	Pass	401
849	850	0.03	RMS	849	-35.83	-13	Pass	401
850	860	0.1	RMS	850	-37.98	-13	Pass	401




3.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-45.18	-13	Pass	401
823	824	0.051	RMS	824	-20.31	-13	Pass	401
824	829	0.1	RMS	824.325	20.37	30	Pass	401




3.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-33.28	-13	Pass	401
823	824	0.051	RMS	824	-31.22	-13	Pass	401
824	829	0.1	RMS	827.35	6.19	30	Pass	401




3.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-46.83	-13	Pass	401
823	824	0.051	RMS	824	-20.65	-13	Pass	401
824	829	0.1	RMS	824.338	19.59	30	Pass	401




3.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-35.59	-13	Pass	401
823	824	0.051	RMS	824	-32.52	-13	Pass	401
824	829	0.1	RMS	827.313	5.28	30	Pass	401




3.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.61	30	Pass	401
849	850	0.051	RMS	849	-20.35	-13	Pass	401
850	860	0.1	RMS	850.825	-47.01	-13	Pass	401




3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.875	6.35	30	Pass	401
849	850	0.051	RMS	849	-33.96	-13	Pass	401
850	860	0.1	RMS	850	-38.94	-13	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.6	30	Pass	401
849	850	0.051	RMS	849	-20.19	-13	Pass	401
850	860	0.1	RMS	850.825	-47.95	-13	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.138	5.36	30	Pass	401
849	850	0.051	RMS	849	-34.91	-13	Pass	401
850	860	0.1	RMS	850.05	-40.11	-13	Pass	401




3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.18	-46.02	-13	Pass	401
823	824	0.1	RMS	824	-22.87	-13	Pass	401
824	834	0.1	RMS	824.575	20.6	30	Pass	401




3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-35.34	-13	Pass	401
823	824	0.1	RMS	823.995	-32.59	-13	Pass	401
824	834	0.1	RMS	833.325	3.65	30	Pass	401




3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.16	-47.33	-13	Pass	401
823	824	0.1	RMS	824	-23.83	-13	Pass	401
824	834	0.1	RMS	824.575	19.73	30	Pass	401




3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-37.24	-13	Pass	401
823	824	0.1	RMS	824	-35	-13	Pass	401
824	834	0.1	RMS	833.05	2.7	30	Pass	401




3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.7	30	Pass	401
849	850	0.1	RMS	849	-22.64	-13	Pass	401
850	860	0.1	RMS	850	-51.01	-13	Pass	401




3.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841	3.25	30	Pass	401
849	850	0.1	RMS	849	-38.37	-13	Pass	401
850	860	0.1	RMS	850	-42.12	-13	Pass	401




3.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.62	30	Pass	401
849	850	0.1	RMS	849	-23.84	-13	Pass	401
850	860	0.1	RMS	850	-51.3	-13	Pass	401



3.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.725	2.41	30	Pass	401
849	850	0.1	RMS	849	-38.7	-13	Pass	401
850	860	0.1	RMS	850.125	-42.75	-13	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.23	-13	Pass	51
813.9625	814	0.002	RMS	813.999	-31.8	-20	Pass	401
814	819	0.1	RMS	814.25	19.98	30	Pass	401




1.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.23	-13	Pass	401
813.9625	814	0.02	RMS	814	-32.12	-20	Pass	401
814	819	0.1	RMS	814.638	11.52	30	Pass	401




1.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.34	-13	Pass	51
813.9625	814	0.002	RMS	813.995	-33.24	-20	Pass	401
814	819	0.1	RMS	814.263	18.78	30	Pass	401




1.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.44	-13	Pass	401
813.9625	814	0.02	RMS	814	-32.41	-20	Pass	401
814	819	0.1	RMS	814.713	10.67	30	Pass	401



1.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.89	30	Pass	401
824	824.0375	0.002	RMS	824.004	-31.09	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.26	-13	Pass	51




1.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	11.55	30	Pass	401
824	824.0375	0.02	RMS	824	-32.22	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.36	-13	Pass	401




1.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	18.86	30	Pass	401
824	824.0375	0.002	RMS	824.002	-34.18	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-22.48	-13	Pass	51




1.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.325	10.74	30	Pass	401
824	824.0375	0.02	RMS	824	-33.23	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-27.33	-13	Pass	401




1.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.27	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-33.65	-20	Pass	20
814	819	0.1	RMS	814.238	19.94	30	Pass	401




1.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.81	-13	Pass	401
813.9625	814	0.03	RMS	814	-34.81	-20	Pass	401
814	819	0.1	RMS	815.813	7.75	30	Pass	401




1.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.84	-13	Pass	51
813.9625	814	0.002	RMS	814	-33.82	-20	Pass	20
814	819	0.1	RMS	814.238	19.02	30	Pass	401




1.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.85	-13	Pass	401
813.9625	814	0.03	RMS	814	-36.17	-20	Pass	401
814	819	0.1	RMS	815.238	6.76	30	Pass	401




1.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.94	30	Pass	401
824	824.0375	0.002	RMS	824.002	-33.6	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-20.77	-13	Pass	51




1.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.075	7.81	30	Pass	401
824	824.0375	0.03	RMS	824	-36.21	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-32.12	-13	Pass	401




1.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	18.91	30	Pass	401
824	824.0375	0.002	RMS	824.002	-35.16	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-22.82	-13	Pass	51




1.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.388	6.66	30	Pass	401
824	824.0375	0.03	RMS	824	-36.09	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-31.82	-13	Pass	401




1.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.15	-13	Pass	401
813.9625	814	0.02	RMS	814	-25.41	-20	Pass	401
814	819	0.1	RMS	814.338	19.66	30	Pass	401




1.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.45	-13	Pass	401
813.9625	814	0.051	RMS	814	-33.69	-20	Pass	401
814	819	0.1	RMS	817.35	5.38	30	Pass	401




1.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.61	-13	Pass	401
813.9625	814	0.02	RMS	814	-25.86	-20	Pass	401
814	819	0.1	RMS	814.35	18.81	30	Pass	401




1.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.29	-13	Pass	401
813.9625	814	0.051	RMS	814	-34.57	-20	Pass	401
814	819	0.1	RMS	817.313	4.53	30	Pass	401




1.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	19.77	30	Pass	401
824	824.0375	0.02	RMS	824	-25.54	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.61	-13	Pass	401




1.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.075	5.45	30	Pass	401
824	824.0375	0.051	RMS	824.001	-34.31	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.08	-13	Pass	401




1.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	18.91	30	Pass	401
824	824.0375	0.02	RMS	824	-25.36	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-20.22	-13	Pass	401




1.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.6	4.64	30	Pass	401
824	824.0375	0.051	RMS	824	-34.71	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.41	-13	Pass	401




1.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.51	-13	Pass	401
813.9625	814	0.02	RMS	814	-31.13	-20	Pass	401
814	819	0.1	RMS	814.575	19.9	30	Pass	401




1.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-37.23	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-36.04	-20	Pass	401
814	819	0.1	RMS	815.925	2.66	30	Pass	401




1.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.4	-13	Pass	401
813.9625	814	0.02	RMS	813.999	-32.15	-20	Pass	401
814	819	0.1	RMS	814.6	19.05	30	Pass	401




1.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-38.14	-13	Pass	401
813.9625	814	0.1	RMS	814	-37.46	-20	Pass	401
814	819	0.1	RMS	816.1	1.58	30	Pass	401




1.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	19.87	30	Pass	401
824	824.0375	0.02	RMS	824	-30.42	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.17	-13	Pass	401




1.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.888	2.23	30	Pass	401
824	824.0375	0.1	RMS	824.001	-37.3	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-38.19	-13	Pass	401




1.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	19	30	Pass	401
824	824.0375	0.02	RMS	824	-30.78	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.13	-13	Pass	401



1.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	819.05	1.48	30	Pass	401
824	824.0375	0.1	RMS	824.003	-37.6	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-38.35	-13	Pass	401



--BLANK BELOW--