












N77(25M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN77(25M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN77(25M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN77(25M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH

N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN77(50M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN77(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH

N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN77(50M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN77(50M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



Software Version: 23.06.1602

FR1 N77 Ant 5_30kHz

Transmitter Conducted Output Power And EIRP, (GT - LC)=0.01 dBi

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
77	30	10	647000	3705	DFT-s-OFDM QPSK	12@6	25.95	25.96	0.3945
77	30	10	647000	3705	DFT-s-OFDM QPSK	1@1	25.88	25.89	0.3882
77	30	10	647000	3705	DFT-s-OFDM QPSK	1@22	25.86	25.87	0.3864
77	30	10	647000	3705	DFT-s-OFDM 16 QAM	12@6	24.93	24.94	0.3119
77	30	10	647000	3705	DFT-s-OFDM 16 QAM	1@1	24.98	24.99	0.3155
77	30	10	647000	3705	DFT-s-OFDM 16 QAM	1@22	24.87	24.88	0.3076
77	30	10	656000	3840	DFT-s-OFDM QPSK	12@6	25.91	25.92	0.3908
77	30	10	656000	3840	DFT-s-OFDM QPSK	1@1	25.84	25.85	0.3846
77	30	10	656000	3840	DFT-s-OFDM QPSK	1@22	25.76	25.77	0.3776
77	30	10	656000	3840	DFT-s-OFDM 16 QAM	12@6	24.93	24.94	0.3119
77	30	10	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.91	24.92	0.3105
77	30	10	656000	3840	DFT-s-OFDM 16 QAM	1@22	24.87	24.88	0.3076
77	30	10	665000	3975	DFT-s-OFDM QPSK	12@6	26.11	26.12	0.4093
77	30	10	665000	3975	DFT-s-OFDM QPSK	1@1	26.19	26.2	0.4169
77	30	10	665000	3975	DFT-s-OFDM QPSK	1@22	26.19	26.2	0.4169
77	30	10	665000	3975	DFT-s-OFDM 16 QAM	12@6	25.45	25.46	0.3516
77	30	10	665000	3975	DFT-s-OFDM 16 QAM	1@1	25.41	25.42	0.3483
77	30	10	665000	3975	DFT-s-OFDM 16 QAM	1@22	25.41	25.42	0.3483
77	30	15	647168	3707.52	DFT-s-OFDM QPSK	18@9	26.01	26.02	0.3999
77	30	15	647168	3707.52	DFT-s-OFDM QPSK	1@1	25.89	25.9	0.3890
77	30	15	647168	3707.52	DFT-s-OFDM QPSK	1@36	25.93	25.94	0.3926
77	30	15	647168	3707.52	DFT-s-OFDM 16 QAM	18@9	25.05	25.06	0.3206
77	30	15	647168	3707.52	DFT-s-OFDM 16 QAM	1@1	24.9	24.91	0.3097
77	30	15	647168	3707.52	DFT-s-OFDM 16 QAM	1@36	24.91	24.92	0.3105
77	30	15	656000	3840	DFT-s-OFDM QPSK	18@9	25.94	25.95	0.3936
77	30	15	656000	3840	DFT-s-OFDM QPSK	1@1	25.88	25.89	0.3882
77	30	15	656000	3840	DFT-s-OFDM QPSK	1@36	25.76	25.77	0.3776
77	30	15	656000	3840	DFT-s-OFDM 16 QAM	18@9	24.97	24.98	0.3148
77	30	15	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.87	24.88	0.3076
77	30	15	656000	3840	DFT-s-OFDM 16 QAM	1@36	24.8	24.81	0.3027
77	30	15	664832	3972.48	DFT-s-OFDM QPSK	18@9	26.12	26.13	0.4102
77	30	15	664832	3972.48	DFT-s-OFDM QPSK	1@1	26.28	26.29	0.4256
77	30	15	664832	3972.48	DFT-s-OFDM QPSK	1@36	26.11	26.12	0.4093
77	30	15	664832	3972.48	DFT-s-OFDM 16 QAM	18@9	25.46	25.47	0.3524
77	30	15	664832	3972.48	DFT-s-OFDM 16 QAM	1@1	25.29	25.3	0.3388



77	30	15	664832	3972.48	DFT-s-OFDM 16 QAM	1@36	25.4	25.41	0.3475
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	25@12	25.98	25.99	0.3972
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	25.83	25.84	0.3837
77	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@49	25.86	25.87	0.3864
77	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	25@12	25.04	25.05	0.3199
77	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	24.84	24.85	0.3055
77	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@49	24.87	24.88	0.3076
77	30	20	656000	3840	DFT-s-OFDM QPSK	25@12	25.95	25.96	0.3945
77	30	20	656000	3840	DFT-s-OFDM QPSK	1@1	25.88	25.89	0.3882
77	30	20	656000	3840	DFT-s-OFDM QPSK	1@49	25.74	25.75	0.3758
77	30	20	656000	3840	DFT-s-OFDM 16 QAM	25@12	24.97	24.98	0.3148
77	30	20	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.88	24.89	0.3083
77	30	20	656000	3840	DFT-s-OFDM 16 QAM	1@49	24.76	24.77	0.2999
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	25@12	26.27	26.28	0.4246
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	1@1	26.28	26.29	0.4256
77	30	20	664666	3969.99	DFT-s-OFDM QPSK	1@49	26.16	26.17	0.4140
77	30	20	664666	3969.99	DFT-s-OFDM 16 QAM	25@12	25.53	25.54	0.3581
77	30	20	664666	3969.99	DFT-s-OFDM 16 QAM	1@1	25.3	25.31	0.3396
77	30	20	664666	3969.99	DFT-s-OFDM 16 QAM	1@49	25.38	25.39	0.3459
77	30	25	647500	3712.5	DFT-s-OFDM QPSK	32@16	25.95	25.96	0.3945
77	30	25	647500	3712.5	DFT-s-OFDM QPSK	1@1	25.8	25.81	0.3811
77	30	25	647500	3712.5	DFT-s-OFDM QPSK	1@63	25.82	25.83	0.3828
77	30	25	647500	3712.5	DFT-s-OFDM 16 QAM	32@16	24.96	24.97	0.3141
77	30	25	647500	3712.5	DFT-s-OFDM 16 QAM	1@1	24.87	24.88	0.3076
77	30	25	647500	3712.5	DFT-s-OFDM 16 QAM	1@63	24.79	24.8	0.3020
77	30	25	656000	3840	DFT-s-OFDM QPSK	32@16	25.91	25.92	0.3908
77	30	25	656000	3840	DFT-s-OFDM QPSK	1@1	25.88	25.89	0.3882
77	30	25	656000	3840	DFT-s-OFDM QPSK	1@63	25.68	25.69	0.3707
77	30	25	656000	3840	DFT-s-OFDM 16 QAM	32@16	24.93	24.94	0.3119
77	30	25	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.95	24.96	0.3133
77	30	25	656000	3840	DFT-s-OFDM 16 QAM	1@63	24.74	24.75	0.2985
77	30	25	664500	3967.5	DFT-s-OFDM QPSK	32@16	26.21	26.22	0.4188
77	30	25	664500	3967.5	DFT-s-OFDM QPSK	1@1	26.29	26.3	0.4266
77	30	25	664500	3967.5	DFT-s-OFDM QPSK	1@63	26.15	26.16	0.4130
77	30	25	664500	3967.5	DFT-s-OFDM 16 QAM	32@16	25.47	25.48	0.3532
77	30	25	664500	3967.5	DFT-s-OFDM 16 QAM	1@1	25.29	25.3	0.3388
77	30	25	664500	3967.5	DFT-s-OFDM 16 QAM	1@63	25.38	25.39	0.3459
77	30	30	647668	3715.02	DFT-s-OFDM QPSK	36@18	26	26.01	0.3990
77	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	25.99	26	0.3981
77	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@76	25.95	25.96	0.3945
77	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	36@18	25	25.01	0.3170
77	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	25.02	25.03	0.3184
77	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@76	24.95	24.96	0.3133
77	30	30	656000	3840	DFT-s-OFDM QPSK	36@18	25.98	25.99	0.3972



77	30	30	656000	3840	DFT-s-OFDM QPSK	1@1	26	26.01	0.3990
77	30	30	656000	3840	DFT-s-OFDM QPSK	1@76	25.78	25.79	0.3793
77	30	30	656000	3840	DFT-s-OFDM 16 QAM	36@18	24.99	25	0.3162
77	30	30	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.04	25.05	0.3199
77	30	30	656000	3840	DFT-s-OFDM 16 QAM	1@76	24.76	24.77	0.2999
77	30	30	664332	3964.98	DFT-s-OFDM QPSK	36@18	26.12	26.13	0.4102
77	30	30	664332	3964.98	DFT-s-OFDM QPSK	1@1	26.23	26.24	0.4207
77	30	30	664332	3964.98	DFT-s-OFDM QPSK	1@76	26.11	26.12	0.4093
77	30	30	664332	3964.98	DFT-s-OFDM 16 QAM	36@18	25.39	25.4	0.3467
77	30	30	664332	3964.98	DFT-s-OFDM 16 QAM	1@1	25.24	25.25	0.3350
77	30	30	664332	3964.98	DFT-s-OFDM 16 QAM	1@76	25.37	25.38	0.3451
77	30	40	648000	3720	DFT-s-OFDM QPSK	50@25	26.01	26.02	0.3999
77	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	25.96	25.97	0.3954
77	30	40	648000	3720	DFT-s-OFDM QPSK	1@104	25.95	25.96	0.3945
77	30	40	648000	3720	DFT-s-OFDM 16 QAM	50@25	25.01	25.02	0.3177
77	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	24.99	25	0.3162
77	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@104	24.94	24.95	0.3126
77	30	40	656000	3840	DFT-s-OFDM QPSK	50@25	25.99	26	0.3981
77	30	40	656000	3840	DFT-s-OFDM QPSK	1@1	26.01	26.02	0.3999
77	30	40	656000	3840	DFT-s-OFDM QPSK	1@104	25.72	25.73	0.3741
77	30	40	656000	3840	DFT-s-OFDM 16 QAM	50@25	24.96	24.97	0.3141
77	30	40	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.04	25.05	0.3199
77	30	40	656000	3840	DFT-s-OFDM 16 QAM	1@104	24.76	24.77	0.2999
77	30	40	664000	3960	DFT-s-OFDM QPSK	50@25	26.12	26.13	0.4102
77	30	40	664000	3960	DFT-s-OFDM QPSK	1@1	26.19	26.2	0.4169
77	30	40	664000	3960	DFT-s-OFDM QPSK	1@104	26.14	26.15	0.4121
77	30	40	664000	3960	DFT-s-OFDM 16 QAM	50@25	25.45	25.46	0.3516
77	30	40	664000	3960	DFT-s-OFDM 16 QAM	1@1	25.21	25.22	0.3327
77	30	40	664000	3960	DFT-s-OFDM 16 QAM	1@104	25.46	25.47	0.3524
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	64@32	26.08	26.09	0.4064
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	25.92	25.93	0.3917
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@131	25.91	25.92	0.3908
77	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	64@32	25.05	25.06	0.3206
77	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	24.97	24.98	0.3148
77	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@131	24.88	24.89	0.3083
77	30	50	656000	3840	DFT-s-OFDM QPSK	64@32	25.97	25.98	0.3963
77	30	50	656000	3840	DFT-s-OFDM QPSK	1@1	25.99	26	0.3981
77	30	50	656000	3840	DFT-s-OFDM QPSK	1@131	25.73	25.74	0.3750
77	30	50	656000	3840	DFT-s-OFDM 16 QAM	64@32	24.99	25	0.3162
77	30	50	656000	3840	DFT-s-OFDM 16 QAM	1@1	24.99	25	0.3162
77	30	50	656000	3840	DFT-s-OFDM 16 QAM	1@131	24.78	24.79	0.3013
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	64@32	26.16	26.17	0.4140
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@1	25.98	25.99	0.3972
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@131	26.19	26.2	0.4169



77	30	50	663666	3954.99	DFT-s-OFDM 16 QAM	64@32	25.33	25.34	0.3420
77	30	50	663666	3954.99	DFT-s-OFDM 16 QAM	1@1	25	25.01	0.3170
77	30	50	663666	3954.99	DFT-s-OFDM 16 QAM	1@131	25.43	25.44	0.3499
77	30	60	648668	3730.02	DFT-s-OFDM QPSK	81@40	25.9	25.91	0.3899
77	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	25.98	25.99	0.3972
77	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@160	25.98	25.99	0.3972
77	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	81@40	24.95	24.96	0.3133
77	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	24.98	24.99	0.3155
77	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@160	24.93	24.94	0.3119
77	30	60	656000	3840	DFT-s-OFDM QPSK	81@40	25.91	25.92	0.3908
77	30	60	656000	3840	DFT-s-OFDM QPSK	1@1	26.11	26.12	0.4093
77	30	60	656000	3840	DFT-s-OFDM QPSK	1@160	25.76	25.77	0.3776
77	30	60	656000	3840	DFT-s-OFDM 16 QAM	81@40	24.96	24.97	0.3141
77	30	60	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.13	25.14	0.3266
77	30	60	656000	3840	DFT-s-OFDM 16 QAM	1@160	24.82	24.83	0.3041
77	30	60	663332	3949.98	DFT-s-OFDM QPSK	81@40	26.13	26.14	0.4111
77	30	60	663332	3949.98	DFT-s-OFDM QPSK	1@1	26.1	26.11	0.4083
77	30	60	663332	3949.98	DFT-s-OFDM QPSK	1@160	26.12	26.13	0.4102
77	30	60	663332	3949.98	DFT-s-OFDM 16 QAM	81@40	25.31	25.32	0.3404
77	30	60	663332	3949.98	DFT-s-OFDM 16 QAM	1@1	25.12	25.13	0.3258
77	30	60	663332	3949.98	DFT-s-OFDM 16 QAM	1@160	25.55	25.56	0.3597
77	30	70	649000	3735	DFT-s-OFDM QPSK	90@45	25.96	25.97	0.3954
77	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	25.98	25.99	0.3972
77	30	70	649000	3735	DFT-s-OFDM QPSK	1@187	25.94	25.95	0.3936
77	30	70	649000	3735	DFT-s-OFDM 16 QAM	90@45	25.02	25.03	0.3184
77	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	25.02	25.03	0.3184
77	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@187	24.96	24.97	0.3141
77	30	70	656000	3840	DFT-s-OFDM QPSK	90@45	25.94	25.95	0.3936
77	30	70	656000	3840	DFT-s-OFDM QPSK	1@1	26.1	26.11	0.4083
77	30	70	656000	3840	DFT-s-OFDM QPSK	1@187	25.66	25.67	0.3690
77	30	70	656000	3840	DFT-s-OFDM 16 QAM	90@45	24.97	24.98	0.3148
77	30	70	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.16	25.17	0.3289
77	30	70	656000	3840	DFT-s-OFDM 16 QAM	1@187	24.65	24.66	0.2924
77	30	70	663000	3945	DFT-s-OFDM QPSK	90@45	26.14	26.15	0.4121
77	30	70	663000	3945	DFT-s-OFDM QPSK	1@1	26.05	26.06	0.4036
77	30	70	663000	3945	DFT-s-OFDM QPSK	1@187	26.12	26.13	0.4102
77	30	70	663000	3945	DFT-s-OFDM 16 QAM	90@45	25.38	25.39	0.3459
77	30	70	663000	3945	DFT-s-OFDM 16 QAM	1@1	25.06	25.07	0.3214
77	30	70	663000	3945	DFT-s-OFDM 16 QAM	1@187	25.48	25.49	0.3540
77	30	80	649334	3740.01	DFT-s-OFDM QPSK	108@54	25.94	25.95	0.3936
77	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	25.99	26	0.3981
77	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@215	25.93	25.94	0.3926
77	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	108@54	24.97	24.98	0.3148
77	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	25.01	25.02	0.3177



77	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@215	24.97	24.98	0.3148
77	30	80	656000	3840	DFT-s-OFDM QPSK	108@54	25.93	25.94	0.3926
77	30	80	656000	3840	DFT-s-OFDM QPSK	1@1	26.14	26.15	0.4121
77	30	80	656000	3840	DFT-s-OFDM QPSK	1@215	25.69	25.7	0.3715
77	30	80	656000	3840	DFT-s-OFDM 16 QAM	108@54	24.95	24.96	0.3133
77	30	80	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.22	25.23	0.3334
77	30	80	656000	3840	DFT-s-OFDM 16 QAM	1@215	24.72	24.73	0.2972
77	30	80	662666	3939.99	DFT-s-OFDM QPSK	108@54	26.25	26.26	0.4227
77	30	80	662666	3939.99	DFT-s-OFDM QPSK	1@1	26	26.01	0.3990
77	30	80	662666	3939.99	DFT-s-OFDM QPSK	1@215	26.16	26.17	0.4140
77	30	80	662666	3939.99	DFT-s-OFDM 16 QAM	108@54	25.27	25.28	0.3373
77	30	80	662666	3939.99	DFT-s-OFDM 16 QAM	1@1	25.1	25.11	0.3243
77	30	80	662666	3939.99	DFT-s-OFDM 16 QAM	1@215	25.5	25.51	0.3556
77	30	90	649668	3745.02	DFT-s-OFDM QPSK	120@60	25.98	25.99	0.3972
77	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	26.01	26.02	0.3999
77	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@243	25.98	25.99	0.3972
77	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	120@60	24.96	24.97	0.3141
77	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	24.91	24.92	0.3105
77	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@243	25.02	25.03	0.3184
77	30	90	656000	3840	DFT-s-OFDM QPSK	120@60	25.93	25.94	0.3926
77	30	90	656000	3840	DFT-s-OFDM QPSK	1@1	26.12	26.13	0.4102
77	30	90	656000	3840	DFT-s-OFDM QPSK	1@243	25.61	25.62	0.3648
77	30	90	656000	3840	DFT-s-OFDM 16 QAM	120@60	24.95	24.96	0.3133
77	30	90	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.17	25.18	0.3296
77	30	90	656000	3840	DFT-s-OFDM 16 QAM	1@243	24.72	24.73	0.2972
77	30	90	662332	3934.98	DFT-s-OFDM QPSK	120@60	26.15	26.16	0.4130
77	30	90	662332	3934.98	DFT-s-OFDM QPSK	1@1	25.96	25.97	0.3954
77	30	90	662332	3934.98	DFT-s-OFDM QPSK	1@243	26.12	26.13	0.4102
77	30	90	662332	3934.98	DFT-s-OFDM 16 QAM	120@60	25.15	25.16	0.3281
77	30	90	662332	3934.98	DFT-s-OFDM 16 QAM	1@1	25.01	25.02	0.3177
77	30	90	662332	3934.98	DFT-s-OFDM 16 QAM	1@243	25.38	25.39	0.3459
77	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	25.89	25.9	0.3890
77	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	25.98	25.99	0.3972
77	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	25.98	25.99	0.3972
77	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	25.9	25.91	0.3899
77	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	26	26.01	0.3990
77	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	25.98	25.99	0.3972
77	30	100	650000	3750	DFT-s-OFDM 16 QAM	135@67	24.91	24.92	0.3105
77	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	25	25.01	0.3170
77	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@271	25.02	25.03	0.3184
77	30	100	650000	3750	DFT-s-OFDM 64 QAM	135@67	23.43	23.44	0.2208
77	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	23.47	23.48	0.2228
77	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@271	23.54	23.55	0.2265
77	30	100	650000	3750	DFT-s-OFDM 256 QAM	135@67	21.43	21.44	0.1393



77	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.35	21.36	0.1368
77	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@271	21.36	21.37	0.1371
77	30	100	650000	3750	CP-OFDM QPSK	137@68	24.37	24.38	0.2742
77	30	100	650000	3750	CP-OFDM QPSK	1@1	24.37	24.38	0.2742
77	30	100	650000	3750	CP-OFDM QPSK	1@271	24.4	24.41	0.2761
77	30	100	656000	3840	DFT-s-OFDM PI/2 BPSK	135@67	25.89	25.9	0.3890
77	30	100	656000	3840	DFT-s-OFDM PI/2 BPSK	1@1	26.14	26.15	0.4121
77	30	100	656000	3840	DFT-s-OFDM PI/2 BPSK	1@271	25.62	25.63	0.3656
77	30	100	656000	3840	DFT-s-OFDM QPSK	135@67	25.9	25.91	0.3899
77	30	100	656000	3840	DFT-s-OFDM QPSK	1@1	26.15	26.16	0.4130
77	30	100	656000	3840	DFT-s-OFDM QPSK	1@271	25.64	25.65	0.3673
77	30	100	656000	3840	DFT-s-OFDM 16 QAM	135@67	24.96	24.97	0.3141
77	30	100	656000	3840	DFT-s-OFDM 16 QAM	1@1	25.16	25.17	0.3289
77	30	100	656000	3840	DFT-s-OFDM 16 QAM	1@271	24.67	24.68	0.2938
77	30	100	656000	3840	DFT-s-OFDM 64 QAM	135@67	23.43	23.44	0.2208
77	30	100	656000	3840	DFT-s-OFDM 64 QAM	1@1	23.82	23.83	0.2415
77	30	100	656000	3840	DFT-s-OFDM 64 QAM	1@271	23.19	23.2	0.2089
77	30	100	656000	3840	DFT-s-OFDM 256 QAM	135@67	21.47	21.48	0.1406
77	30	100	656000	3840	DFT-s-OFDM 256 QAM	1@1	21.57	21.58	0.1439
77	30	100	656000	3840	DFT-s-OFDM 256 QAM	1@271	21.11	21.12	0.1294
77	30	100	656000	3840	CP-OFDM QPSK	137@68	24.36	24.37	0.2735
77	30	100	656000	3840	CP-OFDM QPSK	1@1	24.55	24.56	0.2858
77	30	100	656000	3840	CP-OFDM QPSK	1@271	24.08	24.09	0.2564
77	30	100	662000	3930	DFT-s-OFDM PI/2 BPSK	135@67	26.08	26.09	0.4064
77	30	100	662000	3930	DFT-s-OFDM PI/2 BPSK	1@1	25.96	25.97	0.3954
77	30	100	662000	3930	DFT-s-OFDM PI/2 BPSK	1@271	26.22	26.23	0.4198
77	30	100	662000	3930	DFT-s-OFDM QPSK	135@67	26.08	26.09	0.4064
77	30	100	662000	3930	DFT-s-OFDM QPSK	1@1	26	26.01	0.3990
77	30	100	662000	3930	DFT-s-OFDM QPSK	1@271	26.33	26.34	0.4305
77	30	100	662000	3930	DFT-s-OFDM 16 QAM	135@67	25.09	25.1	0.3236
77	30	100	662000	3930	DFT-s-OFDM 16 QAM	1@1	25.01	25.02	0.3177
77	30	100	662000	3930	DFT-s-OFDM 16 QAM	1@271	25.37	25.38	0.3451
77	30	100	662000	3930	DFT-s-OFDM 64 QAM	135@67	23.62	23.63	0.2307
77	30	100	662000	3930	DFT-s-OFDM 64 QAM	1@1	23.68	23.69	0.2339
77	30	100	662000	3930	DFT-s-OFDM 64 QAM	1@271	23.97	23.98	0.2500
77	30	100	662000	3930	DFT-s-OFDM 256 QAM	135@67	21.59	21.6	0.1445
77	30	100	662000	3930	DFT-s-OFDM 256 QAM	1@1	21.45	21.46	0.1400
77	30	100	662000	3930	DFT-s-OFDM 256 QAM	1@271	21.82	21.83	0.1524
77	30	100	662000	3930	CP-OFDM QPSK	137@68	24.56	24.57	0.2864
77	30	100	662000	3930	CP-OFDM QPSK	1@1	24.42	24.43	0.2773
77	30	100	662000	3930	CP-OFDM QPSK	1@271	24.81	24.82	0.3034

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (Hz)	Verdict	Environment
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	15.8	PASS	NV
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	16.9	PASS	LV
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	11.1	PASS	HV
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	11.4	PASS	-30℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	8.3	PASS	-20℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	13.3	PASS	-10℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	9.6	PASS	0℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	6.6	PASS	10℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	12.2	PASS	20℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	12.9	PASS	30℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	9.9	PASS	40℃
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	7.5	PASS	50℃

$|\text{MAX}(\Delta f)| = 16.9 \text{ Hz}$

Frequency Stability	Frequency (MHz)	Limit Line	Result
$f_L - \text{MAX}(\Delta f) $	3700.899083	$\geq 3700 \text{ MHz}$	PASS
$f_H + \text{MAX}(\Delta f) $	3979.100917	$\leq 3980 \text{ MHz}$	

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
77	30	20	656000	3840.0	DFT-s-OFDM PI/2 BPSK	50@0	4.21	13	PASS
77	30	20	656000	3840.0	DFT-s-OFDM QPSK	50@0	5.62	13	PASS

N77(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N77(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH













Occupied Bandwidth





NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
77	30	10	656000	3840.0	CP-OFDM QPSK	24@0	8.56	9.072
77	30	10	656000	3840.0	CP-OFDM 16 QAM	24@0	8.5423	9.211
77	30	10	656000	3840.0	CP-OFDM 64 QAM	24@0	8.5758	9.178
77	30	10	656000	3840.0	CP-OFDM 256 QAM	24@0	8.5695	9.215
77	30	15	656000	3840.0	CP-OFDM QPSK	38@0	13.566	14.15
77	30	15	656000	3840.0	CP-OFDM 16 QAM	38@0	13.57	14.29
77	30	15	656000	3840.0	CP-OFDM 64 QAM	38@0	13.614	14.21
77	30	15	656000	3840.0	CP-OFDM 256 QAM	38@0	13.559	14.33
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	18.208	19.09
77	30	20	656000	3840.0	CP-OFDM 16 QAM	51@0	18.262	18.88
77	30	20	656000	3840.0	CP-OFDM 64 QAM	51@0	18.238	19.1
77	30	20	656000	3840.0	CP-OFDM 256 QAM	51@0	18.222	19.07
77	30	25	656000	3840.0	CP-OFDM QPSK	65@0	23.225	24.23
77	30	25	656000	3840.0	CP-OFDM 16 QAM	65@0	23.186	24.27
77	30	25	656000	3840.0	CP-OFDM 64 QAM	65@0	23.229	24.21
77	30	25	656000	3840.0	CP-OFDM 256 QAM	65@0	23.227	24.08
77	30	30	656000	3840.0	CP-OFDM QPSK	78@0	27.764	28.96
77	30	30	656000	3840.0	CP-OFDM 16 QAM	78@0	27.834	29.02
77	30	30	656000	3840.0	CP-OFDM 64 QAM	78@0	27.758	28.8
77	30	30	656000	3840.0	CP-OFDM 256 QAM	78@0	27.734	28.95
77	30	40	656000	3840.0	CP-OFDM QPSK	106@0	37.805	39.18
77	30	40	656000	3840.0	CP-OFDM 16 QAM	106@0	37.877	39.13
77	30	40	656000	3840.0	CP-OFDM 64 QAM	106@0	37.797	39.17
77	30	40	656000	3840.0	CP-OFDM 256 QAM	106@0	37.78	39.35
77	30	50	656000	3840.0	CP-OFDM QPSK	133@0	47.444	48.99
77	30	50	656000	3840.0	CP-OFDM 16 QAM	133@0	47.43	49.01











77	30	50	656000	3840.0	CP-OFDM 64 QAM	133@0	47.551	49.04
77	30	50	656000	3840.0	CP-OFDM 256 QAM	133@0	47.49	49.04
77	30	60	656000	3840.0	CP-OFDM QPSK	162@0	57.703	59.75
77	30	60	656000	3840.0	CP-OFDM 16 QAM	162@0	57.694	59.63
77	30	60	656000	3840.0	CP-OFDM 64 QAM	162@0	57.881	59.6
77	30	60	656000	3840.0	CP-OFDM 256 QAM	162@0	57.823	59.7
77	30	70	656000	3840.0	CP-OFDM QPSK	189@0	67.615	69.76
77	30	70	656000	3840.0	CP-OFDM 16 QAM	189@0	67.287	69.67
77	30	70	656000	3840.0	CP-OFDM 64 QAM	189@0	67.495	69.75
77	30	70	656000	3840.0	CP-OFDM 256 QAM	189@0	67.47	69.71
77	30	80	656000	3840.0	CP-OFDM QPSK	217@0	77.558	79.91
77	30	80	656000	3840.0	CP-OFDM 16 QAM	217@0	77.519	79.89
77	30	80	656000	3840.0	CP-OFDM 64 QAM	217@0	77.478	79.99
77	30	80	656000	3840.0	CP-OFDM 256 QAM	217@0	77.473	79.92
77	30	90	656000	3840.0	CP-OFDM QPSK	245@0	87.499	90.18
77	30	90	656000	3840.0	CP-OFDM 16 QAM	245@0	87.514	90.2
77	30	90	656000	3840.0	CP-OFDM 64 QAM	245@0	87.464	90.2
77	30	90	656000	3840.0	CP-OFDM 256 QAM	245@0	87.291	90.26
77	30	100	656000	3840.0	CP-OFDM QPSK	273@0	97.283	100.5
77	30	100	656000	3840.0	CP-OFDM 16 QAM	273@0	97.572	100.5
77	30	100	656000	3840.0	CP-OFDM 64 QAM	273@0	97.499	100.6
77	30	100	656000	3840.0	CP-OFDM 256 QAM	273@0	97.245	100.4




N77(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(25M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(25M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(25M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(25M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(50M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(50M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(50M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(50M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(60M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(60M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(60M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(60M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(70M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(70M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(70M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(70M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(80M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(80M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(80M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(80M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(90M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(90M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(90M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(90M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(100M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(100M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(100M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(100M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

**Conducted Spurious Emissions**




NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS



77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS




77	30	100	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	100	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	656000	3840.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH







N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH











N77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH









N77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH

N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH

N77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH

N77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH