









N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN77(50M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN77(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH

N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN77(50M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN77(50M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



Software Version: 23.06.1602

FR1 N77 Ant 5_30kHz

Transmitter Conducted Output Power And EIRP, (GT - LC)=1.32 dBi

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	12@6	25.86	27.18	0.5224
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@1	25.83	27.15	0.5188
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@22	25.82	27.14	0.5176
77	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	12@6	24.82	26.14	0.4111
77	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	1@1	24.87	26.19	0.4159
77	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	1@22	24.86	26.18	0.4150
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	12@6	25.93	27.25	0.5309
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.78	27.1	0.5129
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@22	25.74	27.06	0.5082
77	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	12@6	24.85	26.17	0.4140
77	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.82	26.14	0.4111
77	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	1@22	24.75	26.07	0.4046
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	12@6	25.79	27.11	0.5140
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@1	25.74	27.06	0.5082
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@22	25.74	27.06	0.5082
77	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	12@6	24.87	26.19	0.4159
77	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	1@1	24.83	26.15	0.4121
77	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	1@22	24.75	26.07	0.4046
77	30	15	630500	3457.5	DFT-s-OFDM QPSK	18@9	25.95	27.27	0.5333
77	30	15	630500	3457.5	DFT-s-OFDM QPSK	1@1	25.85	27.17	0.5212
77	30	15	630500	3457.5	DFT-s-OFDM QPSK	1@36	25.84	27.16	0.5200
77	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	18@9	24.95	26.27	0.4236
77	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	1@1	24.92	26.24	0.4207
77	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	1@36	24.85	26.17	0.4140
77	30	15	633334	3500.01	DFT-s-OFDM QPSK	18@9	25.86	27.18	0.5224
77	30	15	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.82	27.14	0.5176
77	30	15	633334	3500.01	DFT-s-OFDM QPSK	1@36	25.75	27.07	0.5093
77	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	18@9	24.89	26.21	0.4178
77	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.83	26.15	0.4121
77	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	1@36	24.78	26.1	0.4074
77	30	15	636166	3542.49	DFT-s-OFDM QPSK	18@9	25.85	27.17	0.5212
77	30	15	636166	3542.49	DFT-s-OFDM QPSK	1@1	25.84	27.16	0.5200
77	30	15	636166	3542.49	DFT-s-OFDM QPSK	1@36	25.76	27.08	0.5105
77	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	18@9	24.85	26.17	0.4140
77	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	1@1	24.84	26.16	0.4130



77	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	1@36	24.73	26.05	0.4027
77	30	20	630668	3460.02	DFT-s-OFDM QPSK	25@12	25.95	27.27	0.5333
77	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@1	25.88	27.2	0.5248
77	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@49	25.82	27.14	0.5176
77	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	25@12	24.95	26.27	0.4236
77	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@1	24.88	26.2	0.4169
77	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@49	24.81	26.13	0.4102
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	25@12	25.91	27.23	0.5284
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.82	27.14	0.5176
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@49	25.73	27.05	0.5070
77	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	25@12	24.88	26.2	0.4169
77	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.81	26.13	0.4102
77	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@49	24.7	26.02	0.3999
77	30	20	636000	3540	DFT-s-OFDM QPSK	25@12	25.88	27.2	0.5248
77	30	20	636000	3540	DFT-s-OFDM QPSK	1@1	25.87	27.19	0.5236
77	30	20	636000	3540	DFT-s-OFDM QPSK	1@49	25.72	27.04	0.5058
77	30	20	636000	3540	DFT-s-OFDM 16 QAM	25@12	24.94	26.26	0.4227
77	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@1	24.85	26.17	0.4140
77	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@49	24.76	26.08	0.4055
77	30	25	630834	3462.51	DFT-s-OFDM QPSK	32@16	25.84	27.16	0.5200
77	30	25	630834	3462.51	DFT-s-OFDM QPSK	1@1	25.84	27.16	0.5200
77	30	25	630834	3462.51	DFT-s-OFDM QPSK	1@63	25.76	27.08	0.5105
77	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	32@16	24.86	26.18	0.4150
77	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	1@1	24.89	26.21	0.4178
77	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	1@63	24.79	26.11	0.4083
77	30	25	633334	3500.01	DFT-s-OFDM QPSK	32@16	25.84	27.16	0.5200
77	30	25	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.76	27.08	0.5105
77	30	25	633334	3500.01	DFT-s-OFDM QPSK	1@63	25.68	27	0.5012
77	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	32@16	24.83	26.15	0.4121
77	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.77	26.09	0.4064
77	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	1@63	24.66	25.98	0.3963
77	30	25	635832	3537.48	DFT-s-OFDM QPSK	32@16	25.85	27.17	0.5212
77	30	25	635832	3537.48	DFT-s-OFDM QPSK	1@1	25.84	27.16	0.5200
77	30	25	635832	3537.48	DFT-s-OFDM QPSK	1@63	25.72	27.04	0.5058
77	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	32@16	24.84	26.16	0.4130
77	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	1@1	24.86	26.18	0.4150
77	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	1@63	24.77	26.09	0.4064
77	30	30	631000	3465	DFT-s-OFDM QPSK	36@18	25.9	27.22	0.5272
77	30	30	631000	3465	DFT-s-OFDM QPSK	1@1	25.95	27.27	0.5333
77	30	30	631000	3465	DFT-s-OFDM QPSK	1@76	25.77	27.09	0.5117
77	30	30	631000	3465	DFT-s-OFDM 16 QAM	36@18	24.89	26.21	0.4178
77	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@1	24.94	26.26	0.4227
77	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@76	24.76	26.08	0.4055
77	30	30	633334	3500.01	DFT-s-OFDM QPSK	36@18	25.88	27.2	0.5248



77	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.84	27.16	0.5200
77	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@76	25.78	27.1	0.5129
77	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	36@18	24.85	26.17	0.4140
77	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.9	26.22	0.4188
77	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@76	24.8	26.12	0.4093
77	30	30	635666	3534.99	DFT-s-OFDM QPSK	36@18	25.9	27.22	0.5272
77	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@1	25.97	27.29	0.5358
77	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@76	25.79	27.11	0.5140
77	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	36@18	24.88	26.2	0.4169
77	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@1	24.96	26.28	0.4246
77	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@76	24.8	26.12	0.4093
77	30	40	631334	3470.01	DFT-s-OFDM QPSK	50@25	25.95	27.27	0.5333
77	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@1	25.94	27.26	0.5321
77	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@104	25.75	27.07	0.5093
77	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	50@25	24.95	26.27	0.4236
77	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@1	24.93	26.25	0.4217
77	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@104	24.75	26.07	0.4046
77	30	40	633334	3500.01	DFT-s-OFDM QPSK	50@25	25.85	27.17	0.5212
77	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.84	27.16	0.5200
77	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@104	25.73	27.05	0.5070
77	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	50@25	24.87	26.19	0.4159
77	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.83	26.15	0.4121
77	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@104	24.74	26.06	0.4036
77	30	40	635332	3529.98	DFT-s-OFDM QPSK	50@25	25.85	27.17	0.5212
77	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@1	25.89	27.21	0.5260
77	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@104	25.73	27.05	0.5070
77	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	50@25	24.9	26.22	0.4188
77	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@1	24.92	26.24	0.4207
77	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@104	24.78	26.1	0.4074
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	64@32	25.93	27.25	0.5309
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@1	25.92	27.24	0.5297
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@131	25.71	27.03	0.5047
77	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	64@32	24.92	26.24	0.4207
77	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@1	24.98	26.3	0.4266
77	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@131	24.73	26.05	0.4027
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	64@32	25.87	27.19	0.5236
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.87	27.19	0.5236
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@131	25.71	27.03	0.5047
77	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	64@32	24.88	26.2	0.4169
77	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.88	26.2	0.4169
77	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@131	24.7	26.02	0.3999
77	30	50	635000	3525	DFT-s-OFDM QPSK	64@32	25.87	27.19	0.5236
77	30	50	635000	3525	DFT-s-OFDM QPSK	1@1	25.89	27.21	0.5260
77	30	50	635000	3525	DFT-s-OFDM QPSK	1@131	25.7	27.02	0.5035



77	30	50	635000	3525	DFT-s-OFDM 16 QAM	64@32	24.92	26.24	0.4207
77	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@1	24.96	26.28	0.4246
77	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@131	24.68	26	0.3981
77	30	60	632000	3480	DFT-s-OFDM QPSK	81@40	25.83	27.15	0.5188
77	30	60	632000	3480	DFT-s-OFDM QPSK	1@1	26	27.32	0.5395
77	30	60	632000	3480	DFT-s-OFDM QPSK	1@160	25.82	27.14	0.5176
77	30	60	632000	3480	DFT-s-OFDM 16 QAM	81@40	24.86	26.18	0.4150
77	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@1	25.1	26.42	0.4385
77	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@160	24.8	26.12	0.4093
77	30	60	633334	3500.01	DFT-s-OFDM QPSK	81@40	25.79	27.11	0.5140
77	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.99	27.31	0.5383
77	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@160	25.7	27.02	0.5035
77	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	81@40	24.81	26.13	0.4102
77	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.02	26.34	0.4305
77	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@160	24.8	26.12	0.4093
77	30	60	634666	3519.99	DFT-s-OFDM QPSK	81@40	25.79	27.11	0.5140
77	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@1	25.92	27.24	0.5297
77	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@160	25.7	27.02	0.5035
77	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	81@40	24.79	26.11	0.4083
77	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@1	24.96	26.28	0.4246
77	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@160	24.75	26.07	0.4046
77	30	70	632334	3485.01	DFT-s-OFDM QPSK	90@45	25.87	27.19	0.5236
77	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@1	26.05	27.37	0.5458
77	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@187	25.63	26.95	0.4955
77	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	90@45	24.9	26.22	0.4188
77	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@1	25.05	26.37	0.4335
77	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@187	24.68	26	0.3981
77	30	70	633334	3500.01	DFT-s-OFDM QPSK	90@45	25.83	27.15	0.5188
77	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.99	27.31	0.5383
77	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@187	25.57	26.89	0.4887
77	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	90@45	24.87	26.19	0.4159
77	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.03	26.35	0.4315
77	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@187	24.61	25.93	0.3917
77	30	70	634332	3514.98	DFT-s-OFDM QPSK	90@45	25.8	27.12	0.5152
77	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@1	25.96	27.28	0.5346
77	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@187	25.56	26.88	0.4875
77	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	90@45	24.8	26.12	0.4093
77	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@1	24.99	26.31	0.4276
77	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@187	24.62	25.94	0.3926
77	30	80	632668	3490.02	DFT-s-OFDM QPSK	108@54	25.87	27.19	0.5236
77	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@1	26.12	27.44	0.5546
77	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@215	25.69	27.01	0.5023
77	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	108@54	24.85	26.17	0.4140
77	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@1	25.15	26.47	0.4436



77	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@215	24.74	26.06	0.4036
77	30	80	633334	3500.01	DFT-s-OFDM QPSK	108@54	25.86	27.18	0.5224
77	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.04	27.36	0.5445
77	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@215	25.65	26.97	0.4977
77	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	108@54	24.84	26.16	0.4130
77	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.1	26.42	0.4385
77	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@215	24.65	25.97	0.3954
77	30	80	634000	3510	DFT-s-OFDM QPSK	108@54	25.87	27.19	0.5236
77	30	80	634000	3510	DFT-s-OFDM QPSK	1@1	26.07	27.39	0.5483
77	30	80	634000	3510	DFT-s-OFDM QPSK	1@215	25.63	26.95	0.4955
77	30	80	634000	3510	DFT-s-OFDM 16 QAM	108@54	24.85	26.17	0.4140
77	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@1	25.07	26.39	0.4355
77	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@215	24.65	25.97	0.3954
77	30	90	633000	3495	DFT-s-OFDM QPSK	120@60	25.91	27.23	0.5284
77	30	90	633000	3495	DFT-s-OFDM QPSK	1@1	26.1	27.42	0.5521
77	30	90	633000	3495	DFT-s-OFDM QPSK	1@243	25.63	26.95	0.4955
77	30	90	633000	3495	DFT-s-OFDM 16 QAM	120@60	24.87	26.19	0.4159
77	30	90	633000	3495	DFT-s-OFDM 16 QAM	1@1	25.13	26.45	0.4416
77	30	90	633000	3495	DFT-s-OFDM 16 QAM	1@243	24.63	25.95	0.3936
77	30	90	633334	3500.01	DFT-s-OFDM QPSK	120@60	25.85	27.17	0.5212
77	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.03	27.35	0.5433
77	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@243	25.57	26.89	0.4887
77	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	120@60	24.84	26.16	0.4130
77	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.06	26.38	0.4345
77	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@243	24.6	25.92	0.3908
77	30	90	633666	3504.99	DFT-s-OFDM QPSK	120@60	25.86	27.18	0.5224
77	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@1	26.09	27.41	0.5508
77	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@243	25.55	26.87	0.4864
77	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	120@60	24.84	26.16	0.4130
77	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@1	25.14	26.46	0.4426
77	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@243	24.64	25.96	0.3945
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	25.82	27.14	0.5176
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.14	27.46	0.5572
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	25.56	26.88	0.4875
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	25.77	27.09	0.5117
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.11	27.43	0.5534
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	25.51	26.83	0.4819
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	24.77	26.09	0.4064
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.17	26.49	0.4457
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	24.59	25.91	0.3899
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.31	24.63	0.2904
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.69	25.01	0.3170
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	23.07	24.39	0.2748
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	21.32	22.64	0.1837



SPORTON LAB.

77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.44	22.76	0.1888
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	20.9	22.22	0.1667
77	30	100	633334	3500.01	CP-OFDM QPSK	137@68	24.24	25.56	0.3597
77	30	100	633334	3500.01	CP-OFDM QPSK	1@1	24.47	25.79	0.3793
77	30	100	633334	3500.01	CP-OFDM QPSK	1@271	23.98	25.3	0.3388



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (Hz)	Verdict	Environment
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	7.1	PASS	NV
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	9.5	PASS	LV
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	19.4	PASS	HV
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	17.1	PASS	-30°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	6.8	PASS	-20°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	7.3	PASS	-10°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	16.1	PASS	0°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	15.8	PASS	10°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	16.9	PASS	20°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	17.3	PASS	30°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	17.9	PASS	40°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	11.4	PASS	50°C

$|\text{MAX}(\Delta f)| = 19.4 \text{ Hz}$

Frequency Stability	Frequency (MHz)	Limit Line	Result
$f_L - \text{MAX}(\Delta f) $	3450.909081	$\geq 3450 \text{ MHz}$	PASS
$f_H + \text{MAX}(\Delta f) $	3549.110919	$\leq 3550 \text{ MHz}$	




Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
77	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	50@0	4.6	13	PASS
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	5.84	13	PASS

N77(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N77(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH













Occupied Bandwidth





NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
77	30	10	633334	3500.01	CP-OFDM QPSK	24@0	8.5697	9.146
77	30	10	633334	3500.01	CP-OFDM 16 QAM	24@0	8.5576	9.171
77	30	10	633334	3500.01	CP-OFDM 64 QAM	24@0	8.5592	9.116
77	30	10	633334	3500.01	CP-OFDM 256 QAM	24@0	8.5577	9.135
77	30	15	633334	3500.01	CP-OFDM QPSK	38@0	13.558	14.23
77	30	15	633334	3500.01	CP-OFDM 16 QAM	38@0	13.601	14.29
77	30	15	633334	3500.01	CP-OFDM 64 QAM	38@0	13.623	14.2
77	30	15	633334	3500.01	CP-OFDM 256 QAM	38@0	13.57	14.45
77	30	20	633334	3500.01	CP-OFDM QPSK	51@0	18.249	19.02
77	30	20	633334	3500.01	CP-OFDM 16 QAM	51@0	18.217	18.91
77	30	20	633334	3500.01	CP-OFDM 64 QAM	51@0	18.123	18.85
77	30	20	633334	3500.01	CP-OFDM 256 QAM	51@0	18.201	18.95
77	30	25	633334	3500.01	CP-OFDM QPSK	65@0	23.18	24.17
77	30	25	633334	3500.01	CP-OFDM 16 QAM	65@0	23.22	24.1
77	30	25	633334	3500.01	CP-OFDM 64 QAM	65@0	23.239	24.18
77	30	25	633334	3500.01	CP-OFDM 256 QAM	65@0	23.262	24.1
77	30	30	633334	3500.01	CP-OFDM QPSK	78@0	27.754	28.76
77	30	30	633334	3500.01	CP-OFDM 16 QAM	78@0	27.757	29.1
77	30	30	633334	3500.01	CP-OFDM 64 QAM	78@0	27.831	28.89
77	30	30	633334	3500.01	CP-OFDM 256 QAM	78@0	27.791	28.94
77	30	40	633334	3500.01	CP-OFDM QPSK	106@0	37.825	39.2
77	30	40	633334	3500.01	CP-OFDM 16 QAM	106@0	37.874	39.25
77	30	40	633334	3500.01	CP-OFDM 64 QAM	106@0	37.794	39.22
77	30	40	633334	3500.01	CP-OFDM 256 QAM	106@0	37.726	39.37
77	30	50	633334	3500.01	CP-OFDM QPSK	133@0	47.552	48.99











77	30	50	633334	3500.01	CP-OFDM 16 QAM	133@0	47.606	49.15
77	30	50	633334	3500.01	CP-OFDM 64 QAM	133@0	47.719	49.0
77	30	50	633334	3500.01	CP-OFDM 256 QAM	133@0	47.352	49.05
77	30	60	633334	3500.01	CP-OFDM QPSK	162@0	57.732	59.6
77	30	60	633334	3500.01	CP-OFDM 16 QAM	162@0	57.826	59.65
77	30	60	633334	3500.01	CP-OFDM 64 QAM	162@0	57.932	59.74
77	30	60	633334	3500.01	CP-OFDM 256 QAM	162@0	57.744	59.78
77	30	70	633334	3500.01	CP-OFDM QPSK	189@0	67.498	69.7
77	30	70	633334	3500.01	CP-OFDM 16 QAM	189@0	67.483	69.66
77	30	70	633334	3500.01	CP-OFDM 64 QAM	189@0	67.475	69.68
77	30	70	633334	3500.01	CP-OFDM 256 QAM	189@0	67.538	69.55
77	30	80	633334	3500.01	CP-OFDM QPSK	217@0	77.467	79.86
77	30	80	633334	3500.01	CP-OFDM 16 QAM	217@0	77.575	79.88
77	30	80	633334	3500.01	CP-OFDM 64 QAM	217@0	77.44	79.88
77	30	80	633334	3500.01	CP-OFDM 256 QAM	217@0	77.474	79.92
77	30	90	633334	3500.01	CP-OFDM QPSK	245@0	87.468	90.35
77	30	90	633334	3500.01	CP-OFDM 16 QAM	245@0	87.378	90.2
77	30	90	633334	3500.01	CP-OFDM 64 QAM	245@0	87.515	90.2
77	30	90	633334	3500.01	CP-OFDM 256 QAM	245@0	87.493	90.18
77	30	100	633334	3500.01	CP-OFDM QPSK	273@0	97.327	100.4
77	30	100	633334	3500.01	CP-OFDM 16 QAM	273@0	97.379	100.5
77	30	100	633334	3500.01	CP-OFDM 64 QAM	273@0	97.14	100.5
77	30	100	633334	3500.01	CP-OFDM 256 QAM	273@0	97.401	100.5





N77(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(25M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(25M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(25M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(25M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N77(50M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(50M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(50M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(50M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(60M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(60M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(60M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(60M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(70M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(70M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(70M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(70M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(80M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(80M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(80M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(80M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(90M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(90M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(90M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(90M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

N77(100M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN77(100M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN77(100M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN77(100M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH











Conducted Spurious Emissions





NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	---



77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS


N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH

N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH


N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH







N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH







N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH






N77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH



N77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH










N77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@23	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@23	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@132	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@132	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@272	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@272	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	270@0	see graph	PASS

N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN77(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN77(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH

N77(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN77(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN77(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN77(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH