



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: GNSS Receiver

Test Model: Jupiter

Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8° C    |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Nick Peng  |





## A.1 -20dB Bandwidth

| Condition | Mode  | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 0.951                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | 1.002                  | N/A                          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | 1.007                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | 1.288                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 1.287                  | N/A                          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | 1.287                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 1.297                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 1.296                  | N/A                          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | 1.292                  | N/A                          | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






## -20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




## -20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






## -20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




## -20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







## -20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



## -20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







## A.2 Maximum Peak Conducted Output Power

| Condition | Mode  | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | -0.88                 | 21          | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | -0.61                 | 21          | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -1.75                 | 21          | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | -0.26                 | 21          | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | 0.16                  | 21          | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | -0.88                 | 21          | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | 0.18                  | 21          | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | 0.55                  | 21          | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | -0.49                 | 21          | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






## Power NVNT 1-DH5 2480MHz Ant1




## Power NVNT 2-DH5 2402MHz Ant1






## Power NVNT 2-DH5 2441MHz Ant1




## Power NVNT 2-DH5 2480MHz Ant1







## Power NVNT 3-DH5 2402MHz Ant1



## Power NVNT 3-DH5 2441MHz Ant1







### A.3 Carrier Frequencies Separation

| Condition | Mode  | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT      | 1-DH5 | Ant1    | 2402.058            | 2403.034            | 0.976     | 0.671       | Pass    |
| NVNT      | 2-DH5 | Ant1    | 2402.028            | 2403.03             | 1.002     | 0.859       | Pass    |
| NVNT      | 3-DH5 | Ant1    | 2402.03             | 2402.99             | 0.96      | 0.865       | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity





## Test Graphs

## CFS NVNT 1-DH5 2402MHz Ant1



## CFS NVNT 2-DH5 2402MHz Ant1







## A.4 Dwell Time

| Condition | Mode  | Frequency<br>(MHz) | Antenna | Pulse Time<br>(ms) | Total Dwell Time<br>(ms) | Burst<br>Count | Period Time<br>(ms) | Limit<br>(ms) | Verdict |
|-----------|-------|--------------------|---------|--------------------|--------------------------|----------------|---------------------|---------------|---------|
| NVNT      | 1-DH5 | 2402               | Ant1    | 2.909              | 337.444                  | 116            | 31600               | 400           | Pass    |
| NVNT      | 2-DH5 | 2402               | Ant1    | 2.898              | 286.902                  | 99             | 31600               | 400           | Pass    |
| NVNT      | 3-DH5 | 2402               | Ant1    | 2.897              | 289.7                    | 100            | 31600               | 400           | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



## Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




## Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






## Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



## Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel


| Condition | Mode  | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT      | 1-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 2-DH5 | Ant1    | 79             | 15    | Pass    |
| NVNT      | 3-DH5 | Ant1    | 79             | 15    | Pass    |







## Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







## A.6 Band Edge

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | -54.83          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | -54.27          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | -52.72          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | -50.55          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | -51.09          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | -54.24          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




## Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






## Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref



## Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



## Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



## Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

**(Hopping)**

| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | Hopping      | -52.93          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | Hopping      | -53.76          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | Hopping      | -50.84          | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | Hopping      | -52.1           | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | Hopping      | -51.43          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | Hopping      | -51.65          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



## Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## A.7 Conducted RF Spurious Emission

| Condition | Mode  | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | -54.14          | -20         | Pass    |
| NVNT      | 1-DH5 | 2441            | Ant1    | -53.09          | -20         | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | -53.21          | -20         | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | -46.98          | -20         | Pass    |
| NVNT      | 2-DH5 | 2441            | Ant1    | -52.8           | -20         | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | -51.98          | -20         | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | -51.96          | -20         | Pass    |
| NVNT      | 3-DH5 | 2441            | Ant1    | -53.68          | -20         | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | -51.39          | -20         | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref



## Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




## Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






## Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




## Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






## Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref



## Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



## Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



## Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





## A.8 Duty Cycle

| Condition | Mode  | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | 1-DH5 | 2402            | Ant1    | 77.63          | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2441            | Ant1    | 77.63          | 1.1                    | 0.34      |
| NVNT      | 1-DH5 | 2480            | Ant1    | 77.6           | 1.1                    | 0.34      |
| NVNT      | 2-DH5 | 2402            | Ant1    | 77.33          | 1.12                   | 0.34      |
| NVNT      | 2-DH5 | 2441            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 2-DH5 | 2480            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2402            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2441            | Ant1    | 77.28          | 1.12                   | 0.35      |
| NVNT      | 3-DH5 | 2480            | Ant1    | 77.28          | 1.12                   | 0.35      |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

## Duty Cycle NVNT 1-DH5 2402MHz Ant1




## Duty Cycle NVNT 1-DH5 2441MHz Ant1






## Duty Cycle NVNT 1-DH5 2480MHz Ant1




## Duty Cycle NVNT 2-DH5 2402MHz Ant1






## Duty Cycle NVNT 2-DH5 2441MHz Ant1




## Duty Cycle NVNT 2-DH5 2480MHz Ant1







## Duty Cycle NVNT 3-DH5 2402MHz Ant1



## Duty Cycle NVNT 3-DH5 2441MHz Ant1







## A.9 Restrict Band


| Condition | Mode  | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -49.72      | 2.4        | -                | 47.94      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -58.35      | 2.4        | 1.1              | 40.41      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2339.568        | -47.25      | 2.4        | -                | 50.41      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2388.336        | -57.55      | 2.4        | 1.1              | 41.21      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -49.53      | 2.4        | -                | 48.13      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -58.58      | 2.4        | 1.1              | 40.18      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -51.22      | 2.4        | -                | 46.44      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -58.3       | 2.4        | 1.1              | 40.46      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2495.464        | -46.88      | 2.4        | -                | 50.78      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2494.96         | -57.01      | 2.4        | 1.1              | 41.75      | Average  | 54             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -50.63      | 2.4        | -                | 47.03      | Peak     | 74             | Pass    |
| NVNT      | 1-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -58.11      | 2.4        | 1.1              | 40.92      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -50.91      | 2.4        | -                | 46.75      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -58.53      | 2.4        | 1.12             | 40.25      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2379.6          | -46.84      | 2.4        | -                | 50.82      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2382.384        | -57.56      | 2.4        | 1.12             | 41.22      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.39      | 2.4        | -                | 47.27      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -57.91      | 2.4        | 1.12             | 40.87      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -49.25      | 2.4        | -                | 48.41      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.75      | 2.4        | 1.12             | 41.03      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2485.984        | -46.85      | 2.4        | -                | 50.81      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2499.472        | -57.08      | 2.4        | 1.12             | 41.70      | Average  | 54             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -49.91      | 2.4        | -                | 47.75      | Peak     | 74             | Pass    |
| NVNT      | 2-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -57.8       | 2.4        | 1.12             | 40.98      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -49.19      | 2.4        | -                | 48.47      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2310            | -58.28      | 2.4        | 1.12             | 40.50      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2359.536        | -47.87      | 2.4        | -                | 49.79      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2378.256        | -57.41      | 2.4        | 1.12             | 41.37      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -50.21      | 2.4        | -                | 47.45      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2402            | Ant1    | No-Hopping   | 2390            | -57.92      | 2.4        | 1.12             | 40.86      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -50.4       | 2.4        | -                | 47.26      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.5          | -57.08      | 2.4        | 1.12             | 41.70      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.584        | -46.64      | 2.4        | -                | 51.02      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2483.656        | -56.88      | 2.4        | 1.12             | 41.90      | Average  | 54             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -48.57      | 2.4        | -                | 49.09      | Peak     | 74             | Pass    |
| NVNT      | 3-DH5 | 2480            | Ant1    | No-Hopping   | 2500            | -58.27      | 2.4        | 1.12             | 40.51      | Average  | 54             | Pass    |






## Test Graphs

## Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,  
Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






## Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






## Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






## Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




## Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





## Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



## Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

