

1. Effective (Isotropic) Radiated Power Output Data

1.1 B66_1.4MHz_EIRP

1.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	24.00	-0.33	23.67	<=30	Pass
			2	24.14	-0.33	23.81	<=30	Pass
			5	24.19	-0.33	23.86	<=30	Pass
		3	0	24.05	-0.33	23.72	<=30	Pass
			2	24.08	-0.33	23.75	<=30	Pass
			3	24.10	-0.33	23.77	<=30	Pass
		6	0	23.11	-0.33	22.78	<=30	Pass
	1745	1	0	24.07	-0.33	23.74	<=30	Pass
			2	24.10	-0.33	23.77	<=30	Pass
			5	24.08	-0.33	23.75	<=30	Pass
		3	0	23.99	-0.33	23.66	<=30	Pass
			2	24.03	-0.33	23.70	<=30	Pass
			3	23.98	-0.33	23.65	<=30	Pass
		6	0	22.97	-0.33	22.64	<=30	Pass
	1779.3	1	0	23.80	-0.33	23.47	<=30	Pass
			2	23.81	-0.33	23.48	<=30	Pass
			5	23.84	-0.33	23.51	<=30	Pass
		3	0	23.70	-0.33	23.37	<=30	Pass
			2	23.65	-0.33	23.32	<=30	Pass
			3	23.74	-0.33	23.41	<=30	Pass
		6	0	22.69	-0.33	22.36	<=30	Pass
16QAM	1710.7	1	0	23.71	-0.33	23.38	<=30	Pass
			2	23.72	-0.33	23.39	<=30	Pass
			5	23.75	-0.33	23.42	<=30	Pass
		3	0	23.40	-0.33	23.07	<=30	Pass
			2	23.41	-0.33	23.08	<=30	Pass
			3	23.45	-0.33	23.12	<=30	Pass
		6	0	22.27	-0.33	21.94	<=30	Pass
	1745	1	0	23.82	-0.33	23.49	<=30	Pass
			2	23.81	-0.33	23.48	<=30	Pass
			5	23.81	-0.33	23.48	<=30	Pass
		3	0	22.65	-0.33	22.32	<=30	Pass
			2	22.68	-0.33	22.35	<=30	Pass
			3	22.65	-0.33	22.32	<=30	Pass
		6	0	22.18	-0.33	21.85	<=30	Pass
	1779.3	1	0	22.67	-0.33	22.34	<=30	Pass
			2	22.19	-0.33	21.86	<=30	Pass
			5	22.20	-0.33	21.87	<=30	Pass
		3	0	21.80	-0.33	21.47	<=30	Pass
			2	21.60	-0.33	21.27	<=30	Pass
			3	21.56	-0.33	21.23	<=30	Pass
		6	0	21.58	-0.33	21.25	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B66_3MHz_EIRP

1.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	22.63	-0.33	22.30	<=30	Pass
			7	22.63	-0.33	22.30	<=30	Pass
			14	22.57	-0.33	22.24	<=30	Pass
		8	0	21.69	-0.33	21.36	<=30	Pass
			4	21.66	-0.33	21.33	<=30	Pass
			7	21.67	-0.33	21.34	<=30	Pass
		15	0	21.59	-0.33	21.26	<=30	Pass
	1745	1	0	22.68	-0.33	22.35	<=30	Pass
			7	22.61	-0.33	22.28	<=30	Pass
			14	22.71	-0.33	22.38	<=30	Pass
		8	0	21.42	-0.33	21.09	<=30	Pass
			4	21.42	-0.33	21.09	<=30	Pass
			7	21.38	-0.33	21.05	<=30	Pass
		15	0	21.44	-0.33	21.11	<=30	Pass
	1778.5	1	0	22.11	-0.33	21.78	<=30	Pass
			7	22.11	-0.33	21.78	<=30	Pass
			14	22.19	-0.33	21.86	<=30	Pass
		8	0	21.12	-0.33	20.79	<=30	Pass
			4	21.02	-0.33	20.69	<=30	Pass
			7	20.98	-0.33	20.65	<=30	Pass
		15	0	20.98	-0.33	20.65	<=30	Pass
16QAM	1711.5	1	0	22.07	-0.33	21.74	<=30	Pass
			7	22.01	-0.33	21.68	<=30	Pass
			14	22.07	-0.33	21.74	<=30	Pass
		8	0	20.90	-0.33	20.57	<=30	Pass
			4	20.80	-0.33	20.47	<=30	Pass
			7	20.91	-0.33	20.58	<=30	Pass
		15	0	20.81	-0.33	20.48	<=30	Pass
	1745	1	0	21.88	-0.33	21.55	<=30	Pass
			7	21.88	-0.33	21.55	<=30	Pass
			14	21.84	-0.33	21.51	<=30	Pass
		8	0	20.72	-0.33	20.39	<=30	Pass
			4	20.73	-0.33	20.40	<=30	Pass
			7	20.71	-0.33	20.38	<=30	Pass
		15	0	20.54	-0.33	20.21	<=30	Pass
	1778.5	1	0	21.61	-0.33	21.28	<=30	Pass
			7	21.65	-0.33	21.32	<=30	Pass
			14	21.64	-0.33	21.31	<=30	Pass
		8	0	20.15	-0.33	19.82	<=30	Pass
			4	20.14	-0.33	19.81	<=30	Pass
			7	20.14	-0.33	19.81	<=30	Pass
		15	0	20.11	-0.33	19.78	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B66_5MHz_EIRP

1.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	22.60	-0.33	22.27	<=30	Pass
			13	22.57	-0.33	22.24	<=30	Pass
			24	22.63	-0.33	22.30	<=30	Pass
		12	0	21.68	-0.33	21.35	<=30	Pass
			6	21.64	-0.33	21.31	<=30	Pass
			13	21.62	-0.33	21.29	<=30	Pass
		25	0	21.63	-0.33	21.30	<=30	Pass
	1745	1	0	22.28	-0.33	21.95	<=30	Pass
			13	22.30	-0.33	21.97	<=30	Pass
			24	22.30	-0.33	21.97	<=30	Pass
		12	0	21.37	-0.33	21.04	<=30	Pass
			6	21.46	-0.33	21.13	<=30	Pass
			13	21.44	-0.33	21.11	<=30	Pass
		25	0	21.46	-0.33	21.13	<=30	Pass
	1777.5	1	0	21.96	-0.33	21.63	<=30	Pass
			13	21.87	-0.33	21.54	<=30	Pass
			24	21.80	-0.33	21.47	<=30	Pass
		12	0	21.05	-0.33	20.72	<=30	Pass
			6	21.01	-0.33	20.68	<=30	Pass
			13	21.11	-0.33	20.78	<=30	Pass
		25	0	20.99	-0.33	20.66	<=30	Pass
16QAM	1712.5	1	0	22.28	-0.33	21.95	<=30	Pass
			13	22.32	-0.33	21.99	<=30	Pass
			24	22.33	-0.33	22.00	<=30	Pass
		12	0	20.67	-0.33	20.34	<=30	Pass
			6	20.61	-0.33	20.28	<=30	Pass
			13	20.63	-0.33	20.30	<=30	Pass
		25	0	20.71	-0.33	20.38	<=30	Pass
	1745	1	0	21.43	-0.33	21.10	<=30	Pass
			13	21.40	-0.33	21.07	<=30	Pass
			24	21.45	-0.33	21.12	<=30	Pass
		12	0	20.46	-0.33	20.13	<=30	Pass
			6	20.50	-0.33	20.17	<=30	Pass
			13	20.43	-0.33	20.10	<=30	Pass
		25	0	20.56	-0.33	20.23	<=30	Pass
	1777.5	1	0	21.78	-0.33	21.45	<=30	Pass
			13	21.74	-0.33	21.41	<=30	Pass
			24	21.77	-0.33	21.44	<=30	Pass
		12	0	20.30	-0.33	19.97	<=30	Pass
			6	20.24	-0.33	19.91	<=30	Pass
			13	20.22	-0.33	19.89	<=30	Pass
		25	0	20.26	-0.33	19.93	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B66_10MHz_EIRP

1.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	22.63	-0.33	22.30	<=30	Pass
			25	22.62	-0.33	22.29	<=30	Pass
			49	22.61	-0.33	22.28	<=30	Pass
		25	0	21.66	-0.33	21.33	<=30	Pass
			13	21.64	-0.33	21.31	<=30	Pass
			25	21.72	-0.33	21.39	<=30	Pass
		50	0	21.74	-0.33	21.41	<=30	Pass
			0	22.37	-0.33	22.04	<=30	Pass
			25	22.51	-0.33	22.18	<=30	Pass
	1745	1	49	22.56	-0.33	22.23	<=30	Pass
			0	21.38	-0.33	21.05	<=30	Pass
			13	21.45	-0.33	21.12	<=30	Pass
		25	25	21.48	-0.33	21.15	<=30	Pass
			0	21.40	-0.33	21.07	<=30	Pass
			0	21.97	-0.33	21.64	<=30	Pass
		1	25	21.96	-0.33	21.63	<=30	Pass
			49	22.04	-0.33	21.71	<=30	Pass
			0	21.10	-0.33	20.77	<=30	Pass
	1775	25	13	21.10	-0.33	20.77	<=30	Pass
			25	21.11	-0.33	20.78	<=30	Pass
			0	21.12	-0.33	20.79	<=30	Pass
16QAM	1715	1	0	22.00	-0.33	21.67	<=30	Pass
			25	22.06	-0.33	21.73	<=30	Pass
			49	22.07	-0.33	21.74	<=30	Pass
		25	0	20.72	-0.33	20.39	<=30	Pass
			13	20.70	-0.33	20.37	<=30	Pass
			25	20.71	-0.33	20.38	<=30	Pass
		50	0	20.83	-0.33	20.50	<=30	Pass
			0	21.37	-0.33	21.04	<=30	Pass
			25	21.41	-0.33	21.08	<=30	Pass
	1745	1	49	21.41	-0.33	21.08	<=30	Pass
			0	20.57	-0.33	20.24	<=30	Pass
			13	20.59	-0.33	20.26	<=30	Pass
		25	25	20.56	-0.33	20.23	<=30	Pass
			0	20.52	-0.33	20.19	<=30	Pass
			0	22.22	-0.33	21.89	<=30	Pass
		1	25	22.26	-0.33	21.93	<=30	Pass
			49	22.25	-0.33	21.92	<=30	Pass
			0	20.16	-0.33	19.83	<=30	Pass
	1775	25	13	20.20	-0.33	19.87	<=30	Pass
			25	20.30	-0.33	19.97	<=30	Pass
			0	20.18	-0.33	19.85	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B66_15MHz_EIRP

1.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1717.5	1	0	22.56	-0.33	22.23	<=30	Pass
			38	22.55	-0.33	22.22	<=30	Pass
			74	22.62	-0.33	22.29	<=30	Pass
		36	0	21.75	-0.33	21.42	<=30	Pass
			18	21.71	-0.33	21.38	<=30	Pass
			39	21.63	-0.33	21.30	<=30	Pass
		75	0	21.57	-0.33	21.24	<=30	Pass
	1745	1	0	22.51	-0.33	22.18	<=30	Pass
			38	22.39	-0.33	22.06	<=30	Pass
			74	22.40	-0.33	22.07	<=30	Pass
		36	0	21.44	-0.33	21.11	<=30	Pass
			18	21.50	-0.33	21.17	<=30	Pass
			39	21.51	-0.33	21.18	<=30	Pass
		75	0	21.46	-0.33	21.13	<=30	Pass
	1772.5	1	0	22.15	-0.33	21.82	<=30	Pass
			38	21.96	-0.33	21.63	<=30	Pass
			74	22.03	-0.33	21.70	<=30	Pass
		36	0	21.16	-0.33	20.83	<=30	Pass
			18	21.15	-0.33	20.82	<=30	Pass
			39	21.12	-0.33	20.79	<=30	Pass
		75	0	21.07	-0.33	20.74	<=30	Pass
16QAM	1717.5	1	0	22.02	-0.33	21.69	<=30	Pass
			38	21.97	-0.33	21.64	<=30	Pass
			74	22.05	-0.33	21.72	<=30	Pass
		36	0	20.79	-0.33	20.46	<=30	Pass
			18	20.81	-0.33	20.48	<=30	Pass
			39	20.71	-0.33	20.38	<=30	Pass
		75	0	20.81	-0.33	20.48	<=30	Pass
	1745	1	0	21.97	-0.33	21.64	<=30	Pass
			38	21.91	-0.33	21.58	<=30	Pass
			74	21.86	-0.33	21.53	<=30	Pass
		36	0	20.54	-0.33	20.21	<=30	Pass
			18	20.56	-0.33	20.23	<=30	Pass
			39	20.57	-0.33	20.24	<=30	Pass
		75	0	20.58	-0.33	20.25	<=30	Pass
	1772.5	1	0	22.37	-0.33	22.04	<=30	Pass
			38	22.16	-0.33	21.83	<=30	Pass
			74	22.30	-0.33	21.97	<=30	Pass
		36	0	20.13	-0.33	19.80	<=30	Pass
			18	20.12	-0.33	19.79	<=30	Pass
			39	20.21	-0.33	19.88	<=30	Pass
		75	0	20.29	-0.33	19.96	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.6 B66_20MHz_EIRP

1.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	22.70	-0.33	22.37	<=30	Pass

16QAM	1745	50	50	22.65	-0.33	22.32	<=30	Pass
			99	22.67	-0.33	22.34	<=30	Pass
			0	21.58	-0.33	21.25	<=30	Pass
		100	25	21.65	-0.33	21.32	<=30	Pass
			50	21.60	-0.33	21.27	<=30	Pass
			0	21.64	-0.33	21.31	<=30	Pass
		1	0	22.48	-0.33	22.15	<=30	Pass
			50	22.45	-0.33	22.12	<=30	Pass
			99	22.60	-0.33	22.27	<=30	Pass
		50	0	21.50	-0.33	21.17	<=30	Pass
			25	21.50	-0.33	21.17	<=30	Pass
			50	21.37	-0.33	21.04	<=30	Pass
		100	0	21.51	-0.33	21.18	<=30	Pass
	1770	1	0	22.41	-0.33	22.08	<=30	Pass
			50	22.21	-0.33	21.88	<=30	Pass
			99	22.20	-0.33	21.87	<=30	Pass
		50	0	21.23	-0.33	20.90	<=30	Pass
			25	21.05	-0.33	20.72	<=30	Pass
			50	21.06	-0.33	20.73	<=30	Pass
		100	0	21.10	-0.33	20.77	<=30	Pass
			0	22.04	-0.33	21.71	<=30	Pass
			50	22.09	-0.33	21.76	<=30	Pass
16QAM	1720	1	99	21.93	-0.33	21.60	<=30	Pass
			0	20.85	-0.33	20.52	<=30	Pass
			25	20.79	-0.33	20.46	<=30	Pass
		50	50	20.79	-0.33	20.46	<=30	Pass
			0	20.75	-0.33	20.42	<=30	Pass
		100	0	21.96	-0.33	21.63	<=30	Pass
			50	21.87	-0.33	21.54	<=30	Pass
			99	21.93	-0.33	21.60	<=30	Pass
	1745	1	0	20.58	-0.33	20.25	<=30	Pass
			25	20.62	-0.33	20.29	<=30	Pass
			50	20.49	-0.33	20.16	<=30	Pass
		50	0	20.60	-0.33	20.27	<=30	Pass
			0	21.74	-0.33	21.41	<=30	Pass
			50	21.55	-0.33	21.22	<=30	Pass
		100	99	21.57	-0.33	21.24	<=30	Pass
			0	20.34	-0.33	20.01	<=30	Pass
			25	20.18	-0.33	19.85	<=30	Pass
	1770	1	50	20.28	-0.33	19.95	<=30	Pass
			0	20.18	-0.33	19.85	<=30	Pass
			0	20.18	-0.33	19.85	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 B66_1.4MHz

2.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1710.7	6	0	20	3.27	-3.147	-0.0018	-2.5 to 2.5	Pass

16QAM					3.85	2.961	0.0017	-2.5 to 2.5	Pass
					4.43	8.354	0.0049	-2.5 to 2.5	Pass
				-30	3.85	-0.658	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	29.583	0.0173	-2.5 to 2.5	Pass
				-10	3.85	18.554	0.0108	-2.5 to 2.5	Pass
				0	3.85	25.506	0.0149	-2.5 to 2.5	Pass
				10	3.85	17.195	0.0101	-2.5 to 2.5	Pass
				30	3.85	19.083	0.0112	-2.5 to 2.5	Pass
				40	3.85	24.548	0.0143	-2.5 to 2.5	Pass
				50	3.85	9.041	0.0053	-2.5 to 2.5	Pass
	1745	6	0	20	3.27	-32.330	-0.0185	-2.5 to 2.5	Pass
					3.85	32.058	0.0184	-2.5 to 2.5	Pass
					4.43	19.741	0.0113	-2.5 to 2.5	Pass
				-30	3.85	21.930	0.0126	-2.5 to 2.5	Pass
				-20	3.85	3.018	0.0017	-2.5 to 2.5	Pass
				-10	3.85	23.217	0.0133	-2.5 to 2.5	Pass
				0	3.85	25.134	0.0144	-2.5 to 2.5	Pass
				10	3.85	21.486	0.0123	-2.5 to 2.5	Pass
				30	3.85	9.270	0.0053	-2.5 to 2.5	Pass
				40	3.85	22.659	0.0130	-2.5 to 2.5	Pass
				50	3.85	10.514	0.0060	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.27	-36.092	-0.0203	-2.5 to 2.5	Pass
					3.85	4.377	0.0025	-2.5 to 2.5	Pass
					4.43	36.135	0.0203	-2.5 to 2.5	Pass
				-30	3.85	34.361	0.0193	-2.5 to 2.5	Pass
				-20	3.85	16.108	0.0091	-2.5 to 2.5	Pass
				-10	3.85	18.382	0.0103	-2.5 to 2.5	Pass
				0	3.85	30.298	0.0170	-2.5 to 2.5	Pass
				10	3.85	33.646	0.0189	-2.5 to 2.5	Pass
				30	3.85	31.271	0.0176	-2.5 to 2.5	Pass
				40	3.85	25.277	0.0142	-2.5 to 2.5	Pass
				50	3.85	30.770	0.0173	-2.5 to 2.5	Pass
	1710.7	6	0	20	3.27	28.925	0.0169	-2.5 to 2.5	Pass
					3.85	22.302	0.0130	-2.5 to 2.5	Pass
					4.43	11.787	0.0069	-2.5 to 2.5	Pass
				-30	3.85	31.443	0.0184	-2.5 to 2.5	Pass
				-20	3.85	21.744	0.0127	-2.5 to 2.5	Pass
				-10	3.85	18.325	0.0107	-2.5 to 2.5	Pass
				0	3.85	10.858	0.0063	-2.5 to 2.5	Pass
				10	3.85	15.736	0.0092	-2.5 to 2.5	Pass
				30	3.85	25.291	0.0148	-2.5 to 2.5	Pass
				40	3.85	18.253	0.0107	-2.5 to 2.5	Pass
				50	3.85	1.516	0.0009	-2.5 to 2.5	Pass
	1745	6	0	20	3.27	24.662	0.0141	-2.5 to 2.5	Pass
					3.85	-2.174	-0.0012	-2.5 to 2.5	Pass
					4.43	-12.903	-0.0074	-2.5 to 2.5	Pass
				-30	3.85	2.747	0.0016	-2.5 to 2.5	Pass
				-20	3.85	24.190	0.0139	-2.5 to 2.5	Pass
				-10	3.85	6.008	0.0034	-2.5 to 2.5	Pass
				0	3.85	0.544	0.0003	-2.5 to 2.5	Pass
				10	3.85	7.753	0.0044	-2.5 to 2.5	Pass
				30	3.85	36.020	0.0206	-2.5 to 2.5	Pass
				40	3.85	35.191	0.0202	-2.5 to 2.5	Pass
				50	3.85	-27.137	-0.0156	-2.5 to 2.5	Pass
	1779.3	6	0	20	3.27	37.365	0.0210	-2.5 to 2.5	Pass

					3.85	35.305	0.0198	-2.5 to 2.5	Pass
					4.43	29.068	0.0163	-2.5 to 2.5	Pass
				-30	3.85	37.394	0.0210	-2.5 to 2.5	Pass
				-20	3.85	-25.406	-0.0143	-2.5 to 2.5	Pass
				-10	3.85	-27.123	-0.0152	-2.5 to 2.5	Pass
				0	3.85	23.360	0.0131	-2.5 to 2.5	Pass
				10	3.85	27.409	0.0154	-2.5 to 2.5	Pass
				30	3.85	39.983	0.0225	-2.5 to 2.5	Pass
				40	3.85	32.887	0.0185	-2.5 to 2.5	Pass
				50	3.85	16.279	0.0091	-2.5 to 2.5	Pass

2.2 B66_3MHz

2.2.1 Test Result

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	4.420	0.0026	-2.5 to 2.5	Pass
					3.85	24.133	0.0141	-2.5 to 2.5	Pass
					4.43	21.944	0.0128	-2.5 to 2.5	Pass
				-30	3.85	33.216	0.0194	-2.5 to 2.5	Pass
				-20	3.85	-14.033	-0.0082	-2.5 to 2.5	Pass
				-10	3.85	-8.569	-0.0050	-2.5 to 2.5	Pass
				0	3.85	30.313	0.0177	-2.5 to 2.5	Pass
				10	3.85	25.806	0.0151	-2.5 to 2.5	Pass
				30	3.85	32.315	0.0189	-2.5 to 2.5	Pass
				40	3.85	22.602	0.0132	-2.5 to 2.5	Pass
				50	3.85	4.864	0.0028	-2.5 to 2.5	Pass
	1745	15	0	20	3.27	-43.216	-0.0248	-2.5 to 2.5	Pass
					3.85	13.318	0.0076	-2.5 to 2.5	Pass
					4.43	29.397	0.0168	-2.5 to 2.5	Pass
				-30	3.85	-2.518	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-6.194	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	37.179	0.0213	-2.5 to 2.5	Pass
				0	3.85	14.105	0.0081	-2.5 to 2.5	Pass
				10	3.85	-21.071	-0.0121	-2.5 to 2.5	Pass
				30	3.85	-22.302	-0.0128	-2.5 to 2.5	Pass
				40	3.85	27.308	0.0156	-2.5 to 2.5	Pass
				50	3.85	22.902	0.0131	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	-30.785	-0.0173	-2.5 to 2.5	Pass
					3.85	-24.447	-0.0137	-2.5 to 2.5	Pass
					4.43	-27.738	-0.0156	-2.5 to 2.5	Pass
				-30	3.85	7.625	0.0043	-2.5 to 2.5	Pass
				-20	3.85	-18.668	-0.0105	-2.5 to 2.5	Pass
				-10	3.85	-30.684	-0.0173	-2.5 to 2.5	Pass
				0	3.85	-8.640	-0.0049	-2.5 to 2.5	Pass
				10	3.85	-32.587	-0.0183	-2.5 to 2.5	Pass
				30	3.85	-37.909	-0.0213	-2.5 to 2.5	Pass
				40	3.85	-9.828	-0.0055	-2.5 to 2.5	Pass
				50	3.85	-20.742	-0.0117	-2.5 to 2.5	Pass
16QAM	1711.5	15	0	20	3.27	13.375	0.0078	-2.5 to 2.5	Pass
					3.85	25.148	0.0147	-2.5 to 2.5	Pass

					4.43	18.439	0.0108	-2.5 to 2.5	Pass
				-30	3.85	1.760	0.0010	-2.5 to 2.5	Pass
				-20	3.85	19.984	0.0117	-2.5 to 2.5	Pass
				-10	3.85	-13.633	-0.0080	-2.5 to 2.5	Pass
				0	3.85	-27.552	-0.0161	-2.5 to 2.5	Pass
				10	3.85	26.736	0.0156	-2.5 to 2.5	Pass
				30	3.85	10.915	0.0064	-2.5 to 2.5	Pass
				40	3.85	28.124	0.0164	-2.5 to 2.5	Pass
				50	3.85	15.678	0.0092	-2.5 to 2.5	Pass
	1745	15	0	20	3.27	15.864	0.0091	-2.5 to 2.5	Pass
					3.85	30.284	0.0174	-2.5 to 2.5	Pass
					4.43	18.811	0.0108	-2.5 to 2.5	Pass
				-30	3.85	31.071	0.0178	-2.5 to 2.5	Pass
				-20	3.85	38.810	0.0222	-2.5 to 2.5	Pass
				-10	3.85	13.132	0.0075	-2.5 to 2.5	Pass
				0	3.85	14.205	0.0081	-2.5 to 2.5	Pass
				10	3.85	34.118	0.0196	-2.5 to 2.5	Pass
				30	3.85	-30.913	-0.0177	-2.5 to 2.5	Pass
				40	3.85	-22.931	-0.0131	-2.5 to 2.5	Pass
	50	3.85	-28.453	-0.0163	-2.5 to 2.5	Pass			
	1778.5	15	0	20	3.27	-28.782	-0.0162	-2.5 to 2.5	Pass
					3.85	-12.374	-0.0070	-2.5 to 2.5	Pass
					4.43	-28.868	-0.0162	-2.5 to 2.5	Pass
				-30	3.85	-35.548	-0.0200	-2.5 to 2.5	Pass
				-20	3.85	-45.290	-0.0255	-2.5 to 2.5	Pass
				-10	3.85	-7.625	-0.0043	-2.5 to 2.5	Pass
				0	3.85	-14.563	-0.0082	-2.5 to 2.5	Pass
				10	3.85	-18.682	-0.0105	-2.5 to 2.5	Pass
				30	3.85	-12.016	-0.0068	-2.5 to 2.5	Pass
				40	3.85	-12.817	-0.0072	-2.5 to 2.5	Pass
				50	3.85	-16.608	-0.0093	-2.5 to 2.5	Pass

2.3 B66_5MHz

2.3.1 Test Result

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-25.692	-0.0150	-2.5 to 2.5	Pass
					3.85	-31.171	-0.0182	-2.5 to 2.5	Pass
					4.43	-22.087	-0.0129	-2.5 to 2.5	Pass
				-30	3.85	-19.670	-0.0115	-2.5 to 2.5	Pass
				-20	3.85	-12.016	-0.0070	-2.5 to 2.5	Pass
				-10	3.85	-24.076	-0.0141	-2.5 to 2.5	Pass
				0	3.85	7.567	0.0044	-2.5 to 2.5	Pass
				10	3.85	-6.666	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-17.953	-0.0105	-2.5 to 2.5	Pass
				40	3.85	-40.312	-0.0235	-2.5 to 2.5	Pass
				50	3.85	-24.333	-0.0142	-2.5 to 2.5	Pass
	1745	25	0	20	3.27	-6.781	-0.0039	-2.5 to 2.5	Pass
					3.85	27.094	0.0155	-2.5 to 2.5	Pass
					4.43	7.696	0.0044	-2.5 to 2.5	Pass

				-30	3.85	13.189	0.0076	-2.5 to 2.5	Pass
				-20	3.85	15.392	0.0088	-2.5 to 2.5	Pass
				-10	3.85	15.306	0.0088	-2.5 to 2.5	Pass
				0	3.85	39.926	0.0229	-2.5 to 2.5	Pass
				10	3.85	30.785	0.0176	-2.5 to 2.5	Pass
				30	3.85	21.315	0.0122	-2.5 to 2.5	Pass
				40	3.85	7.739	0.0044	-2.5 to 2.5	Pass
				50	3.85	20.514	0.0118	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	-26.279	-0.0148	-2.5 to 2.5	Pass
					3.85	23.661	0.0133	-2.5 to 2.5	Pass
					4.43	24.476	0.0138	-2.5 to 2.5	Pass
				-30	3.85	23.417	0.0132	-2.5 to 2.5	Pass
				-20	3.85	16.222	0.0091	-2.5 to 2.5	Pass
				-10	3.85	16.279	0.0092	-2.5 to 2.5	Pass
				0	3.85	10.729	0.0060	-2.5 to 2.5	Pass
				10	3.85	11.430	0.0064	-2.5 to 2.5	Pass
				30	3.85	9.913	0.0056	-2.5 to 2.5	Pass
				40	3.85	37.150	0.0209	-2.5 to 2.5	Pass
				50	3.85	16.651	0.0094	-2.5 to 2.5	Pass
16QAM	1712.5	25	0	20	3.27	-12.960	-0.0076	-2.5 to 2.5	Pass
					3.85	-28.739	-0.0168	-2.5 to 2.5	Pass
					4.43	-36.650	-0.0214	-2.5 to 2.5	Pass
				-30	3.85	-22.702	-0.0133	-2.5 to 2.5	Pass
				-20	3.85	-20.556	-0.0120	-2.5 to 2.5	Pass
				-10	3.85	-30.785	-0.0180	-2.5 to 2.5	Pass
				0	3.85	-24.118	-0.0141	-2.5 to 2.5	Pass
				10	3.85	-18.740	-0.0109	-2.5 to 2.5	Pass
				30	3.85	-9.785	-0.0057	-2.5 to 2.5	Pass
				40	3.85	-36.435	-0.0213	-2.5 to 2.5	Pass
				50	3.85	-11.616	-0.0068	-2.5 to 2.5	Pass
	1745	25	0	20	3.27	-2.232	-0.0013	-2.5 to 2.5	Pass
					3.85	-32.759	-0.0188	-2.5 to 2.5	Pass
					4.43	-4.449	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-21.243	-0.0122	-2.5 to 2.5	Pass
				-20	3.85	-25.105	-0.0144	-2.5 to 2.5	Pass
				-10	3.85	-30.956	-0.0177	-2.5 to 2.5	Pass
				0	3.85	-19.398	-0.0111	-2.5 to 2.5	Pass
				10	3.85	-19.341	-0.0111	-2.5 to 2.5	Pass
				30	3.85	6.237	0.0036	-2.5 to 2.5	Pass
				40	3.85	-21.272	-0.0122	-2.5 to 2.5	Pass
				50	3.85	-11.272	-0.0065	-2.5 to 2.5	Pass
	1777.5	25	0	20	3.27	38.781	0.0218	-2.5 to 2.5	Pass
					3.85	-5.994	-0.0034	-2.5 to 2.5	Pass
					4.43	-26.736	-0.0150	-2.5 to 2.5	Pass
				-30	3.85	-14.277	-0.0080	-2.5 to 2.5	Pass
				-20	3.85	-20.671	-0.0116	-2.5 to 2.5	Pass
				-10	3.85	-20.728	-0.0117	-2.5 to 2.5	Pass
				0	3.85	-19.612	-0.0110	-2.5 to 2.5	Pass
				10	3.85	-41.642	-0.0234	-2.5 to 2.5	Pass
				30	3.85	-23.217	-0.0131	-2.5 to 2.5	Pass
				40	3.85	-13.361	-0.0075	-2.5 to 2.5	Pass
				50	3.85	-40.727	-0.0229	-2.5 to 2.5	Pass

2.4.1 Test Result

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	21.987	0.0128	-2.5 to 2.5	Pass
					3.85	14.477	0.0084	-2.5 to 2.5	Pass
					4.43	26.579	0.0155	-2.5 to 2.5	Pass
				-30	3.85	19.426	0.0113	-2.5 to 2.5	Pass
				-20	3.85	23.432	0.0137	-2.5 to 2.5	Pass
				-10	3.85	23.060	0.0134	-2.5 to 2.5	Pass
				0	3.85	22.430	0.0131	-2.5 to 2.5	Pass
				10	3.85	7.854	0.0046	-2.5 to 2.5	Pass
				30	3.85	28.739	0.0168	-2.5 to 2.5	Pass
				40	3.85	26.321	0.0153	-2.5 to 2.5	Pass
				50	3.85	18.082	0.0105	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	-34.633	-0.0198	-2.5 to 2.5	Pass
					3.85	18.954	0.0109	-2.5 to 2.5	Pass
					4.43	34.661	0.0199	-2.5 to 2.5	Pass
				-30	3.85	11.172	0.0064	-2.5 to 2.5	Pass
				-20	3.85	20.785	0.0119	-2.5 to 2.5	Pass
				-10	3.85	23.675	0.0136	-2.5 to 2.5	Pass
				0	3.85	25.377	0.0145	-2.5 to 2.5	Pass
				10	3.85	10.657	0.0061	-2.5 to 2.5	Pass
				30	3.85	23.446	0.0134	-2.5 to 2.5	Pass
				40	3.85	11.315	0.0065	-2.5 to 2.5	Pass
				50	3.85	24.104	0.0138	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	-30.570	-0.0172	-2.5 to 2.5	Pass
					3.85	-24.691	-0.0139	-2.5 to 2.5	Pass
					4.43	-16.294	-0.0092	-2.5 to 2.5	Pass
				-30	3.85	-29.082	-0.0164	-2.5 to 2.5	Pass
				-20	3.85	-30.556	-0.0172	-2.5 to 2.5	Pass
				-10	3.85	-26.093	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-17.338	-0.0098	-2.5 to 2.5	Pass
				10	3.85	-35.763	-0.0201	-2.5 to 2.5	Pass
				30	3.85	-22.759	-0.0128	-2.5 to 2.5	Pass
				40	3.85	-27.881	-0.0157	-2.5 to 2.5	Pass
				50	3.85	-9.985	-0.0056	-2.5 to 2.5	Pass
16QAM	1715	50	0	20	3.27	24.962	0.0146	-2.5 to 2.5	Pass
					3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
					4.43	3.576	0.0021	-2.5 to 2.5	Pass
				-30	3.85	12.031	0.0070	-2.5 to 2.5	Pass
				-20	3.85	25.835	0.0151	-2.5 to 2.5	Pass
				-10	3.85	35.820	0.0209	-2.5 to 2.5	Pass
				0	3.85	16.122	0.0094	-2.5 to 2.5	Pass
				10	3.85	22.888	0.0133	-2.5 to 2.5	Pass
				30	3.85	38.681	0.0226	-2.5 to 2.5	Pass
				40	3.85	11.745	0.0068	-2.5 to 2.5	Pass
				50	3.85	18.325	0.0107	-2.5 to 2.5	Pass
	1745	50	0	20	3.27	13.003	0.0075	-2.5 to 2.5	Pass
					3.85	10.157	0.0058	-2.5 to 2.5	Pass
					4.43	18.396	0.0105	-2.5 to 2.5	Pass
				-30	3.85	23.975	0.0137	-2.5 to 2.5	Pass
				-20	3.85	14.877	0.0085	-2.5 to 2.5	Pass
				-10	3.85	-23.375	-0.0134	-2.5 to 2.5	Pass

				0	3.85	-19.612	-0.0112	-2.5 to 2.5	Pass
				10	3.85	-24.433	-0.0140	-2.5 to 2.5	Pass
				30	3.85	-20.542	-0.0118	-2.5 to 2.5	Pass
				40	3.85	-5.865	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-17.781	-0.0102	-2.5 to 2.5	Pass
	1775	50	0	20	3.27	-26.908	-0.0152	-2.5 to 2.5	Pass
					3.85	-8.125	-0.0046	-2.5 to 2.5	Pass
					4.43	-37.966	-0.0214	-2.5 to 2.5	Pass
				-30	3.85	-7.796	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-12.002	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-30.613	-0.0172	-2.5 to 2.5	Pass
				0	3.85	-17.109	-0.0096	-2.5 to 2.5	Pass
				10	3.85	-22.101	-0.0125	-2.5 to 2.5	Pass
				30	3.85	-26.894	-0.0152	-2.5 to 2.5	Pass
				40	3.85	-26.250	-0.0148	-2.5 to 2.5	Pass
				50	3.85	-21.672	-0.0122	-2.5 to 2.5	Pass

2.5 B66_15MHz

2.5.1 Test Result

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-23.575	-0.0137	-2.5 to 2.5	Pass
					3.85	-4.463	-0.0026	-2.5 to 2.5	Pass
					4.43	17.452	0.0102	-2.5 to 2.5	Pass
				-30	3.85	2.403	0.0014	-2.5 to 2.5	Pass
				-20	3.85	-33.216	-0.0193	-2.5 to 2.5	Pass
				-10	3.85	-17.438	-0.0102	-2.5 to 2.5	Pass
				0	3.85	-18.826	-0.0110	-2.5 to 2.5	Pass
				10	3.85	-29.583	-0.0172	-2.5 to 2.5	Pass
				30	3.85	-27.909	-0.0162	-2.5 to 2.5	Pass
				40	3.85	2.346	0.0014	-2.5 to 2.5	Pass
	1745	75	0	50	3.85	-20.528	-0.0120	-2.5 to 2.5	Pass
				20	3.27	9.427	0.0054	-2.5 to 2.5	Pass
					3.85	28.067	0.0161	-2.5 to 2.5	Pass
					4.43	21.172	0.0121	-2.5 to 2.5	Pass
				-30	3.85	13.490	0.0077	-2.5 to 2.5	Pass
				-20	3.85	21.143	0.0121	-2.5 to 2.5	Pass
				-10	3.85	7.625	0.0044	-2.5 to 2.5	Pass
				0	3.85	20.428	0.0117	-2.5 to 2.5	Pass
				10	3.85	16.079	0.0092	-2.5 to 2.5	Pass
				30	3.85	15.278	0.0088	-2.5 to 2.5	Pass
	1772.5	75	0	40	3.85	18.854	0.0108	-2.5 to 2.5	Pass
				50	3.85	13.089	0.0075	-2.5 to 2.5	Pass
				20	3.27	-22.845	-0.0129	-2.5 to 2.5	Pass
					3.85	24.490	0.0138	-2.5 to 2.5	Pass
					4.43	25.635	0.0145	-2.5 to 2.5	Pass
				-30	3.85	-4.778	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	27.509	0.0155	-2.5 to 2.5	Pass
				-10	3.85	-37.608	-0.0212	-2.5 to 2.5	Pass
				0	3.85	-23.746	-0.0134	-2.5 to 2.5	Pass

16QAM	1717.5	75	0	10	3.85	-34.003	-0.0192	-2.5 to 2.5	Pass
				30	3.85	-22.230	-0.0125	-2.5 to 2.5	Pass
				40	3.85	-14.019	-0.0079	-2.5 to 2.5	Pass
				50	3.85	-31.872	-0.0180	-2.5 to 2.5	Pass
				20	3.27	-19.755	-0.0115	-2.5 to 2.5	Pass
					3.85	-27.308	-0.0159	-2.5 to 2.5	Pass
					4.43	-21.744	-0.0127	-2.5 to 2.5	Pass
				-30	3.85	23.761	0.0138	-2.5 to 2.5	Pass
				-20	3.85	26.407	0.0154	-2.5 to 2.5	Pass
				-10	3.85	24.376	0.0142	-2.5 to 2.5	Pass
				0	3.85	11.487	0.0067	-2.5 to 2.5	Pass
				10	3.85	18.110	0.0105	-2.5 to 2.5	Pass
				30	3.85	25.263	0.0147	-2.5 to 2.5	Pass
				40	3.85	20.442	0.0119	-2.5 to 2.5	Pass
				50	3.85	18.682	0.0109	-2.5 to 2.5	Pass
	1745	75	0	20	3.27	25.964	0.0149	-2.5 to 2.5	Pass
					3.85	6.108	0.0035	-2.5 to 2.5	Pass
					4.43	11.158	0.0064	-2.5 to 2.5	Pass
				-30	3.85	-1.087	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	33.960	0.0195	-2.5 to 2.5	Pass
				-10	3.85	16.937	0.0097	-2.5 to 2.5	Pass
				0	3.85	20.542	0.0118	-2.5 to 2.5	Pass
				10	3.85	3.891	0.0022	-2.5 to 2.5	Pass
				30	3.85	28.453	0.0163	-2.5 to 2.5	Pass
				40	3.85	15.593	0.0089	-2.5 to 2.5	Pass
				50	3.85	28.181	0.0161	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.27	-18.997	-0.0107	-2.5 to 2.5	Pass
					3.85	-12.159	-0.0069	-2.5 to 2.5	Pass
					4.43	-20.256	-0.0114	-2.5 to 2.5	Pass
				-30	3.85	-26.321	-0.0148	-2.5 to 2.5	Pass
				-20	3.85	-25.692	-0.0145	-2.5 to 2.5	Pass
				-10	3.85	-8.569	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-23.246	-0.0131	-2.5 to 2.5	Pass
				10	3.85	-18.883	-0.0107	-2.5 to 2.5	Pass
				30	3.85	-23.103	-0.0130	-2.5 to 2.5	Pass
				40	3.85	-28.095	-0.0159	-2.5 to 2.5	Pass
				50	3.85	-20.485	-0.0116	-2.5 to 2.5	Pass

2.6 B66_20MHz

2.6.1 Test Result

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	14.977	0.0087	-2.5 to 2.5	Pass
					3.85	25.935	0.0151	-2.5 to 2.5	Pass
					4.43	28.753	0.0167	-2.5 to 2.5	Pass
				-30	3.85	25.377	0.0148	-2.5 to 2.5	Pass
				-20	3.85	26.450	0.0154	-2.5 to 2.5	Pass
				-10	3.85	28.796	0.0167	-2.5 to 2.5	Pass
				0	3.85	19.012	0.0111	-2.5 to 2.5	Pass
				10	3.85	14.019	0.0082	-2.5 to 2.5	Pass

				30	3.85	20.485	0.0119	-2.5 to 2.5	Pass	
				40	3.85	26.722	0.0155	-2.5 to 2.5	Pass	
				50	3.85	20.142	0.0117	-2.5 to 2.5	Pass	
1745	100	0	20	3.27	-30.613	-0.0175	-2.5 to 2.5	Pass		
				3.85	29.411	0.0169	-2.5 to 2.5	Pass		
				4.43	20.285	0.0116	-2.5 to 2.5	Pass		
			-30	3.85	29.526	0.0169	-2.5 to 2.5	Pass		
			-20	3.85	26.765	0.0153	-2.5 to 2.5	Pass		
			-10	3.85	17.924	0.0103	-2.5 to 2.5	Pass		
			0	3.85	15.292	0.0088	-2.5 to 2.5	Pass		
			10	3.85	20.857	0.0120	-2.5 to 2.5	Pass		
			30	3.85	24.347	0.0140	-2.5 to 2.5	Pass		
			40	3.85	23.375	0.0134	-2.5 to 2.5	Pass		
			50	3.85	-32.816	-0.0188	-2.5 to 2.5	Pass		
			1770	100	20	3.27	-20.728	-0.0117	-2.5 to 2.5	Pass
						3.85	-23.475	-0.0133	-2.5 to 2.5	Pass
						4.43	-19.054	-0.0108	-2.5 to 2.5	Pass
					-30	3.85	-33.517	-0.0189	-2.5 to 2.5	Pass
-20	3.85	-8.955			-0.0051	-2.5 to 2.5	Pass			
-10	3.85	-25.992			-0.0147	-2.5 to 2.5	Pass			
0	3.85	-13.046			-0.0074	-2.5 to 2.5	Pass			
10	3.85	0.272			0.0002	-2.5 to 2.5	Pass			
30	3.85	-12.546			-0.0071	-2.5 to 2.5	Pass			
16QAM	1720	100	0	20	3.27	17.052	0.0099	-2.5 to 2.5	Pass	
					3.85	33.188	0.0193	-2.5 to 2.5	Pass	
					4.43	34.361	0.0200	-2.5 to 2.5	Pass	
				-30	3.85	15.950	0.0093	-2.5 to 2.5	Pass	
				-20	3.85	27.866	0.0162	-2.5 to 2.5	Pass	
				-10	3.85	17.409	0.0101	-2.5 to 2.5	Pass	
				0	3.85	9.570	0.0056	-2.5 to 2.5	Pass	
				10	3.85	14.834	0.0086	-2.5 to 2.5	Pass	
				30	3.85	28.110	0.0163	-2.5 to 2.5	Pass	
				40	3.85	32.272	0.0188	-2.5 to 2.5	Pass	
1745	100	0	20	3.27	-29.969	-0.0172	-2.5 to 2.5	Pass		
				3.85	-28.524	-0.0163	-2.5 to 2.5	Pass		
				4.43	-22.302	-0.0128	-2.5 to 2.5	Pass		
			-30	3.85	-10.200	-0.0058	-2.5 to 2.5	Pass		
			-20	3.85	-25.978	-0.0149	-2.5 to 2.5	Pass		
			-10	3.85	-24.648	-0.0141	-2.5 to 2.5	Pass		
			0	3.85	-29.082	-0.0167	-2.5 to 2.5	Pass		
			10	3.85	-19.012	-0.0109	-2.5 to 2.5	Pass		
			30	3.85	-27.065	-0.0155	-2.5 to 2.5	Pass		
			40	3.85	-16.050	-0.0092	-2.5 to 2.5	Pass		
1770	100	0	20	3.27	-31.514	-0.0178	-2.5 to 2.5	Pass		
				3.85	-25.477	-0.0144	-2.5 to 2.5	Pass		
				4.43	-15.421	-0.0087	-2.5 to 2.5	Pass		
			-30	3.85	-16.866	-0.0095	-2.5 to 2.5	Pass		
			-20	3.85	24.691	0.0139	-2.5 to 2.5	Pass		
			-10	3.85	16.880	0.0095	-2.5 to 2.5	Pass		
			0	3.85	15.793	0.0089	-2.5 to 2.5	Pass		
			10	3.85	31.743	0.0179	-2.5 to 2.5	Pass		

				30	3.85	23.217	0.0131	-2.5 to 2.5	Pass
				40	3.85	21.200	0.0120	-2.5 to 2.5	Pass
				50	3.85	20.800	0.0118	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B66_1.4MHz

3.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B66_3MHz

3.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B66_5MHz

3.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B66_10MHz

3.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




3.5 B66_15MHz

3.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




3.6 B66_20MHz

3.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

3.6.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band66_OBW


4.1.1 Test Result

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.110	/	Pass
		1745	6	0	1.114	/	Pass
		1779.3	6	0	1.117	/	Pass
	16QAM	1710.7	6	0	1.114	/	Pass
		1745	6	0	1.112	/	Pass
		1779.3	6	0	1.128	/	Pass
3	QPSK	1711.5	15	0	2.770	/	Pass
		1745	15	0	2.765	/	Pass
		1778.5	15	0	2.775	/	Pass
	16QAM	1711.5	15	0	2.774	/	Pass
		1745	15	0	2.769	/	Pass
		1778.5	15	0	2.792	/	Pass
5	QPSK	1712.5	25	0	4.539	/	Pass
		1745	25	0	4.565	/	Pass
		1777.5	25	0	4.587	/	Pass
	16QAM	1712.5	25	0	4.542	/	Pass
		1745	25	0	4.560	/	Pass
		1777.5	25	0	4.599	/	Pass
10	QPSK	1715	50	0	9.069	/	Pass
		1745	50	0	9.134	/	Pass
		1775	50	0	9.102	/	Pass
	16QAM	1715	50	0	9.078	/	Pass
		1745	50	0	9.123	/	Pass
		1775	50	0	9.128	/	Pass
15	QPSK	1717.5	75	0	13.595	/	Pass
		1745	75	0	13.737	/	Pass
		1772.5	75	0	13.740	/	Pass
	16QAM	1717.5	75	0	13.593	/	Pass
		1745	75	0	13.733	/	Pass
		1772.5	75	0	13.751	/	Pass
20	QPSK	1720	100	0	18.044	/	Pass
		1745	100	0	18.395	/	Pass
		1770	100	0	18.188	/	Pass
	16QAM	1720	100	0	18.179	/	Pass
		1745	100	0	18.384	/	Pass
		1770	100	0	18.237	/	Pass


4.1.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2 Band66_XDB


4.2.1 Test Result

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.277	/	Pass
		1745	6	0	1.288	/	Pass
		1779.3	6	0	1.282	/	Pass
	16QAM	1710.7	6	0	1.284	/	Pass
		1745	6	0	1.269	/	Pass
		1779.3	6	0	1.274	/	Pass
3	QPSK	1711.5	15	0	3.112	/	Pass
		1745	15	0	3.116	/	Pass
		1778.5	15	0	3.114	/	Pass
	16QAM	1711.5	15	0	3.123	/	Pass
		1745	15	0	3.121	/	Pass
		1778.5	15	0	3.100	/	Pass
5	QPSK	1712.5	25	0	5.033	/	Pass
		1745	25	0	5.806	/	Pass
		1777.5	25	0	5.052	/	Pass
	16QAM	1712.5	25	0	5.048	/	Pass
		1745	25	0	5.064	/	Pass
		1777.5	25	0	5.029	/	Pass
10	QPSK	1715	50	0	10.054	/	Pass
		1745	50	0	10.119	/	Pass
		1775	50	0	10.080	/	Pass
	16QAM	1715	50	0	10.070	/	Pass
		1745	50	0	10.102	/	Pass
		1775	50	0	11.031	/	Pass
15	QPSK	1717.5	75	0	15.008	/	Pass
		1745	75	0	15.303	/	Pass
		1772.5	75	0	15.164	/	Pass
	16QAM	1717.5	75	0	15.185	/	Pass
		1745	75	0	15.356	/	Pass
		1772.5	75	0	15.350	/	Pass
20	QPSK	1720	100	0	19.933	/	Pass
		1745	100	0	25.360	/	Pass
		1770	100	0	20.070	/	Pass
	16QAM	1720	100	0	23.100	/	Pass
		1745	100	0	27.224	/	Pass
		1770	100	0	20.642	/	Pass


4.2.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66 20MHz QPSK LCH 1720MHz RB 100 0 NTNV




Band66 20MHz QPSK MCH 1745MHz RB 100 0 NTNV




Band66 20MHz QPSK HCH 1770MHz RB 100 0 NTN




Band66 20MHz 16QAM LCH 1720MHz RB 100 0 NTN



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B66_1.4MHz


5.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	4.49	<=13	Pass
	1745	6	0	3.37	<=13	Pass
	1779.3	6	0	4.11	<=13	Pass
16QAM	1710.7	6	0	5.25	<=13	Pass
	1745	6	0	4.07	<=13	Pass
	1779.3	6	0	4.83	<=13	Pass


5.1.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




5.2 B66_3MHz


5.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	4.85	<=13	Pass
	1745	15	0	3.58	<=13	Pass
	1778.5	15	0	4.24	<=13	Pass
16QAM	1711.5	15	0	4.84	<=13	Pass
	1745	15	0	3.59	<=13	Pass
	1778.5	15	0	4.25	<=13	Pass


5.2.2 Test Graph




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




5.3 B66_5MHz


5.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.16	<=13	Pass
	1745	25	0	4.23	<=13	Pass
	1777.5	25	0	4.51	<=13	Pass
16QAM	1712.5	25	0	5.80	<=13	Pass
	1745	25	0	4.90	<=13	Pass
	1777.5	25	0	5.22	<=13	Pass


5.3.2 Test Graph




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




5.4 B66_10MHz


5.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.12	<=13	Pass
	1745	50	0	4.42	<=13	Pass
	1775	50	0	4.38	<=13	Pass
16QAM	1715	50	0	5.10	<=13	Pass
	1745	50	0	4.44	<=13	Pass
	1775	50	0	4.42	<=13	Pass


5.4.2 Test Graph




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV



Band66 10MHz 16QAM MCH 1745MHz RB 50 0 NTNV



Band66 10MHz 16QAM HCH 1775MHz RB 50 0 NTNV




5.5 B66_15MHz


5.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	4.88	<=13	Pass
	1745	75	0	4.91	<=13	Pass
	1772.5	75	0	4.93	<=13	Pass
16QAM	1717.5	75	0	6.06	<=13	Pass
	1745	75	0	6.10	<=13	Pass
	1772.5	75	0	5.97	<=13	Pass


5.5.2 Test Graph




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




5.6 B66_20MHz


5.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.66	<=13	Pass
	1745	100	0	5.68	<=13	Pass
	1770	100	0	5.66	<=13	Pass
16QAM	1720	100	0	5.66	<=13	Pass
	1745	100	0	5.69	<=13	Pass
	1770	100	0	5.65	<=13	Pass


5.6.2 Test Graph




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




6. Spurious Emission

6.1 B66_1.4MHz


6.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1710.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1779.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
16QAM	1710.7	1	0	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1779.3	1	0	Refer To Test Graph	Pass
			5	Refer To Test Graph	Pass
		6	0	Refer To Test Graph	Pass


6.1.2 Test Graph




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 1 5 NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB 6 0 NTNV




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTNV




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTNV



Band66 1.4MHz 16QAM LCH 1710.7MHz RB 1 0 NTV




Band66 1.4MHz 16QAM LCH 1710.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.998	-42.51	-13	Pass
1709	1710	0.013	/	2	1709.985	-32.11	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_5_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




6.2 B66_3MHz


6.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


6.2.2 Test Graph




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-24.12	-13	Pass
1709	1710	0.033	/	2	1709.988	-23.20	-13	Pass
1710	1713	0.033	/	/	/	/	/	/


Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_14_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




6.3 B66_5MHz


6.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


6.3.2 Test Graph




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_24_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




6.4 B66_10MHz


6.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass


6.4.2 Test Graph



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-26.89	-13	Pass
1709	1710	0.11	/	2	1710.000	-31.65	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-28.68	-13	Pass
1709	1710	0.11	/	2	1710.000	-33.89	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_HCH_1775MHz_RB_1_49_NTNV



Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




6.5 B66_15MHz


6.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	1717.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1772.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	1717.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	1745	1	0	Refer To Test Graph	Pass
	1772.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass


6.5.2 Test Graph




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1706.850	-25.58	-13	Pass
1709	1710	0.16	/	2	1709.940	-29.92	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.024	-38.80	-13	Pass
1781	1795	1	CHP	2	1781.001	-17.19	-13	Pass

Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.16	/	/	/	/	/	/
1780	1781	0.16	/	1	1780.120	-22.56	-13	Pass
1781	1795	1	CHP	2	1781.020	-17.34	-13	Pass

6.6 B66_20MHz


6.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


6.6.2 Test Graph




Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_1_99_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2624	0.0203	ppm	1M12G7D	27L	24.19
66	1.4	1710.7	1779.3	0.2410	0.0225	ppm	1M13W7D	27L	23.82
66	3	1711.5	1778.5	0.1866	0.0248	ppm	2M77G7D	27L	22.71
66	3	1711.5	1778.5	0.1611	0.0255	ppm	2M79W7D	27L	22.07
66	5	1712.5	1777.5	0.1832	0.0235	ppm	4M59G7D	27L	22.63
66	5	1712.5	1777.5	0.1710	0.0234	ppm	4M60W7D	27L	22.33
66	10	1715	1775	0.1832	0.0201	ppm	9M13G7D	27L	22.63
66	10	1715	1775	0.1683	0.0226	ppm	9M13W7D	27L	22.26
66	15	1717.5	1772.5	0.1828	0.0212	ppm	13M7G7D	27L	22.62
66	15	1717.5	1772.5	0.1726	0.0195	ppm	13M8W7D	27L	22.37
66	20	1720	1770	0.1862	0.0189	ppm	18M4G7D	27L	22.70
66	20	1720	1770	0.1618	0.0200	ppm	18M4W7D	27L	22.09

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.2432	0.0203	ppm	1M12G7D	27L	23.86
66	1.4	1710.7	1779.3	0.2234	0.0225	ppm	1M13W7D	27L	23.49
66	3	1711.5	1778.5	0.1730	0.0248	ppm	2M77G7D	27L	22.38
66	3	1711.5	1778.5	0.1493	0.0255	ppm	2M79W7D	27L	21.74
66	5	1712.5	1777.5	0.1698	0.0235	ppm	4M59G7D	27L	22.30
66	5	1712.5	1777.5	0.1585	0.0234	ppm	4M60W7D	27L	22.00
66	10	1715	1775	0.1698	0.0201	ppm	9M13G7D	27L	22.30
66	10	1715	1775	0.1560	0.0226	ppm	9M13W7D	27L	21.93
66	15	1717.5	1772.5	0.1694	0.0212	ppm	13M7G7D	27L	22.29
66	15	1717.5	1772.5	0.1600	0.0195	ppm	13M8W7D	27L	22.04
66	20	1720	1770	0.1726	0.0189	ppm	18M4G7D	27L	22.37
66	20	1720	1770	0.1500	0.0200	ppm	18M4W7D	27L	21.76