

Appendix I : Test Result - n71

1. Conducted Output Power

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	ERP (dBm)	ERP (mW)	ERP Limit (mW)	Verdict
n71	15	5	133100	25@0	DFT_BPSK	22.8	-6.25	16.55	45.19	3000	PASS
n71	15	5	133100	12@6	DFT_BPSK	23.35	-6.25	17.1	51.29	3000	PASS
n71	15	5	133100	1@1	DFT_BPSK	23.14	-6.25	16.89	48.87	3000	PASS
n71	15	5	133100	1@23	DFT_BPSK	23.18	-6.25	16.93	49.32	3000	PASS
n71	15	5	133100	25@0	DFT_QPSK	22.35	-6.25	16.1	40.74	3000	PASS
n71	15	5	133100	12@6	DFT_QPSK	23.4	-6.25	17.15	51.88	3000	PASS
n71	15	5	133100	1@1	DFT_QPSK	23.13	-6.25	16.88	48.75	3000	PASS
n71	15	5	133100	1@23	DFT_QPSK	23.22	-6.25	16.97	49.77	3000	PASS
n71	15	5	133100	25@0	DFT_16QAM	21.22	-6.25	14.97	31.41	3000	PASS
n71	15	5	133100	12@6	DFT_16QAM	22.28	-6.25	16.03	40.09	3000	PASS
n71	15	5	133100	1@1	DFT_16QAM	22.24	-6.25	15.99	39.72	3000	PASS
n71	15	5	133100	1@23	DFT_16QAM	22.26	-6.25	16.01	39.9	3000	PASS
n71	15	5	133100	25@0	DFT_64QAM	20.82	-6.25	14.57	28.64	3000	PASS
n71	15	5	133100	12@6	DFT_64QAM	20.84	-6.25	14.59	28.77	3000	PASS
n71	15	5	133100	1@1	DFT_64QAM	20.83	-6.25	14.58	28.71	3000	PASS
n71	15	5	133100	1@23	DFT_64QAM	20.87	-6.25	14.62	28.97	3000	PASS
n71	15	5	133100	25@0	DFT_256QAM	18.8	-6.25	12.55	17.99	3000	PASS
n71	15	5	133100	12@6	DFT_256QAM	18.92	-6.25	12.67	18.49	3000	PASS
n71	15	5	133100	1@1	DFT_256QAM	18.6	-6.25	12.35	17.18	3000	PASS
n71	15	5	133100	1@23	DFT_256QAM	18.68	-6.25	12.43	17.5	3000	PASS
n71	15	5	133100	25@0	CP_QPSK	20.36	-6.25	14.11	25.76	3000	PASS
n71	15	5	133100	13@6	CP_QPSK	21.76	-6.25	15.51	35.56	3000	PASS
n71	15	5	133100	1@1	CP_QPSK	21.57	-6.25	15.32	34.04	3000	PASS
n71	15	5	133100	1@23	CP_QPSK	21.68	-6.25	15.43	34.91	3000	PASS
n71	15	5	133100	25@0	CP_16QAM	20.47	-6.25	14.22	26.42	3000	PASS
n71	15	5	133100	13@6	CP_16QAM	21.33	-6.25	15.08	32.21	3000	PASS
n71	15	5	133100	1@1	CP_16QAM	21.46	-6.25	15.21	33.19	3000	PASS
n71	15	5	133100	1@23	CP_16QAM	21.58	-6.25	15.33	34.12	3000	PASS
n71	15	5	133100	25@0	CP_64QAM	19.94	-6.25	13.69	23.39	3000	PASS
n71	15	5	133100	13@6	CP_64QAM	19.9	-6.25	13.65	23.17	3000	PASS
n71	15	5	133100	1@1	CP_64QAM	19.73	-6.25	13.48	22.28	3000	PASS
n71	15	5	133100	1@23	CP_64QAM	19.85	-6.25	13.6	22.91	3000	PASS
n71	15	5	133100	25@0	CP_256QAM	16.83	-6.25	10.58	11.43	3000	PASS
n71	15	5	133100	13@6	CP_256QAM	16.84	-6.25	10.59	11.46	3000	PASS

n71	15	5	133100	1@1	CP_256QAM	16.89	-6.25	10.64	11.59	3000	PASS
n71	15	5	133100	1@23	CP_256QAM	16.96	-6.25	10.71	11.78	3000	PASS
n71	15	5	136100	25@0	DFT_BPSK	23.14	-6.25	16.89	48.87	3000	PASS
n71	15	5	136100	12@6	DFT_BPSK	23.63	-6.25	17.38	54.7	3000	PASS
n71	15	5	136100	1@1	DFT_BPSK	23.44	-6.25	17.19	52.36	3000	PASS
n71	15	5	136100	1@23	DFT_BPSK	23.55	-6.25	17.3	53.7	3000	PASS
n71	15	5	136100	25@0	DFT_QPSK	22.66	-6.25	16.41	43.75	3000	PASS
n71	15	5	136100	12@6	DFT_QPSK	23.63	-6.25	17.38	54.7	3000	PASS
n71	15	5	136100	1@1	DFT_QPSK	23.45	-6.25	17.2	52.48	3000	PASS
n71	15	5	136100	1@23	DFT_QPSK	23.53	-6.25	17.28	53.46	3000	PASS
n71	15	5	136100	25@0	DFT_16QAM	21.56	-6.25	15.31	33.96	3000	PASS
n71	15	5	136100	12@6	DFT_16QAM	22.56	-6.25	16.31	42.76	3000	PASS
n71	15	5	136100	1@1	DFT_16QAM	22.5	-6.25	16.25	42.17	3000	PASS
n71	15	5	136100	1@23	DFT_16QAM	22.59	-6.25	16.34	43.05	3000	PASS
n71	15	5	136100	25@0	DFT_64QAM	21.18	-6.25	14.93	31.12	3000	PASS
n71	15	5	136100	12@6	DFT_64QAM	21.09	-6.25	14.84	30.48	3000	PASS
n71	15	5	136100	1@1	DFT_64QAM	21.08	-6.25	14.83	30.41	3000	PASS
n71	15	5	136100	1@23	DFT_64QAM	21.16	-6.25	14.91	30.97	3000	PASS
n71	15	5	136100	25@0	DFT_256QAM	19.16	-6.25	12.91	19.54	3000	PASS
n71	15	5	136100	12@6	DFT_256QAM	19.22	-6.25	12.97	19.82	3000	PASS
n71	15	5	136100	1@1	DFT_256QAM	19.03	-6.25	12.78	18.97	3000	PASS
n71	15	5	136100	1@23	DFT_256QAM	19	-6.25	12.75	18.84	3000	PASS
n71	15	5	136100	25@0	CP_QPSK	20.74	-6.25	14.49	28.12	3000	PASS
n71	15	5	136100	13@6	CP_QPSK	22.03	-6.25	15.78	37.84	3000	PASS
n71	15	5	136100	1@1	CP_QPSK	21.94	-6.25	15.69	37.07	3000	PASS
n71	15	5	136100	1@23	CP_QPSK	22.01	-6.25	15.76	37.67	3000	PASS
n71	15	5	136100	25@0	CP_16QAM	20.8	-6.25	14.55	28.51	3000	PASS
n71	15	5	136100	13@6	CP_16QAM	21.72	-6.25	15.47	35.24	3000	PASS
n71	15	5	136100	1@1	CP_16QAM	21.78	-6.25	15.53	35.73	3000	PASS
n71	15	5	136100	1@23	CP_16QAM	21.85	-6.25	15.6	36.31	3000	PASS
n71	15	5	136100	25@0	CP_64QAM	20.24	-6.25	13.99	25.06	3000	PASS
n71	15	5	136100	13@6	CP_64QAM	20.19	-6.25	13.94	24.77	3000	PASS
n71	15	5	136100	1@1	CP_64QAM	20.14	-6.25	13.89	24.49	3000	PASS
n71	15	5	136100	1@23	CP_64QAM	20.17	-6.25	13.92	24.66	3000	PASS
n71	15	5	136100	25@0	CP_256QAM	17.16	-6.25	10.91	12.33	3000	PASS
n71	15	5	136100	13@6	CP_256QAM	17.16	-6.25	10.91	12.33	3000	PASS
n71	15	5	136100	1@1	CP_256QAM	17.26	-6.25	11.01	12.62	3000	PASS
n71	15	5	136100	1@23	CP_256QAM	17.26	-6.25	11.01	12.62	3000	PASS
n71	15	5	139100	25@0	DFT_BPSK	22.9	-6.25	16.65	46.24	3000	PASS
n71	15	5	139100	12@6	DFT_BPSK	23.43	-6.25	17.18	52.24	3000	PASS
n71	15	5	139100	1@1	DFT_BPSK	23.33	-6.25	17.08	51.05	3000	PASS
n71	15	5	139100	1@23	DFT_BPSK	23.25	-6.25	17	50.12	3000	PASS
n71	15	5	139100	25@0	DFT_QPSK	22.39	-6.25	16.14	41.11	3000	PASS

n71	15	5	139100	12@6	DFT_QPSK	23.42	-6.25	17.17	52.12	3000	PASS
n71	15	5	139100	1@1	DFT_QPSK	23.34	-6.25	17.09	51.17	3000	PASS
n71	15	5	139100	1@23	DFT_QPSK	23.24	-6.25	16.99	50	3000	PASS
n71	15	5	139100	25@0	DFT_16QAM	21.36	-6.25	15.11	32.43	3000	PASS
n71	15	5	139100	12@6	DFT_16QAM	22.37	-6.25	16.12	40.93	3000	PASS
n71	15	5	139100	1@1	DFT_16QAM	22.46	-6.25	16.21	41.78	3000	PASS
n71	15	5	139100	1@23	DFT_16QAM	22.36	-6.25	16.11	40.83	3000	PASS
n71	15	5	139100	25@0	DFT_64QAM	20.9	-6.25	14.65	29.17	3000	PASS
n71	15	5	139100	12@6	DFT_64QAM	20.87	-6.25	14.62	28.97	3000	PASS
n71	15	5	139100	1@1	DFT_64QAM	20.93	-6.25	14.68	29.38	3000	PASS
n71	15	5	139100	1@23	DFT_64QAM	20.86	-6.25	14.61	28.91	3000	PASS
n71	15	5	139100	25@0	DFT_256QAM	18.9	-6.25	12.65	18.41	3000	PASS
n71	15	5	139100	12@6	DFT_256QAM	18.9	-6.25	12.65	18.41	3000	PASS
n71	15	5	139100	1@1	DFT_256QAM	18.78	-6.25	12.53	17.91	3000	PASS
n71	15	5	139100	1@23	DFT_256QAM	18.72	-6.25	12.47	17.66	3000	PASS
n71	15	5	139100	25@0	CP_QPSK	20.46	-6.25	14.21	26.36	3000	PASS
n71	15	5	139100	13@6	CP_QPSK	21.83	-6.25	15.58	36.14	3000	PASS
n71	15	5	139100	1@1	CP_QPSK	21.85	-6.25	15.6	36.31	3000	PASS
n71	15	5	139100	1@23	CP_QPSK	21.69	-6.25	15.44	34.99	3000	PASS
n71	15	5	139100	25@0	CP_16QAM	20.53	-6.25	14.28	26.79	3000	PASS
n71	15	5	139100	13@6	CP_16QAM	21.44	-6.25	15.19	33.04	3000	PASS
n71	15	5	139100	1@1	CP_16QAM	21.68	-6.25	15.43	34.91	3000	PASS
n71	15	5	139100	1@23	CP_16QAM	21.52	-6.25	15.27	33.65	3000	PASS
n71	15	5	139100	25@0	CP_64QAM	20.01	-6.25	13.76	23.77	3000	PASS
n71	15	5	139100	13@6	CP_64QAM	19.95	-6.25	13.7	23.44	3000	PASS
n71	15	5	139100	1@1	CP_64QAM	19.91	-6.25	13.66	23.23	3000	PASS
n71	15	5	139100	1@23	CP_64QAM	19.83	-6.25	13.58	22.8	3000	PASS
n71	15	5	139100	25@0	CP_256QAM	16.87	-6.25	10.62	11.53	3000	PASS
n71	15	5	139100	13@6	CP_256QAM	16.9	-6.25	10.65	11.61	3000	PASS
n71	15	5	139100	1@1	CP_256QAM	17	-6.25	10.75	11.89	3000	PASS
n71	15	5	139100	1@23	CP_256QAM	16.96	-6.25	10.71	11.78	3000	PASS
n71	15	10	133600	50@0	DFT_BPSK	22.78	-6.25	16.53	44.98	3000	PASS
n71	15	10	133600	25@12	DFT_BPSK	23.25	-6.25	17	50.12	3000	PASS
n71	15	10	133600	1@1	DFT_BPSK	23.1	-6.25	16.85	48.42	3000	PASS
n71	15	10	133600	1@50	DFT_BPSK	23.24	-6.25	16.99	50	3000	PASS
n71	15	10	133600	50@0	DFT_QPSK	22.28	-6.25	16.03	40.09	3000	PASS
n71	15	10	133600	25@12	DFT_QPSK	23.28	-6.25	17.03	50.47	3000	PASS
n71	15	10	133600	1@1	DFT_QPSK	23.1	-6.25	16.85	48.42	3000	PASS
n71	15	10	133600	1@50	DFT_QPSK	23.22	-6.25	16.97	49.77	3000	PASS
n71	15	10	133600	50@0	DFT_16QAM	21.25	-6.25	15	31.62	3000	PASS
n71	15	10	133600	25@12	DFT_16QAM	22.28	-6.25	16.03	40.09	3000	PASS
n71	15	10	133600	1@1	DFT_16QAM	22.21	-6.25	15.96	39.45	3000	PASS
n71	15	10	133600	1@50	DFT_16QAM	22.28	-6.25	16.03	40.09	3000	PASS

n71	15	10	133600	50@0	DFT_64QAM	20.76	-6.25	14.51	28.25	3000	PASS
n71	15	10	133600	25@12	DFT_64QAM	20.77	-6.25	14.52	28.31	3000	PASS
n71	15	10	133600	1@1	DFT_64QAM	20.78	-6.25	14.53	28.38	3000	PASS
n71	15	10	133600	1@50	DFT_64QAM	20.85	-6.25	14.6	28.84	3000	PASS
n71	15	10	133600	50@0	DFT_256QAM	18.79	-6.25	12.54	17.95	3000	PASS
n71	15	10	133600	25@12	DFT_256QAM	18.81	-6.25	12.56	18.03	3000	PASS
n71	15	10	133600	1@1	DFT_256QAM	18.56	-6.25	12.31	17.02	3000	PASS
n71	15	10	133600	1@50	DFT_256QAM	18.63	-6.25	12.38	17.3	3000	PASS
n71	15	10	133600	52@0	CP_QPSK	20.35	-6.25	14.1	25.7	3000	PASS
n71	15	10	133600	26@13	CP_QPSK	21.75	-6.25	15.5	35.48	3000	PASS
n71	15	10	133600	1@1	CP_QPSK	21.55	-6.25	15.3	33.88	3000	PASS
n71	15	10	133600	1@50	CP_QPSK	21.7	-6.25	15.45	35.08	3000	PASS
n71	15	10	133600	52@0	CP_16QAM	20.34	-6.25	14.09	25.64	3000	PASS
n71	15	10	133600	26@13	CP_16QAM	21.26	-6.25	15.01	31.7	3000	PASS
n71	15	10	133600	1@1	CP_16QAM	21.41	-6.25	15.16	32.81	3000	PASS
n71	15	10	133600	1@50	CP_16QAM	21.55	-6.25	15.3	33.88	3000	PASS
n71	15	10	133600	52@0	CP_64QAM	19.89	-6.25	13.64	23.12	3000	PASS
n71	15	10	133600	26@13	CP_64QAM	19.91	-6.25	13.66	23.23	3000	PASS
n71	15	10	133600	1@1	CP_64QAM	19.68	-6.25	13.43	22.03	3000	PASS
n71	15	10	133600	1@50	CP_64QAM	19.79	-6.25	13.54	22.59	3000	PASS
n71	15	10	133600	52@0	CP_256QAM	16.78	-6.25	10.53	11.3	3000	PASS
n71	15	10	133600	26@13	CP_256QAM	16.82	-6.25	10.57	11.4	3000	PASS
n71	15	10	133600	1@1	CP_256QAM	16.86	-6.25	10.61	11.51	3000	PASS
n71	15	10	133600	1@50	CP_256QAM	16.98	-6.25	10.73	11.83	3000	PASS
n71	15	10	136100	50@0	DFT_BPSK	23.04	-6.25	16.79	47.75	3000	PASS
n71	15	10	136100	25@12	DFT_BPSK	23.54	-6.25	17.29	53.58	3000	PASS
n71	15	10	136100	1@1	DFT_BPSK	23.42	-6.25	17.17	52.12	3000	PASS
n71	15	10	136100	1@50	DFT_BPSK	23.49	-6.25	17.24	52.97	3000	PASS
n71	15	10	136100	50@0	DFT_QPSK	22.57	-6.25	16.32	42.85	3000	PASS
n71	15	10	136100	25@12	DFT_QPSK	23.58	-6.25	17.33	54.08	3000	PASS
n71	15	10	136100	1@1	DFT_QPSK	23.43	-6.25	17.18	52.24	3000	PASS
n71	15	10	136100	1@50	DFT_QPSK	23.49	-6.25	17.24	52.97	3000	PASS
n71	15	10	136100	50@0	DFT_16QAM	21.57	-6.25	15.32	34.04	3000	PASS
n71	15	10	136100	25@12	DFT_16QAM	22.54	-6.25	16.29	42.56	3000	PASS
n71	15	10	136100	1@1	DFT_16QAM	22.5	-6.25	16.25	42.17	3000	PASS
n71	15	10	136100	1@50	DFT_16QAM	22.58	-6.25	16.33	42.95	3000	PASS
n71	15	10	136100	50@0	DFT_64QAM	21.02	-6.25	14.77	29.99	3000	PASS
n71	15	10	136100	25@12	DFT_64QAM	21.1	-6.25	14.85	30.55	3000	PASS
n71	15	10	136100	1@1	DFT_64QAM	21.06	-6.25	14.81	30.27	3000	PASS
n71	15	10	136100	1@50	DFT_64QAM	21.12	-6.25	14.87	30.69	3000	PASS
n71	15	10	136100	50@0	DFT_256QAM	19.12	-6.25	12.87	19.36	3000	PASS
n71	15	10	136100	25@12	DFT_256QAM	19.11	-6.25	12.86	19.32	3000	PASS
n71	15	10	136100	1@1	DFT_256QAM	18.89	-6.25	12.64	18.37	3000	PASS

n71	15	10	136100	1@50	DFT_256QAM	18.96	-6.25	12.71	18.66	3000	PASS
n71	15	10	136100	52@0	CP_QPSK	20.67	-6.25	14.42	27.67	3000	PASS
n71	15	10	136100	26@13	CP_QPSK	22.02	-6.25	15.77	37.76	3000	PASS
n71	15	10	136100	1@1	CP_QPSK	21.89	-6.25	15.64	36.64	3000	PASS
n71	15	10	136100	1@50	CP_QPSK	21.97	-6.25	15.72	37.33	3000	PASS
n71	15	10	136100	52@0	CP_16QAM	20.7	-6.25	14.45	27.86	3000	PASS
n71	15	10	136100	26@13	CP_16QAM	21.55	-6.25	15.3	33.88	3000	PASS
n71	15	10	136100	1@1	CP_16QAM	21.79	-6.25	15.54	35.81	3000	PASS
n71	15	10	136100	1@50	CP_16QAM	21.83	-6.25	15.58	36.14	3000	PASS
n71	15	10	136100	52@0	CP_64QAM	20.19	-6.25	13.94	24.77	3000	PASS
n71	15	10	136100	26@13	CP_64QAM	20.2	-6.25	13.95	24.83	3000	PASS
n71	15	10	136100	1@1	CP_64QAM	20	-6.25	13.75	23.71	3000	PASS
n71	15	10	136100	1@50	CP_64QAM	20.1	-6.25	13.85	24.27	3000	PASS
n71	15	10	136100	52@0	CP_256QAM	17.1	-6.25	10.85	12.16	3000	PASS
n71	15	10	136100	26@13	CP_256QAM	17.12	-6.25	10.87	12.22	3000	PASS
n71	15	10	136100	1@1	CP_256QAM	17.19	-6.25	10.94	12.42	3000	PASS
n71	15	10	136100	1@50	CP_256QAM	17.25	-6.25	11	12.59	3000	PASS
n71	15	10	138600	50@0	DFT_BPSK	22.88	-6.25	16.63	46.03	3000	PASS
n71	15	10	138600	25@12	DFT_BPSK	23.4	-6.25	17.15	51.88	3000	PASS
n71	15	10	138600	1@1	DFT_BPSK	23.37	-6.25	17.12	51.52	3000	PASS
n71	15	10	138600	1@50	DFT_BPSK	23.22	-6.25	16.97	49.77	3000	PASS
n71	15	10	138600	50@0	DFT_QPSK	22.42	-6.25	16.17	41.4	3000	PASS
n71	15	10	138600	25@12	DFT_QPSK	23.41	-6.25	17.16	52	3000	PASS
n71	15	10	138600	1@1	DFT_QPSK	23.39	-6.25	17.14	51.76	3000	PASS
n71	15	10	138600	1@50	DFT_QPSK	23.22	-6.25	16.97	49.77	3000	PASS
n71	15	10	138600	50@0	DFT_16QAM	21.37	-6.25	15.12	32.51	3000	PASS
n71	15	10	138600	25@12	DFT_16QAM	22.41	-6.25	16.16	41.3	3000	PASS
n71	15	10	138600	1@1	DFT_16QAM	22.47	-6.25	16.22	41.88	3000	PASS
n71	15	10	138600	1@50	DFT_16QAM	22.32	-6.25	16.07	40.46	3000	PASS
n71	15	10	138600	50@0	DFT_64QAM	20.9	-6.25	14.65	29.17	3000	PASS
n71	15	10	138600	25@12	DFT_64QAM	20.93	-6.25	14.68	29.38	3000	PASS
n71	15	10	138600	1@1	DFT_64QAM	21.02	-6.25	14.77	29.99	3000	PASS
n71	15	10	138600	1@50	DFT_64QAM	20.85	-6.25	14.6	28.84	3000	PASS
n71	15	10	138600	50@0	DFT_256QAM	18.87	-6.25	12.62	18.28	3000	PASS
n71	15	10	138600	25@12	DFT_256QAM	18.89	-6.25	12.64	18.37	3000	PASS
n71	15	10	138600	1@1	DFT_256QAM	18.87	-6.25	12.62	18.28	3000	PASS
n71	15	10	138600	1@50	DFT_256QAM	18.66	-6.25	12.41	17.42	3000	PASS
n71	15	10	138600	52@0	CP_QPSK	20.46	-6.25	14.21	26.36	3000	PASS
n71	15	10	138600	26@13	CP_QPSK	21.95	-6.25	15.7	37.15	3000	PASS
n71	15	10	138600	1@1	CP_QPSK	21.88	-6.25	15.63	36.56	3000	PASS
n71	15	10	138600	1@50	CP_QPSK	21.68	-6.25	15.43	34.91	3000	PASS
n71	15	10	138600	52@0	CP_16QAM	20.46	-6.25	14.21	26.36	3000	PASS
n71	15	10	138600	26@13	CP_16QAM	21.42	-6.25	15.17	32.89	3000	PASS

n71	15	10	138600	1@1	CP_16QAM	21.69	-6.25	15.44	34.99	3000	PASS
n71	15	10	138600	1@50	CP_16QAM	21.51	-6.25	15.26	33.57	3000	PASS
n71	15	10	138600	52@0	CP_64QAM	19.98	-6.25	13.73	23.6	3000	PASS
n71	15	10	138600	26@13	CP_64QAM	20.01	-6.25	13.76	23.77	3000	PASS
n71	15	10	138600	1@1	CP_64QAM	20.02	-6.25	13.77	23.82	3000	PASS
n71	15	10	138600	1@50	CP_64QAM	19.8	-6.25	13.55	22.65	3000	PASS
n71	15	10	138600	52@0	CP_256QAM	16.88	-6.25	10.63	11.56	3000	PASS
n71	15	10	138600	26@13	CP_256QAM	16.92	-6.25	10.67	11.67	3000	PASS
n71	15	10	138600	1@1	CP_256QAM	17.15	-6.25	10.9	12.3	3000	PASS
n71	15	10	138600	1@50	CP_256QAM	16.92	-6.25	10.67	11.67	3000	PASS
n71	15	15	134100	75@0	DFT_BPSK	22.84	-6.25	16.59	45.6	3000	PASS
n71	15	15	134100	36@18	DFT_BPSK	23.31	-6.25	17.06	50.82	3000	PASS
n71	15	15	134100	1@1	DFT_BPSK	23.13	-6.25	16.88	48.75	3000	PASS
n71	15	15	134100	1@77	DFT_BPSK	23.35	-6.25	17.1	51.29	3000	PASS
n71	15	15	134100	75@0	DFT_QPSK	22.31	-6.25	16.06	40.36	3000	PASS
n71	15	15	134100	36@18	DFT_QPSK	23.32	-6.25	17.07	50.93	3000	PASS
n71	15	15	134100	1@1	DFT_QPSK	23.14	-6.25	16.89	48.87	3000	PASS
n71	15	15	134100	1@77	DFT_QPSK	23.36	-6.25	17.11	51.4	3000	PASS
n71	15	15	134100	75@0	DFT_16QAM	21.28	-6.25	15.03	31.84	3000	PASS
n71	15	15	134100	36@18	DFT_16QAM	22.32	-6.25	16.07	40.46	3000	PASS
n71	15	15	134100	1@1	DFT_16QAM	22.22	-6.25	15.97	39.54	3000	PASS
n71	15	15	134100	1@77	DFT_16QAM	22.43	-6.25	16.18	41.5	3000	PASS
n71	15	15	134100	75@0	DFT_64QAM	20.81	-6.25	14.56	28.58	3000	PASS
n71	15	15	134100	36@18	DFT_64QAM	20.82	-6.25	14.57	28.64	3000	PASS
n71	15	15	134100	1@1	DFT_64QAM	20.83	-6.25	14.58	28.71	3000	PASS
n71	15	15	134100	1@77	DFT_64QAM	21.02	-6.25	14.77	29.99	3000	PASS
n71	15	15	134100	75@0	DFT_256QAM	18.78	-6.25	12.53	17.91	3000	PASS
n71	15	15	134100	36@18	DFT_256QAM	18.8	-6.25	12.55	17.99	3000	PASS
n71	15	15	134100	1@1	DFT_256QAM	18.58	-6.25	12.33	17.1	3000	PASS
n71	15	15	134100	1@77	DFT_256QAM	18.77	-6.25	12.52	17.86	3000	PASS
n71	15	15	134100	79@0	CP_QPSK	20.44	-6.25	14.19	26.24	3000	PASS
n71	15	15	134100	39@19	CP_QPSK	21.8	-6.25	15.55	35.89	3000	PASS
n71	15	15	134100	1@1	CP_QPSK	21.57	-6.25	15.32	34.04	3000	PASS
n71	15	15	134100	1@77	CP_QPSK	21.82	-6.25	15.57	36.06	3000	PASS
n71	15	15	134100	79@0	CP_16QAM	20.46	-6.25	14.21	26.36	3000	PASS
n71	15	15	134100	39@19	CP_16QAM	21.36	-6.25	15.11	32.43	3000	PASS
n71	15	15	134100	1@1	CP_16QAM	21.49	-6.25	15.24	33.42	3000	PASS
n71	15	15	134100	1@77	CP_16QAM	21.7	-6.25	15.45	35.08	3000	PASS
n71	15	15	134100	79@0	CP_64QAM	19.96	-6.25	13.71	23.5	3000	PASS
n71	15	15	134100	39@19	CP_64QAM	19.9	-6.25	13.65	23.17	3000	PASS
n71	15	15	134100	1@1	CP_64QAM	19.68	-6.25	13.43	22.03	3000	PASS
n71	15	15	134100	1@77	CP_64QAM	19.95	-6.25	13.7	23.44	3000	PASS
n71	15	15	134100	79@0	CP_256QAM	16.85	-6.25	10.6	11.48	3000	PASS

n71	15	15	134100	39@19	CP_256QAM	16.82	-6.25	10.57	11.4	3000	PASS
n71	15	15	134100	1@1	CP_256QAM	16.83	-6.25	10.58	11.43	3000	PASS
n71	15	15	134100	1@77	CP_256QAM	17.11	-6.25	10.86	12.19	3000	PASS
n71	15	15	136100	75@0	DFT_BPSK	23.05	-6.25	16.8	47.86	3000	PASS
n71	15	15	136100	36@18	DFT_BPSK	23.59	-6.25	17.34	54.2	3000	PASS
n71	15	15	136100	1@1	DFT_BPSK	23.43	-6.25	17.18	52.24	3000	PASS
n71	15	15	136100	1@77	DFT_BPSK	23.48	-6.25	17.23	52.84	3000	PASS
n71	15	15	136100	75@0	DFT_QPSK	22.55	-6.25	16.3	42.66	3000	PASS
n71	15	15	136100	36@18	DFT_QPSK	23.56	-6.25	17.31	53.83	3000	PASS
n71	15	15	136100	1@1	DFT_QPSK	23.44	-6.25	17.19	52.36	3000	PASS
n71	15	15	136100	1@77	DFT_QPSK	23.46	-6.25	17.21	52.6	3000	PASS
n71	15	15	136100	75@0	DFT_16QAM	21.53	-6.25	15.28	33.73	3000	PASS
n71	15	15	136100	36@18	DFT_16QAM	22.59	-6.25	16.34	43.05	3000	PASS
n71	15	15	136100	1@1	DFT_16QAM	22.48	-6.25	16.23	41.98	3000	PASS
n71	15	15	136100	1@77	DFT_16QAM	22.54	-6.25	16.29	42.56	3000	PASS
n71	15	15	136100	75@0	DFT_64QAM	21.11	-6.25	14.86	30.62	3000	PASS
n71	15	15	136100	36@18	DFT_64QAM	21.08	-6.25	14.83	30.41	3000	PASS
n71	15	15	136100	1@1	DFT_64QAM	21.06	-6.25	14.81	30.27	3000	PASS
n71	15	15	136100	1@77	DFT_64QAM	21.1	-6.25	14.85	30.55	3000	PASS
n71	15	15	136100	75@0	DFT_256QAM	19.1	-6.25	12.85	19.28	3000	PASS
n71	15	15	136100	36@18	DFT_256QAM	19.12	-6.25	12.87	19.36	3000	PASS
n71	15	15	136100	1@1	DFT_256QAM	18.85	-6.25	12.6	18.2	3000	PASS
n71	15	15	136100	1@77	DFT_256QAM	18.94	-6.25	12.69	18.58	3000	PASS
n71	15	15	136100	79@0	CP_QPSK	20.7	-6.25	14.45	27.86	3000	PASS
n71	15	15	136100	39@19	CP_QPSK	22.07	-6.25	15.82	38.19	3000	PASS
n71	15	15	136100	1@1	CP_QPSK	21.92	-6.25	15.67	36.9	3000	PASS
n71	15	15	136100	1@77	CP_QPSK	21.94	-6.25	15.69	37.07	3000	PASS
n71	15	15	136100	79@0	CP_16QAM	20.71	-6.25	14.46	27.93	3000	PASS
n71	15	15	136100	39@19	CP_16QAM	21.61	-6.25	15.36	34.36	3000	PASS
n71	15	15	136100	1@1	CP_16QAM	21.75	-6.25	15.5	35.48	3000	PASS
n71	15	15	136100	1@77	CP_16QAM	21.81	-6.25	15.56	35.97	3000	PASS
n71	15	15	136100	79@0	CP_64QAM	20.2	-6.25	13.95	24.83	3000	PASS
n71	15	15	136100	39@19	CP_64QAM	20.23	-6.25	13.98	25	3000	PASS
n71	15	15	136100	1@1	CP_64QAM	19.98	-6.25	13.73	23.6	3000	PASS
n71	15	15	136100	1@77	CP_64QAM	20.06	-6.25	13.81	24.04	3000	PASS
n71	15	15	136100	79@0	CP_256QAM	17.09	-6.25	10.84	12.13	3000	PASS
n71	15	15	136100	39@19	CP_256QAM	17.1	-6.25	10.85	12.16	3000	PASS
n71	15	15	136100	1@1	CP_256QAM	17.12	-6.25	10.87	12.22	3000	PASS
n71	15	15	136100	1@77	CP_256QAM	17.15	-6.25	10.9	12.3	3000	PASS
n71	15	15	138100	75@0	DFT_BPSK	22.99	-6.25	16.74	47.21	3000	PASS
n71	15	15	138100	36@18	DFT_BPSK	23.5	-6.25	17.25	53.09	3000	PASS
n71	15	15	138100	1@1	DFT_BPSK	23.52	-6.25	17.27	53.33	3000	PASS
n71	15	15	138100	1@77	DFT_BPSK	23.26	-6.25	17.01	50.23	3000	PASS

n71	15	15	138100	75@0	DFT_QPSK	22.46	-6.25	16.21	41.78	3000	PASS
n71	15	15	138100	36@18	DFT_QPSK	23.49	-6.25	17.24	52.97	3000	PASS
n71	15	15	138100	1@1	DFT_QPSK	23.51	-6.25	17.26	53.21	3000	PASS
n71	15	15	138100	1@77	DFT_QPSK	23.27	-6.25	17.02	50.35	3000	PASS
n71	15	15	138100	75@0	DFT_16QAM	21.46	-6.25	15.21	33.19	3000	PASS
n71	15	15	138100	36@18	DFT_16QAM	22.48	-6.25	16.23	41.98	3000	PASS
n71	15	15	138100	1@1	DFT_16QAM	22.59	-6.25	16.34	43.05	3000	PASS
n71	15	15	138100	1@77	DFT_16QAM	22.32	-6.25	16.07	40.46	3000	PASS
n71	15	15	138100	75@0	DFT_64QAM	21.01	-6.25	14.76	29.92	3000	PASS
n71	15	15	138100	36@18	DFT_64QAM	20.99	-6.25	14.74	29.79	3000	PASS
n71	15	15	138100	1@1	DFT_64QAM	21.18	-6.25	14.93	31.12	3000	PASS
n71	15	15	138100	1@77	DFT_64QAM	20.89	-6.25	14.64	29.11	3000	PASS
n71	15	15	138100	75@0	DFT_256QAM	18.97	-6.25	12.72	18.71	3000	PASS
n71	15	15	138100	36@18	DFT_256QAM	18.97	-6.25	12.72	18.71	3000	PASS
n71	15	15	138100	1@1	DFT_256QAM	18.92	-6.25	12.67	18.49	3000	PASS
n71	15	15	138100	1@77	DFT_256QAM	18.71	-6.25	12.46	17.62	3000	PASS
n71	15	15	138100	79@0	CP_QPSK	20.56	-6.25	14.31	26.98	3000	PASS
n71	15	15	138100	39@19	CP_QPSK	21.99	-6.25	15.74	37.5	3000	PASS
n71	15	15	138100	1@1	CP_QPSK	21.98	-6.25	15.73	37.41	3000	PASS
n71	15	15	138100	1@77	CP_QPSK	21.7	-6.25	15.45	35.08	3000	PASS
n71	15	15	138100	79@0	CP_16QAM	20.55	-6.25	14.3	26.92	3000	PASS
n71	15	15	138100	39@19	CP_16QAM	21.54	-6.25	15.29	33.81	3000	PASS
n71	15	15	138100	1@1	CP_16QAM	21.89	-6.25	15.64	36.64	3000	PASS
n71	15	15	138100	1@77	CP_16QAM	21.58	-6.25	15.33	34.12	3000	PASS
n71	15	15	138100	79@0	CP_64QAM	20.07	-6.25	13.82	24.1	3000	PASS
n71	15	15	138100	39@19	CP_64QAM	20	-6.25	13.75	23.71	3000	PASS
n71	15	15	138100	1@1	CP_64QAM	20.07	-6.25	13.82	24.1	3000	PASS
n71	15	15	138100	1@77	CP_64QAM	19.81	-6.25	13.56	22.7	3000	PASS
n71	15	15	138100	79@0	CP_256QAM	16.94	-6.25	10.69	11.72	3000	PASS
n71	15	15	138100	39@19	CP_256QAM	16.98	-6.25	10.73	11.83	3000	PASS
n71	15	15	138100	1@1	CP_256QAM	17.25	-6.25	11	12.59	3000	PASS
n71	15	15	138100	1@77	CP_256QAM	16.95	-6.25	10.7	11.75	3000	PASS
n71	15	20	134600	100@0	DFT_BPSK	22.88	-6.25	16.63	46.03	3000	PASS
n71	15	20	134600	50@25	DFT_BPSK	23.36	-6.25	17.11	51.4	3000	PASS
n71	15	20	134600	1@1	DFT_BPSK	23.13	-6.25	16.88	48.75	3000	PASS
n71	15	20	134600	1@104	DFT_BPSK	23.43	-6.25	17.18	52.24	3000	PASS
n71	15	20	134600	100@0	DFT_QPSK	22.33	-6.25	16.08	40.55	3000	PASS
n71	15	20	134600	50@25	DFT_QPSK	23.37	-6.25	17.12	51.52	3000	PASS
n71	15	20	134600	1@1	DFT_QPSK	23.13	-6.25	16.88	48.75	3000	PASS
n71	15	20	134600	1@104	DFT_QPSK	23.45	-6.25	17.2	52.48	3000	PASS
n71	15	20	134600	100@0	DFT_16QAM	21.32	-6.25	15.07	32.14	3000	PASS
n71	15	20	134600	50@25	DFT_16QAM	22.35	-6.25	16.1	40.74	3000	PASS
n71	15	20	134600	1@1	DFT_16QAM	22.2	-6.25	15.95	39.36	3000	PASS

n71	15	20	134600	1@104	DFT_16QAM	22.53	-6.25	16.28	42.46	3000	PASS
n71	15	20	134600	100@0	DFT_64QAM	20.83	-6.25	14.58	28.71	3000	PASS
n71	15	20	134600	50@25	DFT_64QAM	20.82	-6.25	14.57	28.64	3000	PASS
n71	15	20	134600	1@1	DFT_64QAM	20.84	-6.25	14.59	28.77	3000	PASS
n71	15	20	134600	1@104	DFT_64QAM	21.09	-6.25	14.84	30.48	3000	PASS
n71	15	20	134600	100@0	DFT_256QAM	18.88	-6.25	12.63	18.32	3000	PASS
n71	15	20	134600	50@25	DFT_256QAM	18.87	-6.25	12.62	18.28	3000	PASS
n71	15	20	134600	1@1	DFT_256QAM	18.55	-6.25	12.3	16.98	3000	PASS
n71	15	20	134600	1@104	DFT_256QAM	18.88	-6.25	12.63	18.32	3000	PASS
n71	15	20	134600	106@0	CP_QPSK	20.41	-6.25	14.16	26.06	3000	PASS
n71	15	20	134600	53@26	CP_QPSK	21.87	-6.25	15.62	36.48	3000	PASS
n71	15	20	134600	1@1	CP_QPSK	21.55	-6.25	15.3	33.88	3000	PASS
n71	15	20	134600	1@104	CP_QPSK	21.89	-6.25	15.64	36.64	3000	PASS
n71	15	20	134600	106@0	CP_16QAM	20.45	-6.25	14.2	26.3	3000	PASS
n71	15	20	134600	53@26	CP_16QAM	21.35	-6.25	15.1	32.36	3000	PASS
n71	15	20	134600	1@1	CP_16QAM	21.46	-6.25	15.21	33.19	3000	PASS
n71	15	20	134600	1@104	CP_16QAM	21.82	-6.25	15.57	36.06	3000	PASS
n71	15	20	134600	106@0	CP_64QAM	19.91	-6.25	13.66	23.23	3000	PASS
n71	15	20	134600	53@26	CP_64QAM	19.92	-6.25	13.67	23.28	3000	PASS
n71	15	20	134600	1@1	CP_64QAM	19.72	-6.25	13.47	22.23	3000	PASS
n71	15	20	134600	1@104	CP_64QAM	20	-6.25	13.75	23.71	3000	PASS
n71	15	20	134600	106@0	CP_256QAM	16.92	-6.25	10.67	11.67	3000	PASS
n71	15	20	134600	53@26	CP_256QAM	16.89	-6.25	10.64	11.59	3000	PASS
n71	15	20	134600	1@1	CP_256QAM	16.87	-6.25	10.62	11.53	3000	PASS
n71	15	20	134600	1@104	CP_256QAM	17.12	-6.25	10.87	12.22	3000	PASS
n71	15	20	136100	100@0	DFT_BPSK	23.07	-6.25	16.82	48.08	3000	PASS
n71	15	20	136100	50@25	DFT_BPSK	23.59	-6.25	17.34	54.2	3000	PASS
n71	15	20	136100	1@1	DFT_BPSK	23.39	-6.25	17.14	51.76	3000	PASS
n71	15	20	136100	1@104	DFT_BPSK	23.46	-6.25	17.21	52.6	3000	PASS
n71	15	20	136100	100@0	DFT_QPSK	22.56	-6.25	16.31	42.76	3000	PASS
n71	15	20	136100	50@25	DFT_QPSK	23.6	-6.25	17.35	54.33	3000	PASS
n71	15	20	136100	1@1	DFT_QPSK	23.4	-6.25	17.15	51.88	3000	PASS
n71	15	20	136100	1@104	DFT_QPSK	23.45	-6.25	17.2	52.48	3000	PASS
n71	15	20	136100	100@0	DFT_16QAM	21.53	-6.25	15.28	33.73	3000	PASS
n71	15	20	136100	50@25	DFT_16QAM	22.57	-6.25	16.32	42.85	3000	PASS
n71	15	20	136100	1@1	DFT_16QAM	22.5	-6.25	16.25	42.17	3000	PASS
n71	15	20	136100	1@104	DFT_16QAM	22.5	-6.25	16.25	42.17	3000	PASS
n71	15	20	136100	100@0	DFT_64QAM	21.07	-6.25	14.82	30.34	3000	PASS
n71	15	20	136100	50@25	DFT_64QAM	21.08	-6.25	14.83	30.41	3000	PASS
n71	15	20	136100	1@1	DFT_64QAM	21.02	-6.25	14.77	29.99	3000	PASS
n71	15	20	136100	1@104	DFT_64QAM	21.11	-6.25	14.86	30.62	3000	PASS
n71	15	20	136100	100@0	DFT_256QAM	19.12	-6.25	12.87	19.36	3000	PASS
n71	15	20	136100	50@25	DFT_256QAM	19.14	-6.25	12.89	19.45	3000	PASS

n71	15	20	136100	1@1	DFT_256QAM	18.81	-6.25	12.56	18.03	3000	PASS
n71	15	20	136100	1@104	DFT_256QAM	18.9	-6.25	12.65	18.41	3000	PASS
n71	15	20	136100	106@0	CP_QPSK	20.65	-6.25	14.4	27.54	3000	PASS
n71	15	20	136100	53@26	CP_QPSK	22.08	-6.25	15.83	38.28	3000	PASS
n71	15	20	136100	1@1	CP_QPSK	21.86	-6.25	15.61	36.39	3000	PASS
n71	15	20	136100	1@104	CP_QPSK	21.91	-6.25	15.66	36.81	3000	PASS
n71	15	20	136100	106@0	CP_16QAM	20.62	-6.25	14.37	27.35	3000	PASS
n71	15	20	136100	53@26	CP_16QAM	21.57	-6.25	15.32	34.04	3000	PASS
n71	15	20	136100	1@1	CP_16QAM	21.79	-6.25	15.54	35.81	3000	PASS
n71	15	20	136100	1@104	CP_16QAM	21.81	-6.25	15.56	35.97	3000	PASS
n71	15	20	136100	106@0	CP_64QAM	20.15	-6.25	13.9	24.55	3000	PASS
n71	15	20	136100	53@26	CP_64QAM	20.18	-6.25	13.93	24.72	3000	PASS
n71	15	20	136100	1@1	CP_64QAM	19.98	-6.25	13.73	23.6	3000	PASS
n71	15	20	136100	1@104	CP_64QAM	20.03	-6.25	13.78	23.88	3000	PASS
n71	15	20	136100	106@0	CP_256QAM	17.13	-6.25	10.88	12.25	3000	PASS
n71	15	20	136100	53@26	CP_256QAM	17.11	-6.25	10.86	12.19	3000	PASS
n71	15	20	136100	1@1	CP_256QAM	17.13	-6.25	10.88	12.25	3000	PASS
n71	15	20	136100	1@104	CP_256QAM	17.16	-6.25	10.91	12.33	3000	PASS
n71	15	20	137600	100@0	DFT_BPSK	23.04	-6.25	16.79	47.75	3000	PASS
n71	15	20	137600	50@25	DFT_BPSK	23.56	-6.25	17.31	53.83	3000	PASS
n71	15	20	137600	1@1	DFT_BPSK	23.46	-6.25	17.21	52.6	3000	PASS
n71	15	20	137600	1@104	DFT_BPSK	23.27	-6.25	17.02	50.35	3000	PASS
n71	15	20	137600	100@0	DFT_QPSK	22.55	-6.25	16.3	42.66	3000	PASS
n71	15	20	137600	50@25	DFT_QPSK	23.54	-6.25	17.29	53.58	3000	PASS
n71	15	20	137600	1@1	DFT_QPSK	23.44	-6.25	17.19	52.36	3000	PASS
n71	15	20	137600	1@104	DFT_QPSK	23.25	-6.25	17	50.12	3000	PASS
n71	15	20	137600	100@0	DFT_16QAM	21.53	-6.25	15.28	33.73	3000	PASS
n71	15	20	137600	50@25	DFT_16QAM	22.52	-6.25	16.27	42.36	3000	PASS
n71	15	20	137600	1@1	DFT_16QAM	22.55	-6.25	16.3	42.66	3000	PASS
n71	15	20	137600	1@104	DFT_16QAM	22.36	-6.25	16.11	40.83	3000	PASS
n71	15	20	137600	100@0	DFT_64QAM	21.02	-6.25	14.77	29.99	3000	PASS
n71	15	20	137600	50@25	DFT_64QAM	21.02	-6.25	14.77	29.99	3000	PASS
n71	15	20	137600	1@1	DFT_64QAM	21.12	-6.25	14.87	30.69	3000	PASS
n71	15	20	137600	1@104	DFT_64QAM	20.95	-6.25	14.7	29.51	3000	PASS
n71	15	20	137600	100@0	DFT_256QAM	19.02	-6.25	12.77	18.92	3000	PASS
n71	15	20	137600	50@25	DFT_256QAM	19.02	-6.25	12.77	18.92	3000	PASS
n71	15	20	137600	1@1	DFT_256QAM	19	-6.25	12.75	18.84	3000	PASS
n71	15	20	137600	1@104	DFT_256QAM	18.69	-6.25	12.44	17.54	3000	PASS
n71	15	20	137600	106@0	CP_QPSK	20.57	-6.25	14.32	27.04	3000	PASS
n71	15	20	137600	53@26	CP_QPSK	22.08	-6.25	15.83	38.28	3000	PASS
n71	15	20	137600	1@1	CP_QPSK	21.96	-6.25	15.71	37.24	3000	PASS
n71	15	20	137600	1@104	CP_QPSK	21.75	-6.25	15.5	35.48	3000	PASS
n71	15	20	137600	106@0	CP_16QAM	20.57	-6.25	14.32	27.04	3000	PASS

n71	15	20	137600	53@26	CP_16QAM	21.56	-6.25	15.31	33.96	3000	PASS
n71	15	20	137600	1@1	CP_16QAM	21.77	-6.25	15.52	35.65	3000	PASS
n71	15	20	137600	1@104	CP_16QAM	21.61	-6.25	15.36	34.36	3000	PASS
n71	15	20	137600	106@0	CP_64QAM	20.06	-6.25	13.81	24.04	3000	PASS
n71	15	20	137600	53@26	CP_64QAM	20.12	-6.25	13.87	24.38	3000	PASS
n71	15	20	137600	1@1	CP_64QAM	20.11	-6.25	13.86	24.32	3000	PASS
n71	15	20	137600	1@104	CP_64QAM	19.84	-6.25	13.59	22.86	3000	PASS
n71	15	20	137600	106@0	CP_256QAM	17.04	-6.25	10.79	11.99	3000	PASS
n71	15	20	137600	53@26	CP_256QAM	17.01	-6.25	10.76	11.91	3000	PASS
n71	15	20	137600	1@1	CP_256QAM	17.32	-6.25	11.07	12.79	3000	PASS
n71	15	20	137600	1@104	CP_256QAM	16.97	-6.25	10.72	11.8	3000	PASS

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	ERP (dBm)	ERP (mW)	ERP Limit (mW)	Verdict
DC_66A_n71A	15	5	133100	25@0	DFT_BPSK	23.75	-6.25	17.5	56.23	3000	PASS
DC_66A_n71A	15	5	133100	12@6	DFT_BPSK	24.35	-6.25	18.1	64.57	3000	PASS
DC_66A_n71A	15	5	133100	1@1	DFT_BPSK	24.22	-6.25	17.97	62.66	3000	PASS
DC_66A_n71A	15	5	133100	1@23	DFT_BPSK	24.04	-6.25	17.79	60.12	3000	PASS
DC_66A_n71A	15	5	133100	25@0	DFT_QPSK	23.29	-6.25	17.04	50.58	3000	PASS
DC_66A_n71A	15	5	133100	12@6	DFT_QPSK	24.34	-6.25	18.09	64.42	3000	PASS
DC_66A_n71A	15	5	133100	1@1	DFT_QPSK	24.23	-6.25	17.98	62.81	3000	PASS
DC_66A_n71A	15	5	133100	1@23	DFT_QPSK	24.05	-6.25	17.8	60.26	3000	PASS
DC_66A_n71A	15	5	133100	25@0	DFT_16QAM	22.24	-6.25	15.99	39.72	3000	PASS
DC_66A_n71A	15	5	133100	12@6	DFT_16QAM	23.27	-6.25	17.02	50.35	3000	PASS
DC_66A_n71A	15	5	133100	1@1	DFT_16QAM	23.26	-6.25	17.01	50.23	3000	PASS
DC_66A_n71A	15	5	133100	1@23	DFT_16QAM	23.12	-6.25	16.87	48.64	3000	PASS
DC_66A_n71A	15	5	133100	25@0	DFT_64QAM	21.75	-6.25	15.5	35.48	3000	PASS
DC_66A_n71A	15	5	133100	12@6	DFT_64QAM	21.86	-6.25	15.61	36.39	3000	PASS
DC_66A_n71A	15	5	133100	1@1	DFT_64QAM	21.86	-6.25	15.61	36.39	3000	PASS
DC_66A_n71A	15	5	133100	1@23	DFT_64QAM	21.68	-6.25	15.43	34.91	3000	PASS
DC_66A_n71A	15	5	133100	25@0	DFT_256QAM	19.23	-6.25	12.98	19.86	3000	PASS
DC_66A_n71A	15	5	133100	12@6	DFT_256QAM	19.22	-6.25	12.97	19.82	3000	PASS
DC_66A_n71A	15	5	133100	1@1	DFT_256QAM	19.68	-6.25	13.43	22.03	3000	PASS
DC_66A_n71A	15	5	133100	1@23	DFT_256QAM	19.53	-6.25	13.28	21.28	3000	PASS
DC_66A_n71A	15	5	133100	25@0	CP_QPSK	21.69	-6.25	15.44	34.99	3000	PASS
DC_66A_n71A	15	5	133100	13@6	CP_QPSK	22.74	-6.25	16.49	44.57	3000	PASS
DC_66A_n71A	15	5	133100	1@1	CP_QPSK	22.64	-6.25	16.39	43.55	3000	PASS
DC_66A_n71A	15	5	133100	1@23	CP_QPSK	22.51	-6.25	16.26	42.27	3000	PASS
DC_66A_n71A	15	5	133100	25@0	CP_16QAM	21.41	-6.25	15.16	32.81	3000	PASS
DC_66A_n71A	15	5	133100	13@6	CP_16QAM	22.39	-6.25	16.14	41.11	3000	PASS
DC_66A_n71A	15	5	133100	1@1	CP_16QAM	22.54	-6.25	16.29	42.56	3000	PASS
DC_66A_n71A	15	5	133100	1@23	CP_16QAM	22.42	-6.25	16.17	41.4	3000	PASS

DC_66A_n71A	15	5	133100	25@0	CP_64QAM	20.9	-6.25	14.65	29.17	3000	PASS
DC_66A_n71A	15	5	133100	13@6	CP_64QAM	20.86	-6.25	14.61	28.91	3000	PASS
DC_66A_n71A	15	5	133100	1@1	CP_64QAM	20.79	-6.25	14.54	28.44	3000	PASS
DC_66A_n71A	15	5	133100	1@23	CP_64QAM	20.69	-6.25	14.44	27.8	3000	PASS
DC_66A_n71A	15	5	133100	25@0	CP_256QAM	17.81	-6.25	11.56	14.32	3000	PASS
DC_66A_n71A	15	5	133100	13@6	CP_256QAM	17.86	-6.25	11.61	14.49	3000	PASS
DC_66A_n71A	15	5	133100	1@1	CP_256QAM	18	-6.25	11.75	14.96	3000	PASS
DC_66A_n71A	15	5	133100	1@23	CP_256QAM	17.82	-6.25	11.57	14.35	3000	PASS
DC_66A_n71A	15	5	136100	25@0	DFT_BPSK	22.36	-6.25	16.11	40.83	3000	PASS
DC_66A_n71A	15	5	136100	12@6	DFT_BPSK	23.55	-6.25	17.3	53.7	3000	PASS
DC_66A_n71A	15	5	136100	1@1	DFT_BPSK	23.44	-6.25	17.19	52.36	3000	PASS
DC_66A_n71A	15	5	136100	1@23	DFT_BPSK	23.45	-6.25	17.2	52.48	3000	PASS
DC_66A_n71A	15	5	136100	25@0	DFT_QPSK	22.58	-6.25	16.33	42.95	3000	PASS
DC_66A_n71A	15	5	136100	12@6	DFT_QPSK	23.53	-6.25	17.28	53.46	3000	PASS
DC_66A_n71A	15	5	136100	1@1	DFT_QPSK	23.45	-6.25	17.2	52.48	3000	PASS
DC_66A_n71A	15	5	136100	1@23	DFT_QPSK	23.45	-6.25	17.2	52.48	3000	PASS
DC_66A_n71A	15	5	136100	25@0	DFT_16QAM	21.53	-6.25	15.28	33.73	3000	PASS
DC_66A_n71A	15	5	136100	12@6	DFT_16QAM	22.48	-6.25	16.23	41.98	3000	PASS
DC_66A_n71A	15	5	136100	1@1	DFT_16QAM	22.54	-6.25	16.29	42.56	3000	PASS
DC_66A_n71A	15	5	136100	1@23	DFT_16QAM	22.52	-6.25	16.27	42.36	3000	PASS
DC_66A_n71A	15	5	136100	25@0	DFT_64QAM	21.07	-6.25	14.82	30.34	3000	PASS
DC_66A_n71A	15	5	136100	12@6	DFT_64QAM	21.05	-6.25	14.8	30.2	3000	PASS
DC_66A_n71A	15	5	136100	1@1	DFT_64QAM	21.06	-6.25	14.81	30.27	3000	PASS
DC_66A_n71A	15	5	136100	1@23	DFT_64QAM	21.11	-6.25	14.86	30.62	3000	PASS
DC_66A_n71A	15	5	136100	25@0	DFT_256QAM	19.23	-6.25	12.98	19.86	3000	PASS
DC_66A_n71A	15	5	136100	12@6	DFT_256QAM	19.52	-6.25	13.27	21.23	3000	PASS
DC_66A_n71A	15	5	136100	1@1	DFT_256QAM	19.11	-6.25	12.86	19.32	3000	PASS
DC_66A_n71A	15	5	136100	1@23	DFT_256QAM	19.25	-6.25	13	19.95	3000	PASS
DC_66A_n71A	15	5	136100	25@0	CP_QPSK	20.62	-6.25	14.37	27.35	3000	PASS
DC_66A_n71A	15	5	136100	13@6	CP_QPSK	21.42	-6.25	15.17	32.89	3000	PASS
DC_66A_n71A	15	5	136100	1@1	CP_QPSK	21.82	-6.25	15.57	36.06	3000	PASS
DC_66A_n71A	15	5	136100	1@23	CP_QPSK	21.54	-6.25	15.29	33.81	3000	PASS
DC_66A_n71A	15	5	136100	25@0	CP_16QAM	20.36	-6.25	14.11	25.76	3000	PASS
DC_66A_n71A	15	5	136100	13@6	CP_16QAM	21.64	-6.25	15.39	34.59	3000	PASS
DC_66A_n71A	15	5	136100	1@1	CP_16QAM	21.75	-6.25	15.5	35.48	3000	PASS
DC_66A_n71A	15	5	136100	1@23	CP_16QAM	21.83	-6.25	15.58	36.14	3000	PASS
DC_66A_n71A	15	5	136100	25@0	CP_64QAM	20.2	-6.25	13.95	24.83	3000	PASS
DC_66A_n71A	15	5	136100	13@6	CP_64QAM	20.13	-6.25	13.88	24.43	3000	PASS
DC_66A_n71A	15	5	136100	1@1	CP_64QAM	20.12	-6.25	13.87	24.38	3000	PASS
DC_66A_n71A	15	5	136100	1@23	CP_64QAM	20.08	-6.25	13.83	24.15	3000	PASS
DC_66A_n71A	15	5	136100	25@0	CP_256QAM	17.12	-6.25	10.87	12.22	3000	PASS
DC_66A_n71A	15	5	136100	13@6	CP_256QAM	17.11	-6.25	10.86	12.19	3000	PASS
DC_66A_n71A	15	5	136100	1@1	CP_256QAM	17.3	-6.25	11.05	12.74	3000	PASS

DC_66A_n71A	15	5	136100	1@23	CP_256QAM	17.21	-6.25	10.96	12.47	3000	PASS
DC_66A_n71A	15	5	139100	25@0	DFT_BPSK	22.15	-6.25	15.9	38.9	3000	PASS
DC_66A_n71A	15	5	139100	12@6	DFT_BPSK	23.98	-6.25	17.73	59.29	3000	PASS
DC_66A_n71A	15	5	139100	1@1	DFT_BPSK	23.83	-6.25	17.58	57.28	3000	PASS
DC_66A_n71A	15	5	139100	1@23	DFT_BPSK	23.88	-6.25	17.63	57.94	3000	PASS
DC_66A_n71A	15	5	139100	25@0	DFT_QPSK	22.98	-6.25	16.73	47.1	3000	PASS
DC_66A_n71A	15	5	139100	12@6	DFT_QPSK	23.99	-6.25	17.74	59.43	3000	PASS
DC_66A_n71A	15	5	139100	1@1	DFT_QPSK	23.81	-6.25	17.56	57.02	3000	PASS
DC_66A_n71A	15	5	139100	1@23	DFT_QPSK	23.87	-6.25	17.62	57.81	3000	PASS
DC_66A_n71A	15	5	139100	25@0	DFT_16QAM	21.92	-6.25	15.67	36.9	3000	PASS
DC_66A_n71A	15	5	139100	12@6	DFT_16QAM	22.93	-6.25	16.68	46.56	3000	PASS
DC_66A_n71A	15	5	139100	1@1	DFT_16QAM	22.9	-6.25	16.65	46.24	3000	PASS
DC_66A_n71A	15	5	139100	1@23	DFT_16QAM	22.93	-6.25	16.68	46.56	3000	PASS
DC_66A_n71A	15	5	139100	25@0	DFT_64QAM	21.46	-6.25	15.21	33.19	3000	PASS
DC_66A_n71A	15	5	139100	12@6	DFT_64QAM	21.47	-6.25	15.22	33.27	3000	PASS
DC_66A_n71A	15	5	139100	1@1	DFT_64QAM	21.49	-6.25	15.24	33.42	3000	PASS
DC_66A_n71A	15	5	139100	1@23	DFT_64QAM	21.49	-6.25	15.24	33.42	3000	PASS
DC_66A_n71A	15	5	139100	25@0	DFT_256QAM	19.32	-6.25	13.07	20.28	3000	PASS
DC_66A_n71A	15	5	139100	12@6	DFT_256QAM	19.42	-6.25	13.17	20.75	3000	PASS
DC_66A_n71A	15	5	139100	1@1	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	5	139100	1@23	DFT_256QAM	19.22	-6.25	12.97	19.82	3000	PASS
DC_66A_n71A	15	5	139100	25@0	CP_QPSK	21.03	-6.25	14.78	30.06	3000	PASS
DC_66A_n71A	15	5	139100	13@6	CP_QPSK	22.41	-6.25	16.16	41.3	3000	PASS
DC_66A_n71A	15	5	139100	1@1	CP_QPSK	22.33	-6.25	16.08	40.55	3000	PASS
DC_66A_n71A	15	5	139100	1@23	CP_QPSK	22.34	-6.25	16.09	40.64	3000	PASS
DC_66A_n71A	15	5	139100	25@0	CP_16QAM	21.1	-6.25	14.85	30.55	3000	PASS
DC_66A_n71A	15	5	139100	13@6	CP_16QAM	22.04	-6.25	15.79	37.93	3000	PASS
DC_66A_n71A	15	5	139100	1@1	CP_16QAM	22.16	-6.25	15.91	38.99	3000	PASS
DC_66A_n71A	15	5	139100	1@23	CP_16QAM	22.16	-6.25	15.91	38.99	3000	PASS
DC_66A_n71A	15	5	139100	25@0	CP_64QAM	20.58	-6.25	14.33	27.1	3000	PASS
DC_66A_n71A	15	5	139100	13@6	CP_64QAM	20.5	-6.25	14.25	26.61	3000	PASS
DC_66A_n71A	15	5	139100	1@1	CP_64QAM	20.37	-6.25	14.12	25.82	3000	PASS
DC_66A_n71A	15	5	139100	1@23	CP_64QAM	20.48	-6.25	14.23	26.49	3000	PASS
DC_66A_n71A	15	5	139100	25@0	CP_256QAM	17.49	-6.25	11.24	13.3	3000	PASS
DC_66A_n71A	15	5	139100	13@6	CP_256QAM	17.49	-6.25	11.24	13.3	3000	PASS
DC_66A_n71A	15	5	139100	1@1	CP_256QAM	17.52	-6.25	11.27	13.4	3000	PASS
DC_66A_n71A	15	5	139100	1@23	CP_256QAM	17.59	-6.25	11.34	13.61	3000	PASS
DC_66A_n71A	15	10	133600	50@0	DFT_BPSK	22.86	-6.25	16.61	45.81	3000	PASS
DC_66A_n71A	15	10	133600	25@12	DFT_BPSK	24.14	-6.25	17.89	61.52	3000	PASS
DC_66A_n71A	15	10	133600	1@1	DFT_BPSK	24.21	-6.25	17.96	62.52	3000	PASS
DC_66A_n71A	15	10	133600	1@50	DFT_BPSK	23.71	-6.25	17.46	55.72	3000	PASS
DC_66A_n71A	15	10	133600	50@0	DFT_QPSK	23.17	-6.25	16.92	49.2	3000	PASS
DC_66A_n71A	15	10	133600	25@12	DFT_QPSK	24.2	-6.25	17.95	62.37	3000	PASS

DC_66A_n71A	15	10	133600	1@1	DFT_QPSK	24.23	-6.25	17.98	62.81	3000	PASS
DC_66A_n71A	15	10	133600	1@50	DFT_QPSK	23.74	-6.25	17.49	56.1	3000	PASS
DC_66A_n71A	15	10	133600	50@0	DFT_16QAM	22.14	-6.25	15.89	38.82	3000	PASS
DC_66A_n71A	15	10	133600	25@12	DFT_16QAM	23.18	-6.25	16.93	49.32	3000	PASS
DC_66A_n71A	15	10	133600	1@1	DFT_16QAM	23.38	-6.25	17.13	51.64	3000	PASS
DC_66A_n71A	15	10	133600	1@50	DFT_16QAM	22.8	-6.25	16.55	45.19	3000	PASS
DC_66A_n71A	15	10	133600	50@0	DFT_64QAM	21.66	-6.25	15.41	34.75	3000	PASS
DC_66A_n71A	15	10	133600	25@12	DFT_64QAM	21.71	-6.25	15.46	35.16	3000	PASS
DC_66A_n71A	15	10	133600	1@1	DFT_64QAM	21.96	-6.25	15.71	37.24	3000	PASS
DC_66A_n71A	15	10	133600	1@50	DFT_64QAM	21.4	-6.25	15.15	32.73	3000	PASS
DC_66A_n71A	15	10	133600	50@0	DFT_256QAM	19.64	-6.25	13.39	21.83	3000	PASS
DC_66A_n71A	15	10	133600	25@12	DFT_256QAM	19.71	-6.25	13.46	22.18	3000	PASS
DC_66A_n71A	15	10	133600	1@1	DFT_256QAM	19.69	-6.25	13.44	22.08	3000	PASS
DC_66A_n71A	15	10	133600	1@50	DFT_256QAM	19.2	-6.25	12.95	19.72	3000	PASS
DC_66A_n71A	15	10	133600	52@0	CP_QPSK	21.44	-6.25	15.19	33.04	3000	PASS
DC_66A_n71A	15	10	133600	26@13	CP_QPSK	22.66	-6.25	16.41	43.75	3000	PASS
DC_66A_n71A	15	10	133600	1@1	CP_QPSK	22.74	-6.25	16.49	44.57	3000	PASS
DC_66A_n71A	15	10	133600	1@50	CP_QPSK	22.21	-6.25	15.96	39.45	3000	PASS
DC_66A_n71A	15	10	133600	52@0	CP_16QAM	21.23	-6.25	14.98	31.48	3000	PASS
DC_66A_n71A	15	10	133600	26@13	CP_16QAM	22.14	-6.25	15.89	38.82	3000	PASS
DC_66A_n71A	15	10	133600	1@1	CP_16QAM	22.55	-6.25	16.3	42.66	3000	PASS
DC_66A_n71A	15	10	133600	1@50	CP_16QAM	22.07	-6.25	15.82	38.19	3000	PASS
DC_66A_n71A	15	10	133600	52@0	CP_64QAM	20.76	-6.25	14.51	28.25	3000	PASS
DC_66A_n71A	15	10	133600	26@13	CP_64QAM	20.79	-6.25	14.54	28.44	3000	PASS
DC_66A_n71A	15	10	133600	1@1	CP_64QAM	20.87	-6.25	14.62	28.97	3000	PASS
DC_66A_n71A	15	10	133600	1@50	CP_64QAM	20.37	-6.25	14.12	25.82	3000	PASS
DC_66A_n71A	15	10	133600	52@0	CP_256QAM	17.66	-6.25	11.41	13.84	3000	PASS
DC_66A_n71A	15	10	133600	26@13	CP_256QAM	17.71	-6.25	11.46	14	3000	PASS
DC_66A_n71A	15	10	133600	1@1	CP_256QAM	18.04	-6.25	11.79	15.1	3000	PASS
DC_66A_n71A	15	10	133600	1@50	CP_256QAM	17.46	-6.25	11.21	13.21	3000	PASS
DC_66A_n71A	15	10	136100	50@0	DFT_BPSK	22.44	-6.25	16.19	41.59	3000	PASS
DC_66A_n71A	15	10	136100	25@12	DFT_BPSK	23.62	-6.25	17.37	54.58	3000	PASS
DC_66A_n71A	15	10	136100	1@1	DFT_BPSK	23.65	-6.25	17.4	54.95	3000	PASS
DC_66A_n71A	15	10	136100	1@50	DFT_BPSK	23.6	-6.25	17.35	54.33	3000	PASS
DC_66A_n71A	15	10	136100	50@0	DFT_QPSK	22.6	-6.25	16.35	43.15	3000	PASS
DC_66A_n71A	15	10	136100	25@12	DFT_QPSK	23.64	-6.25	17.39	54.83	3000	PASS
DC_66A_n71A	15	10	136100	1@1	DFT_QPSK	23.67	-6.25	17.42	55.21	3000	PASS
DC_66A_n71A	15	10	136100	1@50	DFT_QPSK	23.59	-6.25	17.34	54.2	3000	PASS
DC_66A_n71A	15	10	136100	50@0	DFT_16QAM	21.6	-6.25	15.35	34.28	3000	PASS
DC_66A_n71A	15	10	136100	25@12	DFT_16QAM	22.59	-6.25	16.34	43.05	3000	PASS
DC_66A_n71A	15	10	136100	1@1	DFT_16QAM	22.8	-6.25	16.55	45.19	3000	PASS
DC_66A_n71A	15	10	136100	1@50	DFT_16QAM	22.67	-6.25	16.42	43.85	3000	PASS
DC_66A_n71A	15	10	136100	50@0	DFT_64QAM	21.15	-6.25	14.9	30.9	3000	PASS

DC_66A_n71A	15	10	136100	25@12	DFT_64QAM	21.14	-6.25	14.89	30.83	3000	PASS
DC_66A_n71A	15	10	136100	1@1	DFT_64QAM	21.33	-6.25	15.08	32.21	3000	PASS
DC_66A_n71A	15	10	136100	1@50	DFT_64QAM	21.27	-6.25	15.02	31.77	3000	PASS
DC_66A_n71A	15	10	136100	50@0	DFT_256QAM	19.23	-6.25	12.98	19.86	3000	PASS
DC_66A_n71A	15	10	136100	25@12	DFT_256QAM	19.42	-6.25	13.17	20.75	3000	PASS
DC_66A_n71A	15	10	136100	1@1	DFT_256QAM	19.25	-6.25	13	19.95	3000	PASS
DC_66A_n71A	15	10	136100	1@50	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	10	136100	52@0	CP_QPSK	20.35	-6.25	14.1	25.7	3000	PASS
DC_66A_n71A	15	10	136100	26@13	CP_QPSK	21.45	-6.25	15.2	33.11	3000	PASS
DC_66A_n71A	15	10	136100	1@1	CP_QPSK	21.75	-6.25	15.5	35.48	3000	PASS
DC_66A_n71A	15	10	136100	1@50	CP_QPSK	21.36	-6.25	15.11	32.43	3000	PASS
DC_66A_n71A	15	10	136100	52@0	CP_16QAM	20.7	-6.25	14.45	27.86	3000	PASS
DC_66A_n71A	15	10	136100	26@13	CP_16QAM	21.58	-6.25	15.33	34.12	3000	PASS
DC_66A_n71A	15	10	136100	1@1	CP_16QAM	21.93	-6.25	15.68	36.98	3000	PASS
DC_66A_n71A	15	10	136100	1@50	CP_16QAM	21.88	-6.25	15.63	36.56	3000	PASS
DC_66A_n71A	15	10	136100	52@0	CP_64QAM	20.23	-6.25	13.98	25	3000	PASS
DC_66A_n71A	15	10	136100	26@13	CP_64QAM	20.27	-6.25	14.02	25.23	3000	PASS
DC_66A_n71A	15	10	136100	1@1	CP_64QAM	20.23	-6.25	13.98	25	3000	PASS
DC_66A_n71A	15	10	136100	1@50	CP_64QAM	20.2	-6.25	13.95	24.83	3000	PASS
DC_66A_n71A	15	10	136100	52@0	CP_256QAM	17.15	-6.25	10.9	12.3	3000	PASS
DC_66A_n71A	15	10	136100	26@13	CP_256QAM	17.18	-6.25	10.93	12.39	3000	PASS
DC_66A_n71A	15	10	136100	1@1	CP_256QAM	17.4	-6.25	11.15	13.03	3000	PASS
DC_66A_n71A	15	10	136100	1@50	CP_256QAM	17.32	-6.25	11.07	12.79	3000	PASS
DC_66A_n71A	15	10	138600	50@0	DFT_BPSK	22.48	-6.25	16.23	41.98	3000	PASS
DC_66A_n71A	15	10	138600	25@12	DFT_BPSK	23.92	-6.25	17.67	58.48	3000	PASS
DC_66A_n71A	15	10	138600	1@1	DFT_BPSK	23.74	-6.25	17.49	56.1	3000	PASS
DC_66A_n71A	15	10	138600	1@50	DFT_BPSK	23.91	-6.25	17.66	58.34	3000	PASS
DC_66A_n71A	15	10	138600	50@0	DFT_QPSK	22.94	-6.25	16.69	46.67	3000	PASS
DC_66A_n71A	15	10	138600	25@12	DFT_QPSK	23.94	-6.25	17.69	58.75	3000	PASS
DC_66A_n71A	15	10	138600	1@1	DFT_QPSK	23.73	-6.25	17.48	55.98	3000	PASS
DC_66A_n71A	15	10	138600	1@50	DFT_QPSK	23.88	-6.25	17.63	57.94	3000	PASS
DC_66A_n71A	15	10	138600	50@0	DFT_16QAM	21.88	-6.25	15.63	36.56	3000	PASS
DC_66A_n71A	15	10	138600	25@12	DFT_16QAM	22.94	-6.25	16.69	46.67	3000	PASS
DC_66A_n71A	15	10	138600	1@1	DFT_16QAM	22.81	-6.25	16.56	45.29	3000	PASS
DC_66A_n71A	15	10	138600	1@50	DFT_16QAM	22.99	-6.25	16.74	47.21	3000	PASS
DC_66A_n71A	15	10	138600	50@0	DFT_64QAM	21.39	-6.25	15.14	32.66	3000	PASS
DC_66A_n71A	15	10	138600	25@12	DFT_64QAM	21.47	-6.25	15.22	33.27	3000	PASS
DC_66A_n71A	15	10	138600	1@1	DFT_64QAM	21.42	-6.25	15.17	32.89	3000	PASS
DC_66A_n71A	15	10	138600	1@50	DFT_64QAM	21.59	-6.25	15.34	34.2	3000	PASS
DC_66A_n71A	15	10	138600	50@0	DFT_256QAM	19.32	-6.25	13.07	20.28	3000	PASS
DC_66A_n71A	15	10	138600	25@12	DFT_256QAM	19.42	-6.25	13.17	20.75	3000	PASS
DC_66A_n71A	15	10	138600	1@1	DFT_256QAM	19.65	-6.25	13.4	21.88	3000	PASS
DC_66A_n71A	15	10	138600	1@50	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS

DC_66A_n71A	15	10	138600	52@0	CP_QPSK	21.72	-6.25	15.47	35.24	3000	PASS
DC_66A_n71A	15	10	138600	26@13	CP_QPSK	22.48	-6.25	16.23	41.98	3000	PASS
DC_66A_n71A	15	10	138600	1@1	CP_QPSK	22.26	-6.25	16.01	39.9	3000	PASS
DC_66A_n71A	15	10	138600	1@50	CP_QPSK	22.38	-6.25	16.13	41.02	3000	PASS
DC_66A_n71A	15	10	138600	52@0	CP_16QAM	20.97	-6.25	14.72	29.65	3000	PASS
DC_66A_n71A	15	10	138600	26@13	CP_16QAM	21.92	-6.25	15.67	36.9	3000	PASS
DC_66A_n71A	15	10	138600	1@1	CP_16QAM	22.06	-6.25	15.81	38.11	3000	PASS
DC_66A_n71A	15	10	138600	1@50	CP_16QAM	22.23	-6.25	15.98	39.63	3000	PASS
DC_66A_n71A	15	10	138600	52@0	CP_64QAM	20.48	-6.25	14.23	26.49	3000	PASS
DC_66A_n71A	15	10	138600	26@13	CP_64QAM	20.52	-6.25	14.27	26.73	3000	PASS
DC_66A_n71A	15	10	138600	1@1	CP_64QAM	20.37	-6.25	14.12	25.82	3000	PASS
DC_66A_n71A	15	10	138600	1@50	CP_64QAM	20.47	-6.25	14.22	26.42	3000	PASS
DC_66A_n71A	15	10	138600	52@0	CP_256QAM	17.42	-6.25	11.17	13.09	3000	PASS
DC_66A_n71A	15	10	138600	26@13	CP_256QAM	17.48	-6.25	11.23	13.27	3000	PASS
DC_66A_n71A	15	10	138600	1@1	CP_256QAM	17.51	-6.25	11.26	13.37	3000	PASS
DC_66A_n71A	15	10	138600	1@50	CP_256QAM	17.62	-6.25	11.37	13.71	3000	PASS
DC_66A_n71A	15	15	134100	75@0	DFT_BPSK	23.41	-6.25	17.16	52	3000	PASS
DC_66A_n71A	15	15	134100	36@18	DFT_BPSK	24.03	-6.25	17.78	59.98	3000	PASS
DC_66A_n71A	15	15	134100	1@1	DFT_BPSK	24.32	-6.25	18.07	64.12	3000	PASS
DC_66A_n71A	15	15	134100	1@77	DFT_BPSK	23.5	-6.25	17.25	53.09	3000	PASS
DC_66A_n71A	15	15	134100	75@0	DFT_QPSK	23	-6.25	16.75	47.32	3000	PASS
DC_66A_n71A	15	15	134100	36@18	DFT_QPSK	24.04	-6.25	17.79	60.12	3000	PASS
DC_66A_n71A	15	15	134100	1@1	DFT_QPSK	24.29	-6.25	18.04	63.68	3000	PASS
DC_66A_n71A	15	15	134100	1@77	DFT_QPSK	23.46	-6.25	17.21	52.6	3000	PASS
DC_66A_n71A	15	15	134100	75@0	DFT_16QAM	22	-6.25	15.75	37.58	3000	PASS
DC_66A_n71A	15	15	134100	36@18	DFT_16QAM	23.09	-6.25	16.84	48.31	3000	PASS
DC_66A_n71A	15	15	134100	1@1	DFT_16QAM	23.38	-6.25	17.13	51.64	3000	PASS
DC_66A_n71A	15	15	134100	1@77	DFT_16QAM	22.53	-6.25	16.28	42.46	3000	PASS
DC_66A_n71A	15	15	134100	75@0	DFT_64QAM	21.53	-6.25	15.28	33.73	3000	PASS
DC_66A_n71A	15	15	134100	36@18	DFT_64QAM	21.55	-6.25	15.3	33.88	3000	PASS
DC_66A_n71A	15	15	134100	1@1	DFT_64QAM	21.99	-6.25	15.74	37.5	3000	PASS
DC_66A_n71A	15	15	134100	1@77	DFT_64QAM	21.14	-6.25	14.89	30.83	3000	PASS
DC_66A_n71A	15	15	134100	75@0	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	15	134100	36@18	DFT_256QAM	19.42	-6.25	13.17	20.75	3000	PASS
DC_66A_n71A	15	15	134100	1@1	DFT_256QAM	19.51	-6.25	13.26	21.18	3000	PASS
DC_66A_n71A	15	15	134100	1@77	DFT_256QAM	19.43	-6.25	13.18	20.8	3000	PASS
DC_66A_n71A	15	15	134100	79@0	CP_QPSK	21.13	-6.25	14.88	30.76	3000	PASS
DC_66A_n71A	15	15	134100	39@19	CP_QPSK	22.5	-6.25	16.25	42.17	3000	PASS
DC_66A_n71A	15	15	134100	1@1	CP_QPSK	22.74	-6.25	16.49	44.57	3000	PASS
DC_66A_n71A	15	15	134100	1@77	CP_QPSK	21.92	-6.25	15.67	36.9	3000	PASS
DC_66A_n71A	15	15	134100	79@0	CP_16QAM	21.13	-6.25	14.88	30.76	3000	PASS
DC_66A_n71A	15	15	134100	39@19	CP_16QAM	22.09	-6.25	15.84	38.37	3000	PASS
DC_66A_n71A	15	15	134100	1@1	CP_16QAM	22.64	-6.25	16.39	43.55	3000	PASS

DC_66A_n71A	15	15	134100	1@77	CP_16QAM	21.85	-6.25	15.6	36.31	3000	PASS
DC_66A_n71A	15	15	134100	79@0	CP_64QAM	20.64	-6.25	14.39	27.48	3000	PASS
DC_66A_n71A	15	15	134100	39@19	CP_64QAM	20.62	-6.25	14.37	27.35	3000	PASS
DC_66A_n71A	15	15	134100	1@1	CP_64QAM	20.89	-6.25	14.64	29.11	3000	PASS
DC_66A_n71A	15	15	134100	1@77	CP_64QAM	20.1	-6.25	13.85	24.27	3000	PASS
DC_66A_n71A	15	15	134100	79@0	CP_256QAM	17.54	-6.25	11.29	13.46	3000	PASS
DC_66A_n71A	15	15	134100	39@19	CP_256QAM	17.55	-6.25	11.3	13.49	3000	PASS
DC_66A_n71A	15	15	134100	1@1	CP_256QAM	18.02	-6.25	11.77	15.03	3000	PASS
DC_66A_n71A	15	15	134100	1@77	CP_256QAM	17.25	-6.25	11	12.59	3000	PASS
DC_66A_n71A	15	15	136100	75@0	DFT_BPSK	22.39	-6.25	16.14	41.11	3000	PASS
DC_66A_n71A	15	15	136100	36@18	DFT_BPSK	23.66	-6.25	17.41	55.08	3000	PASS
DC_66A_n71A	15	15	136100	1@1	DFT_BPSK	23.85	-6.25	17.6	57.54	3000	PASS
DC_66A_n71A	15	15	136100	1@77	DFT_BPSK	23.76	-6.25	17.51	56.36	3000	PASS
DC_66A_n71A	15	15	136100	75@0	DFT_QPSK	22.73	-6.25	16.48	44.46	3000	PASS
DC_66A_n71A	15	15	136100	36@18	DFT_QPSK	23.61	-6.25	17.36	54.45	3000	PASS
DC_66A_n71A	15	15	136100	1@1	DFT_QPSK	23.83	-6.25	17.58	57.28	3000	PASS
DC_66A_n71A	15	15	136100	1@77	DFT_QPSK	23.74	-6.25	17.49	56.1	3000	PASS
DC_66A_n71A	15	15	136100	75@0	DFT_16QAM	21.68	-6.25	15.43	34.91	3000	PASS
DC_66A_n71A	15	15	136100	36@18	DFT_16QAM	22.64	-6.25	16.39	43.55	3000	PASS
DC_66A_n71A	15	15	136100	1@1	DFT_16QAM	22.87	-6.25	16.62	45.92	3000	PASS
DC_66A_n71A	15	15	136100	1@77	DFT_16QAM	22.8	-6.25	16.55	45.19	3000	PASS
DC_66A_n71A	15	15	136100	75@0	DFT_64QAM	21.22	-6.25	14.97	31.41	3000	PASS
DC_66A_n71A	15	15	136100	36@18	DFT_64QAM	21.18	-6.25	14.93	31.12	3000	PASS
DC_66A_n71A	15	15	136100	1@1	DFT_64QAM	21.49	-6.25	15.24	33.42	3000	PASS
DC_66A_n71A	15	15	136100	1@77	DFT_64QAM	21.4	-6.25	15.15	32.73	3000	PASS
DC_66A_n71A	15	15	136100	75@0	DFT_256QAM	19.52	-6.25	13.27	21.23	3000	PASS
DC_66A_n71A	15	15	136100	36@18	DFT_256QAM	19.41	-6.25	13.16	20.7	3000	PASS
DC_66A_n71A	15	15	136100	1@1	DFT_256QAM	19.27	-6.25	13.02	20.04	3000	PASS
DC_66A_n71A	15	15	136100	1@77	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	15	136100	79@0	CP_QPSK	20.83	-6.25	14.58	28.71	3000	PASS
DC_66A_n71A	15	15	136100	39@19	CP_QPSK	22.15	-6.25	15.9	38.9	3000	PASS
DC_66A_n71A	15	15	136100	1@1	CP_QPSK	22.3	-6.25	16.05	40.27	3000	PASS
DC_66A_n71A	15	15	136100	1@77	CP_QPSK	22.22	-6.25	15.97	39.54	3000	PASS
DC_66A_n71A	15	15	136100	79@0	CP_16QAM	20.81	-6.25	14.56	28.58	3000	PASS
DC_66A_n71A	15	15	136100	39@19	CP_16QAM	21.7	-6.25	15.45	35.08	3000	PASS
DC_66A_n71A	15	15	136100	1@1	CP_16QAM	22.18	-6.25	15.93	39.17	3000	PASS
DC_66A_n71A	15	15	136100	1@77	CP_16QAM	22.11	-6.25	15.86	38.55	3000	PASS
DC_66A_n71A	15	15	136100	79@0	CP_64QAM	20.31	-6.25	14.06	25.47	3000	PASS
DC_66A_n71A	15	15	136100	39@19	CP_64QAM	20.25	-6.25	14	25.12	3000	PASS
DC_66A_n71A	15	15	136100	1@1	CP_64QAM	20.43	-6.25	14.18	26.18	3000	PASS
DC_66A_n71A	15	15	136100	1@77	CP_64QAM	20.35	-6.25	14.1	25.7	3000	PASS
DC_66A_n71A	15	15	136100	79@0	CP_256QAM	17.23	-6.25	10.98	12.53	3000	PASS
DC_66A_n71A	15	15	136100	39@19	CP_256QAM	17.2	-6.25	10.95	12.45	3000	PASS

DC_66A_n71A	15	15	136100	1@1	CP_256QAM	17.57	-6.25	11.32	13.55	3000	PASS
DC_66A_n71A	15	15	136100	1@77	CP_256QAM	17.47	-6.25	11.22	13.24	3000	PASS
DC_66A_n71A	15	15	138100	75@0	DFT_BPSK	22.67	-6.25	16.42	43.85	3000	PASS
DC_66A_n71A	15	15	138100	36@18	DFT_BPSK	23.86	-6.25	17.61	57.68	3000	PASS
DC_66A_n71A	15	15	138100	1@1	DFT_BPSK	23.58	-6.25	17.33	54.08	3000	PASS
DC_66A_n71A	15	15	138100	1@77	DFT_BPSK	23.95	-6.25	17.7	58.88	3000	PASS
DC_66A_n71A	15	15	138100	75@0	DFT_QPSK	22.87	-6.25	16.62	45.92	3000	PASS
DC_66A_n71A	15	15	138100	36@18	DFT_QPSK	23.9	-6.25	17.65	58.21	3000	PASS
DC_66A_n71A	15	15	138100	1@1	DFT_QPSK	23.57	-6.25	17.32	53.95	3000	PASS
DC_66A_n71A	15	15	138100	1@77	DFT_QPSK	23.93	-6.25	17.68	58.61	3000	PASS
DC_66A_n71A	15	15	138100	75@0	DFT_16QAM	21.86	-6.25	15.61	36.39	3000	PASS
DC_66A_n71A	15	15	138100	36@18	DFT_16QAM	22.9	-6.25	16.65	46.24	3000	PASS
DC_66A_n71A	15	15	138100	1@1	DFT_16QAM	22.61	-6.25	16.36	43.25	3000	PASS
DC_66A_n71A	15	15	138100	1@77	DFT_16QAM	23	-6.25	16.75	47.32	3000	PASS
DC_66A_n71A	15	15	138100	75@0	DFT_64QAM	21.41	-6.25	15.16	32.81	3000	PASS
DC_66A_n71A	15	15	138100	36@18	DFT_64QAM	21.38	-6.25	15.13	32.58	3000	PASS
DC_66A_n71A	15	15	138100	1@1	DFT_64QAM	21.27	-6.25	15.02	31.77	3000	PASS
DC_66A_n71A	15	15	138100	1@77	DFT_64QAM	21.63	-6.25	15.38	34.51	3000	PASS
DC_66A_n71A	15	15	138100	75@0	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	15	138100	36@18	DFT_256QAM	19.25	-6.25	13	19.95	3000	PASS
DC_66A_n71A	15	15	138100	1@1	DFT_256QAM	19.33	-6.25	13.08	20.32	3000	PASS
DC_66A_n71A	15	15	138100	1@77	DFT_256QAM	19.41	-6.25	13.16	20.7	3000	PASS
DC_66A_n71A	15	15	138100	79@0	CP_QPSK	20.93	-6.25	14.68	29.38	3000	PASS
DC_66A_n71A	15	15	138100	39@19	CP_QPSK	22.41	-6.25	16.16	41.3	3000	PASS
DC_66A_n71A	15	15	138100	1@1	CP_QPSK	22.03	-6.25	15.78	37.84	3000	PASS
DC_66A_n71A	15	15	138100	1@77	CP_QPSK	22.4	-6.25	16.15	41.21	3000	PASS
DC_66A_n71A	15	15	138100	79@0	CP_16QAM	20.95	-6.25	14.7	29.51	3000	PASS
DC_66A_n71A	15	15	138100	39@19	CP_16QAM	21.93	-6.25	15.68	36.98	3000	PASS
DC_66A_n71A	15	15	138100	1@1	CP_16QAM	21.93	-6.25	15.68	36.98	3000	PASS
DC_66A_n71A	15	15	138100	1@77	CP_16QAM	22.27	-6.25	16.02	39.99	3000	PASS
DC_66A_n71A	15	15	138100	79@0	CP_64QAM	20.46	-6.25	14.21	26.36	3000	PASS
DC_66A_n71A	15	15	138100	39@19	CP_64QAM	20.47	-6.25	14.22	26.42	3000	PASS
DC_66A_n71A	15	15	138100	1@1	CP_64QAM	20.19	-6.25	13.94	24.77	3000	PASS
DC_66A_n71A	15	15	138100	1@77	CP_64QAM	20.51	-6.25	14.26	26.67	3000	PASS
DC_66A_n71A	15	15	138100	79@0	CP_256QAM	17.36	-6.25	11.11	12.91	3000	PASS
DC_66A_n71A	15	15	138100	39@19	CP_256QAM	17.4	-6.25	11.15	13.03	3000	PASS
DC_66A_n71A	15	15	138100	1@1	CP_256QAM	17.31	-6.25	11.06	12.76	3000	PASS
DC_66A_n71A	15	15	138100	1@77	CP_256QAM	17.65	-6.25	11.4	13.8	3000	PASS
DC_66A_n71A	15	20	134600	100@0	DFT_BPSK	22.64	-6.25	16.39	43.55	3000	PASS
DC_66A_n71A	15	20	134600	50@25	DFT_BPSK	23.89	-6.25	17.64	58.08	3000	PASS
DC_66A_n71A	15	20	134600	1@1	DFT_BPSK	24.3	-6.25	18.05	63.83	3000	PASS
DC_66A_n71A	15	20	134600	1@104	DFT_BPSK	23.46	-6.25	17.21	52.6	3000	PASS
DC_66A_n71A	15	20	134600	100@0	DFT_QPSK	22.9	-6.25	16.65	46.24	3000	PASS

DC_66A_n71A	15	20	134600	50@25	DFT_QPSK	23.9	-6.25	17.65	58.21	3000	PASS
DC_66A_n71A	15	20	134600	1@1	DFT_QPSK	24.31	-6.25	18.06	63.97	3000	PASS
DC_66A_n71A	15	20	134600	1@104	DFT_QPSK	23.43	-6.25	17.18	52.24	3000	PASS
DC_66A_n71A	15	20	134600	100@0	DFT_16QAM	21.87	-6.25	15.62	36.48	3000	PASS
DC_66A_n71A	15	20	134600	50@25	DFT_16QAM	22.83	-6.25	16.58	45.5	3000	PASS
DC_66A_n71A	15	20	134600	1@1	DFT_16QAM	23.38	-6.25	17.13	51.64	3000	PASS
DC_66A_n71A	15	20	134600	1@104	DFT_16QAM	22.51	-6.25	16.26	42.27	3000	PASS
DC_66A_n71A	15	20	134600	100@0	DFT_64QAM	21.4	-6.25	15.15	32.73	3000	PASS
DC_66A_n71A	15	20	134600	50@25	DFT_64QAM	21.35	-6.25	15.1	32.36	3000	PASS
DC_66A_n71A	15	20	134600	1@1	DFT_64QAM	22.02	-6.25	15.77	37.76	3000	PASS
DC_66A_n71A	15	20	134600	1@104	DFT_64QAM	21.14	-6.25	14.89	30.83	3000	PASS
DC_66A_n71A	15	20	134600	100@0	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	20	134600	50@25	DFT_256QAM	19.38	-6.25	13.13	20.56	3000	PASS
DC_66A_n71A	15	20	134600	1@1	DFT_256QAM	19.77	-6.25	13.52	22.49	3000	PASS
DC_66A_n71A	15	20	134600	1@104	DFT_256QAM	18.91	-6.25	12.66	18.45	3000	PASS
DC_66A_n71A	15	20	134600	106@0	CP_QPSK	21.44	-6.25	15.19	33.04	3000	PASS
DC_66A_n71A	15	20	134600	53@26	CP_QPSK	22.35	-6.25	16.1	40.74	3000	PASS
DC_66A_n71A	15	20	134600	1@1	CP_QPSK	22.74	-6.25	16.49	44.57	3000	PASS
DC_66A_n71A	15	20	134600	1@104	CP_QPSK	21.89	-6.25	15.64	36.64	3000	PASS
DC_66A_n71A	15	20	134600	106@0	CP_16QAM	20.98	-6.25	14.73	29.72	3000	PASS
DC_66A_n71A	15	20	134600	53@26	CP_16QAM	21.84	-6.25	15.59	36.22	3000	PASS
DC_66A_n71A	15	20	134600	1@1	CP_16QAM	22.61	-6.25	16.36	43.25	3000	PASS
DC_66A_n71A	15	20	134600	1@104	CP_16QAM	21.76	-6.25	15.51	35.56	3000	PASS
DC_66A_n71A	15	20	134600	106@0	CP_64QAM	20.49	-6.25	14.24	26.55	3000	PASS
DC_66A_n71A	15	20	134600	53@26	CP_64QAM	20.43	-6.25	14.18	26.18	3000	PASS
DC_66A_n71A	15	20	134600	1@1	CP_64QAM	20.89	-6.25	14.64	29.11	3000	PASS
DC_66A_n71A	15	20	134600	1@104	CP_64QAM	20.03	-6.25	13.78	23.88	3000	PASS
DC_66A_n71A	15	20	134600	106@0	CP_256QAM	17.46	-6.25	11.21	13.21	3000	PASS
DC_66A_n71A	15	20	134600	53@26	CP_256QAM	17.36	-6.25	11.11	12.91	3000	PASS
DC_66A_n71A	15	20	134600	1@1	CP_256QAM	18.04	-6.25	11.79	15.1	3000	PASS
DC_66A_n71A	15	20	134600	1@104	CP_256QAM	17.16	-6.25	10.91	12.33	3000	PASS
DC_66A_n71A	15	20	136100	100@0	DFT_BPSK	22.41	-6.25	16.16	41.3	3000	PASS
DC_66A_n71A	15	20	136100	50@25	DFT_BPSK	23.7	-6.25	17.45	55.59	3000	PASS
DC_66A_n71A	15	20	136100	1@1	DFT_BPSK	24.03	-6.25	17.78	59.98	3000	PASS
DC_66A_n71A	15	20	136100	1@104	DFT_BPSK	23.87	-6.25	17.62	57.81	3000	PASS
DC_66A_n71A	15	20	136100	100@0	DFT_QPSK	22.75	-6.25	16.5	44.67	3000	PASS
DC_66A_n71A	15	20	136100	50@25	DFT_QPSK	23.66	-6.25	17.41	55.08	3000	PASS
DC_66A_n71A	15	20	136100	1@1	DFT_QPSK	24.02	-6.25	17.77	59.84	3000	PASS
DC_66A_n71A	15	20	136100	1@104	DFT_QPSK	23.84	-6.25	17.59	57.41	3000	PASS
DC_66A_n71A	15	20	136100	100@0	DFT_16QAM	21.71	-6.25	15.46	35.16	3000	PASS
DC_66A_n71A	15	20	136100	50@25	DFT_16QAM	22.68	-6.25	16.43	43.95	3000	PASS
DC_66A_n71A	15	20	136100	1@1	DFT_16QAM	23.08	-6.25	16.83	48.19	3000	PASS
DC_66A_n71A	15	20	136100	1@104	DFT_16QAM	22.93	-6.25	16.68	46.56	3000	PASS

DC_66A_n71A	15	20	136100	100@0	DFT_64QAM	21.25	-6.25	15	31.62	3000	PASS
DC_66A_n71A	15	20	136100	50@25	DFT_64QAM	21.18	-6.25	14.93	31.12	3000	PASS
DC_66A_n71A	15	20	136100	1@1	DFT_64QAM	21.72	-6.25	15.47	35.24	3000	PASS
DC_66A_n71A	15	20	136100	1@104	DFT_64QAM	21.55	-6.25	15.3	33.88	3000	PASS
DC_66A_n71A	15	20	136100	100@0	DFT_256QAM	19.2	-6.25	12.95	19.72	3000	PASS
DC_66A_n71A	15	20	136100	50@25	DFT_256QAM	19.18	-6.25	12.93	19.63	3000	PASS
DC_66A_n71A	15	20	136100	1@1	DFT_256QAM	18.42	-6.25	12.17	16.48	3000	PASS
DC_66A_n71A	15	20	136100	1@104	DFT_256QAM	18.32	-6.25	12.07	16.11	3000	PASS
DC_66A_n71A	15	20	136100	106@0	CP_QPSK	21.48	-6.25	15.23	33.34	3000	PASS
DC_66A_n71A	15	20	136100	53@26	CP_QPSK	22.16	-6.25	15.91	38.99	3000	PASS
DC_66A_n71A	15	20	136100	1@1	CP_QPSK	22.52	-6.25	16.27	42.36	3000	PASS
DC_66A_n71A	15	20	136100	1@104	CP_QPSK	22.32	-6.25	16.07	40.46	3000	PASS
DC_66A_n71A	15	20	136100	106@0	CP_16QAM	20.81	-6.25	14.56	28.58	3000	PASS
DC_66A_n71A	15	20	136100	53@26	CP_16QAM	21.68	-6.25	15.43	34.91	3000	PASS
DC_66A_n71A	15	20	136100	1@1	CP_16QAM	22.37	-6.25	16.12	40.93	3000	PASS
DC_66A_n71A	15	20	136100	1@104	CP_16QAM	22.18	-6.25	15.93	39.17	3000	PASS
DC_66A_n71A	15	20	136100	106@0	CP_64QAM	20.34	-6.25	14.09	25.64	3000	PASS
DC_66A_n71A	15	20	136100	53@26	CP_64QAM	20.26	-6.25	14.01	25.18	3000	PASS
DC_66A_n71A	15	20	136100	1@1	CP_64QAM	20.66	-6.25	14.41	27.61	3000	PASS
DC_66A_n71A	15	20	136100	1@104	CP_64QAM	20.44	-6.25	14.19	26.24	3000	PASS
DC_66A_n71A	15	20	136100	106@0	CP_256QAM	17.33	-6.25	11.08	12.82	3000	PASS
DC_66A_n71A	15	20	136100	53@26	CP_256QAM	17.25	-6.25	11	12.59	3000	PASS
DC_66A_n71A	15	20	136100	1@1	CP_256QAM	17.74	-6.25	11.49	14.09	3000	PASS
DC_66A_n71A	15	20	136100	1@104	CP_256QAM	17.57	-6.25	11.32	13.55	3000	PASS
DC_66A_n71A	15	20	137600	100@0	DFT_BPSK	22.37	-6.25	16.12	40.93	3000	PASS
DC_66A_n71A	15	20	137600	50@25	DFT_BPSK	23.79	-6.25	17.54	56.75	3000	PASS
DC_66A_n71A	15	20	137600	1@1	DFT_BPSK	23.55	-6.25	17.3	53.7	3000	PASS
DC_66A_n71A	15	20	137600	1@104	DFT_BPSK	23.99	-6.25	17.74	59.43	3000	PASS
DC_66A_n71A	15	20	137600	100@0	DFT_QPSK	22.82	-6.25	16.57	45.39	3000	PASS
DC_66A_n71A	15	20	137600	50@25	DFT_QPSK	23.8	-6.25	17.55	56.89	3000	PASS
DC_66A_n71A	15	20	137600	1@1	DFT_QPSK	23.54	-6.25	17.29	53.58	3000	PASS
DC_66A_n71A	15	20	137600	1@104	DFT_QPSK	23.95	-6.25	17.7	58.88	3000	PASS
DC_66A_n71A	15	20	137600	100@0	DFT_16QAM	21.83	-6.25	15.58	36.14	3000	PASS
DC_66A_n71A	15	20	137600	50@25	DFT_16QAM	22.77	-6.25	16.52	44.87	3000	PASS
DC_66A_n71A	15	20	137600	1@1	DFT_16QAM	22.6	-6.25	16.35	43.15	3000	PASS
DC_66A_n71A	15	20	137600	1@104	DFT_16QAM	23.05	-6.25	16.8	47.86	3000	PASS
DC_66A_n71A	15	20	137600	100@0	DFT_64QAM	21.37	-6.25	15.12	32.51	3000	PASS
DC_66A_n71A	15	20	137600	50@25	DFT_64QAM	21.3	-6.25	15.05	31.99	3000	PASS
DC_66A_n71A	15	20	137600	1@1	DFT_64QAM	21.26	-6.25	15.01	31.7	3000	PASS
DC_66A_n71A	15	20	137600	1@104	DFT_64QAM	21.67	-6.25	15.42	34.83	3000	PASS
DC_66A_n71A	15	20	137600	100@0	DFT_256QAM	19.21	-6.25	12.96	19.77	3000	PASS
DC_66A_n71A	15	20	137600	50@25	DFT_256QAM	19.36	-6.25	13.11	20.46	3000	PASS
DC_66A_n71A	15	20	137600	1@1	DFT_256QAM	19.52	-6.25	13.27	21.23	3000	PASS

DC_66A_n71A	15	20	137600	1@104	DFT_256QAM	19.55	-6.25	13.3	21.38	3000	PASS
DC_66A_n71A	15	20	137600	106@0	CP_QPSK	21.75	-6.25	15.5	35.48	3000	PASS
DC_66A_n71A	15	20	137600	53@26	CP_QPSK	22.35	-6.25	16.1	40.74	3000	PASS
DC_66A_n71A	15	20	137600	1@1	CP_QPSK	22.03	-6.25	15.78	37.84	3000	PASS
DC_66A_n71A	15	20	137600	1@104	CP_QPSK	22.42	-6.25	16.17	41.4	3000	PASS
DC_66A_n71A	15	20	137600	106@0	CP_16QAM	20.91	-6.25	14.66	29.24	3000	PASS
DC_66A_n71A	15	20	137600	53@26	CP_16QAM	21.84	-6.25	15.59	36.22	3000	PASS
DC_66A_n71A	15	20	137600	1@1	CP_16QAM	21.89	-6.25	15.64	36.64	3000	PASS
DC_66A_n71A	15	20	137600	1@104	CP_16QAM	22.34	-6.25	16.09	40.64	3000	PASS
DC_66A_n71A	15	20	137600	106@0	CP_64QAM	20.41	-6.25	14.16	26.06	3000	PASS
DC_66A_n71A	15	20	137600	53@26	CP_64QAM	20.4	-6.25	14.15	26	3000	PASS
DC_66A_n71A	15	20	137600	1@1	CP_64QAM	20.24	-6.25	13.99	25.06	3000	PASS
DC_66A_n71A	15	20	137600	1@104	CP_64QAM	20.55	-6.25	14.3	26.92	3000	PASS
DC_66A_n71A	15	20	137600	106@0	CP_256QAM	17.37	-6.25	11.12	12.94	3000	PASS
DC_66A_n71A	15	20	137600	53@26	CP_256QAM	17.31	-6.25	11.06	12.76	3000	PASS
DC_66A_n71A	15	20	137600	1@1	CP_256QAM	17.38	-6.25	11.13	12.97	3000	PASS
DC_66A_n71A	15	20	137600	1@104	CP_256QAM	17.65	-6.25	11.4	13.8	3000	PASS


2. Frequency Stability

Temperature (°C)	Voltage (V)	Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Verdict
20(Ref.)	3.87	n71	15	20	136100	100@0	DFT_BPSK	-3.2	-0.0047	PASS
20	3.29	n71	15	20	136100	100@0	DFT_BPSK	-9.7	-0.01425	PASS
20	4.45	n71	15	20	136100	100@0	DFT_BPSK	-9.8	-0.0144	PASS
-30	3.87	n71	15	20	136100	100@0	DFT_BPSK	5.1	0.00749	PASS
-20	3.87	n71	15	20	136100	100@0	DFT_BPSK	6.3	0.00926	PASS
-10	3.87	n71	15	20	136100	100@0	DFT_BPSK	-4.6	-0.00676	PASS
0	3.87	n71	15	20	136100	100@0	DFT_BPSK	-2.1	-0.00309	PASS
10	3.87	n71	15	20	136100	100@0	DFT_BPSK	8.9	0.01308	PASS
30	3.87	n71	15	20	136100	100@0	DFT_BPSK	8.7	0.01278	PASS
40	3.87	n71	15	20	136100	100@0	DFT_BPSK	-4.8	-0.00705	PASS
50	3.87	n71	15	20	136100	100@0	DFT_BPSK	7.4	0.01087	PASS


Note: The frequency fundamental emissions stay within the authorized frequency block.

3. Peak-to-average Ratio


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n71	15	20	136100	100@0	DFT_BPSK	4.69	13	PASS
n71	15	20	136100	100@0	DFT_QPSK	5.79	13	PASS
n71	15	20	136100	100@0	DFT_16QAM	6.60	13	PASS
n71	15	20	136100	100@0	DFT_64QAM	6.80	13	PASS
n71	15	20	136100	100@0	DFT_256QAM	6.87	13	PASS




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100
RB=100@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100
RB=100@0



n71 SCS=15kHz DFT_16QAM BW=20MHz Channel=136100
RB=100@0




n71 SCS=15kHz DFT_64QAM BW=20MHz Channel=136100
RB=100@0




n71 SCS=15kHz DFT_256QAM BW=20MHz Channel=136100
RB=100@0

4. Occupied Bandwidth


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	15	5	136100	680.5	25@0	DFT_BPSK	4.486	4.880	PASS
n71	15	5	136100	680.5	25@0	CP_QPSK	4.505	4.940	PASS
n71	15	5	136100	680.5	25@0	CP_16QAM	4.496	4.880	PASS
n71	15	5	136100	680.5	25@0	CP_64QAM	4.496	4.930	PASS
n71	15	5	136100	680.5	25@0	CP_256QAM	4.486	4.890	PASS
n71	15	10	136100	680.5	50@0	DFT_BPSK	9.011	9.600	PASS
n71	15	10	136100	680.5	52@0	CP_QPSK	9.291	9.900	PASS
n71	15	10	136100	680.5	52@0	CP_16QAM	9.311	9.920	PASS
n71	15	10	136100	680.5	52@0	CP_64QAM	9.311	9.940	PASS
n71	15	10	136100	680.5	52@0	CP_256QAM	9.311	9.940	PASS
n71	15	15	136100	680.5	75@0	DFT_BPSK	13.457	14.280	PASS
n71	15	15	136100	680.5	79@0	CP_QPSK	14.146	14.970	PASS
n71	15	15	136100	680.5	79@0	CP_16QAM	14.176	14.940	PASS
n71	15	15	136100	680.5	79@0	CP_64QAM	14.176	15.000	PASS
n71	15	15	136100	680.5	79@0	CP_256QAM	14.176	14.970	PASS
n71	15	20	136100	680.5	100@0	DFT_BPSK	18.022	19.120	PASS
n71	15	20	136100	680.5	106@0	CP_QPSK	19.021	20.200	PASS
n71	15	20	136100	680.5	106@0	CP_16QAM	19.021	20.240	PASS
n71	15	20	136100	680.5	106@0	CP_64QAM	19.061	20.200	PASS
n71	15	20	136100	680.5	106@0	CP_256QAM	19.021	20.240	PASS




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100
RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=136100
RB=25@0




n71 SCS=15kHz CP_16QAM BW=5MHz Channel=136100
RB=25@0




n71 SCS=15kHz CP_64QAM BW=5MHz Channel=136100
RB=25@0




n71 SCS=15kHz CP_256QAM BW=5MHz Channel=136100
RB=25@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100
RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz Channel=136100
RB=52@0




n71 SCS=15kHz CP_16QAM BW=10MHz Channel=136100
RB=52@0




n71 SCS=15kHz CP_64QAM BW=10MHz Channel=136100
RB=52@0




n71 SCS=15kHz CP_256QAM BW=10MHz Channel=136100
RB=52@0



n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100
RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=136100
RB=79@0




n71 SCS=15kHz CP_16QAM BW=15MHz Channel=136100

RB=79@0




n71 SCS=15kHz CP_64QAM BW=15MHz Channel=136100

RB=79@0




n71 SCS=15kHz CP_256QAM BW=15MHz Channel=136100

RB=79@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100

RB=100@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=136100

RB=106@0




n71 SCS=15kHz CP_16QAM BW=20MHz Channel=136100

RB=106@0



n71 SCS=15kHz CP_64QAM BW=20MHz Channel=136100


RB=106@0




n71 SCS=15kHz CP_256QAM BW=20MHz Channel=136100

RB=106@0


5. Conducted Band Edge






Date: 11.MAR.2025 18:08:56

n71 SCS=15kHz DFT_64QAM BW=5MHz LowChannel=133100
RB=1@0




Date: 11.MAR.2025 18:09:23

n71 SCS=15kHz DFT_64QAM BW=5MHz LowChannel=133100
RB=25@0




Date: 11.MAR.2025 18:09:53

n71 SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=133100 RB=1@0




Date: 11.MAR.2025 18:10:19

n71 SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=133100 RB=25@0




Date: 11.MAR.2025 18:10:49

n71 SCS=15kHz CP_QPSK BW=5MHz LowChannel=133100
RB=25@0




Date: 11.MAR.2025 18:11:23

n71 SCS=15kHz DFT_BPSK BW=5MHz HighChannel=139100
RB=1@24




Date: 11.MAR.2025 18:11:51

n71 SCS=15kHz DFT_BPSK BW=5MHz HighChannel=139100
RB=25@0




Date: 11.MAR.2025 18:12:19

n71 SCS=15kHz DFT_QPSK BW=5MHz HighChannel=139100
RB=1@24




Date: 11.MAR.2025 18:12:46

n71 SCS=15kHz DFT_QPSK BW=5MHz HighChannel=139100
RB=25@0




Date: 11.MAR.2025 18:13:14

n71 SCS=15kHz DFT_16QAM BW=5MHz HighChannel=139100
RB=1@24




Date: 11.MAR.2025 18:13:41

n71 SCS=15kHz DFT_16QAM BW=5MHz HighChannel=139100
RB=25@0




Date: 11.MAR.2025 18:14:09


n71 SCS=15kHz DFT_64QAM BW=5MHz HighChannel=139100
RB=1@24




n71 SCS=15kHz DFT_64QAM BW=5MHz HighChannel=139100
RB=25@0




n71 SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=139100 RB=1@24




n71 SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=139100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz HighChannel=139100
RB=25@0



n71 SCS=15kHz DFT_BPSK BW=10MHz LowChannel=133600
RB=1@0




n71 SCS=15kHz DFT_BPSK BW=10MHz LowChannel=133600
RB=50@0




Date: 11.MAR.2025 18:17:51

n71 SCS=15kHz DFT_QPSK BW=10MHz LowChannel=133600
RB=1@0




Date: 11.MAR.2025 18:18:25

n71 SCS=15kHz DFT_QPSK BW=10MHz LowChannel=133600
RB=50@0




Date: 11.MAR.2025 18:18:58

n71 SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=133600 RB=1@0




Date: 11.MAR.2025 18:19:32

n71 SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=133600 RB=50@0




Date: 11.MAR.2025 18:20:05

n71 SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=133600 RB=1@0




Date: 11.MAR.2025 18:20:38


n71 SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=133600 RB=50@0




n71 SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=133600 RB=1@0




n71 SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=133600 RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz LowChannel=133600
RB=52@0



n71 SCS=15kHz DFT_BPSK BW=10MHz HighChannel=138600
RB=1@51



n71 SCS=15kHz DFT_BPSK BW=10MHz HighChannel=138600
RB=50@0



n71 SCS=15kHz DFT_QPSK BW=10MHz HighChannel=138600
RB=1@51