

TABLE OF CONTENTS

1 Transmitter Radiated Power for NR FR1.....	2
2 Frequency stability for NR FR1(Voltage:3.45V, Temperature:-10°C Worst data)	4
3 Peak-to-Average Ratio for NR FR1.....	5
4 Occupied bandwidth for NR FR1	60
5 Band edge for NR FR1	79
6 Out-of-band emissions for NR FR1.....	88

1 Transmitter Radiated Power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n41	30	20	501204	1@1	DFT_BPSK	23.75	-1.55	22.20	33.01	Pass
n41	30	20	501204	50@0	DFT_QPSK	23.6	-1.55	22.05	33.01	Pass
n41	30	20	501204	25@12	DFT_QPSK	23.95	-1.55	22.40	33.01	Pass
n41	30	20	501204	1@1	DFT_QPSK	23.63	-1.55	22.08	33.01	Pass
n41	30	20	501204	1@49	DFT_QPSK	24.19	-1.55	22.64	33.01	Pass
n41	30	20	501204	1@1	DFT_QAM16	23.54	-1.55	21.99	33.01	Pass
n41	30	20	501204	1@1	DFT_QAM64	20.43	-1.55	18.88	33.01	Pass
n41	30	20	501204	1@1	DFT_QAM256	20.04	-1.55	18.49	33.01	Pass
n41	30	20	501204	1@1	CP_QPSK	22.97	-1.55	21.42	33.01	Pass
n41	30	20	518598	1@1	DFT_BPSK	24.48	-1.55	22.93	33.01	Pass
n41	30	20	518598	50@0	DFT_QPSK	23.5	-1.55	21.95	33.01	Pass
n41	30	20	518598	25@12	DFT_QPSK	23.65	-1.55	22.10	33.01	Pass
n41	30	20	518598	1@1	DFT_QPSK	24.45	-1.55	22.90	33.01	Pass
n41	30	20	518598	1@49	DFT_QPSK	24.51	-1.55	22.96	33.01	Pass
n41	30	20	518598	1@1	DFT_QAM16	23.41	-1.55	21.86	33.01	Pass
n41	30	20	518598	1@1	DFT_QAM64	22.13	-1.55	20.58	33.01	Pass
n41	30	20	518598	1@1	DFT_QAM256	19.61	-1.55	18.06	33.01	Pass
n41	30	20	518598	1@1	CP_QPSK	22.79	-1.55	21.24	33.01	Pass
n41	30	20	535998	1@1	DFT_BPSK	24.24	-1.55	22.69	33.01	Pass
n41	30	20	535998	50@0	DFT_QPSK	23.42	-1.55	21.87	33.01	Pass
n41	30	20	535998	25@12	DFT_QPSK	24.45	-1.55	22.90	33.01	Pass
n41	30	20	535998	1@1	DFT_QPSK	24.21	-1.55	22.66	33.01	Pass
n41	30	20	535998	1@49	DFT_QPSK	24.44	-1.55	22.89	33.01	Pass
n41	30	20	535998	1@1	DFT_QAM16	23.3	-1.55	21.75	33.01	Pass
n41	30	20	535998	1@1	DFT_QAM64	19.83	-1.55	18.28	33.01	Pass
n41	30	20	535998	1@1	DFT_QAM256	19.98	-1.55	18.43	33.01	Pass
n41	30	20	535998	1@1	CP_QPSK	22.97	-1.55	21.42	33.01	Pass
n41	30	50	504204	1@1	DFT_BPSK	23.76	-1.55	22.21	33.01	Pass
n41	30	50	504204	128@0	DFT_QPSK	23.52	-1.55	21.97	33.01	Pass
n41	30	50	504204	64@32	DFT_QPSK	24.48	-1.55	22.93	33.01	Pass
n41	30	50	504204	1@1	DFT_QPSK	21.82	-1.55	20.27	33.01	Pass
n41	30	50	504204	1@131	DFT_QPSK	24.33	-1.55	22.78	33.01	Pass
n41	30	50	504204	1@1	DFT_QAM16	23.6	-1.55	22.05	33.01	Pass
n41	30	50	504204	1@1	DFT_QAM64	22	-1.55	20.45	33.01	Pass
n41	30	50	504204	1@1	DFT_QAM256	20.34	-1.55	18.79	33.01	Pass
n41	30	50	504204	1@1	CP_QPSK	23.35	-1.55	21.80	33.01	Pass
n41	30	50	518598	1@1	DFT_BPSK	22.6	-1.55	21.05	33.01	Pass
n41	30	50	518598	128@0	DFT_QPSK	21.63	-1.55	20.08	33.01	Pass

n41	30	50	518598	64@32	DFT_QPSK	24.56	-1.55	23.01	33.01	Pass
n41	30	50	518598	1@1	DFT_QPSK	24.95	-1.55	23.40	33.01	Pass
n41	30	50	518598	1@131	DFT_QPSK	24.27	-1.55	22.72	33.01	Pass
n41	30	50	518598	1@1	DFT_QAM16	23.77	-1.55	22.22	33.01	Pass
n41	30	50	518598	1@1	DFT_QAM64	22.08	-1.55	20.53	33.01	Pass
n41	30	50	518598	1@1	DFT_QAM256	19.92	-1.55	18.37	33.01	Pass
n41	30	50	518598	1@1	CP_QPSK	23.15	-1.55	21.60	33.01	Pass
n41	30	50	532998	1@1	DFT_BPSK	22.64	-1.55	21.09	33.01	Pass
n41	30	50	532998	128@0	DFT_QPSK	21.67	-1.55	20.12	33.01	Pass
n41	30	50	532998	64@32	DFT_QPSK	24.45	-1.55	22.90	33.01	Pass
n41	30	50	532998	1@1	DFT_QPSK	24.47	-1.55	22.92	33.01	Pass
n41	30	50	532998	1@131	DFT_QPSK	22.55	-1.55	21.00	33.01	Pass
n41	30	50	532998	1@1	DFT_QAM16	23.78	-1.55	22.23	33.01	Pass
n41	30	50	532998	1@1	DFT_QAM64	22.3	-1.55	20.75	33.01	Pass
n41	30	50	532998	1@1	DFT_QAM256	20.16	-1.55	18.61	33.01	Pass
n41	30	50	532998	1@1	CP_QPSK	23.29	-1.55	21.74	33.01	Pass
n41	30	100	509202	1@1	DFT_BPSK	23.12	-1.55	21.57	33.01	Pass
n41	30	100	509202	270@0	DFT_QPSK	23.45	-1.55	21.90	33.01	Pass
n41	30	100	509202	135@67	DFT_QPSK	24.51	-1.55	22.96	33.01	Pass
n41	30	100	509202	1@1	DFT_QPSK	23.12	-1.55	21.57	33.01	Pass
n41	30	100	509202	1@271	DFT_QPSK	23.53	-1.55	21.98	33.01	Pass
n41	30	100	509202	1@1	DFT_QAM16	21.9	-1.55	20.35	33.01	Pass
n41	30	100	509202	1@1	DFT_QAM64	22.14	-1.55	20.59	33.01	Pass
n41	30	100	509202	1@1	DFT_QAM256	20.4	-1.55	18.85	33.01	Pass
n41	30	100	509202	1@1	CP_QPSK	22.89	-1.55	21.34	33.01	Pass
n41	30	100	518598	1@1	DFT_BPSK	24.3	-1.55	22.75	33.01	Pass
n41	30	100	518598	270@0	DFT_QPSK	23.44	-1.55	21.89	33.01	Pass
n41	30	100	518598	135@67	DFT_QPSK	24.11	-1.55	22.56	33.01	Pass
n41	30	100	518598	1@1	DFT_QPSK	24.4	-1.55	22.85	33.01	Pass
n41	30	100	518598	1@271	DFT_QPSK	24.42	-1.55	22.87	33.01	Pass
n41	30	100	518598	1@1	DFT_QAM16	21.38	-1.55	19.83	33.01	Pass
n41	30	100	518598	1@1	DFT_QAM64	22.06	-1.55	20.51	33.01	Pass
n41	30	100	518598	1@1	DFT_QAM256	20.07	-1.55	18.52	33.01	Pass
n41	30	100	518598	1@1	CP_QPSK	22.74	-1.55	21.19	33.01	Pass
n41	30	100	528000	1@1	DFT_BPSK	24.32	-1.55	22.77	33.01	Pass
n41	30	100	528000	270@0	DFT_QPSK	23.51	-1.55	21.96	33.01	Pass
n41	30	100	528000	135@67	DFT_QPSK	24.57	-1.55	23.02	33.01	Pass
n41	30	100	528000	1@1	DFT_QPSK	24.34	-1.55	22.79	33.01	Pass
n41	30	100	528000	1@271	DFT_QPSK	24.37	-1.55	22.82	33.01	Pass
n41	30	100	528000	1@1	DFT_QAM16	23.26	-1.55	21.71	33.01	Pass
n41	30	100	528000	1@1	DFT_QAM64	21.61	-1.55	20.06	33.01	Pass
n41	30	100	528000	1@1	DFT_QAM256	19.96	-1.55	18.41	33.01	Pass
n41	30	100	528000	1@1	CP_QPSK	22.88	-1.55	21.33	33.01	Pass

2 Frequency stability for NR FR1(Voltage:3.45V, Temperature:-10° C Worst data)

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n41	30	20	501204	25@12	DFT_BPSK	-5.41	-0.00216	-2.5	2.5	PASS
n41	30	20	501204	1@1	DFT_BPSK	-5.32	-0.00212	-2.5	2.5	PASS
n41	30	20	501204	1@49	DFT_BPSK	-5.74	-0.00229	-2.5	2.5	PASS
n41	30	20	501204	25@12	DFT_QPSK	-4.91	-0.00196	-2.5	2.5	PASS
n41	30	20	501204	1@1	DFT_QPSK	-4.84	-0.00193	-2.5	2.5	PASS
n41	30	20	501204	1@49	DFT_QPSK	-4.43	-0.00177	-2.5	2.5	PASS
n41	30	20	518598	25@12	DFT_BPSK	-5.43	-0.00209	-2.5	2.5	PASS
n41	30	20	518598	1@1	DFT_BPSK	-6.25	-0.00241	-2.5	2.5	PASS
n41	30	20	518598	1@49	DFT_BPSK	-5.94	-0.00229	-2.5	2.5	PASS
n41	30	20	518598	25@12	DFT_QPSK	-2.68	-0.00103	-2.5	2.5	PASS
n41	30	20	518598	1@1	DFT_QPSK	-4.18	-0.00161	-2.5	2.5	PASS
n41	30	20	518598	1@49	DFT_QPSK	-4.60	-0.00177	-2.5	2.5	PASS
n41	30	20	535998	25@12	DFT_BPSK	-4.75	-0.00177	-2.5	2.5	PASS
n41	30	20	535998	1@1	DFT_BPSK	-4.81	-0.00179	-2.5	2.5	PASS
n41	30	20	535998	1@49	DFT_BPSK	-6.64	-0.00248	-2.5	2.5	PASS
n41	30	20	535998	25@12	DFT_QPSK	-13.55	-0.00506	-2.5	2.5	PASS
n41	30	20	535998	1@1	DFT_QPSK	-13.69	-0.00511	-2.5	2.5	PASS
n41	30	20	535998	1@49	DFT_QPSK	-15.33	-0.00572	-2.5	2.5	PASS
n41	30	50	504204	64@32	DFT_BPSK	-4.92	-0.00195	-2.5	2.5	PASS
n41	30	50	504204	1@1	DFT_BPSK	-9.00	-0.00357	-2.5	2.5	PASS
n41	30	50	504204	1@131	DFT_BPSK	-8.11	-0.00322	-2.5	2.5	PASS
n41	30	50	504204	64@32	DFT_QPSK	-9.44	-0.00374	-2.5	2.5	PASS
n41	30	50	504204	1@1	DFT_QPSK	-11.54	-0.00458	-2.5	2.5	PASS
n41	30	50	504204	1@131	DFT_QPSK	-8.14	-0.00323	-2.5	2.5	PASS
n41	30	50	518598	64@32	DFT_BPSK	-5.84	-0.00225	-2.5	2.5	PASS
n41	30	50	518598	1@1	DFT_BPSK	-5.78	-0.00223	-2.5	2.5	PASS
n41	30	50	518598	1@131	DFT_BPSK	-7.86	-0.00303	-2.5	2.5	PASS
n41	30	50	518598	64@32	DFT_QPSK	-9.66	-0.00373	-2.5	2.5	PASS
n41	30	50	518598	1@1	DFT_QPSK	-7.33	-0.00283	-2.5	2.5	PASS
n41	30	50	518598	1@131	DFT_QPSK	-9.33	-0.00360	-2.5	2.5	PASS
n41	30	50	532998	64@32	DFT_BPSK	-8.80	-0.00330	-2.5	2.5	PASS
n41	30	50	532998	1@1	DFT_BPSK	-7.03	-0.00264	-2.5	2.5	PASS
n41	30	50	532998	1@131	DFT_BPSK	-8.94	-0.00335	-2.5	2.5	PASS
n41	30	50	532998	64@32	DFT_QPSK	-6.82	-0.00256	-2.5	2.5	PASS
n41	30	50	532998	1@1	DFT_QPSK	-8.64	-0.00324	-2.5	2.5	PASS
n41	30	50	532998	1@131	DFT_QPSK	-9.84	-0.00369	-2.5	2.5	PASS
n41	30	100	509202	135@67	DFT_BPSK	-7.05	-0.00277	-2.5	2.5	PASS
n41	30	100	509202	1@1	DFT_BPSK	-4.61	-0.00181	-2.5	2.5	PASS
n41	30	100	509202	1@271	DFT_BPSK	-7.55	-0.00297	-2.5	2.5	PASS
n41	30	100	509202	135@67	DFT_QPSK	-3.77	-0.00148	-2.5	2.5	PASS
n41	30	100	509202	1@1	DFT_QPSK	-2.22	-0.00087	-2.5	2.5	PASS

n41	30	100	509202	1@271	DFT_QPSK	-3.94	-0.00155	-2.5	2.5	PASS
n41	30	100	518598	135@67	DFT_BPSK	-6.18	-0.00238	-2.5	2.5	PASS
n41	30	100	518598	1@1	DFT_BPSK	-4.33	-0.00167	-2.5	2.5	PASS
n41	30	100	518598	1@271	DFT_BPSK	-6.61	-0.00255	-2.5	2.5	PASS
n41	30	100	518598	135@67	DFT_QPSK	-5.29	-0.00204	-2.5	2.5	PASS
n41	30	100	518598	1@1	DFT_QPSK	-5.43	-0.00209	-2.5	2.5	PASS
n41	30	100	518598	1@271	DFT_QPSK	-6.88	-0.00265	-2.5	2.5	PASS
n41	30	100	528000	135@67	DFT_BPSK	-7.36	-0.00279	-2.5	2.5	PASS
n41	30	100	528000	1@1	DFT_BPSK	-6.52	-0.00247	-2.5	2.5	PASS
n41	30	100	528000	1@271	DFT_BPSK	-7.89	-0.00299	-2.5	2.5	PASS
n41	30	100	528000	135@67	DFT_QPSK	-10.37	-0.00393	-2.5	2.5	PASS
n41	30	100	528000	1@1	DFT_QPSK	-9.47	-0.00359	-2.5	2.5	PASS
n41	30	100	528000	1@271	DFT_QPSK	-10.28	-0.00389	-2.5	2.5	PASS


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n41	30	20	501204	50@0	DFT_BPSK	4.41	13	PASS
n41	30	20	501204	50@0	DFT_QPSK	5.47	13	PASS
n41	30	20	501204	50@0	DFT_QAM16	6.19	13	PASS
n41	30	20	501204	50@0	DFT_QAM64	6.26	13	PASS
n41	30	20	501204	50@0	DFT_QAM256	6.87	13	PASS
n41	30	20	518598	50@0	DFT_BPSK	4.11	13	PASS
n41	30	20	518598	50@0	DFT_QPSK	5.19	13	PASS
n41	30	20	518598	50@0	DFT_QAM16	6.14	13	PASS
n41	30	20	518598	50@0	DFT_QAM64	6.22	13	PASS
n41	30	20	518598	50@0	DFT_QAM256	6.98	13	PASS
n41	30	20	535998	50@0	DFT_BPSK	4.46	13	PASS
n41	30	20	535998	50@0	DFT_QPSK	5.28	13	PASS
n41	30	20	535998	50@0	DFT_QAM16	6.45	13	PASS
n41	30	20	535998	50@0	DFT_QAM64	6.39	13	PASS
n41	30	20	535998	50@0	DFT_QAM256	6.85	13	PASS
n41	30	40	503202	100@0	DFT_BPSK	5.04	13	PASS
n41	30	40	503202	100@0	DFT_QPSK	5.67	13	PASS
n41	30	40	503202	100@0	DFT_QAM16	6.80	13	PASS
n41	30	40	503202	100@0	DFT_QAM64	6.72	13	PASS
n41	30	40	503202	100@0	DFT_QAM256	7.25	13	PASS
n41	30	40	518598	100@0	DFT_BPSK	4.55	13	PASS
n41	30	40	518598	100@0	DFT_QPSK	5.83	13	PASS
n41	30	40	518598	100@0	DFT_QAM16	6.82	13	PASS
n41	30	40	518598	100@0	DFT_QAM64	7.01	13	PASS
n41	30	40	518598	100@0	DFT_QAM256	7.01	13	PASS
n41	30	40	534000	100@0	DFT_BPSK	5.02	13	PASS
n41	30	40	534000	100@0	DFT_QPSK	5.86	13	PASS
n41	30	40	534000	100@0	DFT_QAM16	6.79	13	PASS


n41	30	40	534000	100@0	DFT_QAM64	6.76	13	PASS
n41	30	40	534000	100@0	DFT_QAM256	7.16	13	PASS
n41	30	50	504204	128@0	DFT_BPSK	5.92	13	PASS
n41	30	50	504204	128@0	DFT_QPSK	6.46	13	PASS
n41	30	50	504204	128@0	DFT_QAM16	7.23	13	PASS
n41	30	50	504204	128@0	DFT_QAM64	7.25	13	PASS
n41	30	50	504204	128@0	DFT_QAM256	7.40	13	PASS
n41	30	50	518598	128@0	DFT_BPSK	4.93	13	PASS
n41	30	50	518598	128@0	DFT_QPSK	6.49	13	PASS
n41	30	50	518598	128@0	DFT_QAM16	7.11	13	PASS
n41	30	50	518598	128@0	DFT_QAM64	7.16	13	PASS
n41	30	50	518598	128@0	DFT_QAM256	7.50	13	PASS
n41	30	50	532998	128@0	DFT_BPSK	5.10	13	PASS
n41	30	50	532998	128@0	DFT_QPSK	6.22	13	PASS
n41	30	50	532998	128@0	DFT_QAM16	7.19	13	PASS
n41	30	50	532998	128@0	DFT_QAM64	7.14	13	PASS
n41	30	50	532998	128@0	DFT_QAM256	7.27	13	PASS
n41	30	60	505200	162@0	DFT_BPSK	5.72	13	PASS
n41	30	60	505200	162@0	DFT_QPSK	6.86	13	PASS
n41	30	60	505200	162@0	DFT_QAM16	7.45	13	PASS
n41	30	60	505200	162@0	DFT_QAM64	7.54	13	PASS
n41	30	60	505200	162@0	DFT_QAM256	7.57	13	PASS
n41	30	60	518598	162@0	DFT_BPSK	5.63	13	PASS
n41	30	60	518598	162@0	DFT_QPSK	6.92	13	PASS
n41	30	60	518598	162@0	DFT_QAM16	7.56	13	PASS
n41	30	60	518598	162@0	DFT_QAM64	7.49	13	PASS
n41	30	60	518598	162@0	DFT_QAM256	7.65	13	PASS
n41	30	60	531996	162@0	DFT_BPSK	5.71	13	PASS
n41	30	60	531996	162@0	DFT_QPSK	6.95	13	PASS
n41	30	60	531996	162@0	DFT_QAM16	7.49	13	PASS
n41	30	60	531996	162@0	DFT_QAM64	7.55	13	PASS
n41	30	60	531996	162@0	DFT_QAM256	7.47	13	PASS
n41	30	80	507204	216@0	DFT_BPSK	6.81	13	PASS
n41	30	80	507204	216@0	DFT_QPSK	7.23	13	PASS
n41	30	80	507204	216@0	DFT_QAM16	7.68	13	PASS
n41	30	80	507204	216@0	DFT_QAM64	7.86	13	PASS
n41	30	80	507204	216@0	DFT_QAM256	7.83	13	PASS
n41	30	80	518598	216@0	DFT_BPSK	6.06	13	PASS
n41	30	80	518598	216@0	DFT_QPSK	7.32	13	PASS
n41	30	80	518598	216@0	DFT_QAM16	7.70	13	PASS
n41	30	80	518598	216@0	DFT_QAM64	7.59	13	PASS
n41	30	80	518598	216@0	DFT_QAM256	7.79	13	PASS
n41	30	80	529998	216@0	DFT_BPSK	6.16	13	PASS
n41	30	80	529998	216@0	DFT_QPSK	7.30	13	PASS

n41	30	80	529998	216@0	DFT_QAM16	7.64	13	PASS
n41	30	80	529998	216@0	DFT_QAM64	7.76	13	PASS
n41	30	80	529998	216@0	DFT_QAM256	8.00	13	PASS
n41	30	90	508200	240@0	DFT_BPSK	6.26	13	PASS
n41	30	90	508200	240@0	DFT_QPSK	7.45	13	PASS
n41	30	90	508200	240@0	DFT_QAM16	8.04	13	PASS
n41	30	90	508200	240@0	DFT_QAM64	7.69	13	PASS
n41	30	90	508200	240@0	DFT_QAM256	7.95	13	PASS
n41	30	90	518598	240@0	DFT_BPSK	6.66	13	PASS
n41	30	90	518598	240@0	DFT_QPSK	7.58	13	PASS
n41	30	90	518598	240@0	DFT_QAM16	7.61	13	PASS
n41	30	90	518598	240@0	DFT_QAM64	7.89	13	PASS
n41	30	90	518598	240@0	DFT_QAM256	7.89	13	PASS
n41	30	90	528996	240@0	DFT_BPSK	6.28	13	PASS
n41	30	90	528996	240@0	DFT_QPSK	7.42	13	PASS
n41	30	90	528996	240@0	DFT_QAM16	7.83	13	PASS
n41	30	90	528996	240@0	DFT_QAM64	7.70	13	PASS
n41	30	90	528996	240@0	DFT_QAM256	7.96	13	PASS
n41	30	100	509202	270@0	DFT_BPSK	6.47	13	PASS
n41	30	100	509202	270@0	DFT_QPSK	7.43	13	PASS
n41	30	100	509202	270@0	DFT_QAM16	7.83	13	PASS
n41	30	100	509202	270@0	DFT_QAM64	7.97	13	PASS
n41	30	100	509202	270@0	DFT_QAM256	8.05	13	PASS
n41	30	100	518598	270@0	DFT_BPSK	6.50	13	PASS
n41	30	100	518598	270@0	DFT_QPSK	7.70	13	PASS
n41	30	100	518598	270@0	DFT_QAM16	7.95	13	PASS
n41	30	100	518598	270@0	DFT_QAM64	7.89	13	PASS
n41	30	100	518598	270@0	DFT_QAM256	8.02	13	PASS
n41	30	100	528000	270@0	DFT_BPSK	6.55	13	PASS
n41	30	100	528000	270@0	DFT_QPSK	7.55	13	PASS
n41	30	100	528000	270@0	DFT_QAM16	7.79	13	PASS
n41	30	100	528000	270@0	DFT_QAM64	7.93	13	PASS
n41	30	100	528000	270@0	DFT_QAM256	8.07	13	PASS


n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_BPSK BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=508200 RB=240@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_BPSK BW=90MHz Channel=528996 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=518598 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=40MHz Channel=534000 RB=100@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=504204 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=518598 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=50MHz Channel=532998 RB=128@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=505200 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=518598 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=60MHz Channel=531996 RB=162@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=507204 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=518598 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=80MHz Channel=529998 RB=216@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=508200 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=518598 RB=240@0




n41 SCS=30kHz DFT_QAM16 BW=90MHz Channel=528996 RB=240@0




n41 SCS=30kHz DFT_QAM256 BW=100MHz Channel=509202 RB=270@0




n41 SCS=30kHz DFT_QAM256 BW=100MHz Channel=518598 RB=270@0




n41 SCS=30kHz DFT_QAM256 BW=100MHz Channel=528000 RB=270@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=501204 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=518598 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=20MHz Channel=535998 RB=50@0




n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=503202 RB=100@0




n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=518598 RB=100@0



n41 SCS=30kHz DFT_QAM256 BW=40MHz Channel=534000 RB=100@0



n41 SCS=30kHz DFT_QAM256 BW=50MHz Channel=504204 RB=128@0



n41 SCS=30kHz DFT_QAM256 BW=50MHz Channel=518598 RB=128@0