

Test Information:

Sample No.:	2Q03-1	Test Date:	2024/09/24~2024/09/25
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	24.5-25.5	Relative Humidity: (%)	45-55	ATM Pressure: (kPa)	101
------------------------------	-----------	----------------------------------	-------	-------------------------------	-----

RF Output Power

FCC Part 96

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.53	13.61	0.023	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.54	13.62	0.023	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.50	13.58	0.023	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.04	13.12	0.021	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	16.60	13.68	0.023	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.56	0.023	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	16.47	13.55	0.023	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	15.44	12.52	0.018	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	14.59	11.67	0.015	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	13.97	11.05	0.013	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	12	9.08	0.008	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	15.10	12.18	0.017	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	15.11	12.19	0.017	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	14.90	11.98	0.016	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	13.50	10.58	0.011	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	13.56	10.64	0.012	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	13.19	10.27	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	9.98	7.06	0.005	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.26	13.34	0.022	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.44	0.022	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.35	13.43	0.022	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.89	12.97	0.020	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	16.65	13.73	0.024	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.35	13.43	0.022	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	16.34	13.42	0.022	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	15.30	12.38	0.017	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	14.37	11.45	0.014	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	13.68	10.76	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	11.87	8.95	0.008	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	15.01	12.09	0.016	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.87	11.95	0.016	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	14.92	12.00	0.016	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	13.50	10.58	0.011	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	13.39	10.47	0.011	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	13.01	10.09	0.010	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	10.13	7.21	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.60	13.68	0.023	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.60	13.68	0.023	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.59	13.67	0.023	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.07	13.15	0.021	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	16.78	13.86	0.024	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	16.55	13.63	0.023	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	16.56	13.64	0.023	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	15.55	12.63	0.018	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	14.24	11.32	0.014	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	14.16	11.24	0.013	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	12.07	9.15	0.008	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	15.17	12.25	0.017	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	15.09	12.17	0.016	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	15.09	12.17	0.016	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	13.44	10.52	0.011	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	13.68	10.76	0.012	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	13.16	10.24	0.011	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	10.02	7.10	0.005	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.70	13.78	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.44	0.022	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.41	13.49	0.022	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.95	13.03	0.020	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	16.46	13.54	0.023	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.50	0.022	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	16.42	13.50	0.022	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	15.52	12.60	0.018	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.44	11.52	0.014	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.03	11.11	0.013	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.90	8.98	0.008	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	14.98	12.06	0.016	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	14.90	11.98	0.016	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	14.96	12.04	0.016	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	13.39	10.47	0.011	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	13.58	10.66	0.012	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	12.93	10.01	0.010	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	9.95	7.03	0.005	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.23	13.31	0.021	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.26	13.34	0.022	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.29	13.37	0.022	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.80	12.88	0.019	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	16.34	13.42	0.022	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.22	13.30	0.021	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	16.27	13.35	0.022	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	15.30	12.38	0.017	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	14.32	11.40	0.014	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	13.85	10.93	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	11.70	8.78	0.008	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	14.78	11.86	0.015	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.84	11.92	0.016	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	14.85	11.93	0.016	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	13.33	10.41	0.011	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	13.34	10.42	0.011	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	12.86	9.94	0.010	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	9.81	6.89	0.005	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.54	13.62	0.023	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.54	13.62	0.023	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.49	13.57	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16	13.08	0.020	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	16.48	13.56	0.023	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.56	0.023	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	16.49	13.57	0.023	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	15.55	12.63	0.018	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.57	11.65	0.015	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.04	11.12	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12	9.08	0.008	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	14.98	12.06	0.016	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	15	12.08	0.016	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	14.98	12.06	0.016	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.49	10.57	0.011	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	13.57	10.65	0.012	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	12.96	10.04	0.010	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	9.93	7.01	0.005	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.52	13.60	0.023	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.44	13.52	0.022	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.58	13.66	0.023	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.04	13.12	0.021	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.56	0.023	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	16.40	13.48	0.022	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	16.48	13.56	0.023	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	15.47	12.55	0.018	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	14.58	11.66	0.015	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	14.02	11.10	0.013	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	11.95	9.03	0.008	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	14.97	12.05	0.016	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	15	12.08	0.016	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	15.06	12.14	0.016	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	13.57	10.65	0.012	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	13.48	10.56	0.011	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	12.99	10.07	0.010	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	9.93	7.01	0.005	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.24	13.32	0.021	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.30	13.38	0.022	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.34	13.42	0.022	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.85	12.93	0.020	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	14.70	11.78	0.015	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	14.57	11.65	0.015	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	14.71	11.79	0.015	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	13.71	10.79	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	14.30	11.38	0.014	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	13.83	10.91	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	11.77	8.85	0.008	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.73	11.81	0.015	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	14.89	11.97	0.016	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	14.93	12.01	0.016	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	13.36	10.44	0.011	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	13.41	10.49	0.011	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	12.86	9.94	0.010	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	9.73	6.81	0.005	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.52	13.60	0.023	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.49	13.57	0.023	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.61	13.69	0.023	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.04	13.12	0.021	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.53	0.023	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	16.52	13.60	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	16.55	13.63	0.023	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	15.55	12.63	0.018	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	14.51	11.59	0.014	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	14	11.08	0.013	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	11.95	9.03	0.008	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	14.98	12.06	0.016	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	15.09	12.17	0.016	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	15	12.08	0.016	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	13.56	10.64	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	13.57	10.65	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	13.08	10.16	0.010	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	9.96	7.04	0.005	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.43	13.51	0.022	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.43	13.51	0.022	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.49	13.57	0.023	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.97	13.05	0.020	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	16.44	13.52	0.022	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	16.36	13.44	0.022	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	16.46	13.54	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	15.46	12.54	0.018	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	14.43	11.51	0.014	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	14.08	11.16	0.013	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	11.93	9.01	0.008	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	14.93	12.01	0.016	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	14.91	11.99	0.016	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	15.01	12.09	0.016	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	13.52	10.60	0.011	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	13.53	10.61	0.012	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	13.01	10.09	0.010	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	10.07	7.15	0.005	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.30	13.38	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.31	13.39	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.30	13.38	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.83	12.91	0.020	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.34	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	16.31	13.39	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	16.30	13.38	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	15.33	12.41	0.017	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	14.32	11.40	0.014	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	13.88	10.96	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	11.84	8.92	0.008	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.79	11.87	0.015	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	14.83	11.91	0.016	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	14.79	11.87	0.015	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	13.35	10.43	0.011	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	13.38	10.46	0.011	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	12.88	9.96	0.010	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	9.86	6.94	0.005	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.49	0.022	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.56	13.64	0.023	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.46	13.54	0.023	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.03	13.11	0.020	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.46	0.022	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	16.49	13.57	0.023	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	16.53	13.61	0.023	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	15.49	12.57	0.018	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	14.47	11.55	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	13.98	11.06	0.013	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	11.94	9.02	0.008	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	14.90	11.98	0.016	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	15.02	12.10	0.016	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	15.01	12.09	0.016	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	13.52	10.60	0.011	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	13.51	10.59	0.011	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	13.04	10.12	0.010	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	10	7.08	0.005	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.98	13.06	0.020	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.42	13.50	0.022	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.35	13.43	0.022	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.44	13.52	0.022	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	15.52	12.60	0.018	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	16.43	13.51	0.022	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	16.36	13.44	0.022	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	16.47	13.55	0.023	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	14.47	11.55	0.014	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	13.96	11.04	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	11.98	9.06	0.008	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	13.52	10.60	0.011	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	14.99	12.07	0.016	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	14.87	11.95	0.016	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	14.96	12.04	0.016	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	13.52	10.60	0.011	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	13	10.08	0.010	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	10.02	7.10	0.005	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.82	12.90	0.019	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.22	13.30	0.021	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.32	13.40	0.022	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.38	13.46	0.022	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	15.40	12.48	0.018	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.23	13.31	0.021	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	16.32	13.40	0.022	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	16.31	13.39	0.022	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	14.30	11.38	0.014	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	13.89	10.97	0.013	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	11.81	8.89	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	13.33	10.41	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.75	11.83	0.015	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	14.86	11.94	0.016	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	14.80	11.88	0.015	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	13.28	10.36	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	12.88	9.96	0.010	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	9.87	6.95	0.005	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.01	13.09	0.020	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.34	13.42	0.022	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.52	13.60	0.023	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.50	13.58	0.023	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	15.49	12.57	0.018	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	16.35	13.43	0.022	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	16.49	13.57	0.023	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	16.52	13.60	0.023	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	14.46	11.54	0.014	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	13.97	11.05	0.013	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	11.97	9.05	0.008	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	13.53	10.61	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	14.92	12.00	0.016	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	15.12	12.20	0.017	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	14.99	12.07	0.016	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	13.45	10.53	0.011	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	13.03	10.11	0.010	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	10.02	7.10	0.005	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.91	12.99	0.020	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.47	13.55	0.023	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.33	13.41	0.022	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.46	13.54	0.023	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	15.44	12.52	0.018	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.50	0.022	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	16.34	13.42	0.022	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	16.44	13.52	0.022	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	14.43	11.51	0.014	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	13.98	11.06	0.013	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	11.93	9.01	0.008	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	13.42	10.50	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	14.88	11.96	0.016	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	14.81	11.89	0.015	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	14.95	12.03	0.016	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	13.40	10.48	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	12.94	10.02	0.010	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	9.87	6.95	0.005	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.86	12.94	0.020	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.29	13.37	0.022	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.40	13.48	0.022	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.40	13.48	0.022	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	15.35	12.43	0.017	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.24	13.32	0.021	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	16.33	13.41	0.022	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	16.34	13.42	0.022	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	14.36	11.44	0.014	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	13.86	10.94	0.012	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	11.81	8.89	0.008	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	13.36	10.44	0.011	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.74	11.82	0.015	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	14.84	11.92	0.016	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	14.86	11.94	0.016	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	13.30	10.38	0.011	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	12.84	9.92	0.010	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	9.81	6.89	0.005	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.99	13.07	0.020	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.34	13.42	0.022	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.50	13.58	0.023	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.57	13.65	0.023	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	15.46	12.54	0.018	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.39	0.022	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	16.49	13.57	0.023	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	16.51	13.59	0.023	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	14.53	11.61	0.014	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	14.01	11.09	0.013	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	11.98	9.06	0.008	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	13.46	10.54	0.011	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	14.84	11.92	0.016	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	14.99	12.07	0.016	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	15.02	12.10	0.016	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	13.47	10.55	0.011	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	12.99	10.07	0.010	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	9.94	7.02	0.005	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.87	12.95	0.020	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.40	13.48	0.022	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.23	13.31	0.021	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.40	13.48	0.022	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	15.38	12.46	0.018	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	16.34	13.42	0.022	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	16.23	13.31	0.021	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	16.37	13.45	0.022	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	14.37	11.45	0.014	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	13.83	10.91	0.012	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	11.82	8.90	0.008	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	13.39	10.47	0.011	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	14.81	11.89	0.015	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	14.66	11.74	0.015	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	14.83	11.91	0.016	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	13.30	10.38	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	12.90	9.98	0.010	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	9.82	6.90	0.005	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.84	12.92	0.020	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.18	13.26	0.021	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.36	13.44	0.022	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.32	13.40	0.022	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	15.29	12.37	0.017	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.17	13.25	0.021	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	16.27	13.35	0.022	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	16.29	13.37	0.022	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	14.32	11.40	0.014	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	13.78	10.86	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	11.80	8.88	0.008	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	13.28	10.36	0.011	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.72	11.80	0.015	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	14.83	11.91	0.016	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	14.78	11.86	0.015	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	13.28	10.36	0.011	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	12.77	9.85	0.010	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	9.68	6.76	0.005	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.86	12.94	0.020	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.17	13.25	0.021	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.51	13.59	0.023	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.42	13.50	0.022	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	15.39	12.47	0.018	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	16.13	13.21	0.021	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	16.38	13.46	0.022	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	16.45	13.53	0.023	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	14.35	11.43	0.014	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	13.87	10.95	0.012	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	11.82	8.90	0.008	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	13.39	10.47	0.011	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	14.63	11.71	0.015	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	14.86	11.94	0.016	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	14.89	11.97	0.016	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	13.40	10.48	0.011	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	12.85	9.93	0.010	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	9.90	6.98	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.51	12.59	0.018	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.12	14.20	0.026	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.95	14.03	0.025	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.39	13.47	0.022	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	15.01	12.09	0.016	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.16	0.026	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	16.94	14.02	0.025	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	16.42	13.50	0.022	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	14.04	11.12	0.013	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	13.51	10.59	0.011	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	11.54	8.62	0.007	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	12.86	9.94	0.010	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	15.56	12.64	0.018	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	15.40	12.48	0.018	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	14.85	11.93	0.016	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	12.86	9.94	0.010	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	12.37	9.45	0.009	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	9.39	6.47	0.004	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.49	12.57	0.018	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	14.02	0.025	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.97	14.05	0.025	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.34	13.42	0.022	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	14.99	12.07	0.016	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.06	0.025	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	17.01	14.09	0.026	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	16.30	13.38	0.022	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	13.94	11.02	0.013	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	13.47	10.55	0.011	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	11.52	8.60	0.007	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	12.79	9.87	0.010	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.45	12.53	0.018	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	15.54	12.62	0.018	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	14.84	11.92	0.016	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	12.74	9.82	0.010	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	12.29	9.37	0.009	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	9.34	6.42	0.004	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.57	12.65	0.018	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.15	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.12	14.20	0.026	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.48	13.56	0.023	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	15.08	12.16	0.016	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	17.04	14.12	0.026	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	17.15	14.23	0.026	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	16.45	13.53	0.023	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	14.05	11.13	0.013	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	13.62	10.70	0.012	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	11.57	8.65	0.007	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	12.86	9.94	0.010	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	15.47	12.55	0.018	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	15.58	12.66	0.018	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	14.95	12.03	0.016	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	12.84	9.92	0.010	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	12.34	9.42	0.009	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	9.37	6.45	0.004	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.38	13.46	0.022	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.50	13.58	0.023	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.29	13.37	0.022	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.85	12.93	0.020	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	16.36	13.44	0.022	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.49	0.022	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	16.22	13.30	0.021	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	15.41	12.49	0.018	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	14.38	11.46	0.014	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	13.87	10.95	0.012	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	11.84	8.92	0.008	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	14.84	11.92	0.016	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	14.90	11.98	0.016	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	14.75	11.83	0.015	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	13.37	10.45	0.011	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	13.37	10.45	0.011	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	12.90	9.98	0.010	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	9.87	6.95	0.005	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.33	13.41	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.39	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.44	13.52	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.87	12.95	0.020	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	16.33	13.41	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.32	13.40	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	16.41	13.49	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	15.38	12.46	0.018	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	14.30	11.38	0.014	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	13.86	10.94	0.012	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	11.80	8.88	0.008	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	14.77	11.85	0.015	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.77	11.85	0.015	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	14.88	11.96	0.016	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	13.36	10.44	0.011	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	13.30	10.38	0.011	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	12.83	9.91	0.010	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	9.86	6.94	0.005	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.47	13.55	0.023	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.27	13.35	0.022	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.55	13.63	0.023	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.88	12.96	0.020	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	16.41	13.49	0.022	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	16.25	13.33	0.022	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	16.49	13.57	0.023	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	15.44	12.52	0.018	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	14.35	11.43	0.014	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	13.89	10.97	0.013	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	11.89	8.97	0.008	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	14.94	12.02	0.016	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	14.80	11.88	0.015	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	15	12.08	0.016	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	13.40	10.48	0.011	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	13.38	10.46	0.011	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	12.88	9.96	0.010	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	9.90	6.98	0.005	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.39	13.47	0.022	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.46	13.54	0.023	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.31	13.39	0.022	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.85	12.93	0.020	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	16.36	13.44	0.022	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	16.46	13.54	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	16.30	13.38	0.022	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	15.37	12.45	0.018	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	14.36	11.44	0.014	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	13.89	10.97	0.013	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	11.84	8.92	0.008	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	14.84	11.92	0.016	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	14.87	11.95	0.016	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	14.72	11.80	0.015	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	13.37	10.45	0.011	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	13.39	10.47	0.011	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	12.89	9.97	0.010	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	9.94	7.02	0.005	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.35	13.43	0.022	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.44	0.022	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.45	13.53	0.023	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.86	12.94	0.020	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	16.32	13.40	0.022	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.27	13.35	0.022	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	16.34	13.42	0.022	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	15.36	12.44	0.018	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	14.30	11.38	0.014	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	13.82	10.90	0.012	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	11.89	8.97	0.008	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	14.82	11.90	0.015	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.73	11.81	0.015	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	14.87	11.95	0.016	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	13.31	10.39	0.011	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	13.31	10.39	0.011	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	12.82	9.90	0.010	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	9.77	6.85	0.005	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.44	13.52	0.022	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.24	13.32	0.021	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.50	13.58	0.023	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.93	13.01	0.020	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	16.42	13.50	0.022	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	16.20	13.28	0.021	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	16.50	13.58	0.023	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	15.45	12.53	0.018	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	14.40	11.48	0.014	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	13.95	11.03	0.013	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	11.91	8.99	0.008	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	14.89	11.97	0.016	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	14.75	11.83	0.015	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	15.08	12.16	0.016	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	13.38	10.46	0.011	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	13.36	10.44	0.011	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	12.83	9.91	0.010	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	9.89	6.97	0.005	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.37	13.45	0.022	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.44	0.022	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.29	13.37	0.022	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.88	12.96	0.020	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	16.35	13.43	0.022	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.49	0.022	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	16.24	13.32	0.021	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	15.34	12.42	0.017	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	14.34	11.42	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	13.86	10.94	0.012	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	11.83	8.91	0.008	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	14.79	11.87	0.015	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	14.82	11.90	0.015	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	14.76	11.84	0.015	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	13.37	10.45	0.011	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	13.29	10.37	0.011	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	12.81	9.89	0.010	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	9.84	6.92	0.005	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.35	13.43	0.022	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.24	13.32	0.021	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.38	13.46	0.022	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.82	12.90	0.019	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	16.33	13.41	0.022	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.20	13.28	0.021	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	16.30	13.38	0.022	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	15.33	12.41	0.017	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	14.32	11.40	0.014	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	13.82	10.90	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	11.80	8.88	0.008	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	14.81	11.89	0.015	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.65	11.73	0.015	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	14.86	11.94	0.016	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	13.29	10.37	0.011	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	13.26	10.34	0.011	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	12.83	9.91	0.010	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	9.80	6.88	0.005	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.34	13.42	0.022	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.17	13.25	0.021	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.46	13.54	0.023	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.90	12.98	0.020	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	16.34	13.42	0.022	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	16.09	13.17	0.021	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	16.41	13.49	0.022	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	15.38	12.46	0.018	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	14.36	11.44	0.014	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	13.87	10.95	0.012	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	11.86	8.94	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	14.85	11.93	0.016	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	14.63	11.71	0.015	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	15.08	12.16	0.016	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	13.36	10.44	0.011	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	13.30	10.38	0.011	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	12.83	9.91	0.010	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	9.89	6.97	0.005	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_2:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB12@6	17.28	14.36	0.027	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB1@1	17.40	14.48	0.028	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB1@22	17.29	14.37	0.027	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB24@0	16.93	14.01	0.025	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	17.50	14.58	0.029	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	17.39	14.47	0.028	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	17.33	14.41	0.028	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	16.39	13.47	0.022	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	15.47	12.55	0.018	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	14.86	11.94	0.016	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	12.92	10.00	0.010	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	15.83	12.91	0.020	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	15.84	12.92	0.020	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	15.66	12.74	0.019	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	14.33	11.41	0.014	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	14.25	11.33	0.014	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	13.90	10.98	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	10.95	8.03	0.006	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.21	14.29	0.027	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.19	14.27	0.027	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.14	14.22	0.026	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.79	13.87	0.024	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	17.30	14.38	0.027	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.20	14.28	0.027	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	17.14	14.22	0.026	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	16.17	13.25	0.021	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	15.22	12.30	0.017	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	14.77	11.85	0.015	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	12.62	9.70	0.009	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	15.59	12.67	0.018	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.63	12.71	0.019	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	15.55	12.63	0.018	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	14.08	11.16	0.013	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	14.18	11.26	0.013	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	13.71	10.79	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	9.97	7.05	0.005	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.36	14.44	0.028	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.30	14.38	0.027	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.33	14.41	0.028	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.89	13.97	0.025	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	17.41	14.49	0.028	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.46	0.028	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	17.38	14.46	0.028	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	16.44	13.52	0.022	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	15.51	12.59	0.018	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	14.95	12.03	0.016	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	12.89	9.97	0.010	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	15.72	12.80	0.019	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	15.82	12.90	0.019	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	15.72	12.80	0.019	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	14.26	11.34	0.014	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	14.20	11.28	0.013	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	13.90	10.98	0.013	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	10.77	7.85	0.006	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.32	14.40	0.028	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.28	14.36	0.027	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.27	14.35	0.027	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.86	13.94	0.025	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	17.39	14.47	0.028	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.46	0.028	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	17.25	14.33	0.027	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	16.34	13.42	0.022	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.44	12.52	0.018	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.87	11.95	0.016	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.82	9.90	0.010	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	15.81	12.89	0.019	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	15.68	12.76	0.019	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	15.64	12.72	0.019	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	14.31	11.39	0.014	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	14.33	11.41	0.014	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.81	10.89	0.012	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	10.88	7.96	0.006	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.21	14.29	0.027	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.14	14.22	0.026	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.10	14.18	0.026	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.68	13.76	0.024	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	17.19	14.27	0.027	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.20	0.026	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	17.09	14.17	0.026	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	16.16	13.24	0.021	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	15.16	12.24	0.017	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	14.70	11.78	0.015	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	12.66	9.74	0.009	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	15.69	12.77	0.019	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.53	12.61	0.018	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	15.44	12.52	0.018	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	14.15	11.23	0.013	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	14.15	11.23	0.013	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	13.71	10.79	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	10.72	7.80	0.006	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.39	14.47	0.028	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.23	14.31	0.027	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.32	14.40	0.028	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.83	13.91	0.025	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	17.37	14.45	0.028	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	17.28	14.36	0.027	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	17.28	14.36	0.027	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	16.32	13.40	0.022	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.35	12.43	0.017	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.80	11.88	0.015	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.82	9.90	0.010	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	15.78	12.86	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	15.61	12.69	0.019	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	15.67	12.75	0.019	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	14.35	11.43	0.014	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	14.30	11.38	0.014	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	13.84	10.92	0.012	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	10.86	7.94	0.006	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.33	14.41	0.028	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.31	14.39	0.027	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.34	14.42	0.028	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.84	13.92	0.025	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	17.43	14.51	0.028	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	17.28	14.36	0.027	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	17.44	14.52	0.028	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	16.38	13.46	0.022	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	15.33	12.41	0.017	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	14.77	11.85	0.015	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	12.80	9.88	0.010	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	15.72	12.80	0.019	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	15.68	12.76	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	15.93	13.01	0.020	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	14.32	11.40	0.014	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	14.45	11.53	0.014	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	13.78	10.86	0.012	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	10.85	7.93	0.006	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.15	14.23	0.026	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.08	14.16	0.026	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.25	14.33	0.027	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.67	13.75	0.024	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.20	0.026	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	17.12	14.20	0.026	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	17.19	14.27	0.027	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	16.20	13.28	0.021	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	15.14	12.22	0.017	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	14.63	11.71	0.015	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	12.62	9.70	0.009	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.48	12.56	0.018	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	15.41	12.49	0.018	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	15.69	12.77	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	14.14	11.22	0.013	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	14.10	11.18	0.013	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	13.66	10.74	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	10.74	7.82	0.006	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.19	14.27	0.027	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.32	14.40	0.028	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.35	14.43	0.028	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.84	13.92	0.025	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	17.19	14.27	0.027	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	17.30	14.38	0.027	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	17.34	14.42	0.028	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	16.33	13.41	0.022	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	15.26	12.34	0.017	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	14.77	11.85	0.015	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	12.73	9.81	0.010	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	15.60	12.68	0.019	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	15.72	12.80	0.019	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	15.78	12.86	0.019	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	14.30	11.38	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	14.31	11.39	0.014	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	13.77	10.85	0.012	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	10.90	7.98	0.006	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.31	14.39	0.027	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.19	14.27	0.027	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.32	14.40	0.028	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.82	13.90	0.025	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	17.28	14.36	0.027	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	17.24	14.32	0.027	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	17.30	14.38	0.027	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	16.31	13.39	0.022	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	15.29	12.37	0.017	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	14.89	11.97	0.016	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	12.84	9.92	0.010	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	15.70	12.78	0.019	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	15.60	12.68	0.019	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	15.82	12.90	0.019	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	14.29	11.37	0.014	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	14.42	11.50	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	13.87	10.95	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	10.84	7.92	0.006	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.13	14.21	0.026	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.07	14.15	0.026	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.12	14.20	0.026	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.63	13.71	0.023	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.20	0.026	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	17.05	14.13	0.026	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	17.17	14.25	0.027	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	16.14	13.22	0.021	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	15.15	12.23	0.017	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	14.70	11.78	0.015	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	12.70	9.78	0.010	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.48	12.56	0.018	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	15.46	12.54	0.018	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	15.64	12.72	0.019	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	14.18	11.26	0.013	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	14.19	11.27	0.013	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	13.68	10.76	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	10.73	7.81	0.006	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.14	14.22	0.026	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.20	14.28	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.20	14.28	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.71	13.79	0.024	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	17.16	14.24	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	17.19	14.27	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	17.22	14.30	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	16.21	13.29	0.021	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	15.25	12.33	0.017	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	14.77	11.85	0.015	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	12.69	9.77	0.009	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	15.54	12.62	0.018	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	15.61	12.69	0.019	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	15.69	12.77	0.019	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	14.27	11.35	0.014	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	14.24	11.32	0.014	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	13.71	10.79	0.012	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	10.74	7.82	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.79	13.87	0.024	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.30	14.38	0.027	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.16	14.24	0.027	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.36	14.44	0.028	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	16.29	13.37	0.022	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	17.27	14.35	0.027	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	17.25	14.33	0.027	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	17.29	14.37	0.027	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	15.36	12.44	0.018	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	14.79	11.87	0.015	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	12.80	9.88	0.010	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	14.28	11.36	0.014	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	15.68	12.76	0.019	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	15.58	12.66	0.018	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	15.80	12.88	0.019	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	14.29	11.37	0.014	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	13.76	10.84	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	10.85	7.93	0.006	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.64	13.72	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.14	0.026	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.04	14.12	0.026	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.14	14.22	0.026	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	16.10	13.18	0.021	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.20	0.026	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	17.06	14.14	0.026	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	17.10	14.18	0.026	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	15.14	12.22	0.017	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	14.59	11.67	0.015	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	12.61	9.69	0.009	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	14.11	11.19	0.013	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.47	12.55	0.018	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	15.38	12.46	0.018	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	15.61	12.69	0.019	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	14.15	11.23	0.013	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	13.65	10.73	0.012	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	10.69	7.77	0.006	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.67	13.75	0.024	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.10	14.18	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.17	14.25	0.027	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.20	14.28	0.027	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	16.18	13.26	0.021	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.16	0.026	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	17.24	14.32	0.027	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	17.13	14.21	0.026	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	15.20	12.28	0.017	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	14.66	11.74	0.015	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	12.68	9.76	0.009	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	14.18	11.26	0.013	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	15.45	12.53	0.018	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	15.49	12.57	0.018	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	15.67	12.75	0.019	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	14.18	11.26	0.013	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	13.70	10.78	0.012	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	10.69	7.77	0.006	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.77	13.85	0.024	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.32	0.027	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.06	14.14	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.28	14.36	0.027	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	16.29	13.37	0.022	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	17.23	14.31	0.027	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	17.12	14.20	0.026	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	17.29	14.37	0.027	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	15.26	12.34	0.017	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	14.75	11.83	0.015	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	12.83	9.91	0.010	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	14.26	11.34	0.014	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	15.65	12.73	0.019	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	15.43	12.51	0.018	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	15.75	12.83	0.019	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	14.32	11.40	0.014	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	13.83	10.91	0.012	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	10.82	7.90	0.006	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.63	13.71	0.023	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.14	0.026	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.99	14.07	0.026	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.18	14.26	0.027	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	16.13	13.21	0.021	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.16	0.026	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	16.98	14.06	0.025	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	17.15	14.23	0.026	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	15.15	12.23	0.017	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	14.60	11.68	0.015	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	12.65	9.73	0.009	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	14.12	11.20	0.013	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.49	12.57	0.018	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	15.37	12.45	0.018	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	15.62	12.70	0.019	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	14.15	11.23	0.013	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	13.62	10.70	0.012	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	10.67	7.75	0.006	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.71	13.79	0.024	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	14.06	0.025	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.14	14.22	0.026	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.18	14.26	0.027	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	16.15	13.23	0.021	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	17.02	14.10	0.026	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	17.14	14.22	0.026	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	17.18	14.26	0.027	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	15.17	12.25	0.017	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	14.63	11.71	0.015	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	12.68	9.76	0.009	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	14.16	11.24	0.013	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	15.36	12.44	0.018	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	15.56	12.64	0.018	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	15.68	12.76	0.019	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	14.14	11.22	0.013	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	13.65	10.73	0.012	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	10.62	7.70	0.006	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.69	13.77	0.024	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.32	0.027	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.04	14.12	0.026	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.24	14.32	0.027	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	16.21	13.29	0.021	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	17.27	14.35	0.027	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	17.03	14.11	0.026	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	17.24	14.32	0.027	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	15.22	12.30	0.017	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	14.74	11.82	0.015	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	12.71	9.79	0.010	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	14.23	11.31	0.014	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	15.66	12.74	0.019	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	15.48	12.56	0.018	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	15.75	12.83	0.019	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	14.15	11.23	0.013	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	13.68	10.76	0.012	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	10.73	7.81	0.006	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.63	13.71	0.023	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.04	14.12	0.026	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.97	14.05	0.025	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.12	14.20	0.026	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	16.07	13.15	0.021	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.16	0.026	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	17	14.08	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	17.09	14.17	0.026	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	15.07	12.15	0.016	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	14.55	11.63	0.015	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	12.60	9.68	0.009	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	14.10	11.18	0.013	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.50	12.58	0.018	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	15.51	12.59	0.018	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	15.61	12.69	0.019	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	14.08	11.16	0.013	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	13.59	10.67	0.012	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	10.60	7.68	0.006	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.63	13.71	0.023	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.97	14.05	0.025	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.09	14.17	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.11	14.19	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	16.08	13.16	0.021	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	17.03	14.11	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	17.14	14.22	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	17.11	14.19	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	15.08	12.16	0.016	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	14.60	11.68	0.015	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	12.62	9.70	0.009	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	14.10	11.18	0.013	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	15.35	12.43	0.017	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	15.44	12.52	0.018	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	15.59	12.67	0.018	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	14.11	11.19	0.013	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	13.58	10.66	0.012	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	10.62	7.70	0.006	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.74	12.82	0.019	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.39	0.022	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.99	13.07	0.020	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.26	13.34	0.022	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	15.19	12.27	0.017	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.41	0.022	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	16.04	13.12	0.021	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	16.18	13.26	0.021	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	14.26	11.34	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	13.67	10.75	0.012	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	11.73	8.81	0.008	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	13.26	10.34	0.011	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	14.76	11.84	0.015	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	14.52	11.60	0.014	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	14.76	11.84	0.015	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	13.20	10.28	0.011	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	12.71	9.79	0.010	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	9.72	6.80	0.005	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.66	12.74	0.019	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.13	13.21	0.021	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	15.87	12.95	0.020	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.17	13.25	0.021	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	15.12	12.20	0.017	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.13	13.21	0.021	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	15.95	13.03	0.020	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	16.14	13.22	0.021	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	14.08	11.16	0.013	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	13.64	10.72	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	11.65	8.73	0.007	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	13.15	10.23	0.011	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.57	11.65	0.015	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	14.33	11.41	0.014	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	14.66	11.74	0.015	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	13.13	10.21	0.010	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	12.63	9.71	0.009	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	9.63	6.71	0.005	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.63	12.71	0.019	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.07	13.15	0.021	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.07	13.15	0.021	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.11	13.19	0.021	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	15.10	12.18	0.017	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	16.10	13.18	0.021	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	16.10	13.18	0.021	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	16.11	13.19	0.021	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	14.12	11.20	0.013	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	13.64	10.72	0.012	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	11.67	8.75	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	13.15	10.23	0.011	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	14.50	11.58	0.014	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	14.52	11.60	0.014	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	14.65	11.73	0.015	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	13.13	10.21	0.010	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	12.62	9.70	0.009	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	9.66	6.74	0.005	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.21	13.29	0.021	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.33	13.41	0.022	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.04	13.12	0.021	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.71	12.79	0.019	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	16.21	13.29	0.021	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	16.34	13.42	0.022	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	16.06	13.14	0.021	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	15.24	12.32	0.017	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	14.27	11.35	0.014	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	13.76	10.84	0.012	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	11.83	8.91	0.008	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	14.74	11.82	0.015	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	14.79	11.87	0.015	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	14.45	11.53	0.014	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	13.21	10.29	0.011	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	13.24	10.32	0.011	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	12.72	9.80	0.010	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	9.77	6.85	0.005	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.14	13.22	0.021	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.20	13.28	0.021	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	15.98	13.06	0.020	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.61	12.69	0.019	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	16.12	13.20	0.021	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.16	13.24	0.021	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	16	13.08	0.020	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	15.11	12.19	0.017	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	14.13	11.21	0.013	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	13.56	10.64	0.012	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	11.61	8.69	0.007	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	14.66	11.74	0.015	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.53	11.61	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	14.35	11.43	0.014	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	13.15	10.23	0.011	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	13.10	10.18	0.010	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	12.62	9.70	0.009	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	9.64	6.72	0.005	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.15	13.23	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.13	13.21	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.17	13.25	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.63	12.71	0.019	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	16.13	13.21	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	16.15	13.23	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	16.15	13.23	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	15.19	12.27	0.017	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	14.13	11.21	0.013	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	13.65	10.73	0.012	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	11.61	8.69	0.007	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	14.58	11.66	0.015	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	14.63	11.71	0.015	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	14.59	11.67	0.015	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	13.17	10.25	0.011	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	13.18	10.26	0.011	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	12.65	9.73	0.009	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	9.69	6.77	0.005	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.25	13.33	0.022	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.29	13.37	0.022	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16	13.08	0.020	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.76	12.84	0.019	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	16.24	13.32	0.021	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.39	0.022	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	16.01	13.09	0.020	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	15.22	12.30	0.017	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	14.27	11.35	0.014	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	13.74	10.82	0.012	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	11.72	8.80	0.008	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	14.73	11.81	0.015	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	14.78	11.86	0.015	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	14.34	11.42	0.014	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	13.25	10.33	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	13.19	10.27	0.011	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	12.74	9.82	0.010	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	9.71	6.79	0.005	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.19	13.27	0.021	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.23	13.31	0.021	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	15.96	13.04	0.020	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.64	12.72	0.019	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	16.17	13.25	0.021	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.18	13.26	0.021	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	15.98	13.06	0.020	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	15.15	12.23	0.017	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	14.09	11.17	0.013	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	13.64	10.72	0.012	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	11.66	8.74	0.007	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	14.63	11.71	0.015	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.63	11.71	0.015	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	14.39	11.47	0.014	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	13.10	10.18	0.010	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	13.12	10.20	0.010	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	12.65	9.73	0.009	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	9.65	6.73	0.005	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.18	13.26	0.021	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.15	13.23	0.021	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.15	13.23	0.021	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.67	12.75	0.019	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	16.17	13.25	0.021	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	16.18	13.26	0.021	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	16.21	13.29	0.021	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	15.20	12.28	0.017	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	14.23	11.31	0.014	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	13.68	10.76	0.012	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	11.70	8.78	0.008	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	14.65	11.73	0.015	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	14.57	11.65	0.015	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	14.65	11.73	0.015	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	13.13	10.21	0.010	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	13.18	10.26	0.011	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	12.70	9.78	0.010	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	9.70	6.78	0.005	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.23	13.31	0.021	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.34	13.42	0.022	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	15.96	13.04	0.020	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.71	12.79	0.019	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	16.24	13.32	0.021	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	16.34	13.42	0.022	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	15.98	13.06	0.020	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	15.20	12.28	0.017	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	14.20	11.28	0.013	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	13.75	10.83	0.012	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	11.77	8.85	0.008	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	14.73	11.81	0.015	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	14.75	11.83	0.015	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	14.44	11.52	0.014	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	13.31	10.39	0.011	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	13.26	10.34	0.011	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	12.77	9.85	0.010	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	9.72	6.80	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.09	13.17	0.021	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.17	13.25	0.021	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16	13.08	0.020	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.67	12.75	0.019	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	16.13	13.21	0.021	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.20	13.28	0.021	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	16.07	13.15	0.021	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	15.09	12.17	0.016	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	14.13	11.21	0.013	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	13.62	10.70	0.012	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	11.60	8.68	0.007	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	14.65	11.73	0.015	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.60	11.68	0.015	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	14.41	11.49	0.014	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	13.14	10.22	0.011	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	13.07	10.15	0.010	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	12.66	9.74	0.009	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	9.62	6.70	0.005	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.14	13.22	0.021	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.12	13.20	0.021	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.19	13.27	0.021	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.67	12.75	0.019	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	16.19	13.27	0.021	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	16.19	13.27	0.021	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	16.21	13.29	0.021	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	15.18	12.26	0.017	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	14.14	11.22	0.013	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	13.69	10.77	0.012	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	11.68	8.76	0.008	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	14.63	11.71	0.015	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	14.59	11.67	0.015	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	14.71	11.79	0.015	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	13.19	10.27	0.011	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	13.21	10.29	0.011	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	12.76	9.84	0.010	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	9.65	6.73	0.005	0.200	Pass

Note:

$EIRP = \text{Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBi})$

n78_2:

1. Ant Gain = -2.92dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB