

Test Information:

Sample No.:	2Q03-1	Test Date:	2024/09/12~2024/10/08
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	24.5-26	Relative Humidity: (%)	45-55	ATM Pressure: (kPa)	101
------------------------------	---------	----------------------------------	-------	-------------------------------	-----

Occupied Bandwidth FCC Part 96

n77_2

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	8.572	9.282
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	8.575	9.281
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	8.603	9.252
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	8.601	9.235
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	8.567	9.217
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	8.566	9.255
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	8.573	9.206
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	8.601	9.233
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	8.611	9.186
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	8.571	9.292
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	8.609	9.334
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	8.601	9.295
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	8.579	9.254
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	8.566	9.200
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	8.568	9.228
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	8.571	9.155
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	8.576	9.258
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	8.612	9.199

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	8.568	9.225
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	8.609	9.302
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	8.608	9.263
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	8.603	9.196
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	8.566	9.133
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	8.573	9.215
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	8.572	9.243
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	8.579	9.271
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	8.608	9.287
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.458	13.621
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	13.442	13.701
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.503	13.610
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.459	13.681
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.460	13.630
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	13.571	14.470
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	13.572	14.482
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.578	14.522
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	13.525	14.403
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.465	13.714

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	13.446	13.765
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	13.518	13.735
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	13.449	13.674
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	13.465	13.691
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	13.565	14.411
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	13.574	14.379
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	13.574	14.483
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	13.526	14.438
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.451	13.705
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	13.451	13.710
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.466	13.727
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.409	13.657
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.462	13.732
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.576	14.393
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	13.526	14.326
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	13.580	14.373
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	13.562	14.421
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.085	18.705
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	18.086	18.753

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	18.025	18.699
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	18.082	18.787
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	18.028	18.630
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	18.176	19.119
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	18.169	19.114
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	18.188	19.182
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	18.195	19.169
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.033	18.774
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	18.088	18.824
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	18.026	18.712
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	18.028	18.725
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	18.017	18.685
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	18.119	19.084
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	18.188	19.080
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	18.170	18.993
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	18.186	19.122
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.015	18.763
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	18.026	18.889
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	18.027	18.791

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	18.027	18.748
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	18.084	18.753
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	18.242	19.127
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	18.183	19.073
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	18.180	19.136
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	18.192	19.289
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	27.607	28.231
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	27.622	28.194
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	27.748	28.206
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	27.629	28.200
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	27.523	28.237
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	27.851	29.217
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	27.773	29.273
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	27.762	29.023
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	27.769	29.209
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	27.635	28.094
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	27.608	28.136
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	27.748	28.130
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	27.733	28.022

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	27.520	28.084
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	27.855	29.284
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	27.863	29.237
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	27.772	29.180
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	27.754	29.088
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	27.621	28.252
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	27.618	28.142
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	27.741	28.069
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	27.624	28.336
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	27.505	28.242
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	27.870	29.313
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	27.877	29.239
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	27.754	29.211
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	27.764	29.191
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	37.512	37.499
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	37.620	37.353
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	37.189	37.329
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	37.031	37.388
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	37.304	37.397

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	37.812	39.629
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	37.776	39.476
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	37.829	39.573
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	37.764	39.388
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	37.492	37.511
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	37.626	37.576
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	37.318	37.324
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	37.283	37.516
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	37.311	37.494
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	37.772	39.529
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	37.801	39.480
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	37.830	39.526
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	37.774	39.602
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	37.486	37.504
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	37.616	37.591
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	37.301	37.420
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	37.191	37.315
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	37.305	37.300
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	37.780	39.699

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	37.799	39.558
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	37.813	39.441
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	37.774	39.539
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	47.039	47.347
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	47.228	47.505
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	47.010	47.339
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	46.883	47.610
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	47.260	47.583
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	47.284	49.276
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	47.428	49.351
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	47.298	49.216
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	47.294	49.186
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	46.878	47.393
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	47.256	47.564
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	47.019	47.373
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	46.863	47.534
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	47.010	47.240
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	47.290	49.313
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	47.430	49.274

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	47.474	49.247
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	47.287	49.304
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	46.898	47.491
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	46.824	47.497
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	47.058	47.477
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	46.883	47.451
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	46.862	47.205
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	47.414	49.092
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	47.433	49.359
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	47.423	49.253
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	47.285	49.291
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	57.877	60.393
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	57.847	60.302
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	57.677	60.319
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	57.930	60.334
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	57.463	60.362
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	57.713	60.340
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	57.706	60.342
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	57.850	60.433

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	57.661	60.348
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	57.900	60.522
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	57.713	60.315
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	57.631	60.337
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	57.908	60.404
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	57.645	60.404
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	57.636	60.199
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	57.679	60.187
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	57.855	60.420
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	57.633	60.247
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	57.889	60.427
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	57.686	60.215
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	57.468	60.209
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	57.911	60.230
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	57.657	60.381
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	57.606	60.309
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	57.684	60.349
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	57.877	60.375
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	57.650	60.278

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	67.015	66.760
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	66.643	66.659
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	66.324	66.766
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	66.566	66.851
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	66.344	66.824
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	67.292	69.995
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	67.327	70.159
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	67.331	69.986
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	67.337	70.040
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	66.896	66.821
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	66.715	66.832
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	66.585	66.688
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	66.636	66.817
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	66.260	66.729
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	67.356	69.835
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	67.301	70.139
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	67.260	69.997
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	67.335	69.996
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	66.924	66.713

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	66.706	66.847
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	66.399	66.756
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	66.672	65.100
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	66.287	66.807
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	67.315	70.070
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	67.351	70.060
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	67.277	69.991
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	67.320	69.986
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	77.264	79.872
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	76.948	79.883
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	76.938	79.591
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	76.953	79.853
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	76.835	79.859
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	77.447	80.230
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	77.170	80.009
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	77.276	80.200
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	77.446	80.302
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	77.229	79.731
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	76.878	79.850

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	76.949	79.815
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	77.151	79.894
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	76.901	79.911
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	77.278	80.266
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	77.179	80.125
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	77.453	80.148
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	77.571	80.176
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	76.919	79.828
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	76.949	79.831
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	76.921	79.782
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	77.176	79.864
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	76.897	79.879
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	77.448	80.270
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	77.193	79.936
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	77.471	80.173
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	77.468	80.251
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	86.775	89.510
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	86.878	89.462
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	86.512	89.435

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	86.805	89.519
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	86.811	89.535
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	87.233	90.293
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	87.259	90.279
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	87.254	90.251
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	87.248	90.151
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	86.569	89.580
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	86.871	89.602
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	86.519	89.591
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	86.816	89.553
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	86.492	89.603
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	87.182	90.245
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	87.240	90.228
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	87.220	90.298
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	87.268	90.288
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	86.821	89.485
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	86.894	89.659
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	86.500	89.538
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	86.793	89.520

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	86.824	89.527
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	87.240	90.272
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	87.290	90.395
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	87.235	90.356
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	87.278	90.304
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	96.572	99.319
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	96.547	99.258
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	96.403	99.211
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	96.501	99.233
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	96.423	99.231
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	97.331	100.382
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	97.202	100.326
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	97.213	100.339
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	97.303	100.308
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	96.573	99.365
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	96.456	99.368
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	96.415	99.250
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	96.523	99.211
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	96.452	99.264

Mode	99% OBW (MHz)	EBW (MHz)
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	97.380	100.378
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	97.301	100.441
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	97.265	100.341
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	97.262	100.280
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	96.522	99.333
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	96.965	99.197
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	96.175	99.352
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	96.489	99.293
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	96.190	99.396
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	97.338	100.402
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	97.322	100.289
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	97.266	100.284
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	97.302	100.413

n78_2

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	8.570	9.248
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	8.573	9.292
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	8.575	9.296
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	8.601	9.243

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	8.568	9.249
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	8.566	9.158
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	8.571	9.206
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	8.571	9.280
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	8.607	9.200
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	8.569	9.260
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	8.574	9.275
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	8.573	9.279
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	8.539	9.228
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	8.564	9.185
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	8.574	9.319
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	8.571	9.188
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	8.569	9.249
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	8.610	9.281
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	8.570	9.277
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	8.574	9.299
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	8.578	9.293
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	8.579	9.146
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	8.568	9.189

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	8.577	9.325
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	8.568	9.204
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	8.576	9.223
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	8.611	9.237
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.452	13.636
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	13.399	13.613
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.562	13.593
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.461	13.679
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.450	13.666
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	13.572	14.487
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	13.569	14.360
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.585	14.550
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	13.522	14.401
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.462	13.657
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	13.448	13.778
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	13.518	13.704
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	13.449	13.672
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	13.466	13.690
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	13.563	14.402

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	13.577	14.374
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	13.577	14.411
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	13.527	14.499
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.447	13.695
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	13.447	13.710
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	13.520	13.750
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.463	13.676
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.458	13.748
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.571	14.379
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	13.527	14.395
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	13.580	14.322
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	13.565	14.345
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.009	18.818
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	18.081	18.877
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	18.092	18.689
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	18.039	18.721
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	18.022	18.682
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	18.170	19.079
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	18.168	19.135

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	18.180	19.202
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	18.192	19.168
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.024	18.766
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	18.082	18.750
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	18.099	18.811
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	18.023	18.694
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	18.009	18.696
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	18.114	18.995
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	18.180	19.090
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	18.169	19.147
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	18.184	19.118
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.089	18.718
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	18.093	18.891
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	18.097	18.769
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	18.028	18.712
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	18.039	18.784
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	18.195	19.140
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	18.176	19.068
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	18.172	19.126

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	18.189	19.202
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	27.606	28.172
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	27.614	28.122
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	27.747	28.188
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	27.643	28.167
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	27.514	28.242
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	27.852	29.080
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	27.762	29.197
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	27.772	29.049
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	27.763	29.232
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	27.609	27.839
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	27.537	28.087
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	27.739	28.128
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	27.745	27.999
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	27.524	28.102
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	27.860	29.100
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	27.761	29.104
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	27.752	29.148
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	27.768	29.107

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	27.617	28.233
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	27.627	28.189
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	27.740	28.046
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	27.622	28.279
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	27.515	28.203
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	27.847	29.198
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	27.878	29.143
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	27.761	29.203
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	27.777	29.143
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	37.604	37.496
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	37.619	37.480
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	37.316	37.391
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	37.200	37.520
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	37.329	37.575
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	37.802	39.637
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	37.778	39.576
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	37.839	39.508
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	37.771	39.509
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	37.468	37.448

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	37.452	37.522
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	37.329	37.322
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	37.159	37.528
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	37.332	37.629
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	37.791	39.663
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	37.798	39.519
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	37.818	39.507
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	37.781	39.579
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	37.482	37.463
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	37.611	37.587
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	37.300	37.385
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	37.156	37.352
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	37.311	37.299
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	37.818	39.673
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	37.797	39.567
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	37.806	39.402
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	37.781	39.566
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	46.872	47.435
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	47.288	47.379

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	47.056	47.400
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	46.836	47.521
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	46.866	47.516
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	47.445	49.265
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	47.429	49.335
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	47.412	49.146
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	47.286	49.229
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	47.005	47.179
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	46.676	47.537
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	46.893	47.365
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	46.845	47.549
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	47.215	47.369
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	47.443	49.290
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	47.448	49.301
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	47.457	49.088
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	47.284	49.298
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	47.032	47.469
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	46.849	47.584
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	47.021	47.336

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	46.896	47.484
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	47.020	47.472
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	47.410	49.131
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	47.412	49.270
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	47.402	49.241
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	47.290	49.298
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	57.642	60.406
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	57.701	60.355
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	57.645	60.160
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	57.670	60.358
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	57.666	60.262
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	57.431	60.183
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	57.634	60.216
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	57.668	60.375
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	57.713	60.405
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	57.670	60.362
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	57.654	60.274
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	57.454	60.330
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	57.705	60.362

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	57.628	60.441
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	57.410	60.219
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	57.622	60.092
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	57.647	60.323
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	57.695	60.341
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	57.719	60.147
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	57.671	60.201
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	57.633	60.179
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	57.684	60.235
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	57.641	60.263
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	57.401	60.193
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	57.471	60.258
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	57.645	60.210
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	57.664	60.231
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	66.929	66.801
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	66.882	66.844
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	66.394	66.793
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	66.648	66.817
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	66.370	66.837

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	67.355	70.023
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	67.315	70.184
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	67.358	69.947
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	67.333	70.053
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	66.890	66.825
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	66.703	66.793
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	66.345	66.803
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	66.604	66.867
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	66.262	66.714
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	67.273	69.922
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	67.302	70.113
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	67.283	69.881
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	67.344	69.984
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	66.883	66.748
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	66.704	66.831
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	66.366	66.758
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	66.623	66.848
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	66.594	66.704
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	67.303	69.959

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	67.538	70.037
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	67.263	70.013
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	67.305	69.977
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	77.238	79.835
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	76.952	79.884
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	76.915	79.766
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	76.949	79.926
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	76.906	79.904
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	77.449	80.163
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	77.157	80.079
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	77.444	80.231
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	77.270	80.241
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	77.213	79.774
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	76.933	79.861
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	76.922	79.737
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	76.946	79.757
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	76.880	79.916
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	77.270	80.198
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	77.174	80.125

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	77.441	80.234
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	77.503	80.161
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	77.124	79.855
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	76.943	79.799
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	76.890	79.627
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	76.942	79.915
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	76.837	79.932
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	77.254	80.127
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	77.153	80.135
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	77.262	80.245
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	77.517	80.258
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	86.551	89.616
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	86.788	89.520
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	86.470	89.490
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	86.771	89.509
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	86.458	89.475
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	87.255	90.128
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	87.247	90.230
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	87.214	90.119


Mode	99% OBW (MHz)	EBW (MHz)
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	87.258	90.366
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	86.532	89.637
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	86.881	89.576
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	86.434	89.473
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	86.788	89.555
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	86.765	89.588
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	87.221	90.131
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	87.237	90.299
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	87.200	90.242
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	87.500	90.283
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	86.538	89.528
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	86.828	89.475
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	86.511	89.611
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	86.791	89.516
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	86.439	89.451
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	87.161	90.236
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	87.488	90.347
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	87.245	90.329
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	87.259	90.251

Mode	99% OBW (MHz)	EBW (MHz)
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	96.511	99.323
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	96.578	99.250
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	96.172	99.314
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	96.426	99.320
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	96.190	99.222
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	97.327	100.357
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	97.251	100.272
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	97.228	100.286
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	97.289	100.344
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	96.519	99.366
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	96.501	99.254
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	96.567	99.278
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	96.429	99.265
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	96.427	99.255
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	97.361	100.359
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	97.276	100.365
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	97.295	100.384
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	97.253	100.284
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	96.483	99.253


Mode	99% OBW (MHz)	EBW (MHz)
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	96.490	99.322
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	96.156	99.302
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	96.418	99.303
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	96.177	99.308
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	97.329	100.338
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	97.252	100.300
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	97.210	100.328
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	97.291	100.358

n77_2


n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$
BPSK_RB24@0 8.572MHz




n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM
QPSK_RB24@0 8.575MHz




n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16
QAM_RB24@0 8.603MHz




n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64
QAM_RB24@0 8.601MHz




n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256
QAM_RB24@0 8.567MHz




n77_2_10MHz_30kHz_3555MHz_CP-OFDM
QPSK_RB24@0 8.566MHz




n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16
QAM_RB24@0 8.573MHz




n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64
QAM_RB24@0 8.601MHz




n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256
QAM_RB24@0 8.611MHz




n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$
BPSK_RB24@0 8.571MHz



n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM
QPSK_RB24@0 8.609MHz




n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16
QAM_RB24@0 8.601MHz




n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64
QAM_RB24@0 8.579MHz




n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256
QAM_RB24@0 8.566MHz



n77_2_10MHz_30kHz_3625MHz_CP-OFDM
QPSK_RB24@0 8.568MHz




n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16
QAM_RB24@0 8.571MHz




n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64
QAM_RB24@0 8.576MHz




n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256
QAM_RB24@0 8.612MHz




n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$
BPSK_RB24@0 8.568MHz




n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM
QPSK_RB24@0 8.609MHz




n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16
QAM_RB24@0 8.608MHz



n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64
QAM_RB24@0 8.603MHz




n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256
QAM_RB24@0 8.566MHz




n77_2_10MHz_30kHz_3695MHz_CP-OFDM
QPSK_RB24@0 8.573MHz




n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16
QAM_RB24@0 8.572MHz



n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64
QAM_RB24@0 8.579MHz




n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256
QAM_RB24@0 8.608MHz



n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$
BPSK_RB36@0 13.458MHz



n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM
QPSK_RB36@0 13.442MHz



n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16
QAM_RB36@0 13.503MHz

