


TABLE OF CONTENTS

03 Peak-to-Average Ratio2
04 Occupied bandwidth7
05 Band edge.....12
06 Out-of-band emissions.....21
1 Conducted output power30
2 Frequency stability.....34


03 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	3.77	13	PASS
Band5	1.4	20525	1	#0	64QAM	3.78	13	PASS
Band5	3	20525	1	#0	QPSK	3.75	13	PASS
Band5	3	20525	1	#0	64QAM	3.74	13	PASS
Band5	5	20525	1	#0	QPSK	3.72	13	PASS
Band5	5	20525	1	#0	64QAM	3.74	13	PASS
Band5	10	20525	1	#0	QPSK	3.81	13	PASS
Band5	10	20525	1	#0	64QAM	3.80	13	PASS

Band5 64QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 64QAM BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 64QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 64QAM BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




04 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band5	1.4	20525	6	#0	QPSK	1.089	1.279	PASS
Band5	1.4	20525	6	#0	64QAM	1.097	1.280	PASS
Band5	3	20525	15	#0	QPSK	2.690	2.950	PASS
Band5	3	20525	15	#0	64QAM	2.690	2.958	PASS
Band5	5	20525	25	#0	QPSK	4.508	4.909	PASS
Band5	5	20525	25	#0	64QAM	4.513	4.912	PASS
Band5	10	20525	50	#0	QPSK	8.997	9.622	PASS
Band5	10	20525	50	#0	64QAM	8.976	9.668	PASS


Band5 64QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 64QAM BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 64QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 64QAM BW=10MHz Channel=20525 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0



05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	823.99	-30.15	-13	PASS
Band5	1.4	20407	6	#0	64QAM	823.99	-30.11	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-30.98	-13	PASS
Band5	1.4	20643	6	#0	64QAM	849.05	-31.60	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-27.28	-13	PASS
Band5	3	20415	15	#0	64QAM	824.00	-25.75	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-28.15	-13	PASS
Band5	3	20635	15	#0	64QAM	849.00	-27.53	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-30.88	-13	PASS
Band5	5	20425	25	#0	64QAM	824.00	-31.96	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-31.31	-13	PASS
Band5	5	20625	25	#0	64QAM	849.00	-31.83	-13	PASS
Band5	10	20450	50	#0	QPSK	823.78	-30.82	-13	PASS
Band5	10	20450	50	#0	64QAM	824.00	-31.55	-13	PASS
Band5	10	20600	50	#0	QPSK	849.04	-33.18	-13	PASS
Band5	10	20600	50	#0	64QAM	849.00	-32.78	-13	PASS

Band5 64QAM BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 64QAM BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 64QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 64QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 64QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 64QAM BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 64QAM BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 64QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	3813.63	-38.53	-13	PASS
Band5	1.4	20407	6	#0	64QAM	3734.88	-37.55	-13	PASS
Band5	1.4	20643	6	#0	QPSK	3824.65	-38.24	-13	PASS
Band5	1.4	20643	6	#0	64QAM	3846.25	-37.63	-13	PASS
Band5	3	20415	15	#0	QPSK	3927.70	-37.92	-13	PASS
Band5	3	20415	15	#0	64QAM	3755.58	-38.44	-13	PASS
Band5	3	20635	15	#0	QPSK	3839.28	-38.42	-13	PASS
Band5	3	20635	15	#0	64QAM	3786.40	-38.01	-13	PASS
Band5	5	20425	25	#0	QPSK	3784.15	-38.44	-13	PASS
Band5	5	20425	25	#0	64QAM	3835.00	-38.57	-13	PASS
Band5	5	20625	25	#0	QPSK	3751.30	-37.98	-13	PASS
Band5	5	20625	25	#0	64QAM	3763.00	-39.09	-13	PASS
Band5	10	20450	50	#0	QPSK	3744.55	-36.83	-13	PASS
Band5	10	20450	50	#0	64QAM	3880.23	-37.64	-13	PASS
Band5	10	20600	50	#0	QPSK	3782.35	-37.77	-13	PASS
Band5	10	20600	50	#0	64QAM	3774.03	-38.45	-13	PASS


Band5 64QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 64QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 64QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 64QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 64QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 64QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 64QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 64QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	24.59	-5.21	-7.36	17.23	38.45	PASS
Band5	1.4	20407	1	#Mid	QPSK	24.66	-5.21	-7.36	17.3	38.45	PASS
Band5	1.4	20407	1	#Max	QPSK	24.62	-5.21	-7.36	17.26	38.45	PASS
Band5	1.4	20407	3	#0	QPSK	24.58	-5.21	-7.36	17.22	38.45	PASS
Band5	1.4	20407	3	#Mid	QPSK	24.61	-5.21	-7.36	17.25	38.45	PASS
Band5	1.4	20407	3	#Max	QPSK	24.57	-5.21	-7.36	17.21	38.45	PASS
Band5	1.4	20407	6	#0	QPSK	23.64	-5.21	-7.36	16.28	38.45	PASS
Band5	1.4	20407	1	#0	QAM16	23.62	-5.21	-7.36	16.26	38.45	PASS
Band5	1.4	20407	1	#Mid	QAM16	23.70	-5.21	-7.36	16.34	38.45	PASS
Band5	1.4	20407	1	#Max	QAM16	23.64	-5.21	-7.36	16.28	38.45	PASS
Band5	1.4	20407	3	#0	QAM16	23.75	-5.21	-7.36	16.39	38.45	PASS
Band5	1.4	20407	3	#Mid	QAM16	23.78	-5.21	-7.36	16.42	38.45	PASS
Band5	1.4	20407	3	#Max	QAM16	23.70	-5.21	-7.36	16.34	38.45	PASS
Band5	1.4	20407	6	#0	QAM16	22.85	-5.21	-7.36	15.49	38.45	PASS
Band5	1.4	20525	1	#0	QPSK	24.33	-5.21	-7.36	16.97	38.45	PASS
Band5	1.4	20525	1	#Mid	QPSK	24.43	-5.21	-7.36	17.07	38.45	PASS
Band5	1.4	20525	1	#Max	QPSK	24.33	-5.21	-7.36	16.97	38.45	PASS
Band5	1.4	20525	3	#0	QPSK	24.52	-5.21	-7.36	17.16	38.45	PASS
Band5	1.4	20525	3	#Mid	QPSK	24.47	-5.21	-7.36	17.11	38.45	PASS
Band5	1.4	20525	3	#Max	QPSK	24.46	-5.21	-7.36	17.1	38.45	PASS
Band5	1.4	20525	6	#0	QPSK	23.50	-5.21	-7.36	16.14	38.45	PASS
Band5	1.4	20525	1	#0	QAM16	23.52	-5.21	-7.36	16.16	38.45	PASS
Band5	1.4	20525	1	#Mid	QAM16	23.58	-5.21	-7.36	16.22	38.45	PASS
Band5	1.4	20525	1	#Max	QAM16	23.53	-5.21	-7.36	16.17	38.45	PASS
Band5	1.4	20525	3	#0	QAM16	23.67	-5.21	-7.36	16.31	38.45	PASS
Band5	1.4	20525	3	#Mid	QAM16	23.73	-5.21	-7.36	16.37	38.45	PASS
Band5	1.4	20525	3	#Max	QAM16	23.64	-5.21	-7.36	16.28	38.45	PASS
Band5	1.4	20525	6	#0	QAM16	22.66	-5.21	-7.36	15.3	38.45	PASS
Band5	1.4	20643	1	#0	QPSK	24.30	-5.21	-7.36	16.94	38.45	PASS
Band5	1.4	20643	1	#Mid	QPSK	24.31	-5.21	-7.36	16.95	38.45	PASS
Band5	1.4	20643	1	#Max	QPSK	24.20	-5.21	-7.36	16.84	38.45	PASS
Band5	1.4	20643	3	#0	QPSK	24.27	-5.21	-7.36	16.91	38.45	PASS
Band5	1.4	20643	3	#Mid	QPSK	24.29	-5.21	-7.36	16.93	38.45	PASS
Band5	1.4	20643	3	#Max	QPSK	24.30	-5.21	-7.36	16.94	38.45	PASS
Band5	1.4	20643	6	#0	QPSK	23.30	-5.21	-7.36	15.94	38.45	PASS
Band5	1.4	20643	1	#0	QAM16	23.08	-5.21	-7.36	15.72	38.45	PASS
Band5	1.4	20643	1	#Mid	QAM16	23.10	-5.21	-7.36	15.74	38.45	PASS
Band5	1.4	20643	1	#Max	QAM16	23.06	-5.21	-7.36	15.7	38.45	PASS

Band5	1.4	20643	3	#0	QAM16	23.45	-5.21	-7.36	16.09	38.45	PASS
Band5	1.4	20643	3	#Mid	QAM16	23.45	-5.21	-7.36	16.09	38.45	PASS
Band5	1.4	20643	3	#Max	QAM16	23.46	-5.21	-7.36	16.1	38.45	PASS
Band5	1.4	20643	6	#0	QAM16	22.51	-5.21	-7.36	15.15	38.45	PASS
Band5	3	20415	1	#0	QPSK	24.32	-5.21	-7.36	16.96	38.45	PASS
Band5	3	20415	1	#Mid	QPSK	24.41	-5.21	-7.36	17.05	38.45	PASS
Band5	3	20415	1	#Max	QPSK	24.30	-5.21	-7.36	16.94	38.45	PASS
Band5	3	20415	8	#0	QPSK	23.50	-5.21	-7.36	16.14	38.45	PASS
Band5	3	20415	8	#Mid	QPSK	23.56	-5.21	-7.36	16.2	38.45	PASS
Band5	3	20415	8	#Max	QPSK	23.57	-5.21	-7.36	16.21	38.45	PASS
Band5	3	20415	15	#0	QPSK	23.52	-5.21	-7.36	16.16	38.45	PASS
Band5	3	20415	1	#0	QAM16	23.77	-5.21	-7.36	16.41	38.45	PASS
Band5	3	20415	1	#Mid	QAM16	23.83	-5.21	-7.36	16.47	38.45	PASS
Band5	3	20415	1	#Max	QAM16	23.73	-5.21	-7.36	16.37	38.45	PASS
Band5	3	20415	8	#0	QAM16	22.61	-5.21	-7.36	15.25	38.45	PASS
Band5	3	20415	8	#Mid	QAM16	22.61	-5.21	-7.36	15.25	38.45	PASS
Band5	3	20415	8	#Max	QAM16	22.59	-5.21	-7.36	15.23	38.45	PASS
Band5	3	20415	15	#0	QAM16	22.58	-5.21	-7.36	15.22	38.45	PASS
Band5	3	20525	1	#0	QPSK	24.31	-5.21	-7.36	16.95	38.45	PASS
Band5	3	20525	1	#Mid	QPSK	24.31	-5.21	-7.36	16.95	38.45	PASS
Band5	3	20525	1	#Max	QPSK	24.26	-5.21	-7.36	16.9	38.45	PASS
Band5	3	20525	8	#0	QPSK	23.43	-5.21	-7.36	16.07	38.45	PASS
Band5	3	20525	8	#Mid	QPSK	23.52	-5.21	-7.36	16.16	38.45	PASS
Band5	3	20525	8	#Max	QPSK	23.48	-5.21	-7.36	16.12	38.45	PASS
Band5	3	20525	15	#0	QPSK	23.47	-5.21	-7.36	16.11	38.45	PASS
Band5	3	20525	1	#0	QAM16	23.47	-5.21	-7.36	16.11	38.45	PASS
Band5	3	20525	1	#Mid	QAM16	23.48	-5.21	-7.36	16.12	38.45	PASS
Band5	3	20525	1	#Max	QAM16	23.45	-5.21	-7.36	16.09	38.45	PASS
Band5	3	20525	8	#0	QAM16	22.49	-5.21	-7.36	15.13	38.45	PASS
Band5	3	20525	8	#Mid	QAM16	22.51	-5.21	-7.36	15.15	38.45	PASS
Band5	3	20525	8	#Max	QAM16	22.43	-5.21	-7.36	15.07	38.45	PASS
Band5	3	20525	15	#0	QAM16	22.44	-5.21	-7.36	15.08	38.45	PASS
Band5	3	20635	1	#0	QPSK	24.15	-5.21	-7.36	16.79	38.45	PASS
Band5	3	20635	1	#Mid	QPSK	24.23	-5.21	-7.36	16.87	38.45	PASS
Band5	3	20635	1	#Max	QPSK	24.19	-5.21	-7.36	16.83	38.45	PASS
Band5	3	20635	8	#0	QPSK	23.26	-5.21	-7.36	15.9	38.45	PASS
Band5	3	20635	8	#Mid	QPSK	23.35	-5.21	-7.36	15.99	38.45	PASS
Band5	3	20635	8	#Max	QPSK	23.28	-5.21	-7.36	15.92	38.45	PASS
Band5	3	20635	15	#0	QPSK	23.31	-5.21	-7.36	15.95	38.45	PASS
Band5	3	20635	1	#0	QAM16	23.07	-5.21	-7.36	15.71	38.45	PASS
Band5	3	20635	1	#Mid	QAM16	23.07	-5.21	-7.36	15.71	38.45	PASS
Band5	3	20635	1	#Max	QAM16	22.98	-5.21	-7.36	15.62	38.45	PASS
Band5	3	20635	8	#0	QAM16	22.33	-5.21	-7.36	14.97	38.45	PASS
Band5	3	20635	8	#Mid	QAM16	22.32	-5.21	-7.36	14.96	38.45	PASS

Band5	3	20635	8	#Max	QAM16	22.32	-5.21	-7.36	14.96	38.45	PASS
Band5	3	20635	15	#0	QAM16	22.39	-5.21	-7.36	15.03	38.45	PASS
Band5	5	20425	1	#0	QPSK	24.60	-5.21	-7.36	17.24	38.45	PASS
Band5	5	20425	1	#Mid	QPSK	24.64	-5.21	-7.36	17.28	38.45	PASS
Band5	5	20425	1	#Max	QPSK	24.62	-5.21	-7.36	17.26	38.45	PASS
Band5	5	20425	12	#0	QPSK	23.54	-5.21	-7.36	16.18	38.45	PASS
Band5	5	20425	12	#Mid	QPSK	23.67	-5.21	-7.36	16.31	38.45	PASS
Band5	5	20425	12	#Max	QPSK	23.62	-5.21	-7.36	16.26	38.45	PASS
Band5	5	20425	25	#0	QPSK	23.60	-5.21	-7.36	16.24	38.45	PASS
Band5	5	20425	1	#0	QAM16	24.11	-5.21	-7.36	16.75	38.45	PASS
Band5	5	20425	1	#Mid	QAM16	24.21	-5.21	-7.36	16.85	38.45	PASS
Band5	5	20425	1	#Max	QAM16	24.14	-5.21	-7.36	16.78	38.45	PASS
Band5	5	20425	12	#0	QAM16	22.57	-5.21	-7.36	15.21	38.45	PASS
Band5	5	20425	12	#Mid	QAM16	22.67	-5.21	-7.36	15.31	38.45	PASS
Band5	5	20425	12	#Max	QAM16	22.66	-5.21	-7.36	15.3	38.45	PASS
Band5	5	20425	25	#0	QAM16	22.58	-5.21	-7.36	15.22	38.45	PASS
Band5	5	20525	1	#0	QPSK	24.51	-5.21	-7.36	17.15	38.45	PASS
Band5	5	20525	1	#Mid	QPSK	24.61	-5.21	-7.36	17.25	38.45	PASS
Band5	5	20525	1	#Max	QPSK	24.56	-5.21	-7.36	17.2	38.45	PASS
Band5	5	20525	12	#0	QPSK	23.49	-5.21	-7.36	16.13	38.45	PASS
Band5	5	20525	12	#Mid	QPSK	23.58	-5.21	-7.36	16.22	38.45	PASS
Band5	5	20525	12	#Max	QPSK	23.52	-5.21	-7.36	16.16	38.45	PASS
Band5	5	20525	25	#0	QPSK	23.55	-5.21	-7.36	16.19	38.45	PASS
Band5	5	20525	1	#0	QAM16	23.82	-5.21	-7.36	16.46	38.45	PASS
Band5	5	20525	1	#Mid	QAM16	23.86	-5.21	-7.36	16.5	38.45	PASS
Band5	5	20525	1	#Max	QAM16	23.82	-5.21	-7.36	16.46	38.45	PASS
Band5	5	20525	12	#0	QAM16	22.42	-5.21	-7.36	15.06	38.45	PASS
Band5	5	20525	12	#Mid	QAM16	22.53	-5.21	-7.36	15.17	38.45	PASS
Band5	5	20525	12	#Max	QAM16	22.49	-5.21	-7.36	15.13	38.45	PASS
Band5	5	20525	25	#0	QAM16	22.55	-5.21	-7.36	15.19	38.45	PASS
Band5	5	20625	1	#0	QPSK	24.37	-5.21	-7.36	17.01	38.45	PASS
Band5	5	20625	1	#Mid	QPSK	24.37	-5.21	-7.36	17.01	38.45	PASS
Band5	5	20625	1	#Max	QPSK	24.27	-5.21	-7.36	16.91	38.45	PASS
Band5	5	20625	12	#0	QPSK	23.53	-5.21	-7.36	16.17	38.45	PASS
Band5	5	20625	12	#Mid	QPSK	23.47	-5.21	-7.36	16.11	38.45	PASS
Band5	5	20625	12	#Max	QPSK	23.37	-5.21	-7.36	16.01	38.45	PASS
Band5	5	20625	25	#0	QPSK	23.44	-5.21	-7.36	16.08	38.45	PASS
Band5	5	20625	1	#0	QAM16	23.69	-5.21	-7.36	16.33	38.45	PASS
Band5	5	20625	1	#Mid	QAM16	23.73	-5.21	-7.36	16.37	38.45	PASS
Band5	5	20625	1	#Max	QAM16	23.55	-5.21	-7.36	16.19	38.45	PASS
Band5	5	20625	12	#0	QAM16	22.48	-5.21	-7.36	15.12	38.45	PASS
Band5	5	20625	12	#Mid	QAM16	22.50	-5.21	-7.36	15.14	38.45	PASS
Band5	5	20625	12	#Max	QAM16	22.38	-5.21	-7.36	15.02	38.45	PASS
Band5	5	20625	25	#0	QAM16	22.44	-5.21	-7.36	15.08	38.45	PASS

Band5	10	20450	1	#0	QPSK	24.67	-5.21	-7.36	17.31	38.45	PASS
Band5	10	20450	1	#Mid	QPSK	24.64	-5.21	-7.36	17.28	38.45	PASS
Band5	10	20450	1	#Max	QPSK	24.59	-5.21	-7.36	17.23	38.45	PASS
Band5	10	20450	25	#0	QPSK	23.57	-5.21	-7.36	16.21	38.45	PASS
Band5	10	20450	25	#Mid	QPSK	23.73	-5.21	-7.36	16.37	38.45	PASS
Band5	10	20450	25	#Max	QPSK	23.59	-5.21	-7.36	16.23	38.45	PASS
Band5	10	20450	50	#0	QPSK	23.61	-5.21	-7.36	16.25	38.45	PASS
Band5	10	20450	1	#0	QAM16	24.08	-5.21	-7.36	16.72	38.45	PASS
Band5	10	20450	1	#Mid	QAM16	24.07	-5.21	-7.36	16.71	38.45	PASS
Band5	10	20450	1	#Max	QAM16	24.02	-5.21	-7.36	16.66	38.45	PASS
Band5	10	20450	25	#0	QAM16	22.61	-5.21	-7.36	15.25	38.45	PASS
Band5	10	20450	25	#Mid	QAM16	22.69	-5.21	-7.36	15.33	38.45	PASS
Band5	10	20450	25	#Max	QAM16	22.65	-5.21	-7.36	15.29	38.45	PASS
Band5	10	20450	50	#0	QAM16	22.64	-5.21	-7.36	15.28	38.45	PASS
Band5	10	20525	1	#0	QPSK	24.62	-5.21	-7.36	17.26	38.45	PASS
Band5	10	20525	1	#Mid	QPSK	24.59	-5.21	-7.36	17.23	38.45	PASS
Band5	10	20525	1	#Max	QPSK	24.52	-5.21	-7.36	17.16	38.45	PASS
Band5	10	20525	25	#0	QPSK	23.46	-5.21	-7.36	16.1	38.45	PASS
Band5	10	20525	25	#Mid	QPSK	23.59	-5.21	-7.36	16.23	38.45	PASS
Band5	10	20525	25	#Max	QPSK	23.46	-5.21	-7.36	16.1	38.45	PASS
Band5	10	20525	50	#0	QPSK	23.56	-5.21	-7.36	16.2	38.45	PASS
Band5	10	20525	1	#0	QAM16	23.78	-5.21	-7.36	16.42	38.45	PASS
Band5	10	20525	1	#Mid	QAM16	23.76	-5.21	-7.36	16.4	38.45	PASS
Band5	10	20525	1	#Max	QAM16	23.71	-5.21	-7.36	16.35	38.45	PASS
Band5	10	20525	25	#0	QAM16	22.52	-5.21	-7.36	15.16	38.45	PASS
Band5	10	20525	25	#Mid	QAM16	22.59	-5.21	-7.36	15.23	38.45	PASS
Band5	10	20525	25	#Max	QAM16	22.52	-5.21	-7.36	15.16	38.45	PASS
Band5	10	20525	50	#0	QAM16	22.54	-5.21	-7.36	15.18	38.45	PASS
Band5	10	20600	1	#0	QPSK	24.63	-5.21	-7.36	17.27	38.45	PASS
Band5	10	20600	1	#Mid	QPSK	24.61	-5.21	-7.36	17.25	38.45	PASS
Band5	10	20600	1	#Max	QPSK	24.50	-5.21	-7.36	17.14	38.45	PASS
Band5	10	20600	25	#0	QPSK	23.49	-5.21	-7.36	16.13	38.45	PASS
Band5	10	20600	25	#Mid	QPSK	23.47	-5.21	-7.36	16.11	38.45	PASS
Band5	10	20600	25	#Max	QPSK	23.31	-5.21	-7.36	15.95	38.45	PASS
Band5	10	20600	50	#0	QPSK	23.44	-5.21	-7.36	16.08	38.45	PASS
Band5	10	20600	1	#0	QAM16	23.39	-5.21	-7.36	16.03	38.45	PASS
Band5	10	20600	1	#Mid	QAM16	23.41	-5.21	-7.36	16.05	38.45	PASS
Band5	10	20600	1	#Max	QAM16	23.28	-5.21	-7.36	15.92	38.45	PASS
Band5	10	20600	25	#0	QAM16	22.46	-5.21	-7.36	15.1	38.45	PASS
Band5	10	20600	25	#Mid	QAM16	22.54	-5.21	-7.36	15.18	38.45	PASS
Band5	10	20600	25	#Max	QAM16	22.37	-5.21	-7.36	15.01	38.45	PASS
Band5	10	20600	50	#0	QAM16	22.43	-5.21	-7.36	15.07	38.45	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	0.11	0.000	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	-2.13	-0.003	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-1.60	-0.002	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	-3.60	-0.004	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	-3.03	-0.004	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	-3.91	-0.005	-2.5	2.5	PASS