

TABLE OF CONTENTS

<i>03 Peak-to-Average Ratio</i>	2
<i>04 Occupied bandwidth</i>	7
<i>05 Band edge</i>	12
<i>06 Out-of-band emissions</i>	21
<i>1 Conducted output power</i>	30
<i>2 Frequency stability</i>	34


03 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41(2535-2655)	5	40640	1	#0	QPSK	8.71	13	PASS
Band41(2535-2655)	5	40640	1	#0	64QAM	8.05	13	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	8.07	13	PASS
Band41(2535-2655)	10	40640	1	#0	64QAM	9.15	13	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	8.01	13	PASS
Band41(2535-2655)	15	40640	1	#0	64QAM	9.29	13	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	9.67	13	PASS
Band41(2535-2655)	20	40640	1	#0	64QAM	9.17	13	PASS


Band41(2535-2655) 64QAM BW=20MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) 64QAM BW=5MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) 64QAM BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) 64QAM BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0



Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0



04 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41(2535-2655)	5	40640	25	#0	QPSK	4.512	4.865	PASS
Band41(2535-2655)	5	40640	25	#0	64QAM	4.509	4.867	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	8.991	9.624	PASS
Band41(2535-2655)	10	40640	50	#0	64QAM	9.014	9.629	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	13.511	14.602	PASS
Band41(2535-2655)	15	40640	75	#0	64QAM	13.463	14.437	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	17.901	19.233	PASS
Band41(2535-2655)	20	40640	100	#0	64QAM	17.921	19.307	PASS


Band41(2535-2655) 64QAM BW=15MHz Channel=40640 RB Size=75 Position=#0



Band41(2535-2655) 64QAM BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0



Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) 64QAM BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) 64QAM BW=5MHz Channel=40640 RB Size=25 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0




05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	2528.93	-36.58	-25	PASS
Band41(2535-2655)	5	40065	25	#0	64QAM	2527.39	-35.84	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	2661.16	-34.76	-25	PASS
Band41(2535-2655)	5	41215	25	#0	64QAM	2661.09	-34.23	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	2524.73	-37.36	-25	PASS
Band41(2535-2655)	10	40090	50	#0	64QAM	2524.58	-36.57	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	2665.53	-34.74	-25	PASS
Band41(2535-2655)	10	41190	50	#0	64QAM	2665.09	-35.23	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	2518.57	-37.32	-25	PASS
Band41(2535-2655)	15	40115	75	#0	64QAM	2519.91	-37.04	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	2672.99	-35.19	-25	PASS
Band41(2535-2655)	15	41165	75	#0	64QAM	2671.40	-35.31	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	2514.88	-38.13	-25	PASS
Band41(2535-2655)	20	40140	100	#0	64QAM	2514.89	-38.44	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	2675.91	-36.15	-25	PASS
Band41(2535-2655)	20	41140	100	#0	64QAM	2677.15	-35.50	-25	PASS


Band41(2535-2655) 64QAM BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) 64QAM BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) 64QAM BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 64QAM BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 64QAM BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) 64QAM BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) 64QAM BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 64QAM BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	25	#0	QPSK	25760.50	-33.66	-25	PASS
Band41(2535-2655)	5	40065	25	#0	64QAM	26261.58	-33.34	-25	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	26185.71	-33.03	-25	PASS
Band41(2535-2655)	5	41215	25	#0	64QAM	26057.58	-32.78	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	26004.66	-33.10	-25	PASS
Band41(2535-2655)	10	40090	50	#0	64QAM	26141.73	-33.38	-25	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	26186.35	-32.80	-25	PASS
Band41(2535-2655)	10	41190	50	#0	64QAM	26137.90	-32.94	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	26192.09	-33.50	-25	PASS
Band41(2535-2655)	15	40115	75	#0	64QAM	25780.90	-33.77	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	26196.55	-33.24	-25	PASS
Band41(2535-2655)	15	41165	75	#0	64QAM	26216.95	-32.74	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	26152.56	-33.01	-25	PASS
Band41(2535-2655)	20	40140	100	#0	64QAM	25691.65	-32.55	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	26260.94	-33.10	-25	PASS
Band41(2535-2655)	20	41140	100	#0	64QAM	26200.38	-33.49	-25	PASS


Band41(2535-2655) 64QAM BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 64QAM BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) 64QAM BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) 64QAM BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) 64QAM BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) 64QAM BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 64QAM BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 64QAM BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0



Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0



1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	1	#0	QPSK	23.93	-0.44	23.49	33.01	PASS
Band41(2535-2655)	5	40065	1	#Mid	QPSK	24.01	-0.44	23.57	33.01	PASS
Band41(2535-2655)	5	40065	1	#Max	QPSK	23.89	-0.44	23.45	33.01	PASS
Band41(2535-2655)	5	40065	12	#0	QPSK	22.87	-0.44	22.43	33.01	PASS
Band41(2535-2655)	5	40065	12	#Mid	QPSK	22.94	-0.44	22.5	33.01	PASS
Band41(2535-2655)	5	40065	12	#Max	QPSK	22.91	-0.44	22.47	33.01	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	22.93	-0.44	22.49	33.01	PASS
Band41(2535-2655)	5	40065	1	#0	QAM16	23.92	-0.44	23.48	33.01	PASS
Band41(2535-2655)	5	40065	1	#Mid	QAM16	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	5	40065	1	#Max	QAM16	23.88	-0.44	23.44	33.01	PASS
Band41(2535-2655)	5	40065	12	#0	QAM16	22.87	-0.44	22.43	33.01	PASS
Band41(2535-2655)	5	40065	12	#Mid	QAM16	22.94	-0.44	22.5	33.01	PASS
Band41(2535-2655)	5	40065	12	#Max	QAM16	22.94	-0.44	22.5	33.01	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	22.92	-0.44	22.48	33.01	PASS
Band41(2535-2655)	5	40640	1	#0	QPSK	23.88	-0.44	23.44	33.01	PASS
Band41(2535-2655)	5	40640	1	#Mid	QPSK	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	5	40640	1	#Max	QPSK	23.91	-0.44	23.47	33.01	PASS
Band41(2535-2655)	5	40640	12	#0	QPSK	22.94	-0.44	22.5	33.01	PASS
Band41(2535-2655)	5	40640	12	#Mid	QPSK	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	5	40640	12	#Max	QPSK	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	22.97	-0.44	22.53	33.01	PASS
Band41(2535-2655)	5	40640	1	#0	QAM16	23.9	-0.44	23.46	33.01	PASS
Band41(2535-2655)	5	40640	1	#Mid	QAM16	24	-0.44	23.56	33.01	PASS
Band41(2535-2655)	5	40640	1	#Max	QAM16	23.88	-0.44	23.44	33.01	PASS
Band41(2535-2655)	5	40640	12	#0	QAM16	22.96	-0.44	22.52	33.01	PASS
Band41(2535-2655)	5	40640	12	#Mid	QAM16	23.01	-0.44	22.57	33.01	PASS
Band41(2535-2655)	5	40640	12	#Max	QAM16	22.97	-0.44	22.53	33.01	PASS
Band41(2535-2655)	5	40640	25	#0	QAM16	22.98	-0.44	22.54	33.01	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	23.54	-0.44	23.1	33.01	PASS
Band41(2535-2655)	5	41215	1	#Mid	QPSK	23.61	-0.44	23.17	33.01	PASS
Band41(2535-2655)	5	41215	1	#Max	QPSK	23.43	-0.44	22.99	33.01	PASS
Band41(2535-2655)	5	41215	12	#0	QPSK	22.5	-0.44	22.06	33.01	PASS
Band41(2535-2655)	5	41215	12	#Mid	QPSK	22.53	-0.44	22.09	33.01	PASS
Band41(2535-2655)	5	41215	12	#Max	QPSK	22.46	-0.44	22.02	33.01	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	22.49	-0.44	22.05	33.01	PASS
Band41(2535-2655)	5	41215	1	#0	QAM16	23.53	-0.44	23.09	33.01	PASS
Band41(2535-2655)	5	41215	1	#Mid	QAM16	23.6	-0.44	23.16	33.01	PASS
Band41(2535-2655)	5	41215	1	#Max	QAM16	23.45	-0.44	23.01	33.01	PASS

Band41(2535-2655)	5	41215	12	#0	QAM16	22.49	-0.44	22.05	33.01	PASS
Band41(2535-2655)	5	41215	12	#Mid	QAM16	22.5	-0.44	22.06	33.01	PASS
Band41(2535-2655)	5	41215	12	#Max	QAM16	22.43	-0.44	21.99	33.01	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	22.48	-0.44	22.04	33.01	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	23.93	-0.44	23.49	33.01	PASS
Band41(2535-2655)	10	40090	1	#Mid	QPSK	23.97	-0.44	23.53	33.01	PASS
Band41(2535-2655)	10	40090	1	#Max	QPSK	23.92	-0.44	23.48	33.01	PASS
Band41(2535-2655)	10	40090	25	#0	QPSK	22.86	-0.44	22.42	33.01	PASS
Band41(2535-2655)	10	40090	25	#Mid	QPSK	22.93	-0.44	22.49	33.01	PASS
Band41(2535-2655)	10	40090	25	#Max	QPSK	22.94	-0.44	22.5	33.01	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	22.93	-0.44	22.49	33.01	PASS
Band41(2535-2655)	10	40090	1	#0	QAM16	23.95	-0.44	23.51	33.01	PASS
Band41(2535-2655)	10	40090	1	#Mid	QAM16	23.97	-0.44	23.53	33.01	PASS
Band41(2535-2655)	10	40090	1	#Max	QAM16	23.91	-0.44	23.47	33.01	PASS
Band41(2535-2655)	10	40090	25	#0	QAM16	22.86	-0.44	22.42	33.01	PASS
Band41(2535-2655)	10	40090	25	#Mid	QAM16	22.93	-0.44	22.49	33.01	PASS
Band41(2535-2655)	10	40090	25	#Max	QAM16	22.96	-0.44	22.52	33.01	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	22.91	-0.44	22.47	33.01	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	10	40640	1	#Mid	QPSK	24.06	-0.44	23.62	33.01	PASS
Band41(2535-2655)	10	40640	1	#Max	QPSK	24.07	-0.44	23.63	33.01	PASS
Band41(2535-2655)	10	40640	25	#0	QPSK	22.97	-0.44	22.53	33.01	PASS
Band41(2535-2655)	10	40640	25	#Mid	QPSK	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	10	40640	25	#Max	QPSK	23	-0.44	22.56	33.01	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	23	-0.44	22.56	33.01	PASS
Band41(2535-2655)	10	40640	1	#0	QAM16	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	10	40640	1	#Mid	QAM16	24.1	-0.44	23.66	33.01	PASS
Band41(2535-2655)	10	40640	1	#Max	QAM16	24.06	-0.44	23.62	33.01	PASS
Band41(2535-2655)	10	40640	25	#0	QAM16	22.98	-0.44	22.54	33.01	PASS
Band41(2535-2655)	10	40640	25	#Mid	QAM16	23.03	-0.44	22.59	33.01	PASS
Band41(2535-2655)	10	40640	25	#Max	QAM16	23	-0.44	22.56	33.01	PASS
Band41(2535-2655)	10	40640	50	#0	QAM16	23.01	-0.44	22.57	33.01	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	23.75	-0.44	23.31	33.01	PASS
Band41(2535-2655)	10	41190	1	#Mid	QPSK	23.66	-0.44	23.22	33.01	PASS
Band41(2535-2655)	10	41190	1	#Max	QPSK	23.51	-0.44	23.07	33.01	PASS
Band41(2535-2655)	10	41190	25	#0	QPSK	22.62	-0.44	22.18	33.01	PASS
Band41(2535-2655)	10	41190	25	#Mid	QPSK	22.58	-0.44	22.14	33.01	PASS
Band41(2535-2655)	10	41190	25	#Max	QPSK	22.46	-0.44	22.02	33.01	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	22.56	-0.44	22.12	33.01	PASS
Band41(2535-2655)	10	41190	1	#0	QAM16	23.76	-0.44	23.32	33.01	PASS
Band41(2535-2655)	10	41190	1	#Mid	QAM16	23.66	-0.44	23.22	33.01	PASS
Band41(2535-2655)	10	41190	1	#Max	QAM16	23.5	-0.44	23.06	33.01	PASS
Band41(2535-2655)	10	41190	25	#0	QAM16	22.59	-0.44	22.15	33.01	PASS
Band41(2535-2655)	10	41190	25	#Mid	QAM16	22.58	-0.44	22.14	33.01	PASS

Band41(2535-2655)	10	41190	25	#Max	QAM16	22.47	-0.44	22.03	33.01	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	22.56	-0.44	22.12	33.01	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	23.9	-0.44	23.46	33.01	PASS
Band41(2535-2655)	15	40115	1	#Mid	QPSK	23.98	-0.44	23.54	33.01	PASS
Band41(2535-2655)	15	40115	1	#Max	QPSK	23.76	-0.44	23.32	33.01	PASS
Band41(2535-2655)	15	40115	36	#0	QPSK	22.87	-0.44	22.43	33.01	PASS
Band41(2535-2655)	15	40115	36	#Mid	QPSK	22.95	-0.44	22.51	33.01	PASS
Band41(2535-2655)	15	40115	36	#Max	QPSK	22.95	-0.44	22.51	33.01	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	22.92	-0.44	22.48	33.01	PASS
Band41(2535-2655)	15	40115	1	#0	QAM16	23.87	-0.44	23.43	33.01	PASS
Band41(2535-2655)	15	40115	1	#Mid	QAM16	23.95	-0.44	23.51	33.01	PASS
Band41(2535-2655)	15	40115	1	#Max	QAM16	23.78	-0.44	23.34	33.01	PASS
Band41(2535-2655)	15	40115	36	#0	QAM16	22.84	-0.44	22.4	33.01	PASS
Band41(2535-2655)	15	40115	36	#Mid	QAM16	22.93	-0.44	22.49	33.01	PASS
Band41(2535-2655)	15	40115	36	#Max	QAM16	22.91	-0.44	22.47	33.01	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	22.92	-0.44	22.48	33.01	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	23.95	-0.44	23.51	33.01	PASS
Band41(2535-2655)	15	40640	1	#Mid	QPSK	24.08	-0.44	23.64	33.01	PASS
Band41(2535-2655)	15	40640	1	#Max	QPSK	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	15	40640	36	#0	QPSK	22.96	-0.44	22.52	33.01	PASS
Band41(2535-2655)	15	40640	36	#Mid	QPSK	23.01	-0.44	22.57	33.01	PASS
Band41(2535-2655)	15	40640	36	#Max	QPSK	23.02	-0.44	22.58	33.01	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	15	40640	1	#0	QAM16	23.96	-0.44	23.52	33.01	PASS
Band41(2535-2655)	15	40640	1	#Mid	QAM16	24.06	-0.44	23.62	33.01	PASS
Band41(2535-2655)	15	40640	1	#Max	QAM16	24.04	-0.44	23.6	33.01	PASS
Band41(2535-2655)	15	40640	36	#0	QAM16	22.97	-0.44	22.53	33.01	PASS
Band41(2535-2655)	15	40640	36	#Mid	QAM16	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	15	40640	36	#Max	QAM16	23.01	-0.44	22.57	33.01	PASS
Band41(2535-2655)	15	40640	75	#0	QAM16	23.02	-0.44	22.58	33.01	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	23.88	-0.44	23.44	33.01	PASS
Band41(2535-2655)	15	41165	1	#Mid	QPSK	23.84	-0.44	23.4	33.01	PASS
Band41(2535-2655)	15	41165	1	#Max	QPSK	23.53	-0.44	23.09	33.01	PASS
Band41(2535-2655)	15	41165	36	#0	QPSK	22.74	-0.44	22.3	33.01	PASS
Band41(2535-2655)	15	41165	36	#Mid	QPSK	22.71	-0.44	22.27	33.01	PASS
Band41(2535-2655)	15	41165	36	#Max	QPSK	22.57	-0.44	22.13	33.01	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	22.71	-0.44	22.27	33.01	PASS
Band41(2535-2655)	15	41165	1	#0	QAM16	23.84	-0.44	23.4	33.01	PASS
Band41(2535-2655)	15	41165	1	#Mid	QAM16	23.82	-0.44	23.38	33.01	PASS
Band41(2535-2655)	15	41165	1	#Max	QAM16	23.55	-0.44	23.11	33.01	PASS
Band41(2535-2655)	15	41165	36	#0	QAM16	22.75	-0.44	22.31	33.01	PASS
Band41(2535-2655)	15	41165	36	#Mid	QAM16	22.72	-0.44	22.28	33.01	PASS
Band41(2535-2655)	15	41165	36	#Max	QAM16	22.6	-0.44	22.16	33.01	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	22.7	-0.44	22.26	33.01	PASS

Band41(2535-2655)	20	40140	1	#0	QPSK	23.86	-0.44	23.42	33.01	PASS
Band41(2535-2655)	20	40140	1	#Mid	QPSK	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	20	40140	1	#Max	QPSK	23.72	-0.44	23.28	33.01	PASS
Band41(2535-2655)	20	40140	50	#0	QPSK	22.79	-0.44	22.35	33.01	PASS
Band41(2535-2655)	20	40140	50	#Mid	QPSK	22.91	-0.44	22.47	33.01	PASS
Band41(2535-2655)	20	40140	50	#Max	QPSK	22.91	-0.44	22.47	33.01	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	22.84	-0.44	22.4	33.01	PASS
Band41(2535-2655)	20	40140	1	#0	QAM16	23.84	-0.44	23.4	33.01	PASS
Band41(2535-2655)	20	40140	1	#Mid	QAM16	24.04	-0.44	23.6	33.01	PASS
Band41(2535-2655)	20	40140	1	#Max	QAM16	23.74	-0.44	23.3	33.01	PASS
Band41(2535-2655)	20	40140	50	#0	QAM16	22.81	-0.44	22.37	33.01	PASS
Band41(2535-2655)	20	40140	50	#Mid	QAM16	22.93	-0.44	22.49	33.01	PASS
Band41(2535-2655)	20	40140	50	#Max	QAM16	22.92	-0.44	22.48	33.01	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	22.85	-0.44	22.41	33.01	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	23.93	-0.44	23.49	33.01	PASS
Band41(2535-2655)	20	40640	1	#Mid	QPSK	24.16	-0.44	23.72	33.01	PASS
Band41(2535-2655)	20	40640	1	#Max	QPSK	24.02	-0.44	23.58	33.01	PASS
Band41(2535-2655)	20	40640	50	#0	QPSK	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	20	40640	50	#Mid	QPSK	23.05	-0.44	22.61	33.01	PASS
Band41(2535-2655)	20	40640	50	#Max	QPSK	23.01	-0.44	22.57	33.01	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	22.98	-0.44	22.54	33.01	PASS
Band41(2535-2655)	20	40640	1	#0	QAM16	23.93	-0.44	23.49	33.01	PASS
Band41(2535-2655)	20	40640	1	#Mid	QAM16	24.15	-0.44	23.71	33.01	PASS
Band41(2535-2655)	20	40640	1	#Max	QAM16	24.01	-0.44	23.57	33.01	PASS
Band41(2535-2655)	20	40640	50	#0	QAM16	22.99	-0.44	22.55	33.01	PASS
Band41(2535-2655)	20	40640	50	#Mid	QAM16	23.05	-0.44	22.61	33.01	PASS
Band41(2535-2655)	20	40640	50	#Max	QAM16	23.01	-0.44	22.57	33.01	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	22.96	-0.44	22.52	33.01	PASS
Band41(2535-2655)	20	41140	1	#0	QPSK	23.73	-0.44	23.29	33.01	PASS
Band41(2535-2655)	20	41140	1	#Mid	QPSK	23.82	-0.44	23.38	33.01	PASS
Band41(2535-2655)	20	41140	1	#Max	QPSK	23.42	-0.44	22.98	33.01	PASS
Band41(2535-2655)	20	41140	50	#0	QPSK	22.69	-0.44	22.25	33.01	PASS
Band41(2535-2655)	20	41140	50	#Mid	QPSK	22.75	-0.44	22.31	33.01	PASS
Band41(2535-2655)	20	41140	50	#Max	QPSK	22.55	-0.44	22.11	33.01	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	22.61	-0.44	22.17	33.01	PASS
Band41(2535-2655)	20	41140	1	#0	QAM16	23.72	-0.44	23.28	33.01	PASS
Band41(2535-2655)	20	41140	1	#Mid	QAM16	23.84	-0.44	23.4	33.01	PASS
Band41(2535-2655)	20	41140	1	#Max	QAM16	23.42	-0.44	22.98	33.01	PASS
Band41(2535-2655)	20	41140	50	#0	QAM16	22.73	-0.44	22.29	33.01	PASS
Band41(2535-2655)	20	41140	50	#Mid	QAM16	22.71	-0.44	22.27	33.01	PASS
Band41(2535-2655)	20	41140	50	#Max	QAM16	22.54	-0.44	22.1	33.01	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	22.62	-0.44	22.18	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41(2535-2655)	20	40140	100	#0	QPSK	-1.40	-0.001	-2.5	2.5	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	-0.84	0.000	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	-2.94	-0.001	-2.5	2.5	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	-1.51	-0.001	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	-3.90	-0.001	-2.5	2.5	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	0.88	0.000	-2.5	2.5	PASS