

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	23.58	-2.24	21.34	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	23.57	-2.24	21.33	33.01	PASS
Band41	5	39675	1	#Max	QPSK	23.61	-2.24	21.37	33.01	PASS
Band41	5	39675	12	#0	QPSK	22.39	-2.24	20.15	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	22.36	-2.24	20.12	33.01	PASS
Band41	5	39675	12	#Max	QPSK	22.39	-2.24	20.15	33.01	PASS
Band41	5	39675	25	#0	QPSK	22.44	-2.24	20.20	33.01	PASS
Band41	5	39675	1	#0	QAM16	23.00	-2.24	20.76	33.01	PASS
Band41	5	39675	1	#Mid	QAM16	22.98	-2.24	20.74	33.01	PASS
Band41	5	39675	1	#Max	QAM16	22.98	-2.24	20.74	33.01	PASS
Band41	5	39675	12	#0	QAM16	21.39	-2.24	19.15	33.01	PASS
Band41	5	39675	12	#Mid	QAM16	21.37	-2.24	19.13	33.01	PASS
Band41	5	39675	12	#Max	QAM16	21.38	-2.24	19.14	33.01	PASS
Band41	5	39675	25	#0	QAM16	21.36	-2.24	19.12	33.01	PASS
Band41	5	40620	1	#0	QPSK	23.30	-2.24	21.06	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	23.28	-2.24	21.04	33.01	PASS
Band41	5	40620	1	#Max	QPSK	23.31	-2.24	21.07	33.01	PASS
Band41	5	40620	12	#0	QPSK	22.23	-2.24	19.99	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	22.24	-2.24	20.00	33.01	PASS
Band41	5	40620	12	#Max	QPSK	22.23	-2.24	19.99	33.01	PASS
Band41	5	40620	25	#0	QPSK	22.28	-2.24	20.04	33.01	PASS
Band41	5	40620	1	#0	QAM16	22.57	-2.24	20.33	33.01	PASS
Band41	5	40620	1	#Mid	QAM16	22.52	-2.24	20.28	33.01	PASS
Band41	5	40620	1	#Max	QAM16	22.59	-2.24	20.35	33.01	PASS
Band41	5	40620	12	#0	QAM16	21.26	-2.24	19.02	33.01	PASS
Band41	5	40620	12	#Mid	QAM16	21.20	-2.24	18.96	33.01	PASS
Band41	5	40620	12	#Max	QAM16	21.21	-2.24	18.97	33.01	PASS
Band41	5	40620	25	#0	QAM16	21.29	-2.24	19.05	33.01	PASS
Band41	5	41565	1	#0	QPSK	23.04	-2.24	20.80	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	23.07	-2.24	20.83	33.01	PASS
Band41	5	41565	1	#Max	QPSK	23.07	-2.24	20.83	33.01	PASS
Band41	5	41565	12	#0	QPSK	22.15	-2.24	19.91	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	22.08	-2.24	19.84	33.01	PASS
Band41	5	41565	12	#Max	QPSK	22.08	-2.24	19.84	33.01	PASS
Band41	5	41565	25	#0	QPSK	22.14	-2.24	19.90	33.01	PASS
Band41	5	41565	1	#0	QAM16	22.33	-2.24	20.09	33.01	PASS
Band41	5	41565	1	#Mid	QAM16	22.36	-2.24	20.12	33.01	PASS

Band41	5	41565	1	#Max	QAM16	22.37	-2.24	20.13	33.01	PASS
Band41	5	41565	12	#0	QAM16	21.18	-2.24	18.94	33.01	PASS
Band41	5	41565	12	#Mid	QAM16	21.18	-2.24	18.94	33.01	PASS
Band41	5	41565	12	#Max	QAM16	21.12	-2.24	18.88	33.01	PASS
Band41	5	41565	25	#0	QAM16	21.10	-2.24	18.86	33.01	PASS
Band41	10	39700	1	#0	QPSK	23.52	-2.24	21.28	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	23.47	-2.24	21.23	33.01	PASS
Band41	10	39700	1	#Max	QPSK	23.50	-2.24	21.26	33.01	PASS
Band41	10	39700	25	#0	QPSK	22.40	-2.24	20.16	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	22.39	-2.24	20.15	33.01	PASS
Band41	10	39700	25	#Max	QPSK	22.42	-2.24	20.18	33.01	PASS
Band41	10	39700	50	#0	QPSK	22.39	-2.24	20.15	33.01	PASS
Band41	10	39700	1	#0	QAM16	22.96	-2.24	20.72	33.01	PASS
Band41	10	39700	1	#Mid	QAM16	22.86	-2.24	20.62	33.01	PASS
Band41	10	39700	1	#Max	QAM16	22.94	-2.24	20.70	33.01	PASS
Band41	10	39700	25	#0	QAM16	21.40	-2.24	19.16	33.01	PASS
Band41	10	39700	25	#Mid	QAM16	21.38	-2.24	19.14	33.01	PASS
Band41	10	39700	25	#Max	QAM16	21.41	-2.24	19.17	33.01	PASS
Band41	10	39700	50	#0	QAM16	21.39	-2.24	19.15	33.01	PASS
Band41	10	40620	1	#0	QPSK	23.35	-2.24	21.11	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	23.30	-2.24	21.06	33.01	PASS
Band41	10	40620	1	#Max	QPSK	23.28	-2.24	21.04	33.01	PASS
Band41	10	40620	25	#0	QPSK	22.33	-2.24	20.09	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	22.27	-2.24	20.03	33.01	PASS
Band41	10	40620	25	#Max	QPSK	22.25	-2.24	20.01	33.01	PASS
Band41	10	40620	50	#0	QPSK	22.30	-2.24	20.06	33.01	PASS
Band41	10	40620	1	#0	QAM16	22.46	-2.24	20.22	33.01	PASS
Band41	10	40620	1	#Mid	QAM16	22.41	-2.24	20.17	33.01	PASS
Band41	10	40620	1	#Max	QAM16	22.38	-2.24	20.14	33.01	PASS
Band41	10	40620	25	#0	QAM16	21.32	-2.24	19.08	33.01	PASS
Band41	10	40620	25	#Mid	QAM16	21.25	-2.24	19.01	33.01	PASS
Band41	10	40620	25	#Max	QAM16	21.23	-2.24	18.99	33.01	PASS
Band41	10	40620	50	#0	QAM16	21.30	-2.24	19.06	33.01	PASS
Band41	10	41540	1	#0	QPSK	23.14	-2.24	20.90	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	23.07	-2.24	20.83	33.01	PASS
Band41	10	41540	1	#Max	QPSK	23.13	-2.24	20.89	33.01	PASS
Band41	10	41540	25	#0	QPSK	22.13	-2.24	19.89	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	22.13	-2.24	19.89	33.01	PASS
Band41	10	41540	25	#Max	QPSK	22.15	-2.24	19.91	33.01	PASS
Band41	10	41540	50	#0	QPSK	22.17	-2.24	19.93	33.01	PASS
Band41	10	41540	1	#0	QAM16	22.20	-2.24	19.96	33.01	PASS
Band41	10	41540	1	#Mid	QAM16	22.11	-2.24	19.87	33.01	PASS
Band41	10	41540	1	#Max	QAM16	22.17	-2.24	19.93	33.01	PASS
Band41	10	41540	25	#0	QAM16	21.13	-2.24	18.89	33.01	PASS

Band41	10	41540	25	#Mid	QAM16	21.12	-2.24	18.88	33.01	PASS
Band41	10	41540	25	#Max	QAM16	21.13	-2.24	18.89	33.01	PASS
Band41	10	41540	50	#0	QAM16	21.12	-2.24	18.88	33.01	PASS
Band41	15	39725	1	#0	QPSK	23.59	-2.24	21.35	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	23.49	-2.24	21.25	33.01	PASS
Band41	15	39725	1	#Max	QPSK	23.52	-2.24	21.28	33.01	PASS
Band41	15	39725	36	#0	QPSK	22.37	-2.24	20.13	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	22.36	-2.24	20.12	33.01	PASS
Band41	15	39725	36	#Max	QPSK	22.38	-2.24	20.14	33.01	PASS
Band41	15	39725	75	#0	QPSK	22.40	-2.24	20.16	33.01	PASS
Band41	15	39725	1	#0	QAM16	23.00	-2.24	20.76	33.01	PASS
Band41	15	39725	1	#Mid	QAM16	22.91	-2.24	20.67	33.01	PASS
Band41	15	39725	1	#Max	QAM16	22.95	-2.24	20.71	33.01	PASS
Band41	15	39725	36	#0	QAM16	21.42	-2.24	19.18	33.01	PASS
Band41	15	39725	36	#Mid	QAM16	21.41	-2.24	19.17	33.01	PASS
Band41	15	39725	36	#Max	QAM16	21.42	-2.24	19.18	33.01	PASS
Band41	15	39725	75	#0	QAM16	21.41	-2.24	19.17	33.01	PASS
Band41	15	40620	1	#0	QPSK	23.40	-2.24	21.16	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	23.32	-2.24	21.08	33.01	PASS
Band41	15	40620	1	#Max	QPSK	23.29	-2.24	21.05	33.01	PASS
Band41	15	40620	36	#0	QPSK	22.30	-2.24	20.06	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	22.24	-2.24	20.00	33.01	PASS
Band41	15	40620	36	#Max	QPSK	22.23	-2.24	19.99	33.01	PASS
Band41	15	40620	75	#0	QPSK	22.28	-2.24	20.04	33.01	PASS
Band41	15	40620	1	#0	QAM16	22.50	-2.24	20.26	33.01	PASS
Band41	15	40620	1	#Mid	QAM16	22.43	-2.24	20.19	33.01	PASS
Band41	15	40620	1	#Max	QAM16	22.43	-2.24	20.19	33.01	PASS
Band41	15	40620	36	#0	QAM16	21.39	-2.24	19.15	33.01	PASS
Band41	15	40620	36	#Mid	QAM16	21.32	-2.24	19.08	33.01	PASS
Band41	15	40620	36	#Max	QAM16	21.29	-2.24	19.05	33.01	PASS
Band41	15	40620	75	#0	QAM16	21.31	-2.24	19.07	33.01	PASS
Band41	15	41515	1	#0	QPSK	23.35	-2.24	21.11	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	23.27	-2.24	21.03	33.01	PASS
Band41	15	41515	1	#Max	QPSK	23.35	-2.24	21.11	33.01	PASS
Band41	15	41515	36	#0	QPSK	22.14	-2.24	19.90	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	22.07	-2.24	19.83	33.01	PASS
Band41	15	41515	36	#Max	QPSK	22.12	-2.24	19.88	33.01	PASS
Band41	15	41515	75	#0	QPSK	22.12	-2.24	19.88	33.01	PASS
Band41	15	41515	1	#0	QAM16	22.42	-2.24	20.18	33.01	PASS
Band41	15	41515	1	#Mid	QAM16	22.31	-2.24	20.07	33.01	PASS
Band41	15	41515	1	#Max	QAM16	22.36	-2.24	20.12	33.01	PASS
Band41	15	41515	36	#0	QAM16	21.14	-2.24	18.90	33.01	PASS
Band41	15	41515	36	#Mid	QAM16	21.06	-2.24	18.82	33.01	PASS
Band41	15	41515	36	#Max	QAM16	21.11	-2.24	18.87	33.01	PASS

Band41	15	41515	75	#0	QAM16	21.17	-2.24	18.93	33.01	PASS
Band41	20	39750	1	#0	QPSK	23.49	-2.24	21.25	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	23.38	-2.24	21.14	33.01	PASS
Band41	20	39750	1	#Max	QPSK	23.41	-2.24	21.17	33.01	PASS
Band41	20	39750	50	#0	QPSK	22.42	-2.24	20.18	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	22.40	-2.24	20.16	33.01	PASS
Band41	20	39750	50	#Max	QPSK	22.44	-2.24	20.20	33.01	PASS
Band41	20	39750	100	#0	QPSK	22.42	-2.24	20.18	33.01	PASS
Band41	20	39750	1	#0	QAM16	22.75	-2.24	20.51	33.01	PASS
Band41	20	39750	1	#Mid	QAM16	22.67	-2.24	20.43	33.01	PASS
Band41	20	39750	1	#Max	QAM16	22.68	-2.24	20.44	33.01	PASS
Band41	20	39750	50	#0	QAM16	21.46	-2.24	19.22	33.01	PASS
Band41	20	39750	50	#Mid	QAM16	21.44	-2.24	19.20	33.01	PASS
Band41	20	39750	50	#Max	QAM16	21.49	-2.24	19.25	33.01	PASS
Band41	20	39750	100	#0	QAM16	21.41	-2.24	19.17	33.01	PASS
Band41	20	40620	1	#0	QPSK	23.44	-2.24	21.20	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	23.37	-2.24	21.13	33.01	PASS
Band41	20	40620	1	#Max	QPSK	23.37	-2.24	21.13	33.01	PASS
Band41	20	40620	50	#0	QPSK	22.38	-2.24	20.14	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	22.32	-2.24	20.08	33.01	PASS
Band41	20	40620	50	#Max	QPSK	22.29	-2.24	20.05	33.01	PASS
Band41	20	40620	100	#0	QPSK	22.32	-2.24	20.08	33.01	PASS
Band41	20	40620	1	#0	QAM16	22.55	-2.24	20.31	33.01	PASS
Band41	20	40620	1	#Mid	QAM16	22.47	-2.24	20.23	33.01	PASS
Band41	20	40620	1	#Max	QAM16	22.46	-2.24	20.22	33.01	PASS
Band41	20	40620	50	#0	QAM16	21.35	-2.24	19.11	33.01	PASS
Band41	20	40620	50	#Mid	QAM16	21.27	-2.24	19.03	33.01	PASS
Band41	20	40620	50	#Max	QAM16	21.26	-2.24	19.02	33.01	PASS
Band41	20	40620	100	#0	QAM16	21.29	-2.24	19.05	33.01	PASS
Band41	20	41490	1	#0	QPSK	23.16	-2.24	20.92	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	23.10	-2.24	20.86	33.01	PASS
Band41	20	41490	1	#Max	QPSK	23.15	-2.24	20.91	33.01	PASS
Band41	20	41490	50	#0	QPSK	22.16	-2.24	19.92	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	22.15	-2.24	19.91	33.01	PASS
Band41	20	41490	50	#Max	QPSK	22.16	-2.24	19.92	33.01	PASS
Band41	20	41490	100	#0	QPSK	22.16	-2.24	19.92	33.01	PASS
Band41	20	41490	1	#0	QAM16	22.45	-2.24	20.21	33.01	PASS
Band41	20	41490	1	#Mid	QAM16	22.36	-2.24	20.12	33.01	PASS
Band41	20	41490	1	#Max	QAM16	22.45	-2.24	20.21	33.01	PASS
Band41	20	41490	50	#0	QAM16	21.21	-2.24	18.97	33.01	PASS
Band41	20	41490	50	#Mid	QAM16	21.16	-2.24	18.92	33.01	PASS
Band41	20	41490	50	#Max	QAM16	21.17	-2.24	18.93	33.01	PASS
Band41	20	41490	100	#0	QAM16	21.17	-2.24	18.93	33.01	PASS

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	2.68	0.001	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	-1.35	-0.001	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-5.49	-0.002	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	-1.61	-0.001	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	0.44	0.000	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-3.83	-0.001	-2.5	2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	7.43	13	PASS
Band41	5	40620	1	#0	QAM16	7.38	13	PASS
Band41	10	40620	1	#0	QPSK	7.13	13	PASS
Band41	10	40620	1	#0	QAM16	10.53	13	PASS
Band41	15	40620	1	#0	QPSK	8.88	13	PASS
Band41	15	40620	1	#0	QAM16	9.24	13	PASS
Band41	20	40620	1	#0	QPSK	6.92	13	PASS
Band41	20	40620	1	#0	QAM16	9.07	13	PASS


Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41	5	39675	25	#0	QPSK	4.513	5.087	PASS
Band41	5	39675	25	#0	QAM16	4.501	5.316	PASS
Band41	5	40620	25	#0	QPSK	4.514	5.886	PASS
Band41	5	40620	25	#0	QAM16	4.504	5.775	PASS
Band41	5	41565	25	#0	QPSK	4.500	4.874	PASS
Band41	5	41565	25	#0	QAM16	4.507	5.216	PASS
Band41	10	39700	50	#0	QPSK	9.008	10.733	PASS
Band41	10	39700	50	#0	QAM16	9.009	10.577	PASS
Band41	10	40620	50	#0	QPSK	8.998	11.364	PASS
Band41	10	40620	50	#0	QAM16	8.997	9.627	PASS
Band41	10	41540	50	#0	QPSK	9.013	11.233	PASS
Band41	10	41540	50	#0	QAM16	8.987	9.830	PASS
Band41	15	39725	75	#0	QPSK	13.452	14.924	PASS
Band41	15	39725	75	#0	QAM16	13.451	14.435	PASS
Band41	15	40620	75	#0	QPSK	13.458	15.574	PASS
Band41	15	40620	75	#0	QAM16	13.497	16.586	PASS
Band41	15	41515	75	#0	QPSK	13.444	15.017	PASS
Band41	15	41515	75	#0	QAM16	13.532	14.563	PASS
Band41	20	39750	100	#0	QPSK	17.943	21.931	PASS
Band41	20	39750	100	#0	QAM16	17.945	20.243	PASS
Band41	20	40620	100	#0	QPSK	17.945	21.390	PASS
Band41	20	40620	100	#0	QAM16	17.959	27.056	PASS
Band41	20	41490	100	#0	QPSK	17.960	21.915	PASS
Band41	20	41490	100	#0	QAM16	17.978	20.090	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2495.00	-17.02	-13	PASS
Band41	5	39675	25	#0	QAM16	2495.00	-18.67	-13	PASS
Band41	5	41565	25	#0	QPSK	2696.10	-32.84	-25	PASS
Band41	5	41565	25	#0	QAM16	2691.00	-18.23	-10	PASS
Band41	10	39700	50	#0	QPSK	2494.51	-23.46	-13	PASS
Band41	10	39700	50	#0	QAM16	2494.85	-19.71	-13	PASS
Band41	10	41540	50	#0	QPSK	2691.18	-19.31	-10	PASS
Band41	10	41540	50	#0	QAM16	2700.98	-37.66	-25	PASS
Band41	15	39725	75	#0	QPSK	2480.37	-37.32	-25	PASS
Band41	15	39725	75	#0	QAM16	2480.91	-39.56	-25	PASS
Band41	15	41515	75	#0	QPSK	2705.17	-36.66	-25	PASS
Band41	15	41515	75	#0	QAM16	2705.19	-38.50	-25	PASS
Band41	20	39750	100	#0	QPSK	2492.07	-27.04	-13	PASS
Band41	20	39750	100	#0	QAM16	2493.63	-27.31	-13	PASS
Band41	20	41490	100	#0	QPSK	2710.33	-38.09	-25	PASS
Band41	20	41490	100	#0	QAM16	2691.73	-23.52	-10	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	4743.33	-37.68	-25	PASS
Band41	5	39675	25	#0	QAM16	3825.33	-37.43	-25	PASS
Band41	5	41565	25	#0	QPSK	5375.13	-33.95	-25	PASS
Band41	5	41565	25	#0	QAM16	5376.48	-35.40	-25	PASS
Band41	10	39700	50	#0	QPSK	3969.78	-37.57	-25	PASS
Band41	10	39700	50	#0	QAM16	3789.55	-37.73	-25	PASS
Band41	10	41540	50	#0	QPSK	3917.35	-37.11	-25	PASS
Band41	10	41540	50	#0	QAM16	5373.33	-37.05	-25	PASS
Band41	15	39725	75	#0	QPSK	3796.98	-37.61	-25	PASS
Band41	15	39725	75	#0	QAM16	3805.30	-37.68	-25	PASS
Band41	15	41515	75	#0	QPSK	5365.90	-37.09	-25	PASS
Band41	15	41515	75	#0	QAM16	8686.00	-37.96	-25	PASS
Band41	20	39750	100	#0	QPSK	5057.20	-37.76	-25	PASS
Band41	20	39750	100	#0	QAM16	3909.25	-37.53	-25	PASS
Band41	20	41490	100	#0	QPSK	3815.88	-37.95	-25	PASS
Band41	20	41490	100	#0	QAM16	3831.85	-37.20	-25	PASS


Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0



Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0

