

# TABLE OF CONTENTS

<b>1 Conducted output power</b> .....	2
<b>2 Frequency stability</b> .....	8
<b>3 Peak-to-Average Ratio</b> .....	9
<b>4 Occupied bandwidth</b> .....	16
<b>5 Band edge</b> .....	35
<b>6 Out-of-band emissions</b> .....	48

## 1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	23.70	3.97	27.67	30.00	PASS
Band66	1.4	131979	1	#Mid	QPSK	23.77	3.97	27.74	30.00	PASS
Band66	1.4	131979	1	#Max	QPSK	23.77	3.97	27.74	30.00	PASS
Band66	1.4	131979	3	#0	QPSK	23.75	3.97	27.72	30.00	PASS
Band66	1.4	131979	3	#Mid	QPSK	23.75	3.97	27.72	30.00	PASS
Band66	1.4	131979	3	#Max	QPSK	23.74	3.97	27.71	30.00	PASS
Band66	1.4	131979	6	#0	QPSK	22.77	3.97	26.74	30.00	PASS
Band66	1.4	131979	1	#0	QAM16	22.76	3.97	26.73	30.00	PASS
Band66	1.4	131979	1	#Mid	QAM16	22.70	3.97	26.67	30.00	PASS
Band66	1.4	131979	1	#Max	QAM16	22.77	3.97	26.74	30.00	PASS
Band66	1.4	131979	3	#0	QAM16	22.94	3.97	26.91	30.00	PASS
Band66	1.4	131979	3	#Mid	QAM16	22.94	3.97	26.91	30.00	PASS
Band66	1.4	131979	3	#Max	QAM16	22.95	3.97	26.92	30.00	PASS
Band66	1.4	131979	6	#0	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	1.4	132322	1	#0	QPSK	23.94	3.97	27.91	30.00	PASS
Band66	1.4	132322	1	#Mid	QPSK	23.93	3.97	27.90	30.00	PASS
Band66	1.4	132322	1	#Max	QPSK	23.93	3.97	27.90	30.00	PASS
Band66	1.4	132322	3	#0	QPSK	23.83	3.97	27.80	30.00	PASS
Band66	1.4	132322	3	#Mid	QPSK	23.81	3.97	27.78	30.00	PASS
Band66	1.4	132322	3	#Max	QPSK	23.84	3.97	27.81	30.00	PASS
Band66	1.4	132322	6	#0	QPSK	22.86	3.97	26.83	30.00	PASS
Band66	1.4	132322	1	#0	QAM16	23.12	3.97	27.09	30.00	PASS
Band66	1.4	132322	1	#Mid	QAM16	23.06	3.97	27.03	30.00	PASS
Band66	1.4	132322	1	#Max	QAM16	23.13	3.97	27.10	30.00	PASS
Band66	1.4	132322	3	#0	QAM16	23.04	3.97	27.01	30.00	PASS
Band66	1.4	132322	3	#Mid	QAM16	23.03	3.97	27.00	30.00	PASS
Band66	1.4	132322	3	#Max	QAM16	23.06	3.97	27.03	30.00	PASS
Band66	1.4	132322	6	#0	QAM16	22.01	3.97	25.98	30.00	PASS
Band66	1.4	132665	1	#0	QPSK	23.97	3.97	27.94	30.00	PASS
Band66	1.4	132665	1	#Mid	QPSK	23.92	3.97	27.89	30.00	PASS
Band66	1.4	132665	1	#Max	QPSK	23.94	3.97	27.91	30.00	PASS
Band66	1.4	132665	3	#0	QPSK	23.96	3.97	27.93	30.00	PASS
Band66	1.4	132665	3	#Mid	QPSK	23.91	3.97	27.88	30.00	PASS
Band66	1.4	132665	3	#Max	QPSK	23.90	3.97	27.87	30.00	PASS
Band66	1.4	132665	6	#0	QPSK	22.94	3.97	26.91	30.00	PASS
Band66	1.4	132665	1	#0	QAM16	22.71	3.97	26.68	30.00	PASS
Band66	1.4	132665	1	#Mid	QAM16	22.68	3.97	26.65	30.00	PASS

Band66	1.4	132665	1	#Max	QAM16	22.72	3.97	26.69	30.00	PASS
Band66	1.4	132665	3	#0	QAM16	23.02	3.97	26.99	30.00	PASS
Band66	1.4	132665	3	#Mid	QAM16	23.05	3.97	27.02	30.00	PASS
Band66	1.4	132665	3	#Max	QAM16	23.07	3.97	27.04	30.00	PASS
Band66	1.4	132665	6	#0	QAM16	22.09	3.97	26.06	30.00	PASS
Band66	3	131987	1	#0	QPSK	23.97	3.97	27.94	30.00	PASS
Band66	3	131987	1	#Mid	QPSK	23.88	3.97	27.85	30.00	PASS
Band66	3	131987	1	#Max	QPSK	23.89	3.97	27.86	30.00	PASS
Band66	3	131987	8	#0	QPSK	22.85	3.97	26.82	30.00	PASS
Band66	3	131987	8	#Mid	QPSK	22.81	3.97	26.78	30.00	PASS
Band66	3	131987	8	#Max	QPSK	22.80	3.97	26.77	30.00	PASS
Band66	3	131987	15	#0	QPSK	22.84	3.97	26.81	30.00	PASS
Band66	3	131987	1	#0	QAM16	23.22	3.97	27.19	30.00	PASS
Band66	3	131987	1	#Mid	QAM16	23.13	3.97	27.10	30.00	PASS
Band66	3	131987	1	#Max	QAM16	23.15	3.97	27.12	30.00	PASS
Band66	3	131987	8	#0	QAM16	21.87	3.97	25.84	30.00	PASS
Band66	3	131987	8	#Mid	QAM16	21.85	3.97	25.82	30.00	PASS
Band66	3	131987	8	#Max	QAM16	21.84	3.97	25.81	30.00	PASS
Band66	3	131987	15	#0	QAM16	21.88	3.97	25.85	30.00	PASS
Band66	3	132322	1	#0	QPSK	23.91	3.97	27.88	30.00	PASS
Band66	3	132322	1	#Mid	QPSK	23.91	3.97	27.88	30.00	PASS
Band66	3	132322	1	#Max	QPSK	23.82	3.97	27.79	30.00	PASS
Band66	3	132322	8	#0	QPSK	22.95	3.97	26.92	30.00	PASS
Band66	3	132322	8	#Mid	QPSK	22.92	3.97	26.89	30.00	PASS
Band66	3	132322	8	#Max	QPSK	22.90	3.97	26.87	30.00	PASS
Band66	3	132322	15	#0	QPSK	22.89	3.97	26.86	30.00	PASS
Band66	3	132322	1	#0	QAM16	23.15	3.97	27.12	30.00	PASS
Band66	3	132322	1	#Mid	QAM16	23.11	3.97	27.08	30.00	PASS
Band66	3	132322	1	#Max	QAM16	23.06	3.97	27.03	30.00	PASS
Band66	3	132322	8	#0	QAM16	21.95	3.97	25.92	30.00	PASS
Band66	3	132322	8	#Mid	QAM16	21.95	3.97	25.92	30.00	PASS
Band66	3	132322	8	#Max	QAM16	21.89	3.97	25.86	30.00	PASS
Band66	3	132322	15	#0	QAM16	21.84	3.97	25.81	30.00	PASS
Band66	3	132657	1	#0	QPSK	23.92	3.97	27.89	30.00	PASS
Band66	3	132657	1	#Mid	QPSK	23.92	3.97	27.89	30.00	PASS
Band66	3	132657	1	#Max	QPSK	23.93	3.97	27.90	30.00	PASS
Band66	3	132657	8	#0	QPSK	22.96	3.97	26.93	30.00	PASS
Band66	3	132657	8	#Mid	QPSK	22.93	3.97	26.90	30.00	PASS
Band66	3	132657	8	#Max	QPSK	22.94	3.97	26.91	30.00	PASS
Band66	3	132657	15	#0	QPSK	22.96	3.97	26.93	30.00	PASS
Band66	3	132657	1	#0	QAM16	22.72	3.97	26.69	30.00	PASS
Band66	3	132657	1	#Mid	QAM16	22.68	3.97	26.65	30.00	PASS
Band66	3	132657	1	#Max	QAM16	22.70	3.97	26.67	30.00	PASS
Band66	3	132657	8	#0	QAM16	21.97	3.97	25.94	30.00	PASS

Band66	3	132657	8	#Mid	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	3	132657	8	#Max	QAM16	21.92	3.97	25.89	30.00	PASS
Band66	3	132657	15	#0	QAM16	21.97	3.97	25.94	30.00	PASS
Band66	5	131997	1	#0	QPSK	24.03	3.97	28.00	30.00	PASS
Band66	5	131997	1	#Mid	QPSK	24.01	3.97	27.98	30.00	PASS
Band66	5	131997	1	#Max	QPSK	23.96	3.97	27.93	30.00	PASS
Band66	5	131997	12	#0	QPSK	22.91	3.97	26.88	30.00	PASS
Band66	5	131997	12	#Mid	QPSK	22.88	3.97	26.85	30.00	PASS
Band66	5	131997	12	#Max	QPSK	22.85	3.97	26.82	30.00	PASS
Band66	5	131997	25	#0	QPSK	22.92	3.97	26.89	30.00	PASS
Band66	5	131997	1	#0	QAM16	23.37	3.97	27.34	30.00	PASS
Band66	5	131997	1	#Mid	QAM16	23.33	3.97	27.30	30.00	PASS
Band66	5	131997	1	#Max	QAM16	23.28	3.97	27.25	30.00	PASS
Band66	5	131997	12	#0	QAM16	21.90	3.97	25.87	30.00	PASS
Band66	5	131997	12	#Mid	QAM16	21.87	3.97	25.84	30.00	PASS
Band66	5	131997	12	#Max	QAM16	21.84	3.97	25.81	30.00	PASS
Band66	5	131997	25	#0	QAM16	21.84	3.97	25.81	30.00	PASS
Band66	5	132322	1	#0	QPSK	24.09	3.97	28.06	30.00	PASS
Band66	5	132322	1	#Mid	QPSK	24.06	3.97	28.03	30.00	PASS
Band66	5	132322	1	#Max	QPSK	24.05	3.97	28.02	30.00	PASS
Band66	5	132322	12	#0	QPSK	22.98	3.97	26.95	30.00	PASS
Band66	5	132322	12	#Mid	QPSK	22.98	3.97	26.95	30.00	PASS
Band66	5	132322	12	#Max	QPSK	22.95	3.97	26.92	30.00	PASS
Band66	5	132322	25	#0	QPSK	22.98	3.97	26.95	30.00	PASS
Band66	5	132322	1	#0	QAM16	23.43	3.97	27.40	30.00	PASS
Band66	5	132322	1	#Mid	QAM16	23.40	3.97	27.37	30.00	PASS
Band66	5	132322	1	#Max	QAM16	23.40	3.97	27.37	30.00	PASS
Band66	5	132322	12	#0	QAM16	21.96	3.97	25.93	30.00	PASS
Band66	5	132322	12	#Mid	QAM16	21.96	3.97	25.93	30.00	PASS
Band66	5	132322	12	#Max	QAM16	21.92	3.97	25.89	30.00	PASS
Band66	5	132322	25	#0	QAM16	21.99	3.97	25.96	30.00	PASS
Band66	5	132647	1	#0	QPSK	23.98	3.97	27.95	30.00	PASS
Band66	5	132647	1	#Mid	QPSK	24.00	3.97	27.97	30.00	PASS
Band66	5	132647	1	#Max	QPSK	24.02	3.97	27.99	30.00	PASS
Band66	5	132647	12	#0	QPSK	22.97	3.97	26.94	30.00	PASS
Band66	5	132647	12	#Mid	QPSK	22.95	3.97	26.92	30.00	PASS
Band66	5	132647	12	#Max	QPSK	22.95	3.97	26.92	30.00	PASS
Band66	5	132647	25	#0	QPSK	23.01	3.97	26.98	30.00	PASS
Band66	5	132647	1	#0	QAM16	23.24	3.97	27.21	30.00	PASS
Band66	5	132647	1	#Mid	QAM16	23.23	3.97	27.20	30.00	PASS
Band66	5	132647	1	#Max	QAM16	23.20	3.97	27.17	30.00	PASS
Band66	5	132647	12	#0	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	5	132647	12	#Mid	QAM16	22.01	3.97	25.98	30.00	PASS
Band66	5	132647	12	#Max	QAM16	22.03	3.97	26.00	30.00	PASS

Band66	5	132647	25	#0	QAM16	21.96	3.97	25.93	30.00	PASS
Band66	10	132022	1	#0	QPSK	24.01	3.97	27.98	30.00	PASS
Band66	10	132022	1	#Mid	QPSK	23.87	3.97	27.84	30.00	PASS
Band66	10	132022	1	#Max	QPSK	24.00	3.97	27.97	30.00	PASS
Band66	10	132022	25	#0	QPSK	22.93	3.97	26.90	30.00	PASS
Band66	10	132022	25	#Mid	QPSK	22.93	3.97	26.90	30.00	PASS
Band66	10	132022	25	#Max	QPSK	22.90	3.97	26.87	30.00	PASS
Band66	10	132022	50	#0	QPSK	22.91	3.97	26.88	30.00	PASS
Band66	10	132022	1	#0	QAM16	23.36	3.97	27.33	30.00	PASS
Band66	10	132022	1	#Mid	QAM16	23.14	3.97	27.11	30.00	PASS
Band66	10	132022	1	#Max	QAM16	23.17	3.97	27.14	30.00	PASS
Band66	10	132022	25	#0	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	10	132022	25	#Mid	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	10	132022	25	#Max	QAM16	21.89	3.97	25.86	30.00	PASS
Band66	10	132022	50	#0	QAM16	21.90	3.97	25.87	30.00	PASS
Band66	10	132322	1	#0	QPSK	24.09	3.97	28.06	30.00	PASS
Band66	10	132322	1	#Mid	QPSK	24.03	3.97	28.00	30.00	PASS
Band66	10	132322	1	#Max	QPSK	23.92	3.97	27.89	30.00	PASS
Band66	10	132322	25	#0	QPSK	23.04	3.97	27.01	30.00	PASS
Band66	10	132322	25	#Mid	QPSK	23.03	3.97	27.00	30.00	PASS
Band66	10	132322	25	#Max	QPSK	23.02	3.97	26.99	30.00	PASS
Band66	10	132322	50	#0	QPSK	23.02	3.97	26.99	30.00	PASS
Band66	10	132322	1	#0	QAM16	23.28	3.97	27.25	30.00	PASS
Band66	10	132322	1	#Mid	QAM16	23.19	3.97	27.16	30.00	PASS
Band66	10	132322	1	#Max	QAM16	23.13	3.97	27.10	30.00	PASS
Band66	10	132322	25	#0	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	10	132322	25	#Mid	QAM16	22.00	3.97	25.97	30.00	PASS
Band66	10	132322	25	#Max	QAM16	22.01	3.97	25.98	30.00	PASS
Band66	10	132322	50	#0	QAM16	22.03	3.97	26.00	30.00	PASS
Band66	10	132622	1	#0	QPSK	24.12	3.97	28.09	30.00	PASS
Band66	10	132622	1	#Mid	QPSK	24.05	3.97	28.02	30.00	PASS
Band66	10	132622	1	#Max	QPSK	24.07	3.97	28.04	30.00	PASS
Band66	10	132622	25	#0	QPSK	23.04	3.97	27.01	30.00	PASS
Band66	10	132622	25	#Mid	QPSK	23.02	3.97	26.99	30.00	PASS
Band66	10	132622	25	#Max	QPSK	23.06	3.97	27.03	30.00	PASS
Band66	10	132622	50	#0	QPSK	23.02	3.97	26.99	30.00	PASS
Band66	10	132622	1	#0	QAM16	22.90	3.97	26.87	30.00	PASS
Band66	10	132622	1	#Mid	QAM16	22.78	3.97	26.75	30.00	PASS
Band66	10	132622	1	#Max	QAM16	23.13	3.97	27.10	30.00	PASS
Band66	10	132622	25	#0	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	10	132622	25	#Mid	QAM16	22.00	3.97	25.97	30.00	PASS
Band66	10	132622	25	#Max	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	10	132622	50	#0	QAM16	21.98	3.97	25.95	30.00	PASS
Band66	15	132047	1	#0	QPSK	24.01	3.97	27.98	30.00	PASS

Band66	15	132047	1	#Mid	QPSK	23.97	3.97	27.94	30.00	PASS
Band66	15	132047	1	#Max	QPSK	24.17	3.97	28.14	30.00	PASS
Band66	15	132047	36	#0	QPSK	22.86	3.97	26.83	30.00	PASS
Band66	15	132047	36	#Mid	QPSK	22.81	3.97	26.78	30.00	PASS
Band66	15	132047	36	#Max	QPSK	22.86	3.97	26.83	30.00	PASS
Band66	15	132047	75	#0	QPSK	22.90	3.97	26.87	30.00	PASS
Band66	15	132047	1	#0	QAM16	23.28	3.97	27.25	30.00	PASS
Band66	15	132047	1	#Mid	QAM16	23.13	3.97	27.10	30.00	PASS
Band66	15	132047	1	#Max	QAM16	23.30	3.97	27.27	30.00	PASS
Band66	15	132047	36	#0	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	15	132047	36	#Mid	QAM16	21.86	3.97	25.83	30.00	PASS
Band66	15	132047	36	#Max	QAM16	21.91	3.97	25.88	30.00	PASS
Band66	15	132047	75	#0	QAM16	21.91	3.97	25.88	30.00	PASS
Band66	15	132322	1	#0	QPSK	24.12	3.97	28.09	30.00	PASS
Band66	15	132322	1	#Mid	QPSK	24.05	3.97	28.02	30.00	PASS
Band66	15	132322	1	#Max	QPSK	23.93	3.97	27.90	30.00	PASS
Band66	15	132322	36	#0	QPSK	22.98	3.97	26.95	30.00	PASS
Band66	15	132322	36	#Mid	QPSK	22.94	3.97	26.91	30.00	PASS
Band66	15	132322	36	#Max	QPSK	22.93	3.97	26.90	30.00	PASS
Band66	15	132322	75	#0	QPSK	22.96	3.97	26.93	30.00	PASS
Band66	15	132322	1	#0	QAM16	23.26	3.97	27.23	30.00	PASS
Band66	15	132322	1	#Mid	QAM16	23.16	3.97	27.13	30.00	PASS
Band66	15	132322	1	#Max	QAM16	23.11	3.97	27.08	30.00	PASS
Band66	15	132322	36	#0	QAM16	22.06	3.97	26.03	30.00	PASS
Band66	15	132322	36	#Mid	QAM16	22.01	3.97	25.98	30.00	PASS
Band66	15	132322	36	#Max	QAM16	21.99	3.97	25.96	30.00	PASS
Band66	15	132322	75	#0	QAM16	21.98	3.97	25.95	30.00	PASS
Band66	15	132597	1	#0	QPSK	24.17	3.97	28.14	30.00	PASS
Band66	15	132597	1	#Mid	QPSK	24.09	3.97	28.06	30.00	PASS
Band66	15	132597	1	#Max	QPSK	24.12	3.97	28.09	30.00	PASS
Band66	15	132597	36	#0	QPSK	23.00	3.97	26.97	30.00	PASS
Band66	15	132597	36	#Mid	QPSK	22.99	3.97	26.96	30.00	PASS
Band66	15	132597	36	#Max	QPSK	22.98	3.97	26.95	30.00	PASS
Band66	15	132597	75	#0	QPSK	23.01	3.97	26.98	30.00	PASS
Band66	15	132597	1	#0	QAM16	23.12	3.97	27.09	30.00	PASS
Band66	15	132597	1	#Mid	QAM16	23.12	3.97	27.09	30.00	PASS
Band66	15	132597	1	#Max	QAM16	23.10	3.97	27.07	30.00	PASS
Band66	15	132597	36	#0	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	15	132597	36	#Mid	QAM16	21.96	3.97	25.93	30.00	PASS
Band66	15	132597	36	#Max	QAM16	21.95	3.97	25.92	30.00	PASS
Band66	15	132597	75	#0	QAM16	22.07	3.97	26.04	30.00	PASS
Band66	20	132072	1	#0	QPSK	24.07	3.97	28.04	30.00	PASS
Band66	20	132072	1	#Mid	QPSK	23.94	3.97	27.91	30.00	PASS
Band66	20	132072	1	#Max	QPSK	24.25	3.97	28.22	30.00	PASS

Band66	20	132072	50	#0	QPSK	22.91	3.97	26.88	30.00	PASS
Band66	20	132072	50	#Mid	QPSK	22.93	3.97	26.90	30.00	PASS
Band66	20	132072	50	#Max	QPSK	22.98	3.97	26.95	30.00	PASS
Band66	20	132072	100	#0	QPSK	22.93	3.97	26.90	30.00	PASS
Band66	20	132072	1	#0	QAM16	23.47	3.97	27.44	30.00	PASS
Band66	20	132072	1	#Mid	QAM16	23.28	3.97	27.25	30.00	PASS
Band66	20	132072	1	#Max	QAM16	23.52	3.97	27.49	30.00	PASS
Band66	20	132072	50	#0	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	20	132072	50	#Mid	QAM16	21.96	3.97	25.93	30.00	PASS
Band66	20	132072	50	#Max	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	20	132072	100	#0	QAM16	21.93	3.97	25.90	30.00	PASS
Band66	20	132322	1	#0	QPSK	24.34	3.97	28.31	30.00	PASS
Band66	20	132322	1	#Mid	QPSK	24.22	3.97	28.19	30.00	PASS
Band66	20	132322	1	#Max	QPSK	24.10	3.97	28.07	30.00	PASS
Band66	20	132322	50	#0	QPSK	23.08	3.97	27.05	30.00	PASS
Band66	20	132322	50	#Mid	QPSK	23.01	3.97	26.98	30.00	PASS
Band66	20	132322	50	#Max	QPSK	23.02	3.97	26.99	30.00	PASS
Band66	20	132322	100	#0	QPSK	23.03	3.97	27.00	30.00	PASS
Band66	20	132322	1	#0	QAM16	23.38	3.97	27.35	30.00	PASS
Band66	20	132322	1	#Mid	QAM16	23.26	3.97	27.23	30.00	PASS
Band66	20	132322	1	#Max	QAM16	23.17	3.97	27.14	30.00	PASS
Band66	20	132322	50	#0	QAM16	22.06	3.97	26.03	30.00	PASS
Band66	20	132322	50	#Mid	QAM16	21.98	3.97	25.95	30.00	PASS
Band66	20	132322	50	#Max	QAM16	21.98	3.97	25.95	30.00	PASS
Band66	20	132322	100	#0	QAM16	22.01	3.97	25.98	30.00	PASS
Band66	20	132572	1	#0	QPSK	23.93	3.97	27.90	30.00	PASS
Band66	20	132572	1	#Mid	QPSK	23.98	3.97	27.95	30.00	PASS
Band66	20	132572	1	#Max	QPSK	24.01	3.97	27.98	30.00	PASS
Band66	20	132572	50	#0	QPSK	23.10	3.97	27.07	30.00	PASS
Band66	20	132572	50	#Mid	QPSK	23.06	3.97	27.03	30.00	PASS
Band66	20	132572	50	#Max	QPSK	23.00	3.97	26.97	30.00	PASS
Band66	20	132572	100	#0	QPSK	23.06	3.97	27.03	30.00	PASS
Band66	20	132572	1	#0	QAM16	23.33	3.97	27.30	30.00	PASS
Band66	20	132572	1	#Mid	QAM16	23.31	3.97	27.28	30.00	PASS
Band66	20	132572	1	#Max	QAM16	23.31	3.97	27.28	30.00	PASS
Band66	20	132572	50	#0	QAM16	22.12	3.97	26.09	30.00	PASS
Band66	20	132572	50	#Mid	QAM16	22.08	3.97	26.05	30.00	PASS
Band66	20	132572	50	#Max	QAM16	22.02	3.97	25.99	30.00	PASS
Band66	20	132572	100	#0	QAM16	22.04	3.97	26.01	30.00	PASS

## 2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	-2.91	-0.002	-2.5	2.5	PASS
Band66	20	132072	100	#0	QAM16	-1.87	-0.001	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-2.03	-0.001	-2.5	2.5	PASS
Band66	20	132322	100	#0	QAM16	-1.68	-0.001	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	-5.63	-0.003	-2.5	2.5	PASS
Band66	20	132572	100	#0	QAM16	-3.97	-0.002	-2.5	2.5	PASS




### 3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band66	1.4	132322	1	#0	QPSK	4.07	13	PASS
Band66	1.4	132322	1	#0	QAM16	4.75	13	PASS
Band66	3	132322	1	#0	QPSK	4.24	13	PASS
Band66	3	132322	1	#0	QAM16	4.44	13	PASS
Band66	5	132322	1	#0	QPSK	4.05	13	PASS
Band66	5	132322	1	#0	QAM16	4.76	13	PASS
Band66	10	132322	1	#0	QPSK	4.12	13	PASS
Band66	10	132322	1	#0	QAM16	4.83	13	PASS
Band66	15	132322	1	#0	QPSK	4.00	13	PASS
Band66	15	132322	1	#0	QAM16	4.73	13	PASS
Band66	20	132322	1	#0	QPSK	4.04	13	PASS
Band66	20	132322	1	#0	QAM16	4.82	13	PASS


**Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0**




**Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0**



**Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0**



**Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0**




## 4 Occupied bandwidth


<b>Band</b>	<b>Bandwidth (MHz)</b>	<b>UL Channel</b>	<b>RB Size</b>	<b>RB Position</b>	<b>Modulation</b>	<b>99% OBW (MHz)</b>	<b>-26dB EBW (MHz)</b>	<b>Verdict</b>
Band66	1.4	131979	6	#0	QPSK	1.105	1.296	PASS
Band66	1.4	131979	6	#0	QAM16	1.096	1.289	PASS
Band66	1.4	132322	6	#0	QPSK	1.095	1.296	PASS
Band66	1.4	132322	6	#0	QAM16	1.102	1.274	PASS
Band66	1.4	132665	6	#0	QPSK	1.097	1.320	PASS
Band66	1.4	132665	6	#0	QAM16	1.091	1.251	PASS
Band66	3	131987	15	#0	QPSK	2.692	2.963	PASS
Band66	3	131987	15	#0	QAM16	2.692	2.961	PASS
Band66	3	132322	15	#0	QPSK	2.689	2.928	PASS
Band66	3	132322	15	#0	QAM16	2.697	2.946	PASS
Band66	3	132657	15	#0	QPSK	2.692	2.936	PASS
Band66	3	132657	15	#0	QAM16	2.691	2.937	PASS
Band66	5	131997	25	#0	QPSK	4.513	4.933	PASS
Band66	5	131997	25	#0	QAM16	4.502	4.936	PASS
Band66	5	132322	25	#0	QPSK	4.518	4.941	PASS
Band66	5	132322	25	#0	QAM16	4.505	4.939	PASS
Band66	5	132647	25	#0	QPSK	4.501	4.896	PASS
Band66	5	132647	25	#0	QAM16	4.524	5.018	PASS
Band66	10	132022	50	#0	QPSK	8.983	9.897	PASS
Band66	10	132022	50	#0	QAM16	8.990	9.731	PASS
Band66	10	132322	50	#0	QPSK	8.992	9.783	PASS
Band66	10	132322	50	#0	QAM16	8.995	9.712	PASS
Band66	10	132622	50	#0	QPSK	8.985	9.914	PASS
Band66	10	132622	50	#0	QAM16	9.023	9.772	PASS
Band66	15	132047	75	#0	QPSK	13.474	14.674	PASS
Band66	15	132047	75	#0	QAM16	13.441	14.693	PASS
Band66	15	132322	75	#0	QPSK	13.462	14.520	PASS
Band66	15	132322	75	#0	QAM16	13.471	14.590	PASS
Band66	15	132597	75	#0	QPSK	13.443	14.701	PASS
Band66	15	132597	75	#0	QAM16	13.502	14.567	PASS
Band66	20	132072	100	#0	QPSK	17.910	19.321	PASS
Band66	20	132072	100	#0	QAM16	18.046	19.290	PASS
Band66	20	132322	100	#0	QPSK	17.944	19.418	PASS
Band66	20	132322	100	#0	QAM16	17.981	19.477	PASS
Band66	20	132572	100	#0	QPSK	17.931	19.458	PASS
Band66	20	132572	100	#0	QAM16	17.982	19.350	PASS

**Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0**







**Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




**Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0**




**Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0**




**Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0**




**Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0**




**Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0**




**Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0**



**Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0**



**Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0**







**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0**




**Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0**




**Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0**




**Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0**




**Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0**




**Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0**




**Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0**




**Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0**




**Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0**



**Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0**




**Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0**




**Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0**







**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0**



**Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**




**Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0**




## 5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1710.00	-27.67	-13	PASS
Band66	1.4	131979	6	#0	QAM16	1710.00	-29.12	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-28.32	-13	PASS
Band66	1.4	132665	6	#0	QAM16	1780.00	-30.81	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-30.00	-13	PASS
Band66	3	131987	15	#0	QAM16	1710.00	-30.59	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-32.06	-13	PASS
Band66	3	132657	15	#0	QAM16	1780.00	-31.80	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-29.45	-13	PASS
Band66	5	131997	25	#0	QAM16	1710.00	-30.24	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.01	-31.43	-13	PASS
Band66	5	132647	25	#0	QAM16	1780.03	-32.39	-13	PASS
Band66	10	132022	50	#0	QPSK	1710.00	-32.68	-13	PASS
Band66	10	132022	50	#0	QAM16	1710.00	-35.02	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-34.42	-13	PASS
Band66	10	132622	50	#0	QAM16	1780.00	-36.21	-13	PASS
Band66	15	132047	75	#0	QPSK	1710.00	-33.56	-13	PASS
Band66	15	132047	75	#0	QAM16	1710.00	-35.92	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.00	-35.02	-13	PASS
Band66	15	132597	75	#0	QAM16	1780.00	-35.86	-13	PASS
Band66	20	132072	100	#0	QPSK	1710.00	-36.63	-13	PASS
Band66	20	132072	100	#0	QAM16	1710.00	-38.33	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.00	-36.59	-13	PASS
Band66	20	132572	100	#0	QAM16	1780.08	-37.54	-13	PASS


**Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0**



**Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




**Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0**




**Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0**



**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0**



**Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0**



**Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0**






*Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0*




*Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0*



**Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0**




**Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0**




**Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0**




**Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0**



**Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0**




**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0**



**Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**



*Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0*




## 6 Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	3803.28	-37.89	-13	PASS
Band66	1.4	131979	6	#0	QAM16	3739.83	-37.85	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1785.70	-34.61	-13	PASS
Band66	1.4	132665	6	#0	QAM16	3785.95	-38.44	-13	PASS
Band66	3	131987	15	#0	QPSK	3774.70	-38.18	-13	PASS
Band66	3	131987	15	#0	QAM16	3747.03	-38.25	-13	PASS
Band66	3	132657	15	#0	QPSK	5038.53	-37.85	-13	PASS
Band66	3	132657	15	#0	QAM16	4599.33	-38.31	-13	PASS
Band66	5	131997	25	#0	QPSK	3744.33	-38.45	-13	PASS
Band66	5	131997	25	#0	QAM16	3856.38	-37.66	-13	PASS
Band66	5	132647	25	#0	QPSK	3913.08	-38.55	-13	PASS
Band66	5	132647	25	#0	QAM16	3699.10	-38.42	-13	PASS
Band66	10	132022	50	#0	QPSK	3772.23	-38.56	-13	PASS
Band66	10	132022	50	#0	QAM16	3740.50	-38.36	-13	PASS
Band66	10	132622	50	#0	QPSK	3775.38	-38.07	-13	PASS
Band66	10	132622	50	#0	QAM16	3815.88	-37.81	-13	PASS
Band66	15	132047	75	#0	QPSK	4057.98	-38.55	-13	PASS
Band66	15	132047	75	#0	QAM16	3688.30	-38.45	-13	PASS
Band66	15	132597	75	#0	QPSK	3798.55	-38.09	-13	PASS
Band66	15	132597	75	#0	QAM16	3869.65	-37.57	-13	PASS
Band66	20	132072	100	#0	QPSK	3908.80	-38.00	-13	PASS
Band66	20	132072	100	#0	QAM16	5047.08	-38.53	-13	PASS
Band66	20	132572	100	#0	QPSK	4699.00	-38.50	-13	PASS
Band66	20	132572	100	#0	QAM16	3843.10	-38.43	-13	PASS

**Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0**







**Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0**




**Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0**




**Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0**




**Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0**




**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




**Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0**




**Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0**




**Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0**



**Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0**




**Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0**




**Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0**







**Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0**




**Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0**




**Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0**




**Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0**



**Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0**



**Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0**



**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0**

