

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	13
5 Band edge	18
6 Out-of-band emissions	27

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	23.76	-6.3	-8.45	15.31	34.77	Pass
Band12	1.4	23017	1	#Mid	QPSK	23.78	-6.3	-8.45	15.33	34.77	Pass
Band12	1.4	23017	1	#Max	QPSK	23.73	-6.3	-8.45	15.28	34.77	Pass
Band12	1.4	23017	3	#0	QPSK	23.66	-6.3	-8.45	15.21	34.77	Pass
Band12	1.4	23017	3	#Mid	QPSK	23.64	-6.3	-8.45	15.19	34.77	Pass
Band12	1.4	23017	3	#Max	QPSK	23.66	-6.3	-8.45	15.21	34.77	Pass
Band12	1.4	23017	6	#0	QPSK	22.69	-6.3	-8.45	14.24	34.77	Pass
Band12	1.4	23017	1	#0	16QAM	22.89	-6.3	-8.45	14.44	34.77	Pass
Band12	1.4	23017	1	#Mid	16QAM	22.88	-6.3	-8.45	14.43	34.77	Pass
Band12	1.4	23017	1	#Max	16QAM	22.86	-6.3	-8.45	14.41	34.77	Pass
Band12	1.4	23017	3	#0	16QAM	22.88	-6.3	-8.45	14.43	34.77	Pass
Band12	1.4	23017	3	#Mid	16QAM	22.82	-6.3	-8.45	14.37	34.77	Pass
Band12	1.4	23017	3	#Max	16QAM	22.83	-6.3	-8.45	14.38	34.77	Pass
Band12	1.4	23017	6	#0	16QAM	21.89	-6.3	-8.45	13.44	34.77	Pass
Band12	1.4	23095	1	#0	QPSK	23.75	-6.3	-8.45	15.30	34.77	Pass
Band12	1.4	23095	1	#Mid	QPSK	23.77	-6.3	-8.45	15.32	34.77	Pass
Band12	1.4	23095	1	#Max	QPSK	23.77	-6.3	-8.45	15.32	34.77	Pass
Band12	1.4	23095	3	#0	QPSK	23.74	-6.3	-8.45	15.29	34.77	Pass
Band12	1.4	23095	3	#Mid	QPSK	23.76	-6.3	-8.45	15.31	34.77	Pass
Band12	1.4	23095	3	#Max	QPSK	23.75	-6.3	-8.45	15.30	34.77	Pass
Band12	1.4	23095	6	#0	QPSK	22.76	-6.3	-8.45	14.31	34.77	Pass
Band12	1.4	23095	1	#0	16QAM	22.98	-6.3	-8.45	14.53	34.77	Pass
Band12	1.4	23095	1	#Mid	16QAM	22.95	-6.3	-8.45	14.50	34.77	Pass
Band12	1.4	23095	1	#Max	16QAM	23.05	-6.3	-8.45	14.60	34.77	Pass
Band12	1.4	23095	3	#0	16QAM	22.97	-6.3	-8.45	14.52	34.77	Pass
Band12	1.4	23095	3	#Mid	16QAM	22.99	-6.3	-8.45	14.54	34.77	Pass
Band12	1.4	23095	3	#Max	16QAM	22.96	-6.3	-8.45	14.51	34.77	Pass
Band12	1.4	23095	6	#0	16QAM	21.94	-6.3	-8.45	13.49	34.77	Pass
Band12	1.4	23173	1	#0	QPSK	23.90	-6.3	-8.45	15.45	34.77	Pass
Band12	1.4	23173	1	#Mid	QPSK	23.87	-6.3	-8.45	15.42	34.77	Pass
Band12	1.4	23173	1	#Max	QPSK	23.86	-6.3	-8.45	15.41	34.77	Pass
Band12	1.4	23173	3	#0	QPSK	23.81	-6.3	-8.45	15.36	34.77	Pass
Band12	1.4	23173	3	#Mid	QPSK	23.80	-6.3	-8.45	15.35	34.77	Pass
Band12	1.4	23173	3	#Max	QPSK	23.82	-6.3	-8.45	15.37	34.77	Pass
Band12	1.4	23173	6	#0	QPSK	22.82	-6.3	-8.45	14.37	34.77	Pass
Band12	1.4	23173	1	#0	16QAM	22.78	-6.3	-8.45	14.33	34.77	Pass
Band12	1.4	23173	1	#Mid	16QAM	22.77	-6.3	-8.45	14.32	34.77	Pass

Band12	1.4	23173	1	#Max	16QAM	22.80	-6.3	-8.45	14.35	34.77	Pass
Band12	1.4	23173	3	#0	16QAM	22.94	-6.3	-8.45	14.49	34.77	Pass
Band12	1.4	23173	3	#Mid	16QAM	22.94	-6.3	-8.45	14.49	34.77	Pass
Band12	1.4	23173	3	#Max	16QAM	22.95	-6.3	-8.45	14.50	34.77	Pass
Band12	1.4	23173	6	#0	16QAM	21.98	-6.3	-8.45	13.53	34.77	Pass
Band12	3	23025	1	#0	QPSK	23.71	-6.3	-8.45	15.26	34.77	Pass
Band12	3	23025	1	#Mid	QPSK	23.68	-6.3	-8.45	15.23	34.77	Pass
Band12	3	23025	1	#Max	QPSK	23.73	-6.3	-8.45	15.28	34.77	Pass
Band12	3	23025	8	#0	QPSK	22.73	-6.3	-8.45	14.28	34.77	Pass
Band12	3	23025	8	#Mid	QPSK	22.71	-6.3	-8.45	14.26	34.77	Pass
Band12	3	23025	8	#Max	QPSK	22.73	-6.3	-8.45	14.28	34.77	Pass
Band12	3	23025	15	#0	QPSK	22.71	-6.3	-8.45	14.26	34.77	Pass
Band12	3	23025	1	#0	16QAM	23.14	-6.3	-8.45	14.69	34.77	Pass
Band12	3	23025	1	#Mid	16QAM	23.16	-6.3	-8.45	14.71	34.77	Pass
Band12	3	23025	1	#Max	16QAM	23.23	-6.3	-8.45	14.78	34.77	Pass
Band12	3	23025	8	#0	16QAM	21.76	-6.3	-8.45	13.31	34.77	Pass
Band12	3	23025	8	#Mid	16QAM	21.76	-6.3	-8.45	13.31	34.77	Pass
Band12	3	23025	8	#Max	16QAM	21.79	-6.3	-8.45	13.34	34.77	Pass
Band12	3	23025	15	#0	16QAM	21.77	-6.3	-8.45	13.32	34.77	Pass
Band12	3	23095	1	#0	QPSK	23.73	-6.3	-8.45	15.28	34.77	Pass
Band12	3	23095	1	#Mid	QPSK	23.76	-6.3	-8.45	15.31	34.77	Pass
Band12	3	23095	1	#Max	QPSK	23.77	-6.3	-8.45	15.32	34.77	Pass
Band12	3	23095	8	#0	QPSK	22.79	-6.3	-8.45	14.34	34.77	Pass
Band12	3	23095	8	#Mid	QPSK	22.79	-6.3	-8.45	14.34	34.77	Pass
Band12	3	23095	8	#Max	QPSK	22.77	-6.3	-8.45	14.32	34.77	Pass
Band12	3	23095	15	#0	QPSK	22.78	-6.3	-8.45	14.33	34.77	Pass
Band12	3	23095	1	#0	16QAM	22.96	-6.3	-8.45	14.51	34.77	Pass
Band12	3	23095	1	#Mid	16QAM	22.99	-6.3	-8.45	14.54	34.77	Pass
Band12	3	23095	1	#Max	16QAM	23.02	-6.3	-8.45	14.57	34.77	Pass
Band12	3	23095	8	#0	16QAM	21.80	-6.3	-8.45	13.35	34.77	Pass
Band12	3	23095	8	#Mid	16QAM	21.77	-6.3	-8.45	13.32	34.77	Pass
Band12	3	23095	8	#Max	16QAM	21.78	-6.3	-8.45	13.33	34.77	Pass
Band12	3	23095	15	#0	16QAM	21.71	-6.3	-8.45	13.26	34.77	Pass
Band12	3	23165	1	#0	QPSK	23.89	-6.3	-8.45	15.44	34.77	Pass
Band12	3	23165	1	#Mid	QPSK	23.89	-6.3	-8.45	15.44	34.77	Pass
Band12	3	23165	1	#Max	QPSK	23.91	-6.3	-8.45	15.46	34.77	Pass
Band12	3	23165	8	#0	QPSK	22.85	-6.3	-8.45	14.40	34.77	Pass
Band12	3	23165	8	#Mid	QPSK	22.83	-6.3	-8.45	14.38	34.77	Pass
Band12	3	23165	8	#Max	QPSK	22.82	-6.3	-8.45	14.37	34.77	Pass
Band12	3	23165	15	#0	QPSK	22.87	-6.3	-8.45	14.42	34.77	Pass
Band12	3	23165	1	#0	16QAM	22.81	-6.3	-8.45	14.36	34.77	Pass
Band12	3	23165	1	#Mid	16QAM	22.79	-6.3	-8.45	14.34	34.77	Pass
Band12	3	23165	1	#Max	16QAM	22.80	-6.3	-8.45	14.35	34.77	Pass
Band12	3	23165	8	#0	16QAM	21.86	-6.3	-8.45	13.41	34.77	Pass

Band12	3	23165	8	#Mid	16QAM	21.84	-6.3	-8.45	13.39	34.77	Pass
Band12	3	23165	8	#Max	16QAM	21.84	-6.3	-8.45	13.39	34.77	Pass
Band12	3	23165	15	#0	16QAM	21.90	-6.3	-8.45	13.45	34.77	Pass
Band12	5	23035	1	#0	QPSK	23.86	-6.3	-8.45	15.41	34.77	Pass
Band12	5	23035	1	#Mid	QPSK	23.93	-6.3	-8.45	15.48	34.77	Pass
Band12	5	23035	1	#Max	QPSK	24.02	-6.3	-8.45	15.57	34.77	Pass
Band12	5	23035	12	#0	QPSK	22.74	-6.3	-8.45	14.29	34.77	Pass
Band12	5	23035	12	#Mid	QPSK	22.79	-6.3	-8.45	14.34	34.77	Pass
Band12	5	23035	12	#Max	QPSK	22.80	-6.3	-8.45	14.35	34.77	Pass
Band12	5	23035	25	#0	QPSK	22.78	-6.3	-8.45	14.33	34.77	Pass
Band12	5	23035	1	#0	16QAM	23.31	-6.3	-8.45	14.86	34.77	Pass
Band12	5	23035	1	#Mid	16QAM	23.39	-6.3	-8.45	14.94	34.77	Pass
Band12	5	23035	1	#Max	16QAM	23.38	-6.3	-8.45	14.93	34.77	Pass
Band12	5	23035	12	#0	16QAM	21.79	-6.3	-8.45	13.34	34.77	Pass
Band12	5	23035	12	#Mid	16QAM	21.83	-6.3	-8.45	13.38	34.77	Pass
Band12	5	23035	12	#Max	16QAM	21.82	-6.3	-8.45	13.37	34.77	Pass
Band12	5	23035	25	#0	16QAM	21.76	-6.3	-8.45	13.31	34.77	Pass
Band12	5	23095	1	#0	QPSK	23.92	-6.3	-8.45	15.47	34.77	Pass
Band12	5	23095	1	#Mid	QPSK	23.96	-6.3	-8.45	15.51	34.77	Pass
Band12	5	23095	1	#Max	QPSK	23.94	-6.3	-8.45	15.49	34.77	Pass
Band12	5	23095	12	#0	QPSK	22.83	-6.3	-8.45	14.38	34.77	Pass
Band12	5	23095	12	#Mid	QPSK	22.84	-6.3	-8.45	14.39	34.77	Pass
Band12	5	23095	12	#Max	QPSK	22.82	-6.3	-8.45	14.37	34.77	Pass
Band12	5	23095	25	#0	QPSK	22.88	-6.3	-8.45	14.43	34.77	Pass
Band12	5	23095	1	#0	16QAM	23.27	-6.3	-8.45	14.82	34.77	Pass
Band12	5	23095	1	#Mid	16QAM	23.29	-6.3	-8.45	14.84	34.77	Pass
Band12	5	23095	1	#Max	16QAM	23.35	-6.3	-8.45	14.90	34.77	Pass
Band12	5	23095	12	#0	16QAM	21.81	-6.3	-8.45	13.36	34.77	Pass
Band12	5	23095	12	#Mid	16QAM	21.82	-6.3	-8.45	13.37	34.77	Pass
Band12	5	23095	12	#Max	16QAM	21.80	-6.3	-8.45	13.35	34.77	Pass
Band12	5	23095	25	#0	16QAM	21.87	-6.3	-8.45	13.42	34.77	Pass
Band12	5	23155	1	#0	QPSK	23.87	-6.3	-8.45	15.42	34.77	Pass
Band12	5	23155	1	#Mid	QPSK	23.87	-6.3	-8.45	15.42	34.77	Pass
Band12	5	23155	1	#Max	QPSK	23.88	-6.3	-8.45	15.43	34.77	Pass
Band12	5	23155	12	#0	QPSK	22.89	-6.3	-8.45	14.44	34.77	Pass
Band12	5	23155	12	#Mid	QPSK	22.88	-6.3	-8.45	14.43	34.77	Pass
Band12	5	23155	12	#Max	QPSK	22.89	-6.3	-8.45	14.44	34.77	Pass
Band12	5	23155	25	#0	QPSK	22.93	-6.3	-8.45	14.48	34.77	Pass
Band12	5	23155	1	#0	16QAM	23.18	-6.3	-8.45	14.73	34.77	Pass
Band12	5	23155	1	#Mid	16QAM	23.20	-6.3	-8.45	14.75	34.77	Pass
Band12	5	23155	1	#Max	16QAM	23.22	-6.3	-8.45	14.77	34.77	Pass
Band12	5	23155	12	#0	16QAM	21.96	-6.3	-8.45	13.51	34.77	Pass
Band12	5	23155	12	#Mid	16QAM	21.95	-6.3	-8.45	13.50	34.77	Pass
Band12	5	23155	12	#Max	16QAM	21.93	-6.3	-8.45	13.48	34.77	Pass

Band12	5	23155	25	#0	16QAM	21.87	-6.3	-8.45	13.42	34.77	Pass
Band12	10	23060	1	#0	QPSK	23.76	-6.3	-8.45	15.31	34.77	Pass
Band12	10	23060	1	#Mid	QPSK	23.82	-6.3	-8.45	15.37	34.77	Pass
Band12	10	23060	1	#Max	QPSK	23.88	-6.3	-8.45	15.43	34.77	Pass
Band12	10	23060	25	#0	QPSK	22.76	-6.3	-8.45	14.31	34.77	Pass
Band12	10	23060	25	#Mid	QPSK	22.84	-6.3	-8.45	14.39	34.77	Pass
Band12	10	23060	25	#Max	QPSK	22.88	-6.3	-8.45	14.43	34.77	Pass
Band12	10	23060	50	#0	QPSK	22.82	-6.3	-8.45	14.37	34.77	Pass
Band12	10	23060	1	#0	16QAM	23.21	-6.3	-8.45	14.76	34.77	Pass
Band12	10	23060	1	#Mid	16QAM	23.26	-6.3	-8.45	14.81	34.77	Pass
Band12	10	23060	1	#Max	16QAM	23.28	-6.3	-8.45	14.83	34.77	Pass
Band12	10	23060	25	#0	16QAM	21.79	-6.3	-8.45	13.34	34.77	Pass
Band12	10	23060	25	#Mid	16QAM	21.84	-6.3	-8.45	13.39	34.77	Pass
Band12	10	23060	25	#Max	16QAM	21.87	-6.3	-8.45	13.42	34.77	Pass
Band12	10	23060	50	#0	16QAM	21.82	-6.3	-8.45	13.37	34.77	Pass
Band12	10	23095	1	#0	QPSK	23.86	-6.3	-8.45	15.41	34.77	Pass
Band12	10	23095	1	#Mid	QPSK	23.87	-6.3	-8.45	15.42	34.77	Pass
Band12	10	23095	1	#Max	QPSK	23.92	-6.3	-8.45	15.47	34.77	Pass
Band12	10	23095	25	#0	QPSK	22.81	-6.3	-8.45	14.36	34.77	Pass
Band12	10	23095	25	#Mid	QPSK	22.86	-6.3	-8.45	14.41	34.77	Pass
Band12	10	23095	25	#Max	QPSK	22.86	-6.3	-8.45	14.41	34.77	Pass
Band12	10	23095	50	#0	QPSK	22.86	-6.3	-8.45	14.41	34.77	Pass
Band12	10	23095	1	#0	16QAM	23.05	-6.3	-8.45	14.60	34.77	Pass
Band12	10	23095	1	#Mid	16QAM	23.05	-6.3	-8.45	14.60	34.77	Pass
Band12	10	23095	1	#Max	16QAM	23.14	-6.3	-8.45	14.69	34.77	Pass
Band12	10	23095	25	#0	16QAM	21.81	-6.3	-8.45	13.36	34.77	Pass
Band12	10	23095	25	#Mid	16QAM	21.85	-6.3	-8.45	13.40	34.77	Pass
Band12	10	23095	25	#Max	16QAM	21.87	-6.3	-8.45	13.42	34.77	Pass
Band12	10	23095	50	#0	16QAM	21.86	-6.3	-8.45	13.41	34.77	Pass
Band12	10	23130	1	#0	QPSK	23.92	-6.3	-8.45	15.47	34.77	Pass
Band12	10	23130	1	#Mid	QPSK	23.95	-6.3	-8.45	15.50	34.77	Pass
Band12	10	23130	1	#Max	QPSK	24.00	-6.3	-8.45	15.55	34.77	Pass
Band12	10	23130	25	#0	QPSK	22.91	-6.3	-8.45	14.46	34.77	Pass
Band12	10	23130	25	#Mid	QPSK	22.89	-6.3	-8.45	14.44	34.77	Pass
Band12	10	23130	25	#Max	QPSK	22.91	-6.3	-8.45	14.46	34.77	Pass
Band12	10	23130	50	#0	QPSK	22.92	-6.3	-8.45	14.47	34.77	Pass
Band12	10	23130	1	#0	16QAM	22.81	-6.3	-8.45	14.36	34.77	Pass
Band12	10	23130	1	#Mid	16QAM	22.86	-6.3	-8.45	14.41	34.77	Pass
Band12	10	23130	1	#Max	16QAM	22.88	-6.3	-8.45	14.43	34.77	Pass
Band12	10	23130	25	#0	16QAM	21.89	-6.3	-8.45	13.44	34.77	Pass
Band12	10	23130	25	#Mid	16QAM	21.88	-6.3	-8.45	13.43	34.77	Pass
Band12	10	23130	25	#Max	16QAM	21.87	-6.3	-8.45	13.42	34.77	Pass
Band12	10	23130	50	#0	16QAM	21.90	-6.3	-8.45	13.45	34.77	Pass

2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band12	10	23060	50	#0	QPSK	-0.51	-0.001	-2.5	2.5	PASS
Band12	10	23060	50	#0	16QAM	-0.87	-0.001	-2.5	2.5	PASS
Band12	10	23095	50	#0	QPSK	0.09	0.000	-2.5	2.5	PASS
Band12	10	23095	50	#0	16QAM	0.29	0.000	-2.5	2.5	PASS
Band12	10	23130	50	#0	QPSK	-1.80	-0.003	-2.5	2.5	PASS
Band12	10	23130	50	#0	16QAM	-4.06	-0.006	-2.5	2.5	PASS

Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
Band12	1.4	23095	1	#0	QPSK	4.04	13	PASS
Band12	1.4	23095	1	#0	16QAM	4.89	13	PASS
Band12	3	23095	1	#0	QPSK	3.98	13	PASS
Band12	3	23095	1	#0	16QAM	4.78	13	PASS
Band12	5	23095	1	#0	QPSK	4.02	13	PASS
Band12	5	23095	1	#0	16QAM	4.70	13	PASS
Band12	10	23095	1	#0	QPSK	4.82	13	PASS
Band12	10	23095	1	#0	16QAM	5.59	13	PASS



Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=1 Position=#0



Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0



Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0



Band12 16QAM BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=10MHz Channel=23095 RB Size=1 Position=#0

4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band12	1.4	23095	6	#0	QPSK	1.081	1.245	PASS
Band12	1.4	23095	6	#0	16QAM	1.096	1.243	PASS
Band12	3	23095	15	#0	QPSK	2.706	2.934	PASS
Band12	3	23095	15	#0	16QAM	2.683	2.905	PASS
Band12	5	23095	25	#0	QPSK	4.512	4.798	PASS
Band12	5	23095	25	#0	16QAM	4.494	4.825	PASS
Band12	10	23095	50	#0	QPSK	8.958	9.451	PASS
Band12	10	23095	50	#0	16QAM	8.919	9.657	PASS




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0



Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0

5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band12	1.4	23017	6	#0	QPSK	698.90	-26.55	-13	PASS
Band12	1.4	23017	6	#0	16QAM	698.78	-27.90	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.18	-28.94	-13	PASS
Band12	1.4	23173	6	#0	16QAM	716.10	-28.62	-13	PASS
Band12	3	23025	15	#0	QPSK	698.90	-29.98	-13	PASS
Band12	3	23025	15	#0	16QAM	698.80	-30.84	-13	PASS
Band12	3	23165	15	#0	QPSK	716.10	-30.32	-13	PASS
Band12	3	23165	15	#0	16QAM	716.10	-32.15	-13	PASS
Band12	5	23035	25	#0	QPSK	698.85	-31.57	-13	PASS
Band12	5	23035	25	#0	16QAM	698.29	-32.42	-13	PASS
Band12	5	23155	25	#0	QPSK	716.10	-33.01	-13	PASS
Band12	5	23155	25	#0	16QAM	716.76	-32.91	-13	PASS
Band12	10	23060	50	#0	QPSK	698.80	-34.19	-13	PASS
Band12	10	23060	50	#0	16QAM	698.86	-36.11	-13	PASS
Band12	10	23130	50	#0	QPSK	716.14	-35.57	-13	PASS
Band12	10	23130	50	#0	16QAM	716.60	-36.00	-13	PASS




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0



Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0



Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0

6 Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band12	1.4	23017	6	#0	QPSK	3818.13	-36.22	-13	PASS
Band12	1.4	23017	6	#0	16QAM	3657.70	-38.34	-13	PASS
Band12	1.4	23173	6	#0	QPSK	3843.55	-38.97	-13	PASS
Band12	1.4	23173	6	#0	16QAM	3856.60	-36.90	-13	PASS
Band12	3	23025	15	#0	QPSK	3873.70	-38.13	-13	PASS
Band12	3	23025	15	#0	16QAM	3826.45	-37.99	-13	PASS
Band12	3	23165	15	#0	QPSK	3697.08	-38.13	-13	PASS
Band12	3	23165	15	#0	16QAM	3777.18	-38.20	-13	PASS
Band12	5	23035	25	#0	QPSK	3848.28	-37.62	-13	PASS
Band12	5	23035	25	#0	16QAM	3787.53	-38.86	-13	PASS
Band12	5	23155	25	#0	QPSK	3825.10	-37.76	-13	PASS
Band12	5	23155	25	#0	16QAM	3718.23	-37.24	-13	PASS
Band12	10	23060	50	#0	QPSK	3781.00	-37.82	-13	PASS
Band12	10	23060	50	#0	16QAM	3842.20	-38.04	-13	PASS
Band12	10	23130	50	#0	QPSK	3824.43	-37.99	-13	PASS
Band12	10	23130	50	#0	16QAM	3870.33	-35.59	-13	PASS




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0



Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0



Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0

