

Contents

1. Effective (Isotropic) Radiated Power Output Data	2
2. Frequency Stability	18
3. 99% & 26dB Bandwidth	19
4. Peak-Average Ratio.....	77
5. Spurious Emission	115
6. Field Strength of Spurious Radiation.....	152

1. Effective (Isotropic) Radiated Power Output Data

1.1.1 Test Result Ant0

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP/ERP(dBm)	Limit(dBm)	Verdict
Band 2	1.4MHz	QPSK	L	1RB0	24.16	26.76	33	PASS
Band 2	1.4MHz	QPSK	L	1RB2	24.13	26.73	33	PASS
Band 2	1.4MHz	QPSK	L	1RB5	24.16	26.76	33	PASS
Band 2	1.4MHz	QPSK	L	3RB0	24.15	26.75	33	PASS
Band 2	1.4MHz	QPSK	L	3RB2	24.17	26.77	33	PASS
Band 2	1.4MHz	QPSK	L	3RB3	24.15	26.75	33	PASS
Band 2	1.4MHz	QPSK	L	6RB0	23.16	25.76	33	PASS
Band 2	1.4MHz	QPSK	M	1RB0	24.34	26.94	33	PASS
Band 2	1.4MHz	QPSK	M	1RB2	24.34	26.94	33	PASS
Band 2	1.4MHz	QPSK	M	1RB5	24.32	26.92	33	PASS
Band 2	1.4MHz	QPSK	M	3RB0	24.33	26.93	33	PASS
Band 2	1.4MHz	QPSK	M	3RB2	24.35	26.95	33	PASS
Band 2	1.4MHz	QPSK	M	3RB3	24.38	26.98	33	PASS
Band 2	1.4MHz	QPSK	M	6RB0	23.37	25.97	33	PASS
Band 2	1.4MHz	QPSK	H	1RB0	24.38	26.98	33	PASS
Band 2	1.4MHz	QPSK	H	1RB2	24.37	26.97	33	PASS
Band 2	1.4MHz	QPSK	H	1RB5	24.36	26.96	33	PASS
Band 2	1.4MHz	QPSK	H	3RB0	24.36	26.96	33	PASS
Band 2	1.4MHz	QPSK	H	3RB2	24.37	26.97	33	PASS
Band 2	1.4MHz	QPSK	H	3RB3	24.37	26.97	33	PASS
Band 2	1.4MHz	QPSK	H	6RB0	23.38	25.98	33	PASS
Band 2	1.4MHz	16QAM	L	1RB0	23.29	25.89	33	PASS

Band 2	1.4MHz	16QAM	L	1RB2	23.33	25.93	33	PASS
Band 2	1.4MHz	16QAM	L	1RB5	23.27	25.87	33	PASS
Band 2	1.4MHz	16QAM	L	3RB0	23.26	25.86	33	PASS
Band 2	1.4MHz	16QAM	L	3RB2	23.24	25.84	33	PASS
Band 2	1.4MHz	16QAM	L	3RB3	23.24	25.84	33	PASS
Band 2	1.4MHz	16QAM	L	6RB0	22.19	24.79	33	PASS
Band 2	1.4MHz	16QAM	M	1RB0	23.51	26.11	33	PASS
Band 2	1.4MHz	16QAM	M	1RB2	23.49	26.09	33	PASS
Band 2	1.4MHz	16QAM	M	1RB5	23.46	26.06	33	PASS
Band 2	1.4MHz	16QAM	M	3RB0	23.36	25.96	33	PASS
Band 2	1.4MHz	16QAM	M	3RB2	23.43	26.03	33	PASS
Band 2	1.4MHz	16QAM	M	3RB3	23.39	25.99	33	PASS
Band 2	1.4MHz	16QAM	M	6RB0	22.39	24.99	33	PASS
Band 2	1.4MHz	16QAM	H	1RB0	23.53	26.13	33	PASS
Band 2	1.4MHz	16QAM	H	1RB2	23.57	26.17	33	PASS
Band 2	1.4MHz	16QAM	H	1RB5	23.52	26.12	33	PASS
Band 2	1.4MHz	16QAM	H	3RB0	23.46	26.06	33	PASS
Band 2	1.4MHz	16QAM	H	3RB2	23.46	26.06	33	PASS
Band 2	1.4MHz	16QAM	H	3RB3	23.43	26.03	33	PASS
Band 2	1.4MHz	16QAM	H	6RB0	22.43	25.03	33	PASS
Band 2	1.4MHz	64QAM	L	1RB0	22.25	24.85	33	PASS
Band 2	1.4MHz	64QAM	L	1RB2	22.37	24.97	33	PASS
Band 2	1.4MHz	64QAM	L	1RB5	22.26	24.86	33	PASS
Band 2	1.4MHz	64QAM	L	3RB0	22.29	24.89	33	PASS
Band 2	1.4MHz	64QAM	L	3RB2	22.24	24.84	33	PASS

Band 2	1.4MHz	64QAM	L	3RB3	22.22	24.82	33	PASS
Band 2	1.4MHz	64QAM	L	6RB0	21.22	23.82	33	PASS
Band 2	1.4MHz	64QAM	M	1RB0	22.56	25.16	33	PASS
Band 2	1.4MHz	64QAM	M	1RB2	22.56	25.16	33	PASS
Band 2	1.4MHz	64QAM	M	1RB5	22.59	25.19	33	PASS
Band 2	1.4MHz	64QAM	M	3RB0	22.41	25.01	33	PASS
Band 2	1.4MHz	64QAM	M	3RB2	22.43	25.03	33	PASS
Band 2	1.4MHz	64QAM	M	3RB3	22.42	25.02	33	PASS
Band 2	1.4MHz	64QAM	M	6RB0	21.41	24.01	33	PASS
Band 2	1.4MHz	64QAM	H	1RB0	22.59	25.19	33	PASS
Band 2	1.4MHz	64QAM	H	1RB2	22.58	25.18	33	PASS
Band 2	1.4MHz	64QAM	H	1RB5	22.59	25.19	33	PASS
Band 2	1.4MHz	64QAM	H	3RB0	22.5	25.1	33	PASS
Band 2	1.4MHz	64QAM	H	3RB2	22.52	25.12	33	PASS
Band 2	1.4MHz	64QAM	H	3RB3	22.5	25.1	33	PASS
Band 2	1.4MHz	64QAM	H	6RB0	21.44	24.04	33	PASS
Band 2	3MHz	QPSK	L	1RB0	24.14	26.74	33	PASS
Band 2	3MHz	QPSK	L	1RB7	24.21	26.81	33	PASS
Band 2	3MHz	QPSK	L	1RB14	24.14	26.74	33	PASS
Band 2	3MHz	QPSK	L	8RB0	23.23	25.83	33	PASS
Band 2	3MHz	QPSK	L	8RB4	23.23	25.83	33	PASS
Band 2	3MHz	QPSK	L	8RB7	23.22	25.82	33	PASS
Band 2	3MHz	QPSK	L	15RB0	23.23	25.83	33	PASS
Band 2	3MHz	QPSK	M	1RB0	24.3	26.9	33	PASS
Band 2	3MHz	QPSK	M	1RB7	24.45	27.05	33	PASS

Band 2	3MHz	QPSK	M	1RB14	24.3	26.9	33	PASS
Band 2	3MHz	QPSK	M	8RB0	23.34	25.94	33	PASS
Band 2	3MHz	QPSK	M	8RB4	23.42	26.02	33	PASS
Band 2	3MHz	QPSK	M	8RB7	23.36	25.96	33	PASS
Band 2	3MHz	QPSK	M	15RB0	23.28	25.88	33	PASS
Band 2	3MHz	QPSK	H	1RB0	24.37	26.97	33	PASS
Band 2	3MHz	QPSK	H	1RB7	24.45	27.05	33	PASS
Band 2	3MHz	QPSK	H	1RB14	24.34	26.94	33	PASS
Band 2	3MHz	QPSK	H	8RB0	23.41	26.01	33	PASS
Band 2	3MHz	QPSK	H	8RB4	23.41	26.01	33	PASS
Band 2	3MHz	QPSK	H	8RB7	23.38	25.98	33	PASS
Band 2	3MHz	QPSK	H	15RB0	23.41	26.01	33	PASS
Band 2	3MHz	16QAM	L	1RB0	23.31	25.91	33	PASS
Band 2	3MHz	16QAM	L	1RB7	23.35	25.95	33	PASS
Band 2	3MHz	16QAM	L	1RB14	23.31	25.91	33	PASS
Band 2	3MHz	16QAM	L	8RB0	22.25	24.85	33	PASS
Band 2	3MHz	16QAM	L	8RB4	22.29	24.89	33	PASS
Band 2	3MHz	16QAM	L	8RB7	22.23	24.83	33	PASS
Band 2	3MHz	16QAM	L	15RB0	22.26	24.86	33	PASS
Band 2	3MHz	16QAM	M	1RB0	23.45	26.05	33	PASS
Band 2	3MHz	16QAM	M	1RB7	23.51	26.11	33	PASS
Band 2	3MHz	16QAM	M	1RB14	23.46	26.06	33	PASS
Band 2	3MHz	16QAM	M	8RB0	22.38	24.98	33	PASS
Band 2	3MHz	16QAM	M	8RB4	22.47	25.07	33	PASS
Band 2	3MHz	16QAM	M	8RB7	22.42	25.02	33	PASS

Band 2	3MHz	16QAM	M	15RB0	22.34	24.94	33	PASS
Band 2	3MHz	16QAM	H	1RB0	23.56	26.16	33	PASS
Band 2	3MHz	16QAM	H	1RB7	23.58	26.18	33	PASS
Band 2	3MHz	16QAM	H	1RB14	23.5	26.1	33	PASS
Band 2	3MHz	16QAM	H	8RB0	22.48	25.08	33	PASS
Band 2	3MHz	16QAM	H	8RB4	22.45	25.05	33	PASS
Band 2	3MHz	16QAM	H	8RB7	22.43	25.03	33	PASS
Band 2	3MHz	16QAM	H	15RB0	22.43	25.03	33	PASS
Band 2	3MHz	64QAM	L	1RB0	22.28	24.88	33	PASS
Band 2	3MHz	64QAM	L	1RB7	22.37	24.97	33	PASS
Band 2	3MHz	64QAM	L	1RB14	22.18	24.78	33	PASS
Band 2	3MHz	64QAM	L	8RB0	21.24	23.84	33	PASS
Band 2	3MHz	64QAM	L	8RB4	21.26	23.86	33	PASS
Band 2	3MHz	64QAM	L	8RB7	21.21	23.81	33	PASS
Band 2	3MHz	64QAM	L	15RB0	21.24	23.84	33	PASS
Band 2	3MHz	64QAM	M	1RB0	22.45	25.05	33	PASS
Band 2	3MHz	64QAM	M	1RB7	22.67	25.27	33	PASS
Band 2	3MHz	64QAM	M	1RB14	22.51	25.11	33	PASS
Band 2	3MHz	64QAM	M	8RB0	21.4	24	33	PASS
Band 2	3MHz	64QAM	M	8RB4	21.48	24.08	33	PASS
Band 2	3MHz	64QAM	M	8RB7	21.48	24.08	33	PASS
Band 2	3MHz	64QAM	M	15RB0	21.37	23.97	33	PASS
Band 2	3MHz	64QAM	H	1RB0	22.62	25.22	33	PASS
Band 2	3MHz	64QAM	H	1RB7	22.71	25.31	33	PASS
Band 2	3MHz	64QAM	H	1RB14	22.53	25.13	33	PASS

Band 2	3MHz	64QAM	H	8RB0	21.41	24.01	33	PASS
Band 2	3MHz	64QAM	H	8RB4	21.42	24.02	33	PASS
Band 2	3MHz	64QAM	H	8RB7	21.41	24.01	33	PASS
Band 2	3MHz	64QAM	H	15RB0	21.41	24.01	33	PASS
Band 2	5MHz	QPSK	L	1RB0	24.26	26.86	33	PASS
Band 2	5MHz	QPSK	L	1RB13	24.26	26.86	33	PASS
Band 2	5MHz	QPSK	L	1RB24	24.3	26.9	33	PASS
Band 2	5MHz	QPSK	L	12RB0	23.26	25.86	33	PASS
Band 2	5MHz	QPSK	L	12RB6	23.27	25.87	33	PASS
Band 2	5MHz	QPSK	L	12RB13	23.23	25.83	33	PASS
Band 2	5MHz	QPSK	L	25RB0	23.25	25.85	33	PASS
Band 2	5MHz	QPSK	M	1RB0	24.45	27.05	33	PASS
Band 2	5MHz	QPSK	M	1RB13	24.39	26.99	33	PASS
Band 2	5MHz	QPSK	M	1RB24	24.43	27.03	33	PASS
Band 2	5MHz	QPSK	M	12RB0	23.35	25.95	33	PASS
Band 2	5MHz	QPSK	M	12RB6	23.42	26.02	33	PASS
Band 2	5MHz	QPSK	M	12RB13	23.32	25.92	33	PASS
Band 2	5MHz	QPSK	M	25RB0	23.36	25.96	33	PASS
Band 2	5MHz	QPSK	H	1RB0	24.48	27.08	33	PASS
Band 2	5MHz	QPSK	H	1RB13	24.54	27.14	33	PASS
Band 2	5MHz	QPSK	H	1RB24	24.51	27.11	33	PASS
Band 2	5MHz	QPSK	H	12RB0	23.45	26.05	33	PASS
Band 2	5MHz	QPSK	H	12RB6	23.46	26.06	33	PASS
Band 2	5MHz	QPSK	H	12RB13	23.44	26.04	33	PASS
Band 2	5MHz	QPSK	H	25RB0	23.44	26.04	33	PASS

Band 2	5MHz	16QAM	L	1RB0	23.39	25.99	33	PASS
Band 2	5MHz	16QAM	L	1RB13	23.34	25.94	33	PASS
Band 2	5MHz	16QAM	L	1RB24	23.36	25.96	33	PASS
Band 2	5MHz	16QAM	L	12RB0	22.26	24.86	33	PASS
Band 2	5MHz	16QAM	L	12RB6	22.25	24.85	33	PASS
Band 2	5MHz	16QAM	L	12RB13	22.22	24.82	33	PASS
Band 2	5MHz	16QAM	L	25RB0	22.26	24.86	33	PASS
Band 2	5MHz	16QAM	M	1RB0	23.5	26.1	33	PASS
Band 2	5MHz	16QAM	M	1RB13	23.62	26.22	33	PASS
Band 2	5MHz	16QAM	M	1RB24	23.47	26.07	33	PASS
Band 2	5MHz	16QAM	M	12RB0	22.38	24.98	33	PASS
Band 2	5MHz	16QAM	M	12RB6	22.46	25.06	33	PASS
Band 2	5MHz	16QAM	M	12RB13	22.35	24.95	33	PASS
Band 2	5MHz	16QAM	M	25RB0	22.37	24.97	33	PASS
Band 2	5MHz	16QAM	H	1RB0	23.69	26.29	33	PASS
Band 2	5MHz	16QAM	H	1RB13	23.66	26.26	33	PASS
Band 2	5MHz	16QAM	H	1RB24	23.66	26.26	33	PASS
Band 2	5MHz	16QAM	H	12RB0	22.46	25.06	33	PASS
Band 2	5MHz	16QAM	H	12RB6	22.47	25.07	33	PASS
Band 2	5MHz	16QAM	H	12RB13	22.45	25.05	33	PASS
Band 2	5MHz	16QAM	H	25RB0	22.43	25.03	33	PASS
Band 2	5MHz	64QAM	L	1RB0	22.44	25.04	33	PASS
Band 2	5MHz	64QAM	L	1RB13	22.52	25.12	33	PASS
Band 2	5MHz	64QAM	L	1RB24	22.41	25.01	33	PASS
Band 2	5MHz	64QAM	L	12RB0	21.3	23.9	33	PASS

Band 2	5MHz	64QAM	L	12RB6	21.29	23.89	33	PASS
Band 2	5MHz	64QAM	L	12RB13	21.25	23.85	33	PASS
Band 2	5MHz	64QAM	L	25RB0	21.23	23.83	33	PASS
Band 2	5MHz	64QAM	M	1RB0	22.62	25.22	33	PASS
Band 2	5MHz	64QAM	M	1RB13	22.58	25.18	33	PASS
Band 2	5MHz	64QAM	M	1RB24	22.57	25.17	33	PASS
Band 2	5MHz	64QAM	M	12RB0	21.35	23.95	33	PASS
Band 2	5MHz	64QAM	M	12RB6	21.47	24.07	33	PASS
Band 2	5MHz	64QAM	M	12RB13	21.33	23.93	33	PASS
Band 2	5MHz	64QAM	M	25RB0	21.39	23.99	33	PASS
Band 2	5MHz	64QAM	H	1RB0	22.59	25.19	33	PASS
Band 2	5MHz	64QAM	H	1RB13	22.61	25.21	33	PASS
Band 2	5MHz	64QAM	H	1RB24	22.52	25.12	33	PASS
Band 2	5MHz	64QAM	H	12RB0	21.49	24.09	33	PASS
Band 2	5MHz	64QAM	H	12RB6	21.48	24.08	33	PASS
Band 2	5MHz	64QAM	H	12RB13	21.47	24.07	33	PASS
Band 2	5MHz	64QAM	H	25RB0	21.41	24.01	33	PASS
Band 2	10MHz	QPSK	L	1RB0	24.16	26.76	33	PASS
Band 2	10MHz	QPSK	L	1RB25	24.24	26.84	33	PASS
Band 2	10MHz	QPSK	L	1RB49	24.15	26.75	33	PASS
Band 2	10MHz	QPSK	L	25RB0	23.18	25.78	33	PASS
Band 2	10MHz	QPSK	L	25RB13	23.29	25.89	33	PASS
Band 2	10MHz	QPSK	L	25RB25	23.32	25.92	33	PASS
Band 2	10MHz	QPSK	L	50RB0	23.28	25.88	33	PASS
Band 2	10MHz	QPSK	M	1RB0	24.37	26.97	33	PASS

Band 2	10MHz	QPSK	M	1RB25	24.4	27	33	PASS
Band 2	10MHz	QPSK	M	1RB49	24.3	26.9	33	PASS
Band 2	10MHz	QPSK	M	25RB0	23.35	25.95	33	PASS
Band 2	10MHz	QPSK	M	25RB13	23.39	25.99	33	PASS
Band 2	10MHz	QPSK	M	25RB25	23.38	25.98	33	PASS
Band 2	10MHz	QPSK	M	50RB0	23.34	25.94	33	PASS
Band 2	10MHz	QPSK	H	1RB0	24.38	26.98	33	PASS
Band 2	10MHz	QPSK	H	1RB25	24.44	27.04	33	PASS
Band 2	10MHz	QPSK	H	1RB49	24.41	27.01	33	PASS
Band 2	10MHz	QPSK	H	25RB0	23.45	26.05	33	PASS
Band 2	10MHz	QPSK	H	25RB13	23.47	26.07	33	PASS
Band 2	10MHz	QPSK	H	25RB25	23.49	26.09	33	PASS
Band 2	10MHz	QPSK	H	50RB0	23.45	26.05	33	PASS
Band 2	10MHz	16QAM	L	1RB0	23.52	26.12	33	PASS
Band 2	10MHz	16QAM	L	1RB25	23.46	26.06	33	PASS
Band 2	10MHz	16QAM	L	1RB49	23.4	26	33	PASS
Band 2	10MHz	16QAM	L	25RB0	22.2	24.8	33	PASS
Band 2	10MHz	16QAM	L	25RB13	22.33	24.93	33	PASS
Band 2	10MHz	16QAM	L	25RB25	22.33	24.93	33	PASS
Band 2	10MHz	16QAM	L	50RB0	22.3	24.9	33	PASS
Band 2	10MHz	16QAM	M	1RB0	23.53	26.13	33	PASS
Band 2	10MHz	16QAM	M	1RB25	23.58	26.18	33	PASS
Band 2	10MHz	16QAM	M	1RB49	23.51	26.11	33	PASS
Band 2	10MHz	16QAM	M	25RB0	22.34	24.94	33	PASS
Band 2	10MHz	16QAM	M	25RB13	22.4	25	33	PASS

Band 2	10MHz	16QAM	M	25RB25	22.35	24.95	33	PASS
Band 2	10MHz	16QAM	M	50RB0	22.34	24.94	33	PASS
Band 2	10MHz	16QAM	H	1RB0	23.42	26.02	33	PASS
Band 2	10MHz	16QAM	H	1RB25	23.73	26.33	33	PASS
Band 2	10MHz	16QAM	H	1RB49	23.51	26.11	33	PASS
Band 2	10MHz	16QAM	H	25RB0	22.48	25.08	33	PASS
Band 2	10MHz	16QAM	H	25RB13	22.51	25.11	33	PASS
Band 2	10MHz	16QAM	H	25RB25	22.51	25.11	33	PASS
Band 2	10MHz	16QAM	H	50RB0	22.48	25.08	33	PASS
Band 2	10MHz	64QAM	L	1RB0	22.32	24.92	33	PASS
Band 2	10MHz	64QAM	L	1RB25	22.37	24.97	33	PASS
Band 2	10MHz	64QAM	L	1RB49	22.35	24.95	33	PASS
Band 2	10MHz	64QAM	L	25RB0	21.12	23.72	33	PASS
Band 2	10MHz	64QAM	L	25RB13	21.23	23.83	33	PASS
Band 2	10MHz	64QAM	L	25RB25	21.3	23.9	33	PASS
Band 2	10MHz	64QAM	L	50RB0	21.31	23.91	33	PASS
Band 2	10MHz	64QAM	M	1RB0	22.57	25.17	33	PASS
Band 2	10MHz	64QAM	M	1RB25	22.63	25.23	33	PASS
Band 2	10MHz	64QAM	M	1RB49	22.61	25.21	33	PASS
Band 2	10MHz	64QAM	M	25RB0	21.42	24.02	33	PASS
Band 2	10MHz	64QAM	M	25RB13	21.34	23.94	33	PASS
Band 2	10MHz	64QAM	M	25RB25	21.37	23.97	33	PASS
Band 2	10MHz	64QAM	M	50RB0	21.34	23.94	33	PASS
Band 2	10MHz	64QAM	H	1RB0	22.6	25.2	33	PASS
Band 2	10MHz	64QAM	H	1RB25	22.6	25.2	33	PASS

Band 2	10MHz	64QAM	H	1RB49	22.6	25.2	33	PASS
Band 2	10MHz	64QAM	H	25RB0	21.47	24.07	33	PASS
Band 2	10MHz	64QAM	H	25RB13	21.54	24.14	33	PASS
Band 2	10MHz	64QAM	H	25RB25	21.43	24.03	33	PASS
Band 2	10MHz	64QAM	H	50RB0	21.45	24.05	33	PASS
Band 2	15MHz	QPSK	L	1RB0	24.12	26.72	33	PASS
Band 2	15MHz	QPSK	L	1RB38	24.18	26.78	33	PASS
Band 2	15MHz	QPSK	L	1RB74	24.13	26.73	33	PASS
Band 2	15MHz	QPSK	L	36RB0	23.16	25.76	33	PASS
Band 2	15MHz	QPSK	L	36RB18	23.26	25.86	33	PASS
Band 2	15MHz	QPSK	L	36RB39	23.31	25.91	33	PASS
Band 2	15MHz	QPSK	L	75RB0	23.27	25.87	33	PASS
Band 2	15MHz	QPSK	M	1RB0	24.28	26.88	33	PASS
Band 2	15MHz	QPSK	M	1RB38	24.38	26.98	33	PASS
Band 2	15MHz	QPSK	M	1RB74	24.34	26.94	33	PASS
Band 2	15MHz	QPSK	M	36RB0	23.32	25.92	33	PASS
Band 2	15MHz	QPSK	M	36RB18	23.34	25.94	33	PASS
Band 2	15MHz	QPSK	M	36RB39	23.37	25.97	33	PASS
Band 2	15MHz	QPSK	M	75RB0	23.31	25.91	33	PASS
Band 2	15MHz	QPSK	H	1RB0	24.35	26.95	33	PASS
Band 2	15MHz	QPSK	H	1RB38	24.47	27.07	33	PASS
Band 2	15MHz	QPSK	H	1RB74	24.4	27	33	PASS
Band 2	15MHz	QPSK	H	36RB0	23.41	26.01	33	PASS
Band 2	15MHz	QPSK	H	36RB18	23.47	26.07	33	PASS
Band 2	15MHz	QPSK	H	36RB39	23.38	25.98	33	PASS

Band 2	15MHz	QPSK	H	75RB0	23.45	26.05	33	PASS
Band 2	15MHz	16QAM	L	1RB0	23.31	25.91	33	PASS
Band 2	15MHz	16QAM	L	1RB38	23.43	26.03	33	PASS
Band 2	15MHz	16QAM	L	1RB74	23.35	25.95	33	PASS
Band 2	15MHz	16QAM	L	36RB0	22.14	24.74	33	PASS
Band 2	15MHz	16QAM	L	36RB18	22.27	24.87	33	PASS
Band 2	15MHz	16QAM	L	36RB39	22.29	24.89	33	PASS
Band 2	15MHz	16QAM	L	75RB0	22.29	24.89	33	PASS
Band 2	15MHz	16QAM	M	1RB0	23.46	26.06	33	PASS
Band 2	15MHz	16QAM	M	1RB38	23.6	26.2	33	PASS
Band 2	15MHz	16QAM	M	1RB74	23.5	26.1	33	PASS
Band 2	15MHz	16QAM	M	36RB0	22.35	24.95	33	PASS
Band 2	15MHz	16QAM	M	36RB18	22.35	24.95	33	PASS
Band 2	15MHz	16QAM	M	36RB39	22.36	24.96	33	PASS
Band 2	15MHz	16QAM	M	75RB0	22.35	24.95	33	PASS
Band 2	15MHz	16QAM	H	1RB0	23.48	26.08	33	PASS
Band 2	15MHz	16QAM	H	1RB38	23.48	26.08	33	PASS
Band 2	15MHz	16QAM	H	1RB74	23.52	26.12	33	PASS
Band 2	15MHz	16QAM	H	36RB0	22.45	25.05	33	PASS
Band 2	15MHz	16QAM	H	36RB18	22.48	25.08	33	PASS
Band 2	15MHz	16QAM	H	36RB39	22.41	25.01	33	PASS
Band 2	15MHz	16QAM	H	75RB0	22.45	25.05	33	PASS
Band 2	15MHz	64QAM	L	1RB0	22.45	25.05	33	PASS
Band 2	15MHz	64QAM	L	1RB38	22.42	25.02	33	PASS
Band 2	15MHz	64QAM	L	1RB74	22.36	24.96	33	PASS

Band 2	15MHz	64QAM	L	36RB0	21.19	23.79	33	PASS
Band 2	15MHz	64QAM	L	36RB18	21.28	23.88	33	PASS
Band 2	15MHz	64QAM	L	36RB39	21.3	23.9	33	PASS
Band 2	15MHz	64QAM	L	75RB0	21.26	23.86	33	PASS
Band 2	15MHz	64QAM	M	1RB0	22.63	25.23	33	PASS
Band 2	15MHz	64QAM	M	1RB38	22.62	25.22	33	PASS
Band 2	15MHz	64QAM	M	1RB74	22.58	25.18	33	PASS
Band 2	15MHz	64QAM	M	36RB0	21.35	23.95	33	PASS
Band 2	15MHz	64QAM	M	36RB18	21.38	23.98	33	PASS
Band 2	15MHz	64QAM	M	36RB39	21.38	23.98	33	PASS
Band 2	15MHz	64QAM	M	75RB0	21.36	23.96	33	PASS
Band 2	15MHz	64QAM	H	1RB0	22.61	25.21	33	PASS
Band 2	15MHz	64QAM	H	1RB38	22.58	25.18	33	PASS
Band 2	15MHz	64QAM	H	1RB74	22.6	25.2	33	PASS
Band 2	15MHz	64QAM	H	36RB0	21.45	24.05	33	PASS
Band 2	15MHz	64QAM	H	36RB18	21.5	24.1	33	PASS
Band 2	15MHz	64QAM	H	36RB39	21.39	23.99	33	PASS
Band 2	15MHz	64QAM	H	75RB0	21.44	24.04	33	PASS
Band 2	20MHz	QPSK	L	1RB0	24.18	26.78	33	PASS
Band 2	20MHz	QPSK	L	1RB50	24.35	26.95	33	PASS
Band 2	20MHz	QPSK	L	1RB99	24.31	26.91	33	PASS
Band 2	20MHz	QPSK	L	50RB0	23.2	25.8	33	PASS
Band 2	20MHz	QPSK	L	50RB25	23.35	25.95	33	PASS
Band 2	20MHz	QPSK	L	50RB50	23.32	25.92	33	PASS
Band 2	20MHz	QPSK	L	100RB0	23.27	25.87	33	PASS

Band 2	20MHz	QPSK	M	1RB0	24.33	26.93	33	PASS
Band 2	20MHz	QPSK	M	1RB50	24.43	27.03	33	PASS
Band 2	20MHz	QPSK	M	1RB99	24.37	26.97	33	PASS
Band 2	20MHz	QPSK	M	50RB0	23.35	25.95	33	PASS
Band 2	20MHz	QPSK	M	50RB25	23.36	25.96	33	PASS
Band 2	20MHz	QPSK	M	50RB50	23.37	25.97	33	PASS
Band 2	20MHz	QPSK	M	100RB0	23.35	25.95	33	PASS
Band 2	20MHz	QPSK	H	1RB0	24.33	26.93	33	PASS
Band 2	20MHz	QPSK	H	1RB50	24.47	27.07	33	PASS
Band 2	20MHz	QPSK	H	1RB99	24.38	26.98	33	PASS
Band 2	20MHz	QPSK	H	50RB0	23.45	26.05	33	PASS
Band 2	20MHz	QPSK	H	50RB25	23.51	26.11	33	PASS
Band 2	20MHz	QPSK	H	50RB50	23.49	26.09	33	PASS
Band 2	20MHz	QPSK	H	100RB0	23.45	26.05	33	PASS
Band 2	20MHz	16QAM	L	1RB0	23.32	25.92	33	PASS
Band 2	20MHz	16QAM	L	1RB50	23.44	26.04	33	PASS
Band 2	20MHz	16QAM	L	1RB99	23.46	26.06	33	PASS
Band 2	20MHz	16QAM	L	50RB0	22.19	24.79	33	PASS
Band 2	20MHz	16QAM	L	50RB25	22.34	24.94	33	PASS
Band 2	20MHz	16QAM	L	50RB50	22.31	24.91	33	PASS
Band 2	20MHz	16QAM	L	100RB0	22.29	24.89	33	PASS
Band 2	20MHz	16QAM	M	1RB0	23.37	25.97	33	PASS
Band 2	20MHz	16QAM	M	1RB50	23.52	26.12	33	PASS
Band 2	20MHz	16QAM	M	1RB99	23.39	25.99	33	PASS
Band 2	20MHz	16QAM	M	50RB0	22.3	24.9	33	PASS

Band 2	20MHz	16QAM	M	50RB25	22.37	24.97	33	PASS
Band 2	20MHz	16QAM	M	50RB50	22.39	24.99	33	PASS
Band 2	20MHz	16QAM	M	100RB0	22.33	24.93	33	PASS
Band 2	20MHz	16QAM	H	1RB0	23.55	26.15	33	PASS
Band 2	20MHz	16QAM	H	1RB50	23.64	26.24	33	PASS
Band 2	20MHz	16QAM	H	1RB99	23.66	26.26	33	PASS
Band 2	20MHz	16QAM	H	50RB0	22.45	25.05	33	PASS
Band 2	20MHz	16QAM	H	50RB25	22.5	25.1	33	PASS
Band 2	20MHz	16QAM	H	50RB50	22.45	25.05	33	PASS
Band 2	20MHz	16QAM	H	100RB0	22.47	25.07	33	PASS
Band 2	20MHz	64QAM	L	1RB0	22.39	24.99	33	PASS
Band 2	20MHz	64QAM	L	1RB50	22.6	25.2	33	PASS
Band 2	20MHz	64QAM	L	1RB99	22.48	25.08	33	PASS
Band 2	20MHz	64QAM	L	50RB0	21.19	23.79	33	PASS
Band 2	20MHz	64QAM	L	50RB25	21.37	23.97	33	PASS
Band 2	20MHz	64QAM	L	50RB50	21.34	23.94	33	PASS
Band 2	20MHz	64QAM	L	100RB0	21.34	23.94	33	PASS
Band 2	20MHz	64QAM	M	1RB0	22.47	25.07	33	PASS
Band 2	20MHz	64QAM	M	1RB50	22.58	25.18	33	PASS
Band 2	20MHz	64QAM	M	1RB99	22.51	25.11	33	PASS
Band 2	20MHz	64QAM	M	50RB0	21.32	23.92	33	PASS
Band 2	20MHz	64QAM	M	50RB25	21.38	23.98	33	PASS
Band 2	20MHz	64QAM	M	50RB50	21.34	23.94	33	PASS
Band 2	20MHz	64QAM	M	100RB0	21.35	23.95	33	PASS
Band 2	20MHz	64QAM	H	1RB0	22.62	25.22	33	PASS

Band 2	20MHz	64QAM	H	1RB50	22.62	25.22	33	PASS
Band 2	20MHz	64QAM	H	1RB99	22.65	25.25	33	PASS
Band 2	20MHz	64QAM	H	50RB0	21.41	24.01	33	PASS
Band 2	20MHz	64QAM	H	50RB25	21.55	24.15	33	PASS
Band 2	20MHz	64QAM	H	50RB50	21.54	24.14	33	PASS
Band 2	20MHz	64QAM	H	100RB0	21.45	24.05	33	PASS

2. Frequency Stability

2.1 B2_20MHz

2.1.1 Test Result

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	100	0	20	3.27	-1.900	-0.0010	-2.5 to 2.5	Pass
					3.85	-2.800	-0.0015	-2.5 to 2.5	Pass
					4.43	-4.100	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-4.400	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-1.900	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-3.000	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-2.200	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-2.000	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-4.900	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-1.000	-0.0005	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Band2_OBW

3.1.1 Test Result

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.102	/	Pass
		1880	6	0	1.109	/	Pass
		1909.3	6	0	1.104	/	Pass
	16QAM	1850.7	6	0	1.111	/	Pass
		1880	6	0	1.115	/	Pass
		1909.3	6	0	1.101	/	Pass
	64QAM	1850.7	6	0	1.106	/	Pass
		1880	6	0	1.109	/	Pass
		1909.3	6	0	1.103	/	Pass
3	QPSK	1851.5	15	0	2.746	/	Pass
		1880	15	0	2.744	/	Pass
		1908.5	15	0	2.751	/	Pass
	16QAM	1851.5	15	0	2.756	/	Pass
		1880	15	0	2.753	/	Pass
		1908.5	15	0	2.741	/	Pass
	64QAM	1851.5	15	0	2.740	/	Pass
		1880	15	0	2.743	/	Pass
		1908.5	15	0	2.756	/	Pass
5	QPSK	1852.5	25	0	4.517	/	Pass
		1880	25	0	4.540	/	Pass
		1907.5	25	0	4.525	/	Pass
	16QAM	1852.5	25	0	4.527	/	Pass
		1880	25	0	4.526	/	Pass
		1907.5	25	0	4.520	/	Pass
	64QAM	1852.5	25	0	4.529	/	Pass
		1880	25	0	4.522	/	Pass
		1907.5	25	0	4.522	/	Pass
10	QPSK	1855	50	0	9.012	/	Pass
		1880	50	0	9.056	/	Pass
		1905	50	0	9.050	/	Pass
	16QAM	1855	50	0	9.024	/	Pass
		1880	50	0	9.042	/	Pass
		1905	50	0	9.031	/	Pass
	64QAM	1855	50	0	9.049	/	Pass
		1880	50	0	9.038	/	Pass
		1905	50	0	9.064	/	Pass
15	QPSK	1857.5	75	0	13.520	/	Pass
		1880	75	0	13.532	/	Pass
		1902.5	75	0	13.530	/	Pass
	16QAM	1857.5	75	0	13.532	/	Pass
		1880	75	0	13.519	/	Pass
		1902.5	75	0	13.536	/	Pass
	64QAM	1857.5	75	0	13.512	/	Pass
		1880	75	0	13.528	/	Pass
		1902.5	75	0	13.523	/	Pass
20	QPSK	1860	100	0	18.065	/	Pass
		1880	100	0	18.062	/	Pass

	16QAM	1900	100	0	18.103	/	Pass
		1860	100	0	18.081	/	Pass
		1880	100	0	18.153	/	Pass
		1900	100	0	18.115	/	Pass
	64QAM	1860	100	0	18.071	/	Pass
		1880	100	0	18.104	/	Pass
		1900	100	0	18.110	/	Pass

3.2 Band2_XDB


3.2.1 Test Result

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.383	/	Pass
		1880	6	0	1.378	/	Pass
		1909.3	6	0	1.373	/	Pass
	16QAM	1850.7	6	0	1.376	/	Pass
		1880	6	0	1.379	/	Pass
		1909.3	6	0	1.413	/	Pass
	64QAM	1850.7	6	0	1.407	/	Pass
		1880	6	0	1.387	/	Pass
		1909.3	6	0	1.356	/	Pass
3	QPSK	1851.5	15	0	3.134	/	Pass
		1880	15	0	3.144	/	Pass
		1908.5	15	0	3.168	/	Pass
	16QAM	1851.5	15	0	3.148	/	Pass
		1880	15	0	3.155	/	Pass
		1908.5	15	0	3.156	/	Pass
	64QAM	1851.5	15	0	3.154	/	Pass
		1880	15	0	3.128	/	Pass
		1908.5	15	0	3.142	/	Pass
5	QPSK	1852.5	25	0	5.135	/	Pass
		1880	25	0	5.132	/	Pass
		1907.5	25	0	5.127	/	Pass
	16QAM	1852.5	25	0	5.170	/	Pass
		1880	25	0	5.132	/	Pass
		1907.5	25	0	5.163	/	Pass
	64QAM	1852.5	25	0	5.199	/	Pass
		1880	25	0	5.222	/	Pass
		1907.5	25	0	5.118	/	Pass
10	QPSK	1855	50	0	10.067	/	Pass
		1880	50	0	10.085	/	Pass
		1905	50	0	10.119	/	Pass
	16QAM	1855	50	0	10.141	/	Pass
		1880	50	0	10.127	/	Pass
		1905	50	0	10.136	/	Pass
	64QAM	1855	50	0	9.974	/	Pass
		1880	50	0	10.140	/	Pass
		1905	50	0	9.989	/	Pass
15	QPSK	1857.5	75	0	14.984	/	Pass
		1880	75	0	15.019	/	Pass
		1902.5	75	0	15.064	/	Pass
	16QAM	1857.5	75	0	14.927	/	Pass
		1880	75	0	15.045	/	Pass
		1902.5	75	0	14.963	/	Pass


	64QAM	1857.5	75	0	15.107	/	Pass
		1880	75	0	14.952	/	Pass
		1902.5	75	0	15.202	/	Pass
20	QPSK	1860	100	0	20.021	/	Pass
		1880	100	0	19.868	/	Pass
		1900	100	0	20.020	/	Pass
	16QAM	1860	100	0	20.205	/	Pass
		1880	100	0	19.998	/	Pass
		1900	100	0	20.026	/	Pass
	64QAM	1860	100	0	20.031	/	Pass
		1880	100	0	19.957	/	Pass
		1900	100	0	19.995	/	Pass

3.1 Band2_OBW


3.1.2 Test Graph




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTN




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTN




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 64QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2 5MHz 64QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTN




Band2_10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 64QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 64QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 64QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV







Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV









Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV







Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTN



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN










3.2 Band2_XDB

3.2.2 Test Graph







Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTN




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTN




Band2 1.4MHz 64QAM HCH 1909.3MHz RB 6 0 NTN




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTN




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTN




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 64QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTNV




Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM LCH 1852.5MHz RB 25 0 NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 64QAM HCH 1907.5MHz RB 25 0 NTN




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2 10MHz 64QAM LCH 1855MHz RB 50 0 NTNV




Band2 10MHz 64QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 64QAM HCH 1905MHz RB 50 0 NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV





Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM HCH 1902.5MHz RB 75 0 NTNV







Band2 15MHz 64QAM HCH 1902.5MHz RB 75 0 NTN




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTN




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTN




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTN





Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



Band2 20MHz 64QAM LCH 1860MHz RB 100 0 NTNV





4. Peak-Average Ratio

4.1 B2_1.4MHz

4.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.82	<=13	Pass
	1880	6	0	4.72	<=13	Pass
	1909.3	6	0	4.68	<=13	Pass
16QAM	1850.7	6	0	5.74	<=13	Pass
	1880	6	0	5.70	<=13	Pass
	1909.3	6	0	5.62	<=13	Pass
64QAM	1850.7	6	0	5.72	<=13	Pass
	1880	6	0	5.72	<=13	Pass
	1909.3	6	0	5.60	<=13	Pass

4.2 B2_3MHz

4.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.86	<=13	Pass
	1880	15	0	4.84	<=13	Pass
	1908.5	15	0	4.70	<=13	Pass
16QAM	1851.5	15	0	5.78	<=13	Pass
	1880	15	0	5.72	<=13	Pass
	1908.5	15	0	5.70	<=13	Pass
64QAM	1851.5	15	0	5.76	<=13	Pass
	1880	15	0	5.74	<=13	Pass
	1908.5	15	0	5.70	<=13	Pass

4.3 B2_5MHz

4.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	4.92	<=13	Pass
	1880	25	0	4.88	<=13	Pass
	1907.5	25	0	4.94	<=13	Pass
16QAM	1852.5	25	0	5.84	<=13	Pass
	1880	25	0	5.80	<=13	Pass
	1907.5	25	0	5.86	<=13	Pass
64QAM	1852.5	25	0	5.86	<=13	Pass
	1880	25	0	5.80	<=13	Pass

	1907.5	25	0	5.80	<=13	Pass
--	--------	----	---	------	------	------

4.4 B2_10MHz

4.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.34	<=13	Pass
	1880	50	0	5.38	<=13	Pass
	1905	50	0	5.44	<=13	Pass
16QAM	1855	50	0	6.14	<=13	Pass
	1880	50	0	6.08	<=13	Pass
	1905	50	0	6.20	<=13	Pass
64QAM	1855	50	0	6.14	<=13	Pass
	1880	50	0	6.16	<=13	Pass
	1905	50	0	6.14	<=13	Pass

4.5 B2_15MHz

4.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	4.98	<=13	Pass
	1880	75	0	5.16	<=13	Pass
	1902.5	75	0	5.14	<=13	Pass
16QAM	1857.5	75	0	6.04	<=13	Pass
	1880	75	0	6.10	<=13	Pass
	1902.5	75	0	6.08	<=13	Pass
64QAM	1857.5	75	0	6.06	<=13	Pass
	1880	75	0	6.02	<=13	Pass
	1902.5	75	0	6.06	<=13	Pass


4.6 B2_20MHz


4.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.58	<=13	Pass
	1880	100	0	5.62	<=13	Pass
	1900	100	0	5.60	<=13	Pass
16QAM	1860	100	0	6.54	<=13	Pass
	1880	100	0	6.62	<=13	Pass
	1900	100	0	6.60	<=13	Pass
64QAM	1860	100	0	6.58	<=13	Pass
	1880	100	0	6.62	<=13	Pass
	1900	100	0	6.58	<=13	Pass


4.1 B2_1.4MHz

4.1.2 Test Graph







Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 64QAM LCH 1850.7MHz RB 6 0 NTN




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTN







4.2 B2_3MHz

4.2.2 Test Graph







Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTNv




Band2 3MHz 16QAM LCH 1851.5MHz RB 15 0 NTNv




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM LCH 1851.5MHz RB 15 0 NTNV




Band2 3MHz 64QAM MCH 1880MHz RB 15 0 NTNV







4.3 B2_5MHz

4.3.2 Test Graph







Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNv




Band2 5MHz 16QAM LCH 1852.5MHz RB 25 0 NTNv




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTNV




Band2 5MHz 16QAM HCH 1907.5MHz RB 25 0 NTNV




Band2_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV







4.4 B2_10MHz

4.4.2 Test Graph







Band2 10MHz QPSK HCH 1905MHz RB 50_0 NTNv




Band2 10MHz 16QAM LCH 1855MHz RB 50_0 NTNv




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM HCH 1905MHz RB 50 0 NTNV




Band2_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV







4.5 B2_15MHz

4.5.2 Test Graph







Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV





Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV



Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV










4.6 B2_20MHz

4.6.2 Test Graph







Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100_0 NTN




Band2 20MHz 16QAM HCH 1900MHz RB 100_0 NTN




Band2 20MHz 64QAM LCH 1860MHz RB 100 0 NTN



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTN





5. Spurious Emission

5.1 B2_1.4MHz

5.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.2 B2_3MHz

5.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.3 B2_5MHz

5.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.4 B2_10MHz

5.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTNV					
-----------------------------------	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.5 B2_15MHz

5.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.6 B2_20MHz

5.6.1 Test Result


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.1 B2_1.4MHz


5.1.2 Test Graph




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV





Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




5.2 B2_3MHz

5.2.2 Test Graph







Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTV





Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




5.3 B2_5MHz

5.3.2 Test Graph







Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTNV





Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




5.4 B2_10MHz

5.4.2 Test Graph







Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTNV





Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTNV




5.5 B2_15MHz

5.5.2 Test Graph







Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 0 NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV





Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




5.6 B2_20MHz

5.6.2 Test Graph







Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTN




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTN




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTV



Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV



6. Field Strength of Spurious Radiation

For Sample #1:

Test Band = LTE Band2_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3881.25	43.30	-46.21	29.21	-68.96	-13.00	55.96	Horizontal
2	5486.25	42.58	-45.25	32.28	-65.65	-13.00	52.65	Horizontal
3	7833.75	40.50	-42.48	36.87	-60.37	-13.00	47.37	Horizontal
4	9424.5	39.03	-39.93	37.35	-58.81	-13.00	45.81	Horizontal
5	12743.25	34.88	-36.74	39.32	-57.80	-13.00	44.80	Horizontal
6	14886.75	32.41	-34.77	41.51	-56.11	-13.00	43.11	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3909.75	42.89	-46.26	29.26	-69.37	-13.00	56.37	Vertical
2	4896.75	40.56	-45.53	31.23	-69.00	-13.00	56.00	Vertical
3	6801	41.78	-44.17	34.64	-63.01	-13.00	50.01	Vertical
4	8758.5	39.63	-41.43	36.64	-60.42	-13.00	47.42	Vertical
5	10312.5	36.73	-39.08	38.53	-59.08	-13.00	46.08	Vertical
6	13380.75	33.79	-36.42	39.93	-57.96	-13.00	44.96	Vertical

Test Band = LTE Band2_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3891.75	42.94	-46.25	29.23	-69.34	-13.00	56.34	Horizontal
2	5405.25	42.79	-45.30	32.13	-65.64	-13.00	52.64	Horizontal
3	7377	40.93	-43.49	36.06	-61.76	-13.00	48.76	Horizontal
4	9435.75	39.36	-39.97	37.37	-58.50	-13.00	45.50	Horizontal
5	11439.75	35.15	-37.35	38.82	-58.64	-13.00	45.64	Horizontal
6	14986.5	32.01	-34.64	41.59	-56.30	-13.00	43.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3772.5	41.67	-45.80	29.04	-70.36	-13.00	57.36	Vertical
2	5406	41.57	-45.30	32.13	-66.86	-13.00	53.86	Vertical
3	7269	40.26	-43.65	35.75	-62.89	-13.00	49.89	Vertical
4	8547	39.83	-41.48	36.77	-60.14	-13.00	47.14	Vertical
5	11310	34.15	-37.42	38.76	-59.77	-13.00	46.77	Vertical
6	13533	34.14	-36.71	40.15	-57.68	-13.00	44.68	Vertical

Test Band = LTE Band2_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3772.5	43.10	-45.80	29.04	-68.93	-13.00	55.93	Horizontal
2	5321.25	42.21	-45.13	31.98	-66.21	-13.00	53.21	Horizontal
3	7197.75	40.98	-43.44	35.55	-62.16	-13.00	49.16	Horizontal
4	8369.25	39.90	-41.62	36.88	-60.10	-13.00	47.10	Horizontal
5	11457.75	34.68	-37.34	38.83	-59.09	-13.00	46.09	Horizontal
6	12462.75	34.72	-37.18	39.24	-58.48	-13.00	45.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3723.75	42.26	-45.60	28.96	-69.64	-13.00	56.64	Vertical
2	5112	39.50	-45.36	31.60	-69.52	-13.00	56.52	Vertical
3	7182.75	40.34	-43.56	35.51	-62.96	-13.00	49.96	Vertical
4	8762.25	39.30	-41.42	36.64	-60.73	-13.00	47.73	Vertical
5	12096.75	33.82	-37.35	39.13	-59.66	-13.00	46.66	Vertical
6	13745.25	32.80	-36.27	40.44	-58.29	-13.00	45.29	Vertical

Test Band = 2A-5A_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3803.25	45.08	-45.93	29.09	-67.03	-13.00	54.03	Horizontal
2	5273.625	45.45	-45.14	31.89	-63.06	-13.00	50.06	Horizontal
3	6465	45.12	-44.54	33.98	-60.70	-13.00	47.70	Horizontal
4	8456.25	44.09	-41.55	36.83	-55.89	-13.00	42.89	Horizontal
5	10676.625	41.67	-38.02	38.57	-53.04	-13.00	40.04	Horizontal
6	12717	43.42	-36.71	39.32	-49.23	-13.00	36.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594.75	45.45	-46.14	28.75	-67.20	-13.00	54.20	Vertical
2	4755	44.85	-45.57	31.01	-64.97	-13.00	51.97	Vertical
3	6173.625	45.42	-44.68	32.99	-61.53	-13.00	48.53	Vertical
4	8091.75	43.35	-41.44	37.04	-56.31	-13.00	43.31	Vertical
5	9958.125	42.34	-39.28	38.42	-53.78	-13.00	40.78	Vertical
6	12808.125	43.08	-36.85	39.34	-49.69	-13.00	36.69	Vertical

Test Band = 2A-5A_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3763.875	45.13	-45.77	29.02	-66.88	-13.00	53.88	Horizontal
2	5341.125	45.78	-45.18	32.01	-62.64	-13.00	49.64	Horizontal
3	6635.625	44.73	-44.16	34.34	-60.34	-13.00	47.34	Horizontal
4	9185.625	42.59	-40.26	36.87	-56.06	-13.00	43.06	Horizontal
5	11243.625	42.43	-37.40	38.72	-51.51	-13.00	38.51	Horizontal
6	13910.25	43.44	-35.48	40.67	-46.62	-13.00	33.62	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3923.25	45.74	-46.22	29.28	-66.47	-13.00	53.47	Vertical
2	5451.75	46.03	-45.27	32.21	-62.29	-13.00	49.29	Vertical
3	7748.625	44.59	-42.73	36.75	-56.65	-13.00	43.65	Vertical
4	9199.125	43.09	-40.25	36.90	-55.52	-13.00	42.52	Vertical
5	12626.25	43.56	-37.37	39.29	-49.79	-13.00	36.79	Vertical
6	14935.5	45.02	-34.67	41.55	-43.36	-13.00	30.36	Vertical

Test Band = 2A-5A_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3686.625	44.79	-45.58	28.90	-67.16	-13.00	54.16	Horizontal
2	4837.875	44.80	-45.54	31.14	-64.86	-13.00	51.86	Horizontal
3	5773.5	44.57	-44.78	32.35	-63.11	-13.00	50.11	Horizontal
4	7815.75	44.62	-42.39	36.84	-56.19	-13.00	43.19	Horizontal
5	11197.5	42.25	-37.40	38.70	-51.72	-13.00	38.72	Horizontal
6	12814.5	43.21	-36.87	39.34	-49.58	-13.00	36.58	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3594	45.47	-46.14	28.75	-67.18	-13.00	54.18	Vertical
2	5026.5	45.08	-45.57	31.45	-64.30	-13.00	51.30	Vertical
3	6592.125	45.47	-44.37	34.27	-59.89	-13.00	46.89	Vertical
4	8565.75	44.18	-41.43	36.76	-55.75	-13.00	42.75	Vertical
5	11591.25	42.18	-36.94	38.90	-51.12	-13.00	38.12	Vertical
6	13554.375	43.44	-36.51	40.18	-48.15	-13.00	35.15	Vertical

Test Band = 2A-12A_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4003.125	44.82	-46.03	29.41	-67.06	-13.00	54.06	Horizontal
2	5447.25	46.14	-45.27	32.21	-62.19	-13.00	49.19	Horizontal
3	6860.625	45.41	-44.13	34.75	-59.23	-13.00	46.23	Horizontal
4	9931.125	42.62	-39.30	38.36	-53.58	-13.00	40.58	Horizontal
5	11933.625	42.80	-37.28	39.07	-50.67	-13.00	37.67	Horizontal
6	13868.625	43.33	-35.75	40.62	-47.06	-13.00	34.06	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4136.25	44.43	-45.76	29.73	-66.87	-13.00	53.87	Vertical
2	5879.625	45.77	-44.93	32.38	-62.04	-13.00	49.04	Vertical
3	7865.25	45.63	-42.64	36.91	-55.36	-13.00	42.36	Vertical
4	10035.375	42.47	-39.20	38.50	-53.48	-13.00	40.48	Vertical
5	12034.875	43.40	-37.53	39.11	-50.28	-13.00	37.28	Vertical
6	15116.25	44.92	-34.78	41.36	-43.77	-13.00	30.77	Vertical

Test Band = 2A-12A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3940.125	46.14	-46.18	29.30	-66.00	-13.00	53.00	Horizontal
2	4891.875	44.94	-45.53	31.23	-64.62	-13.00	51.62	Horizontal
3	6382.875	44.92	-44.43	33.70	-61.07	-13.00	48.07	Horizontal
4	8385.75	44.48	-41.53	36.87	-55.44	-13.00	42.44	Horizontal
5	11614.875	41.85	-36.91	38.91	-51.41	-13.00	38.41	Horizontal
6	13711.875	44.10	-36.19	40.40	-46.95	-13.00	33.95	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4227	44.22	-45.71	29.94	-66.80	-13.00	53.80	Vertical
2	5098.875	45.03	-45.37	31.58	-64.03	-13.00	51.03	Vertical
3	6956.25	45.44	-43.79	34.92	-58.69	-13.00	45.69	Vertical
4	8427.375	44.27	-41.50	36.84	-55.64	-13.00	42.64	Vertical
5	10729.125	41.78	-38.09	38.57	-53.00	-13.00	40.00	Vertical
6	13377.75	43.13	-36.44	39.93	-48.64	-13.00	35.64	Vertical

Test Band = 2A-12A_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3956.25	45.43	-46.15	29.33	-66.65	-13.00	53.65	Horizontal
2	5064.375	45.21	-45.47	31.52	-64.00	-13.00	51.00	Horizontal
3	7178.25	44.75	-43.59	35.50	-58.60	-13.00	45.60	Horizontal
4	9201.375	42.29	-40.25	36.90	-56.32	-13.00	43.32	Horizontal
5	12712.875	43.06	-36.70	39.31	-49.59	-13.00	36.59	Horizontal
6	14805.75	44.04	-35.25	41.44	-45.02	-13.00	32.02	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4125.75	44.39	-45.76	29.70	-66.93	-13.00	53.93	Vertical
2	5493.375	45.40	-45.24	32.29	-62.82	-13.00	49.82	Vertical
3	7061.25	44.55	-43.95	35.17	-59.49	-13.00	46.49	Vertical
4	8701.5	44.51	-41.68	36.68	-55.75	-13.00	42.75	Vertical
5	11132.25	42.00	-37.78	38.67	-52.38	-13.00	39.38	Vertical
6	13881.375	43.39	-35.63	40.63	-46.86	-13.00	33.86	Vertical

Test Band = 2A-71A_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3932.625	45.39	-46.20	29.29	-66.78	-13.00	53.78	Horizontal
2	5464.5	45.44	-45.26	32.24	-62.85	-13.00	49.85	Horizontal
3	7023.375	44.75	-43.70	35.07	-59.15	-13.00	46.15	Horizontal
4	9133.875	42.45	-40.32	36.77	-56.36	-13.00	43.36	Horizontal
5	11023.5	41.79	-37.87	38.61	-52.73	-13.00	39.73	Horizontal
6	12764.625	43.72	-36.78	39.33	-48.99	-13.00	35.99	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4116	44.49	-45.76	29.68	-66.85	-13.00	53.85	Vertical
2	5615.625	45.09	-45.04	32.32	-62.88	-13.00	49.88	Vertical
3	7728.375	44.39	-42.89	36.72	-57.04	-13.00	44.04	Vertical
4	9985.5	42.56	-39.25	38.47	-53.48	-13.00	40.48	Vertical
5	11873.25	42.80	-37.06	39.04	-50.48	-13.00	37.48	Vertical
6	13580.25	44.40	-36.27	40.21	-46.91	-13.00	33.91	Vertical

Test Band = 2A-71A_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3595.875	45.39	-46.14	28.75	-67.25	-13.00	54.25	Horizontal
2	4692.375	44.50	-45.61	30.91	-65.46	-13.00	52.46	Horizontal
3	6288.75	45.59	-44.56	33.38	-60.85	-13.00	47.85	Horizontal
4	8287.5	44.32	-42.05	36.93	-56.06	-13.00	43.06	Horizontal
5	10139.625	42.55	-39.27	38.51	-53.47	-13.00	40.47	Horizontal
6	12276.75	42.83	-37.43	39.18	-50.68	-13.00	37.68	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4230.75	44.64	-45.70	29.95	-66.37	-13.00	53.37	Vertical
2	6083.25	45.26	-44.51	32.68	-61.83	-13.00	48.83	Vertical
3	7822.125	44.89	-42.42	36.85	-55.94	-13.00	42.94	Vertical
4	10060.5	42.65	-39.17	38.51	-53.27	-13.00	40.27	Vertical
5	12083.25	42.98	-37.39	39.12	-50.54	-13.00	37.54	Vertical
6	14205.375	44.32	-35.35	40.96	-45.32	-13.00	32.32	Vertical

Test Band = 2A-71A_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3909.75	45.72	-46.26	29.26	-66.54	-13.00	53.54	Horizontal
2	4963.875	45.15	-45.60	31.34	-64.37	-13.00	51.37	Horizontal
3	6968.625	44.56	-43.72	34.94	-59.48	-13.00	46.48	Horizontal
4	8839.875	44.56	-41.25	36.60	-55.35	-13.00	42.35	Horizontal
5	11387.25	43.02	-37.38	38.79	-50.82	-13.00	37.82	Horizontal
6	13784.25	44.35	-36.36	40.50	-46.77	-13.00	33.77	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3969.375	45.77	-46.11	29.35	-66.25	-13.00	53.25	Vertical
2	5402.625	46.12	-45.30	32.12	-62.31	-13.00	49.31	Vertical
3	7537.125	43.80	-43.06	36.45	-58.07	-13.00	45.07	Vertical
4	9448.5	44.01	-40.02	37.40	-53.88	-13.00	40.88	Vertical
5	11411.625	42.66	-37.36	38.81	-51.16	-13.00	38.16	Vertical
6	13569	43.50	-36.37	40.20	-47.93	-13.00	34.93	Vertical

For Sample #2:

Test Band = LTE Band2_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5517	45.07	-45.21	32.30	-63.10	-13.00	50.10	Horizontal
2	6074.625	45.26	-44.55	32.65	-61.89	-13.00	48.89	Horizontal
3	6331.125	45.26	-44.50	33.53	-60.97	-13.00	47.97	Horizontal
4	8078.25	43.33	-41.58	37.05	-56.45	-13.00	43.45	Horizontal
5	11151.75	41.33	-37.67	38.68	-52.92	-13.00	39.92	Horizontal
6	12644.625	42.64	-37.20	39.29	-50.53	-13.00	37.53	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3977.25	40.11	-46.09	29.36	-71.88	-13.00	58.88	Vertical
2	4776.75	40.99	-45.55	31.04	-68.78	-13.00	55.78	Vertical
3	5880.75	42.46	-44.93	32.38	-65.35	-13.00	52.35	Vertical
4	7456.875	41.32	-43.26	36.28	-60.92	-13.00	47.92	Vertical
5	9451.875	42.85	-40.04	37.40	-55.04	-13.00	42.04	Vertical
6	11802	41.29	-36.94	39.00	-51.91	-13.00	38.91	Vertical

Test Band = LTE Band2_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4123.5	44.18	-45.76	29.70	-67.15	-13.00	54.15	Horizontal
2	5819.25	45.67	-44.79	32.36	-62.02	-13.00	49.02	Horizontal
3	6759.375	44.85	-44.02	34.57	-59.87	-13.00	46.87	Horizontal
4	8858.625	44.29	-41.24	36.58	-55.63	-13.00	42.63	Horizontal
5	10558.5	41.75	-38.61	38.56	-53.56	-13.00	40.56	Horizontal
6	12729	42.94	-36.72	39.32	-49.72	-13.00	36.72	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3991.5	40.60	-46.06	29.39	-71.33	-13.00	58.33	Vertical
2	4773.375	40.86	-45.56	31.04	-68.92	-13.00	55.92	Vertical
3	5565.75	41.94	-45.13	32.31	-66.14	-13.00	53.14	Vertical
4	6816	42.20	-44.16	34.67	-62.55	-13.00	49.55	Vertical
5	8114.25	42.04	-41.50	37.03	-57.69	-13.00	44.69	Vertical
6	10697.625	41.29	-37.89	38.57	-53.29	-13.00	40.29	Vertical

Test Band = LTE Band2_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3892.5	45.51	-46.25	29.23	-66.78	-13.00	53.78	Horizontal
2	4876.875	44.92	-45.53	31.20	-64.67	-13.00	51.67	Horizontal
3	5694	44.98	-44.86	32.34	-62.80	-13.00	49.80	Horizontal
4	6858.375	44.77	-44.13	34.75	-59.87	-13.00	46.87	Horizontal
5	7882.5	44.53	-42.73	36.94	-56.53	-13.00	43.53	Horizontal
6	9424.5	45.15	-39.93	37.35	-52.69	-13.00	39.69	Horizontal

Test Band = LTE Band2_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4154.25	39.16	-45.77	29.77	-72.10	-13.00	59.10	Vertical
2	4929.375	41.18	-45.56	31.29	-68.36	-13.00	55.36	Vertical
3	5888.625	42.62	-44.94	32.38	-65.21	-13.00	52.21	Vertical
4	6833.625	42.57	-44.15	34.70	-62.14	-13.00	49.14	Vertical
5	8366.625	42.40	-41.64	36.88	-57.62	-13.00	44.62	Vertical
6	10561.125	40.83	-38.60	38.56	-54.47	-13.00	41.47	Vertical

Test Band = 2A-5A_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4116.375	43.43	-45.76	29.68	-67.91	-13.00	54.91	Horizontal
2	5379.75	44.67	-45.26	32.08	-63.76	-13.00	50.76	Horizontal
3	6760.125	42.68	-44.03	34.57	-62.04	-13.00	49.04	Horizontal
4	8235.75	40.46	-42.21	36.96	-60.05	-13.00	47.05	Horizontal
5	9995.25	37.69	-39.24	38.49	-58.32	-13.00	45.32	Horizontal
6	13829.25	34.58	-36.12	40.56	-56.24	-13.00	43.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4224.75	42.88	-45.71	29.94	-68.15	-13.00	55.15	Vertical
2	5448.75	44.38	-45.27	32.21	-63.94	-13.00	50.94	Vertical
3	6618.75	41.93	-44.25	34.31	-63.27	-13.00	50.27	Vertical
4	7970.625	41.90	-42.49	37.06	-58.79	-13.00	45.79	Vertical
5	9933.75	37.63	-39.30	38.37	-58.56	-13.00	45.56	Vertical
6	13383.375	34.80	-36.40	39.94	-56.93	-13.00	43.93	Vertical

Test Band = 2A-5A_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4361.625	44.69	-45.71	30.27	-66.01	-13.00	53.01	Horizontal
2	5821.5	43.50	-44.80	32.36	-64.19	-13.00	51.19	Horizontal
3	7577.625	41.86	-42.98	36.51	-59.87	-13.00	46.87	Horizontal
4	8840.625	41.96	-41.25	36.60	-57.95	-13.00	44.95	Horizontal
5	11077.875	35.82	-37.94	38.64	-58.74	-13.00	45.74	Horizontal
6	12917.25	35.47	-37.15	39.38	-57.56	-13.00	44.56	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4077	43.56	-45.82	29.58	-67.94	-13.00	54.94	Vertical
2	6061.125	43.23	-44.60	32.61	-64.02	-13.00	51.02	Vertical
3	6987.375	42.12	-43.62	34.98	-61.78	-13.00	48.78	Vertical
4	8840.25	41.43	-41.25	36.60	-58.48	-13.00	45.48	Vertical
5	10535.25	36.44	-38.68	38.55	-58.95	-13.00	45.95	Vertical
6	13717.875	34.81	-36.20	40.41	-56.25	-13.00	43.25	Vertical

Test Band = 2A-5A_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4226.25	43.12	-45.71	29.94	-67.91	-13.00	54.91	Horizontal
2	4647.375	43.42	-45.64	30.84	-66.64	-13.00	53.64	Horizontal
3	6065.25	43.23	-44.58	32.62	-63.99	-13.00	50.99	Horizontal
4	6941.625	42.09	-43.87	34.89	-62.15	-13.00	49.15	Horizontal
5	8654.625	41.44	-41.53	36.71	-58.64	-13.00	45.64	Horizontal
6	11073.75	35.92	-37.94	38.64	-58.64	-13.00	45.64	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4118.625	43.49	-45.76	29.68	-67.85	-13.00	54.85	Vertical
2	4741.5	43.77	-45.58	30.99	-66.08	-13.00	53.08	Vertical
3	5526	43.95	-45.20	32.31	-64.20	-13.00	51.20	Vertical
4	6689.625	42.24	-43.87	34.44	-62.44	-13.00	49.44	Vertical
5	9211.125	38.62	-40.25	36.92	-59.96	-13.00	46.96	Vertical
6	11923.125	35.08	-37.22	39.06	-58.34	-13.00	45.34	Vertical

Test Band = 2A-12A_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3762.375	44.01	-45.76	29.02	-67.99	-13.00	54.99	Horizontal
2	4563.75	43.75	-45.68	30.70	-66.49	-13.00	53.49	Horizontal
3	6463.125	42.97	-44.54	33.97	-62.85	-13.00	49.85	Horizontal
4	7525.125	42.02	-43.09	36.44	-59.89	-13.00	46.89	Horizontal
5	11079.75	35.94	-37.94	38.64	-58.62	-13.00	45.62	Horizontal
6	12975.75	35.12	-37.28	39.39	-58.02	-13.00	45.02	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4063.875	43.17	-45.86	29.55	-68.40	-13.00	55.40	Vertical
2	5265	43.68	-45.16	31.88	-64.86	-13.00	51.86	Vertical
3	6438.75	42.37	-44.49	33.89	-63.49	-13.00	50.49	Vertical
4	7836.75	41.63	-42.50	36.87	-59.26	-13.00	46.26	Vertical
5	9860.25	37.81	-39.39	38.22	-58.62	-13.00	45.62	Vertical
6	12269.25	35.92	-37.43	39.18	-57.59	-13.00	44.59	Vertical

Test Band = 2A-12A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4087.875	43.68	-45.79	29.61	-67.76	-13.00	54.76	Horizontal
2	5458.5	43.95	-45.26	32.23	-64.35	-13.00	51.35	Horizontal
3	6584.25	42.27	-44.39	34.25	-63.13	-13.00	50.13	Horizontal
4	8449.125	42.14	-41.53	36.83	-57.82	-13.00	44.82	Horizontal
5	10436.625	36.59	-38.93	38.54	-59.06	-13.00	46.06	Horizontal
6	12757.125	35.71	-36.77	39.33	-56.99	-13.00	43.99	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3925.5	44.42	-46.22	29.28	-67.78	-13.00	54.78	Vertical
2	5091.375	43.34	-45.39	31.56	-65.75	-13.00	52.75	Vertical
3	6370.5	42.96	-44.45	33.66	-63.09	-13.00	50.09	Vertical
4	8035.125	41.30	-42.00	37.08	-58.88	-13.00	45.88	Vertical
5	10159.5	37.21	-39.35	38.52	-58.88	-13.00	45.88	Vertical
6	12946.5	34.92	-37.21	39.38	-58.17	-13.00	45.17	Vertical

Test Band = 2A-12A_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4234.875	42.96	-45.69	29.96	-68.03	-13.00	55.03	Horizontal
2	5283	43.62	-45.12	31.91	-64.85	-13.00	51.85	Horizontal
3	6758.25	43.18	-44.02	34.56	-61.53	-13.00	48.53	Horizontal
4	8383.125	41.01	-41.54	36.87	-58.92	-13.00	45.92	Horizontal
5	10098	37.08	-39.12	38.51	-58.79	-13.00	45.79	Horizontal
6	13154.625	34.49	-37.11	39.62	-58.26	-13.00	45.26	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4217.625	42.73	-45.73	29.92	-68.34	-13.00	55.34	Vertical
2	5701.125	42.78	-44.85	32.34	-64.99	-13.00	51.99	Vertical
3	6990.75	42.84	-43.60	34.98	-61.04	-13.00	48.04	Vertical
4	8485.125	41.24	-41.59	36.81	-58.81	-13.00	45.81	Vertical
5	10435.125	36.73	-38.94	38.54	-58.92	-13.00	45.92	Vertical
6	12428.25	35.57	-37.39	39.23	-57.85	-13.00	44.85	Vertical

Test Band = 2A-71A_TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4051.125	43.66	-45.90	29.52	-67.97	-13.00	54.97	Horizontal
2	5031.375	43.45	-45.56	31.46	-65.91	-13.00	52.91	Horizontal
3	6193.125	43.67	-44.74	33.06	-63.27	-13.00	50.27	Horizontal
4	7088.25	42.93	-44.13	35.25	-61.22	-13.00	48.22	Horizontal
5	8555.625	41.67	-41.46	36.77	-58.28	-13.00	45.28	Horizontal
6	10493.625	36.73	-38.81	38.55	-58.79	-13.00	45.79	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4157.25	43.30	-45.77	29.78	-67.95	-13.00	54.95	Vertical
2	5400.75	44.69	-45.30	32.12	-63.75	-13.00	50.75	Vertical
3	6907.125	42.51	-44.06	34.83	-61.98	-13.00	48.98	Vertical
4	8204.625	41.02	-42.31	36.98	-59.57	-13.00	46.57	Vertical
5	10386.375	36.90	-39.02	38.54	-58.84	-13.00	45.84	Vertical
6	12646.875	35.76	-37.18	39.29	-57.39	-13.00	44.39	Vertical

Test Band = 2A-71A_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4114.5	43.67	-45.76	29.67	-67.68	-13.00	54.68	Horizontal
2	5391	44.65	-45.28	32.10	-63.79	-13.00	50.79	Horizontal
3	6491.25	42.61	-44.59	34.07	-63.17	-13.00	50.17	Horizontal
4	8028.75	42.05	-42.07	37.08	-58.19	-13.00	45.19	Horizontal
5	10264.125	37.08	-39.24	38.53	-58.89	-13.00	45.89	Horizontal
6	12103.875	35.85	-37.35	39.13	-57.62	-13.00	44.62	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4171.125	43.38	-45.77	29.81	-67.84	-13.00	54.84	Vertical
2	5545.875	43.66	-45.16	32.31	-64.45	-13.00	51.45	Vertical
3	6774	42.84	-44.08	34.59	-61.90	-13.00	48.90	Vertical
4	8356.5	40.99	-41.69	36.89	-59.08	-13.00	46.08	Vertical
5	10406.25	37.48	-39.00	38.54	-58.24	-13.00	45.24	Vertical
6	12227.625	35.77	-37.47	39.17	-57.79	-13.00	44.79	Vertical

Test Band = 2A-71A_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4056	43.80	-45.88	29.53	-67.81	-13.00	54.81	Horizontal
2	5129.25	43.43	-45.34	31.63	-65.54	-13.00	52.54	Horizontal
3	6356.625	43.03	-44.47	33.61	-63.08	-13.00	50.08	Horizontal
4	7855.5	42.22	-42.59	36.90	-58.74	-13.00	45.74	Horizontal
5	9687	37.74	-39.47	37.87	-59.12	-13.00	46.12	Horizontal
6	11777.625	35.24	-36.94	38.99	-57.98	-13.00	44.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4048.875	43.94	-45.90	29.52	-67.71	-13.00	54.71	Vertical
2	5143.125	43.83	-45.33	31.66	-65.10	-13.00	52.10	Vertical
3	7069.5	42.47	-44.01	35.19	-61.60	-13.00	48.60	Vertical
4	8598.375	41.33	-41.33	36.74	-58.52	-13.00	45.52	Vertical
5	9803.25	38.09	-39.48	38.11	-58.54	-13.00	45.54	Vertical
6	11561.25	35.26	-37.06	38.88	-58.18	-13.00	45.18	Vertical